


Proposal & Plan Sales Will Begin on October 5, 2009



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for October – October 27, 2009**



**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR OCTOBER - Tuesday, October 27, 2009**

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

**PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 05, 2009**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR OCTOBER**

CALL	CONTRACT	COUNTY
01	BRDP-9205-00(007) / 100332306 & BRDP-9205-00(007) / 100332307	Washington
02	HSIP-0003-01(149) / 104917301	Jackson
03	HSIP-0007-01(075) / 105553301	Alcorn
04	HSIP-0015-01(066) / 105742301	Lincoln
05	HSIP-0039-02(043) / 105539301	Hinds
06	HSIP-0049-01(036) / 103963301	Amite
07	BR-0063-01(012) / 102477301	Jefferson Davis
08	BR-0953-00(014) / 105392301	Tishomingo
09	STP-0003-01(144) / 105556301 & STP-0003-01(145) / 105557301	Harrison & Jackson
10	STP/IM-0010-01(133)/105570301, STP/IM-0010-01(133)/105570302, & STP/IM-0010-01(133)/105570303	Jackson
11	STP/IM-0055-01(094)/105569301 & STP/IM-0055-01(094)/105569302	Pike
12	STP-0059-01(106) / 105568301 & IM-0059-01(106) / 105568302	Pearl River
13	STP/IM-0055-01(095)/105571301, STP/IM-0055-01(095)/105571302, STP/IM-0055-01(095)/105571303, & STP/IM-0055-01(095)/105571304	Copiah
14	STP-0055-04(091) / 105575301 & IM-0055-04(091) / 105575302	Desoto

Construction necessary to open the New U.S. Highway 82 River Bridge and demolish the Old River Bridge, known as Federal Aid Project No. BRDP-9205-00(007) / 100332306 & 307, in the County of Washington, State of Mississippi and County of Chicot, State of Arkansas. A MANDATORY PREBID MEETING WILL BE HELD IN THE MDOT ADMINISTRATION BUILDING AUDITORIUM AT 1:30 PM ON OCTOBER 6, 2009. SEE NOTICE TO BIDDERS NO. 1197M FOR COMPLETE DETAILS.

PROJECT COMPLETION: September 21, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

9,883	Square Meter	202-B005	Removal of Asphalt Pavement (All Depths)
859	Square Meter	202-B030	Removal of Concrete Pavement (All Depths)
3,235	Square Meter	202-B033	Removal of Concrete Pavement With Variable Depth Overlay
1,290	Meter	202-B055	Removal of Guard Rail Including Post, Blockouts & Hardware
26	Meter	202-B066	Removal of Pipe (200-mm and above)
1,200	Meter	202-B076	Removal of Traffic Stripe
50	Meter	202-B221	Removal of Box Culvert (Including Headwalls)
100	Cubic Meter	203-G004	Excess Excavation (LVM) (AH)
29,011	Square Meter	212-B001	Standard Ground Preparation
3	Metric Ton	213-B001	Combination Fertilizer (13-13-13)
3	Metric Ton	213-C001	Superphosphate
67	Kilogram	214-A002	Seeding (Bermudagrass)
82	Kilogram	214-A003	Seeding (Tall Fescue)
13	Metric Ton	215-A001	Vegetative Materials for Mulch
200	Square Meter	216-A001	Solid Sodding
2	Hectare	220-A001	Insect Pest Control
20	Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
100	Bale	235-A001	Temporary Erosion Checks
17,810	Metric Ton	406-A003	Cold Milling of Bituminous Pavement (All Depths)
232	Kilogram	602-A001	Reinforcing Steel
186	Meter	609-D002	Combination Concrete Curb and Gutter Type 2
3	Each	613-D004	Adjustment of Inlets, Special Design
12	Meter	615-B001	Precast Concrete Median Barrier
70	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
25	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic, Marine and Vehicular
11	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
84	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
1	Each	619-E1001	Flashing Arrow Panel (Type C)
6	Meter	619-G4001	Barricades (Type III) (Single Faced)
8	Meter	619-G4004	Barricades (Type III) (Single Faced) (Permanent)(Red/White)
86	Meter	619-G4005	Barricades (Type III) (Double Faced)
22	Meter	619-G4008	Barricades (Type III) (Double Faced) (Permanent)(Red/White)
140	Each	619-G5001	Free Standing Plastic Drums
26	Each	619-G7001	Warning Lights (Type "B")
1	Each	629-A004	Vehicular Impact Attenuator (112 kph)
42	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
29	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
20	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground

Call No. 01 for the October 27, 2009 Letting

		Mounted)
21	Meter	630-C002 Steel U-Section Posts (2.97 to 3.72 kg/m)
189	Meter	630-C003 Steel U-Section Posts (4.46 kg/m)
86	Meter	630-D004 Structural Steel Beams (W150 x 14)
219	Kilogram	630-E004 Structural Steel Angles & Bars (12 mm x 63 mm Flat Bars)
113	Kilogram	630-E007 Structural Steel Angles & Bars (76 mm x 76 mm x 6.4 mm Angles)
50	Each	630-F011 Delineators (Median Barrier Mounted)(Type I)(Yellow)
2	Each	630-G001 Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
65	Meter	630-K001 Welded & Seamless Steel Pipe Posts (DN 75)
40	Meter	630-K003 Welded & Seamless Steel Pipe Posts (DN 100)
	Lump Sum	907-202-A001 Removal of Obstructions
3,811	Cubic Meter	907-203-EX004 Borrow Excavation (AH)(FME) (Class B9)
20	Metric Ton	907-213-A001 Agricultural Limestone
4	Hectare	907-223-A001 Mowing
400	Meter	907-234-A002 Temporary Silt Fence
4,062	Metric Ton	907-304-B002 Granular Material (Class 5, Group E)
3,973	Metric Ton	907-304-D001 20-mm and Down Crushed Stone
28	Metric Ton	907-308-A001 Portland Cement
2,182	Square Meter	907-308-B002 Soil-Cement-Water Mixing, (Optional Mixers) (Base)
3,195	Metric Ton	907-403-A010 Hot Mix Asphalt, HT, 12.5-mm mixture
876	Metric Ton	907-403-A011 Hot Mix Asphalt, HT, 19-mm mixture
2,548	Metric Ton	907-403-D002 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
5	Kilometer	907-423-A003 400-mm Rumble Strips (Ground In)
18,744	Square Meter	907-501-K001 Transverse Grooving
1,030	Cubic Meter	907-506-A001 Latex Modified Concrete Wearing Surface
90	Square Meter	907-506-B001 Latex Modified Concrete Demonstration Section
9	Cubic Meter	907-601-B001 Class "B" Structural Concrete, Minor Structures
4	Each	907-617-A003 Right-of-Way Marker
6	Kilometer	907-619-A1005 Temporary Traffic Stripe (Continuous White) (Paint)
6	Kilometer	907-619-A2005 Temporary Traffic Stripe (Continuous Yellow) (Paint)
210	Meter	907-619-A3006 Temporary Traffic Stripe, Skip White
1,176	Meter	907-619-A5001 Temporary Traffic Stripe (Detail) (Paint)
141	Meter	907-619-A6001 Temporary Traffic Stripe (Legend) (Paint)
8	Square Meter	907-619-A6005 Temporary Traffic Stripe (Legend) (Paint)
130	Each	907-619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
	Lump Sum	907-620-A001 Mobilization
4	Kilometer	907-626-AA003 150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
1	Kilometer	907-626-BB003 150-mm Thermoplastic Traffic Stripe (Continuous White) (2.25-mm min)
7	Kilometer	907-626-CC003 150-mm Thermoplastic Edge Stripe (Continuous White) (1.50-mmmin)
4	Kilometer	907-626-EE004 150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
3	Kilometer	907-626-FF001 150-mm Thermoplastic Edge Stripe (Continuous Yellow)(1.50-mmmin.)
1,390	Meter	907-626-GG001 Thermoplastic Detail Stripe (150-mm Equivalent Length)(White)(2.25-mm min.)
4,340	Meter	907-626-GG002 Thermoplastic Detail Stripe (150-mm Equivalent Length)(Yellow)(2.25-mm min.)
126	Meter	907-626-HH004 Thermoplastic Legend (White) (3.00-mm min)
47	Square Meter	907-626-HH005 Thermoplastic Legend (White) (3.00-mm min)

Call No. 01 for the October 27, 2009 Letting

639	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
294	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
740	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers
9	Kilometer	907-628-II002	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
9	Kilometer	907-628-KK002	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
9	Kilometer	907-628-NN002	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
3,808	Meter	907-628-OO001	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((White)
2,538	Meter	907-628-OO002	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((Yellow)
	Lump Sum	907-699-A001	Roadway Construction Stakes
	Lump Sum	907-804-PP002	Ice Retainer Pins, Per Plans
	Lump Sum	907-813-PP001	Spray Finish For Cable Stay Bridge Railing, Per Plans

Construction necessary to make improvements to the intersection of U.S. 90 and Ocean Springs Road, known as Federal Aid Project No. HSIP-0003-01(149) / 104917301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: November 05, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
4,075 Linear Feet	202-B038	Removal of Curb, All Types
1,416 Linear Feet	202-B064	Removal of Pipe, 8" And Above
16,000 Square Yard	202-B078	Removal of Pavement, All Types and Depths
8 Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
7 Each	202-B105	Removal of Pipe Headwall, All Sizes
620 Linear Feet	202-B238	Removal of Water Line, All Sizes, All Types
7,485 Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
20,678 Cubic Yard	203-EX010	Borrow Excavation, AH, LVM, Class B5
24,591 Cubic Yard	203-G004	Excess Excavation, LVM, AH
800 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
28,500 Square Yard	212-B001	Standard Ground Preparation
10,108 Square Yard	216-B001	Solid Sodding, Centipede
7,100 Linear Feet	234-A001	Temporary Silt Fence
212 Bale	235-A001	Temporary Erosion Checks
95 Cubic Yard	310-B002	Size II Stabilizer Aggregate, Coarse
13,730 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
460 Square Yard	503-A014	6" and Variable Reinforced Concrete Pavement, Broom Finish
14,850 Pounds	602-A001	Reinforcing Steel
800 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
629 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
516 Linear Feet	603-CA129	15" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
308 Linear Feet	603-CA131	21" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
3 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
1,027 Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets
254 Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets
645 Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets
151 Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets
32 Linear Feet	603-CE045	36" x 23" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets
4 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
9 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2 Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1 Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
3,478 Pounds	604-A001	Castings
10,153 Pounds	604-B001	Gratings
1,495 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
450 Linear Feet	609-B001	Concrete Curb, Header
3,870 Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
490 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
5,350 Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified

Call No. 02 for the October 27, 2009 Letting

Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
1,265 Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
492 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
100 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
1,035 Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
8,840 Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
685 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
1,460 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,040 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
360 Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
460 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2 Each	619-E1001	Flashing Arrow Panel, Type C
200 Linear Feet	619-G4001	Barricades, Type III, Single Faced
450 Each	619-G5001	Free Standing Plastic Drums
25 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
305 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
307 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
276 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,428 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
400 Linear Feet	635-A001	Vehicle Loop Assemblies
1,920 Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
10 Each	640-A016	Traffic Signal Heads, Type 1 LED
4 Each	640-A018	Traffic Signal Heads, Type 3 LED
2 Each	640-A022	Traffic Signal Heads, Type 7 LED
8 Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
7 Each	640-A036	Traffic Signal Heads, Type 5L, LED
2 Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
8 Each	644-A001	Optical Detector
1,525 Linear Feet	644-B001	Optical Detector Cable
2 Each	644-C002	Phase Selector, 4 Channel
Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
7 Each	647-A001	Pullbox, Type 1
9 Each	647-A005	Pullbox, Type 2
2 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
38 Square Feet	653-A001	Traffic Sign, Encapsulated Lens
130 Square Feet	653-B001	Street Name Sign, Encapsulated Lens
230 Linear Feet	666-A006	Electric Cable, Direct Burial, IMSA 20-1, AWG 6, 2 Conductor
728 Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
825 Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
1,100 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
425 Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
1,370 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"



Call No. 02 for the October 27, 2009 Letting

250	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
58	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
300	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
720	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
460	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
1,424	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1	Each	682-F001	Secondary Power Controllers
17	Each	683-B023	Lighting Assembly, Low Mast, Type 32-1-0-400
26	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
170	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
12	Ton	907-213-A001	Agricultural Limestone
4	Acre	907-227-A001	Hydroseeding
6,457	Ton	907-304-F002	Size 610 Crushed Stone Base
5,675	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
5,086	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
575	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
156	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
500	Linear Feet	907-603-CG001	15" Reinforced Concrete Pipe, Slotted Drain Pipe
582	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
25	Each	907-617-A001	Right-of-Way Marker
4,480	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
8,079	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
480	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
8,146	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,094	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
7,702	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
370	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,064	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,604	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
1	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
2	Each	907-639-A030	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
2	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
30	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
2	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
104	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
8	Each	907-649-A003	Video Detection System, 1 Sensor, Type 1

Construction necessary to upgrade the intersection of US 72 and CR 218/306, known as Federal Aid Project No. HSIP-0007-01(075) / 105553301, in the County of Alcorn, State of Mississippi.

PROJECT COMPLETION: May 31, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
4 Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
20 Each	202-B161	Removal of Existing Sign
10 Linear Feet	202-B188	Removal of Concrete Curb
2 Each	202-B194	Removal of Sign Post and Footing
245 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
8 Cubic Yard	203-G004	Excess Excavation, LVM, AH
457 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1,235 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
1 Ton	213-C001	Superphosphate
6 Pounds	214-A002	Seeding, Bermudagrass
7 Pounds	214-A003	Seeding, Tall Fescue
3 Pounds	214-A004	Seeding, Crimson Clover
1 Ton	215-A001	Vegetative Materials for Mulch
22 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
10,476 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
477 Pounds	602-A001	Reinforcing Steel
Lump Sum	618-A001	Maintenance of Traffic
3,600 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
11,790 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,520 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
720 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
256 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
30 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
111 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
69 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
96 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
118 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
13 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
72 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
95 Linear Feet	630-D003	Structural Steel Beams, W6 x 9

Call No. 03 for the October 27, 2009 Letting

111 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
144 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
30 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
87 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
744 Linear Feet	635-A001	Vehicle Loop Assemblies
2,000 Linear Feet	636-A003	Shielded Cable, 4 Conductor
6 Each	640-A016	Traffic Signal Heads, Type 1 LED
2 Each	640-A017	Traffic Signal Heads, Type 2 LED
2 Each	640-A018	Traffic Signal Heads, Type 3 LED
3 Each	640-A031	Traffic Signal Heads, Type 1A LED
2 Each	640-A043	Traffic Signal Heads, Type 2A LED
4 Each	640-A044	Traffic Signal Heads, Type 8Y LED
1 Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
2 Each	645-A001	Flasher Assembly
9 Each	647-A001	Pullbox, Type 1
3 Each	647-A002	Pullbox, Type 3
2 Each	647-A005	Pullbox, Type 2
900 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
2,000 Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3Conductor
300 Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
300 Linear Feet	666-D011	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG8, 3 Conductor
1,600 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
120 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
500 Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
250 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
300 Linear Feet	668-C003	Traffic Signal Conduit, Aerial Supported, Type 1, 1"
1 Ton	907-213-A001	Agricultural Limestone
233 Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
175 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
91 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
36 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
891 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
8 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,800 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
3,590 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,305 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
760 Linear Feet	907-626-H004	Thermoplastic Legend, White
360 Square Feet	907-626-H005	Thermoplastic Legend, White
2 Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1 Each	907-639-A059	Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 70' Arms
2 Each	907-639-A060	Traffic Signal Equipment Pole, Type V, 8' Shaft
4 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4 Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter

Intersection improvement on U.S. 84 at Jackson-Liberty Road, known as Federal-Aid Project No. HSIP-0015-01(066) / 105742301, in the County of Lincoln, State of Mississippi.

PROJECT COMPLETION: 25 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

100	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
1,630	Cubic Yard	203-G004	Excess Excavation, LVM, AH
333	Square Yard	217-A001	Ditch Liner
2,900	Linear Feet	234-A001	Temporary Silt Fence
40	Bale	235-A001	Temporary Erosion Checks
622	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
408	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
70	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
110	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
15	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Ton	907-213-A001	Agricultural Limestone
2	Acre	907-225-A001	Grassing
4,155	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
400	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,250	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
300	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
4,300	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
4,300	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
4,300	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
4,300	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,825	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
160	Linear Feet	907-626-H004	Thermoplastic Legend, White

Installation of three traffic signals on Highway 18 near Raymond, known as Federal Aid Project No. HSIP-0039-02(043) / 105539301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: 55 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

38	Each	202-B070	Removal of Sign Including Post & Footing
200	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
388	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
320	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
325	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
75	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
45	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
165	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
240	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
77	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2	Each	640-A015	Traffic Signal Heads, Type 8
18	Each	640-A016	Traffic Signal Heads, Type 1 LED
6	Each	640-A017	Traffic Signal Heads, Type 2 LED
6	Each	640-A018	Traffic Signal Heads, Type 3 LED
3	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
1	Each	643-A001	Closed Loop On-Street Master System
12	Each	644-A001	Optical Detector
2,950	Linear Feet	644-B001	Optical Detector Cable
3	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
3	Each	647-A003	Pullbox, Type 4
15	Each	647-A005	Pullbox, Type 2
2	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
3,118	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
600	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
600	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
308	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
1,174	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,315	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2,595	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
13,279	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,987	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 05 for the October 27, 2009 Letting

1,344	Linear Feet	907-626-H004	Thermoplastic Legend, White
456	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
6	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
1	Each	907-639-A010	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' Arm
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-639-A028	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 30' Arm
48	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
6	Each	907-651-B008	Magnetometer Detection System Component, 18-foot Pole
9	Each	907-651-B009	Magnetometer Detection System Component, Repeater
3	Each	907-651-B010	Magnetometer Detection System Component, Access Point
3	Each	907-651-B011	Magnetometer Detection System Component, Closure Card
3	Each	907-651-B012	Magnetometer Detection System Component, Extension Card
68	Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor

Construction necessary to build a passing lane on SR 33 north of Gloster, known as Federal Aid Project No. HSIP-0049-01(036) / 103963301, in the County of Amite, State of Mississippi.

PROJECT COMPLETION: 160 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
163 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4 Each	202-B057	Removal of Inlets, All Sizes
11 Linear Feet	202-B064	Removal of Pipe, 8" And Above
880 Linear Feet	202-B076	Removal of Traffic Stripe
12 Each	202-B105	Removal of Pipe Headwall, All Sizes, With Section of Pipe
6 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
63,967 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
22,253 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,874 Cubic Yard	206-A001	Structure Excavation
92 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,420 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
21 Ton	213-C001	Superphosphate
2,769 Square Yard	216-A001	Solid Sodding
1,377 Square Yard	217-A001	Ditch Liner
55 Thousand Gallon	219-A001	Watering
21 Acre	220-A001	Insect Pest Control
207 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,351 Square Yard	224-A001	Soil Reinforcing Mat
10,655 Linear Feet	234-A001	Temporary Silt Fence
1,238 Bale	235-A001	Temporary Erosion Checks
21 Each	236-A004	Silt Basin, Type D
934 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4,113 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
4 Mile	423-A001	Rumble Strips, Ground In
52,477 Pounds	602-A001	Reinforcing Steel
48 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
64 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
84 Linear Feet	603-CA014	18" Reinforced Concrete Pipe, Class IV
240 Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
212 Linear Feet	603-CA016	30" Reinforced Concrete Pipe, Class IV
2 Each	603-CB001	18" Reinforced Concrete End Section
7 Each	603-CB002	24" Reinforced Concrete End Section
3 Each	603-CB003	30" Reinforced Concrete End Section
930 Pounds	604-B001	Gratings
208 Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
31 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
566 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

Call No. 06 for the October 27, 2009 Letting

Lump Sum	618-A001	Maintenance of Traffic
7 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2 Mile	619-A3006	Temporary Traffic Stripe, Skip White
922 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
36 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
140 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
8,620 Linear Feet	619-F1001	Concrete Median Barrier, Precast
700 Linear Feet	619-F1002	Portable Median Barrier
1,350 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
420 Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
Lump Sum	620-A001	Mobilization
1 Each	621-A001	Field Laboratory
173 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
187 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
72 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
156 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
52 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
682 Ton	815-A009	Loose Riprap, Size 300
379 Square Yard	815-E001	Geotextile under Riprap
39 Cubic Yard	815-F001	Sediment Control Stone
42 Acre	907-225-A001	Grassing
124 Ton	907-225-B001	Agricultural Limestone
21 Acre	907-226-A001	Temporary Grassing
4,952 Linear Feet	907-237-A001	Wattles
10,628 Cubic Yard	907-304-C003	Granular Material, AEA, Class 6, Group C
1,278 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,671 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,440 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
3,433 Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
295 Cubic Yard	907-601-A001	Class "B" Structural Concrete
17 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
116 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
280 Linear Feet	907-605-O005	8" Perforated Sewer Pipe for Underdrains, SDR 35
40 Linear Feet	907-605-P006	8" Non-perforated Sewer Pipe for Underdrains, SDR 35
44 Each	907-617-A001	Right-of-Way Marker
2 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
4 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
42 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White



Construction necessary for the replacement of four (4) bridges on SR 42 between the intersection of SR 35 and Prentiss, known as Federal Aid Project No. BR-0063-01(012) / 102477301, in the County of Jefferson Davis, State of Mississippi.

PROJECT COMPLETION: 259 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
24,688	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
136	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
307	Linear Feet	202-B038	Removal of Curb, All Types
1	Each	202-B042	Removal of Flared End Section, All Sizes
310	Linear Feet	202-B064	Removal of Pipe, 8" And Above
7,402	Linear Feet	202-B076	Removal of Traffic Stripe
1,621	Linear Feet	202-B102	Removal of Guard Rail
26,472	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
77,285	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
26,510	Cubic Yard	203-G003	Excess Excavation, FM, AH
424	Cubic Yard	206-A001	Structure Excavation
68	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,925	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
13	Ton	213-C001	Superphosphate
128	Square Yard	216-A001	Solid Sodding
966	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
13	Acre	220-A001	Insect Pest Control
15	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
1,461	Square Yard	224-A001	Soil Reinforcing Mat
8,953	Linear Feet	234-A001	Temporary Silt Fence
1,312	Bale	235-A001	Temporary Erosion Checks
1	Each	236-A004	Silt Basin, Type D
322	Linear Feet	239-A001	Temporary Slope Drains
500	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
2,141	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,891	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
281	Linear Feet	501-E001	Expansion Joints, Without Dowels
594	Square Yard	501-K001	Transverse Grooving
613	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
21	Linear Feet	503-C007	Saw Cut, Full Depth
27,496	Pounds	602-A001	Reinforcing Steel
384	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
5	Each	603-CB001	18" Reinforced Concrete End Section
1,520	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
128	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM

Call No. 07 for the October 27, 2009 Letting

139	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
232	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 25.75" THICK
642	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 27.5" THICK
307	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
220	Square Yard	614-B001	Concrete Driveway, With Reinforcement
120	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
162	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
36	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
10,372	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
13,794	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,875	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
6,686	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
6,712	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
239	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
162	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
387	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
782	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Each	619-F3004	Delineators, Guard Rail, White
232	Linear Feet	619-G4001	Barricades, Type III, Single Faced
120	Linear Feet	619-G4005	Barricades, Type III, Double Faced
66	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
300	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
37	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
178	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,282	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,120	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
88	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
150	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
11	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
238	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
58	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
	Lump Sum	699-B001	Bridge Construction Stakes
1,644	Ton	815-A009	Loose Riprap, Size 300
3,326	Square Yard	815-E001	Geotextile under Riprap
66	Ton	815-F002	Sediment Control Stone
37	Acre	907-225-A001	Grassing

Call No. 07 for the October 27, 2009 Letting

65 Ton	907-225-B001	Agricultural Limestone
13 Acre	907-226-A001	Temporary Grassing
13,681 Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
3,406 Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
1,227 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
2,343 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
6,427 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,519 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
352 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
2,000 Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200 Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
39 Each	907-617-A001	Right-of-Way Marker
9,491 Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
5,040 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2,715 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,585 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
342 Linear Feet	907-626-H004	Thermoplastic Legend, White
227 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
		ALTERNATE GROUP AA NO. 1
81 Ton	907-308-A001	Portland Cement
6,934 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
		ALTERNATE GROUP AA NO. 2
6,934 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
54 Ton	907-311-B001	Lime
214 Ton	907-311-C002	Fly Ash, Class C or F
		<b>Bridge Items</b>
4,556 Square Yard	501-K001	Transverse Grooving
6 Each	803-B001	Conventional Static Loading Test
6,150 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
4,630 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
10 Each	803-I001	PDA Test Pile
6 Each	803-J001	Pile Restrike
332,217 Pounds	805-A001	Reinforcement
2,050 Linear Feet	813-A001	Concrete Railing
1,058 Ton	815-A009	Loose Riprap, Size 300
848 Square Yard	815-E001	Geotextile under Riprap
1,792 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
4,486 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
957 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
599 Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Bridge joint repair on SR 4 over the Tenn-Tom Waterway, known as Federal Aid Project No. BR-0953-00(014) / 105392301, in the County of Tishomingo, State of Mississippi.

PROJECT COMPLETION: August 31, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
Lump Sum	907-824-PP001	Bridge Repair, Joint Repair, Per Plans

Construction necessary to build a bridge pathway and landscaping on US 90 at St. Louis Bay and Biloxi Bay, known as Federal Aid Project Nos. STP-0003-01(144) / 105556301 & STP-0003-01(145) / 105557301, in the Counties of Harrison and Jackson, State of Mississippi.

PROJECT COMPLETION: December 31, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

1 Acre	201-B001	Clearing and Grubbing
2 Acre	201-D002	Random Clearing
985 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
180 Square Yard	202-B025	Removal of Concrete Paved Ditch
1,300 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,400 Cubic Yard	203-D001	Muck Excavation, FM
3,200 Cubic Yard	203-EX007	Borrow Excavation, AH, FME, Class B4
6,300 Square Yard	203-I001	Site Grading
478 Cubic Yard	206-A001	Structure Excavation
7,500 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
585 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
370 Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
29,735 Square Yard	212-A001	Light Ground Preparation
2,675 Square Yard	212-B001	Standard Ground Preparation
3 Ton	213-B001	Combination Fertilizer, 13-13-13
3,200 Square Yard	216-B004	Solid Sodding, Bermuda
92 Thousand Gallon	219-A001	Watering
275 Cubic Yard	233-A001	Tree Bark Mulch, Type I
15 Cubic Yard	233-B001	Aggregate Mulch
4,075 Linear Feet	234-A001	Temporary Silt Fence
91 Bale	235-A001	Temporary Erosion Checks
735 Linear Feet	503-C007	Saw Cut, Full Depth
1,637 Pounds	602-A001	Reinforcing Steel
654 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
80 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2 Each	603-CB001	18" Reinforced Concrete End Section
1 Each	603-CB004	36" Reinforced Concrete End Section
2,028 Pounds	604-A001	Castings
1,400 Pounds	604-B001	Gratings
450 Linear Feet	609-B003	Concrete Curb, Special Design
1,700 Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
Lump Sum	618-A001	Maintenance of Traffic
232 Square Feet	619-D4001	Directional Signs
Lump Sum	620-A001	Mobilization
13 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
28 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
1,325 Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
2,480 Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
2,375 Linear Feet	682-A030	Underground Branch Circuit, AWG 6, 2 Conductor

Call No. 09 for the October 27, 2009 Letting

80	Linear Feet	682-A039	Underground Branch Circuit, AWG 12, 3 Conductor
32	Each	683-B138	Lighting Assembly, Low Mast, Type A
14	Each	683-B139	Lighting Assembly, Low Mast, Type B
	Lump Sum	699-A001	Roadway Construction Stakes
110	Square Feet	809-A005	Modular Block Retaining Wall System
1,675	Square Yard	815-A004	Loose Riprap, Size 300
1,675	Square Yard	815-E001	Geotextile under Riprap
18	Ton	907-213-A001	Agricultural Limestone
6	Acre	907-227-A001	Hydroseeding
165	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
472	Each	907-230-A044	Shrub Planting, Parsons Juniper
298	Each	907-230-A047	Shrub Planting, Dwarf Palmetto
490	Each	907-230-A076	Shrub Planting, Muhly Grass
51	Each	907-230-A100	Shrub Planting, Adagio Miscanthus
705	Each	907-230-A101	Shrub Planting, Blanketflower
195	Each	907-230-A102	Shrub Planting, Dwarf Oleander
63	Each	907-230-A103	Shrub Planting, Dwarf Wax Myrtle
34	Each	907-230-A104	Shrub Planting, Eastern Baccharis
420	Each	907-230-A105	Shrub Planting, Pansy
66	Each	907-230-B005	Tree Planting, Little Gem Magnolia
10	Each	907-230-B034	Tree Planting, Tulip Poplar
20	Each	907-230-B038	Tree Planting, Yaupon Holly
25	Each	907-230-B043	Tree Planting, Common Bald Cypress
26	Each	907-230-B081	Tree Planting, Autumn Blaze Red Maple
50	Each	907-230-B082	Tree Planting, Cathedral Live Oak
23	Each	907-230-B083	Tree Planting, Drake Chinese Elm
4	Each	907-230-B084	Tree Planting, Jerusalem Thorn
52	Each	907-230-B085	Tree Planting, Slash Pine
31	Each	907-230-B086	Tree Planting, Southern Wax Myrtle
6	Each	907-258-E001	Trash Receptacle , Type 1, Per Plans
3	Each	907-258-E001	Trash Receptacle , Type 2, Per Plans
16	Each	907-258-J001	Metal Bench , Type 1, Per Plans
4	Each	907-258-J001	Metal Bench , Type 2, Per Plans
550	Linear Feet	907-258-PP006	Handrail
3	Each	907-258-PP008	Bicycle Rack , Type 1, Per Plans
2	Each	907-258-PP008	Bicycle Rack , Type 2, Per Plans
	Lump Sum	907-258-PP009	Children's Play Area, Structures and Accessories, Per Plans
1	Each	907-258-PP010	Kiosk, Per Plans
9	Each	907-258-PP011	Metal Picnic Table, Per Plans
3	Each	907-258-PP012	Overlook Deck, Per Plans
1	Each	907-258-PP013	Pavilion , Large, Per Plans
1	Each	907-258-PP013	Pavilion , Small, Per Plans
4,200	Square Feet	907-258-PP015	Playground Surfacing, Per Plans
23	Each	907-258-PP016	Bollard , Permanent, Per Plans
4	Each	907-258-PP016	Bollard , Removable, Per Plans
2	Each	907-258-PP017	Recycling Station, Per Plans

Call No. 09 for the October 27, 2009 Letting

2	Each	907-258-PP018	Storage Structure, Per Plans
1	Each	907-258-PP019	Stretch Equipment , Type 1, Per Plans
1	Each	907-258-PP019	Stretch Equipment , Type 2, Per Plans
3	Each	907-258-PP020	Sun Shelter, Per Plans
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
725	Linear Feet	907-263-A005	4" Diameter PVC Force Main Pipe, SDR 26
	Lump Sum	907-282-A019	Automatic Irrigation System, Per Plans
2,135	Linear Feet	907-282-B003	Piping, 1" Diameter
307	Each	907-282-M001	Slow Release Irrigation Bag
18	Each	907-282-PP002	Hose Bib With Valve Box, Per Plans
1	Each	907-290-A001	Flagpole
1,080	Ton	907-304-F001	Size 825 Crushed Stone Base
200	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
400	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
660	Square Yard	907-504-A001	6" Fiber Reinforced Concrete Pavement
4,740	Square Yard	907-504-A002	4" Fiber Reinforced Concrete Pavement
23	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
	Lump Sum	907-601-PP001	Class "B" Structural Concrete, Concrete Steps, Per Plans
1	Each	907-603-PE201	12" Corrugated Polyethylene End Section
30	Linear Feet	907-603-PE211	12" Corrugated Polyethylene Pipe
205	Linear Feet	907-607-PP006	Black Aluminum Fence, Per Plans
135	Linear Feet	907-611-E001	Concrete Band
150	Square Feet	907-611-PP001	Bridge Memorial Concrete Pavers, Per Plans
1,270	Square Feet	907-611-PP002	Concrete Pavers, Per Plans
170	Square Feet	907-611-PP003	Detectable Warning, Per Plans
600	Square Yard	907-611-PP004	Porous Pavement, Per Plans
240	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
610	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
810	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-630-PP001	Handicap Parking Sign with Post
2	Each	907-630-PP012	Site Entrance Sign With Post, Per Plans
1	Each	907-630-PP013	Secondary Sign , Type 1, Per Plans
2	Each	907-630-PP013	Secondary Sign , Type 2, Per Plans

Site Improvements to the Rest Areas on Interstate 10, known as Federal Aid Project No. STP/IM-0010-01(133) / 105570301, 302, & 303, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: March 31, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
56	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
1,661	Square Yard	202-B035	Removal of Concrete Sidewalk
59	Each	202-B099	Removal of Existing Light and Foundation
20	Each	202-B114	Removal of Tree Less Than 10"
8	Each	202-B115	Removal of Trees 10" to 20"
400	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
400	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
3,690	Square Yard	203-I001	Site Grading
200	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
40	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
2,520	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
2	Ton	213-B002	Combination Fertilizer, 8-8-8
500	Square Yard	216-B003	Solid Sodding, St. Augustine
2	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
2	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
1,800	Linear Feet	234-A001	Temporary Silt Fence
12	Bale	235-A001	Temporary Erosion Checks
95	Linear Feet	603-A038	8" Steel Pipe, Jacked or Bored, Schedule 80
28	Linear Feet	607-C009	72" Type I Chain Link Fence, Class I, Glare Barrier
2	Each	607-G039	Gate, 6' x 6' Chain Link
4	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
4	Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
1,757	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
7,800	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
3,400	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
260	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1,100	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
18	Each	682-D001	Underground Pull Box
89	Each	682-E001	Underground Junction Box
37	Each	683-B004	Lighting Assembly, Low Mast, Type 30-1-12-400
52	Each	683-B163	Lighting Assembly, Low Mast, Type 16-1-0-150
86	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
584	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
5,674	Each	907-230-A001	Shrub Planting, Asiatic Jasmine
65	Each	907-230-A006	Shrub Planting, Burgundy Loropetalum



Call No. 10 for the October 27, 2009 Letting

65	Each	907-230-A009	Shrub Planting, Carissa Holly
42	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
74	Each	907-230-A047	Shrub Planting, Dwarf Palmetto
18	Each	907-230-A054	Shrub Planting, Dwarf Burford Holly
38	Each	907-230-A115	Shrub Planting, Rotunda Holly
120	Each	907-230-A116	Shrub Planting, Jack Evans Indian Hawthorn
16	Each	907-230-B001	Tree Planting, American Holly
17	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
1	Each	907-230-B010	Tree Planting, Shumard Oak
3	Each	907-230-B013	Tree Planting, Willow Oak
1	Each	907-230-B030	Tree Planting, Saucer Magnolia
12	Each	907-230-B035	Tree Planting, Water Oak
13	Each	907-230-B047	Tree Planting, Live Oak
1	Each	907-230-B089	Tree Planting, Star Magnolia
669	Linear Feet	907-230-C001	Bed Edging
7,568	Square Feet	907-230-D001	Bed Preparation
1,280	Linear Feet	907-230-PP001	Temporary Tree Protection Fencing, Per Plans
91	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
73	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
	Lump Sum	907-242-A011	Installation of Sewer Lift Station
2	Each	907-242-A013	Installation of Air Release and Vacuum Valve Assembly
5,000	Linear Feet	907-242-A014	Installation of 4" Forced Sewer Piping
150	Linear Feet	907-242-A014	Installation of 6" Gravity Sanitary Sewer Piping
5	Each	907-242-PP006	Installation of Concrete Thrust Blocks
15	Each	907-258-E001	Trash Receptacle
11	Each	907-258-J001	Metal Bench
584	Linear Feet	907-258-PP006	Handrail
	Lump Sum	907-258-PP023	Fence Repair, Per Plans
4	Each	907-259-A001	Lighting Assembly, Nonlighted Bollard
25	Each	907-259-B002	Lighting Assembly, Lighted Bollard
4	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
47	Each	907-282-A001	Sprinkler Head, 1812-PRS-15Q
21	Each	907-282-A002	Sprinkler Head, 1812-PRS-15H
20	Each	907-282-A004	Sprinkler Head, 1812-PRS-15EST
67	Each	907-282-A005	Sprinkler Head, 1812-PRS-9SST
4	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
7	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
1	Each	907-282-A009	Sprinkler Head, 1804-PRS-9SST
2	Each	907-282-A014	Sprinkler Head, 1804-PRS-15TQ
7	Each	907-282-A024	Sprinkler Head, 1812-PRS-15SST
27	Each	907-282-A048	Sprinkler Head, R-50-SAM-1.5
33	Each	907-282-A049	Sprinkler Head, R-50-SAM-3.0
7	Each	907-282-A050	Sprinkler Head, R-50-SAM-4.0
4	Each	907-282-A051	Sprinkler Head, R-50-SAM-6.0
1,349	Linear Feet	907-282-B001	Piping, 1/2" Diameter
698	Linear Feet	907-282-B002	Piping, 3/4" Diameter

Call No. 10 for the October 27, 2009 Letting

425	Linear Feet	907-282-B003	Piping, 1" Diameter
311	Linear Feet	907-282-B004	Piping, 1 1/4" Diameter
173	Linear Feet	907-282-B005	Piping, 1 1/2" Diameter
325	Linear Feet	907-282-B006	Piping, 2" Diameter
65	Linear Feet	907-282-B007	Piping, 2 1/2" Diameter
898	Linear Feet	907-282-B008	Piping, 3" Diameter
215	Linear Feet	907-282-C003	Sleeves, 6-inch Diameter
1,911	Linear Feet	907-282-D001	Valve Control Wire
4,326	Linear Feet	907-282-E001	Trench Excavation and Backfill
2	Each	907-282-F001	Meter with Meter Box, 2"
1	Each	907-282-G004	Electric Controller, 8 Station
1	Each	907-282-G006	Electric Controller, 12 Station
1	Each	907-282-H001	Electric Control Valve, 1"
4	Each	907-282-H002	Electric Control Valve, 1 1/2"
7	Each	907-282-H003	Electric Control Valve, 2"
2	Each	907-282-I001	Backflow Preventer, 2"
8	Each	907-282-J002	Isolation Valve, 3"
2	Each	907-282-K001	Quick Coupler Key with Hose and Swivel
4	Each	907-290-A001	Flagpole
366	Ton	907-304-F003	3/4" and Down Crushed Stone Base
4	Each	907-607-PP008	Gate, 20' Swing, Per Plans
583	Square Yard	907-608-C001	Colored Concrete Sidewalk
847	Square Feet	907-611-B001	Brick Pavers
553	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
577	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
6	Each	907-630-PP001	Handicap Parking Sign with Post

Site Improvements to the Welcome Center on I-55, known as Federal Aid Project No. STP/IM-0055-01(094) / 105569301 & 302, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: October 13, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
505	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
940	Square Yard	202-B035	Removal of Concrete Sidewalk
2	Each	202-B057	Removal of Inlets, All Sizes
337	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,271	Linear Feet	202-B076	Removal of Traffic Stripe
6	Each	202-B085	Removal of Trees
782	Linear Feet	202-B101	Removal of Integral Curb
563	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
20	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
20	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
20	Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
180	Square Yard	212-A001	Light Ground Preparation
775	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Acre	214-B001	Seeding
20	Square Yard	216-B004	Solid Sodding, Bermuda
775	Square Yard	217-A001	Ditch Liner
1	Acre	220-A001	Insect Pest Control
65	Cubic Yard	233-A001	Tree Bark Mulch, Type I
1,400	Linear Feet	234-A001	Temporary Silt Fence
50	Bale	235-A001	Temporary Erosion Checks
3,967	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,984	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
1,352	Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
815	Linear Feet	503-C005	Saw Cut, 8-inch
420	Pounds	602-A001	Reinforcing Steel
318	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
20	Linear Feet	603-CA129	15" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
237	Pounds	604-A001	Castings
200	Pounds	604-B001	Gratings
1,060	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,070	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
20	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
1	Each	613-C001	Adjustment of Grating
3	Each	613-D003	Adjustment of Existing Curb Inlet
4	Each	613-D004	Adjustment of Inlet
4	Each	619-D3001	Remove and Reset Signs, All Sizes
58	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
1,851	Linear Feet	628-G001	6" Cold Plastic Detail Stripe, White

Call No. 11 for the October 27, 2009 Letting

4	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
52	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
137	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
1,200	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
4,140	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
320	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
19	Each	682-E001	Underground Junction Box
1	Each	682-F001	Secondary Power Controllers
19	Each	683-B004	Lighting Assembly, Low Mast, Type 30-1-12-400
19	Each	683-B163	Lighting Assembly, Low Mast, Type 16-1-0-150
35	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
150	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
1	Ton	907-213-A001	Agricultural Limestone
1	Acre	907-225-A001	Grassing
146	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
150	Each	907-230-A016	Shrub Planting, Lantana New Gold
270	Each	907-230-A023	Shrub Planting, Stella De Oro Daylily
6	Each	907-230-A033	Shrub Planting, Japanese Cleyera
572	Each	907-230-A044	Shrub Planting, Parsons Juniper
42	Each	907-230-A047	Shrub Planting, Dwarf Palmetto
850	Each	907-230-A068	Shrub Planting, Evergreen Giant Liriope
16	Each	907-230-A072	Shrub Planting, Loropetalum 'Rubrum'
175	Each	907-230-A076	Shrub Planting, Muhly Grass
43	Each	907-230-A117	Shrub Planting, Knockout Rose
3	Each	907-230-B081	Tree Planting, Autumn Blaze Red Maple
	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
1	Each	907-258-B001	Drinking Fountain
3	Each	907-258-C001	Concrete Picnic Table and Benches
2	Each	907-258-D001	Wooden Picnic Table and Benches
8	Each	907-258-E001	Trash Receptacle
1	Each	907-258-G001	Travel Trailer Sewage Dump Station
16	Each	907-258-J001	Metal Bench
2	Each	907-258-K001	Bollard
2	Each	907-258-PP024	Speed Hump
6	Each	907-259-B001	Lighting Assembly, Bollards
79	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
465	Linear Feet	907-282-B001	Piping, 1/2" Diameter
245	Linear Feet	907-282-B002	Piping, 3/4" Diameter
345	Linear Feet	907-282-B003	Piping, 1" Diameter
65	Linear Feet	907-282-C002	Sleeves, 4"
150	Linear Feet	907-282-D001	Valve Control Wire
1,005	Linear Feet	907-282-E001	Trench Excavation and Backfill
1	Each	907-282-G004	Electric Controller, 8 Station
4	Each	907-282-H001	Electric Control Valve, 1"
1	Each	907-282-I003	Backflow Preventer, 1"

Call No. 11 for the October 27, 2009 Letting

1	Each	907-282-J005	Isolation Valve, 1"
273	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
404	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
364	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
6	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
2	Each	907-607-PP005	Gate, Barrier Fence, Per Plans
382	Square Yard	907-608-C001	Colored Concrete Sidewalk
90	Square Feet	907-611-PP003	Detectable Warning, Per Plans
1,176	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
56	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
760	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
85	Linear Feet	907-626-G002	Thermoplastic Detail Stripe, White, 4" Equivalent Length
458	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
40	Square Feet	907-626-H005	Thermoplastic Legend, White

Site Improvements to the Welcome Center on I-59 near the Louisiana State Line, known as Federal Aid Project No. STP/IM-0059-01(106) / 105568301 & 302, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
367	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
337	Square Yard	202-B035	Removal of Concrete Sidewalk
2	Each	202-B042	Removal of Flared End Section, All Sizes
9	Each	202-B057	Removal of Inlets, All Sizes
28	Each	202-B060	Removal of Low Mast Lighting Assembly
28	Each	202-B061	Removal of Low Mast Lighting Foundation
781	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,123	Linear Feet	202-B076	Removal of Traffic Stripe
35	Square Yard	202-B078	Removal of Pavement, All Types and Depths
130	Linear Feet	202-B101	Removal of Integral Curb
155	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
491	Cubic Yard	206-A001	Structure Excavation
76	Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
400	Square Yard	212-A001	Light Ground Preparation
875	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
400	Square Yard	216-B004	Solid Sodding, Bermuda
1	Acre	220-A001	Insect Pest Control
77	Cubic Yard	233-A001	Tree Bark Mulch, Type I
500	Linear Feet	234-A001	Temporary Silt Fence
45	Bale	235-A001	Temporary Erosion Checks
333	Linear Feet	501-D001	Expansion Joints, With Dowels
835	Linear Feet	503-C007	Saw Cut, Full Depth
2,283	Pounds	602-A001	Reinforcing Steel
324	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
438	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1	Each	603-CB001	18" Reinforced Concrete End Section
955	Pounds	604-A001	Castings
200	Pounds	604-B001	Gratings
185	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,015	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
58	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
1,050	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
81	Square Feet	628-P001	High Performance Cold Plastic Legend, White
30	Linear Feet	628-P002	High Performance Cold Plastic Legend, White
140	Linear Feet	682-A027	Underground Branch Circuit, AWG 4, 5 Conductor
4,740	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor

Call No. 12 for the October 27, 2009 Letting

265	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1	Each	682-F001	Secondary Power Controllers
19	Each	683-B004	Lighting Assembly, Low Mast, Type 30-1-12-400
13	Each	683-B164	Lighting Assembly, Low Mast, Type 13-1-0-150
35	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
150	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
3	Ton	907-213-A001	Agricultural Limestone
1	Acre	907-225-A001	Grassing
60	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
354	Each	907-230-A016	Shrub Planting, Lantana New Gold
855	Each	907-230-A023	Shrub Planting, Stella De Oro Daylily
657	Each	907-230-A044	Shrub Planting, Parsons Juniper
99	Each	907-230-A047	Shrub Planting, Dwarf Palmetto
1,228	Each	907-230-A068	Shrub Planting, Evergreen Giant Liriope
98	Each	907-230-A071	Shrub Planting, Knock Rose
182	Each	907-230-A076	Shrub Planting, Muhly Grass
12	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
5	Each	907-230-B025	Tree Planting, Foster's Holly
8	Each	907-230-B081	Tree Planting, Autumn Blaze Red Maple
	Lump Sum	907-242-A011	Installation of Picnic Shelter
5	Each	907-258-D001	Wooden Picnic Table and Benches
5	Each	907-258-E001	Trash Receptacle
1	Each	907-258-I001	Sign, Masonry and Stone
1	Each	907-259-A001	Lighting Assembly, Nonlighted Bollard
4	Each	907-259-B001	Lighting Assembly, Bollards
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
3	Each	907-259-D001	Lighting Assembly, Sign Lighting
1	Each	907-259-F001	Weatherproof GFCI Receptacle
	Lump Sum	907-260-A002	Lift Station
2,280	Linear Feet	907-263-A006	3" Diameter HDPE Force Main Pipe, SDR 17
440	Linear Feet	907-263-B001	Directional Bore, 3" Diameter HDPE Force Main Pipe, SDR 17
250	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
400	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
10	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,590	Square Yard	907-501-B002	8" Plain Cement Concrete Pavement, Broom Finish
29	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-607-PP009	Gate, Tubular Steel, Per Plans
371	Square Yard	907-608-C001	Colored Concrete Sidewalk
98	Square Feet	907-611-PP003	Detectable Warning, Per Plans
477	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
55	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
100	Linear Feet	907-626-H004	Thermoplastic Legend, White
19	Each	907-682-E001	Underground Junction Box With Concrete Pad

Construction necessary for Site Improvements on the Copiah County Rest Areas on I-55 northbound & southbound, known as Federal Aid Project Nos. STP/IM-0055-01(095) / 105571301, 302, 303 & 304, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: August 31, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	201-A001	Clearing and Grubbing
731	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
16	Square Yard	202-B025	Removal of Concrete Paved Ditch
861	Square Yard	202-B035	Removal of Concrete Sidewalk
43	Each	202-B070	Removal of Sign Including Post & Footing
4,580	Linear Feet	202-B076	Removal of Traffic Stripe
131	Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
1,199	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
12	Linear Feet	202-B106	Removal of Pipe, All Sizes
79	Each	202-B186	Removal of Low Mast Lighting Assembly and Foundation
12	Each	202-B247	Removal of Pull Box
450	Linear Feet	202-B270	Removal of Flower Planter
1,014	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
10	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
35	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
1,121	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
2	Ton	213-B002	Combination Fertilizer, 8-8-8
2,776	Square Yard	216-B005	Solid Sodding, 419 Hybrid Bermuda
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
2	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
1,770	Linear Feet	234-A001	Temporary Silt Fence
10	Bale	235-A001	Temporary Erosion Checks
481	Linear Feet	501-D001	Expansion Joints, With Dowels
1,141	Linear Feet	503-C005	Saw Cut, 8-inch
235	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
477	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement8" Thickness
1,160	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
2,498	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
1,268	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
122	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
234	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
576	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
262	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2,600	Linear Feet	666-B023	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3Conductor
6,600	Linear Feet	666-B041	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3Conductor
415	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor



Call No. 13 for the October 27, 2009 Letting

475	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
58	Each	682-D001	Underground Pull Box
75	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
648	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
200	Square Yard	907-203-I001	Site Grading
2,000	Each	907-230-A001	Shrub Planting, Asiatic Jasmine
88	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
28	Each	907-230-A014	Shrub Planting, Homestead Purple Verbena
260	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
18	Each	907-230-A053	Shrub Planting, Anthony Waterer Spiraea
20	Each	907-230-A097	Shrub Planting, Radtko Double Knockout Rose
103	Each	907-230-A098	Shrub Planting, Purple Pixie Loropetalum
4	Each	907-230-A099	Shrub Planting, Miss Huff Hardy Lantana
8	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
8	Each	907-230-B025	Tree Planting, Foster's Holly
4	Each	907-230-B049	Tree Planting, Australis Sweetbay Magnolia
340	Linear Feet	907-230-C001	Bed Edging
3,625	Square Feet	907-230-D001	Bed Preparation
35	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
2,555	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
2	Each	907-258-A001	Charcoal Grill
5	Each	907-258-D001	Wooden Picnic Table and Benches
20	Each	907-258-E001	Trash Receptacle
2	Each	907-258-F001	Water Hydrant
14	Each	907-258-J001	Metal Bench
6	Each	907-258-N001	Car Stop
6	Each	907-258-PP016	Bollard
2	Each	907-258-PP021	Travel Trailer Sewage Dump Station
2	Each	907-258-PP022	Vending Building Thru Wall Unit
4	Each	907-259-A001	Lighting Assembly, Nonlighted Bollard
14	Each	907-259-B001	Lighting Assembly, Bollards
4	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
1	Each	907-262-PP001	Waste Water Treatment Plant Maintenance/Rehabilitation
8	Each	907-282-A001	Sprinkler Head, 1812-PRS-15Q
13	Each	907-282-A002	Sprinkler Head, 1812-PRS-15H
38	Each	907-282-A004	Sprinkler Head, 1812-PRS-15EST
17	Each	907-282-A006	Sprinkler Head, 1812-PRS-15CST
23	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
34	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
3	Each	907-282-A014	Sprinkler Head, 1804-PRS-15TQ
15	Each	907-282-A015	Sprinkler Head, 1804-PRS-15F
2	Each	907-282-A053	Sprinkler Head, 1804-PRS-15T
2	Each	907-282-A064	Sprinkler Head, 1804-PRS-15EST
845	Linear Feet	907-282-B001	Piping, 1/2" Diameter
646	Linear Feet	907-282-B002	Piping, 3/4" Diameter

Call No. 13 for the October 27, 2009 Letting

252	Linear Feet	907-282-B003	Piping, 1" Diameter
269	Linear Feet	907-282-B004	Piping, 1 1/4" Diameter
21	Linear Feet	907-282-B005	Piping, 1 1/2" Diameter
153	Linear Feet	907-282-B006	Piping, 2" Diameter
271	Linear Feet	907-282-C002	Sleeves, 4"
1,024	Linear Feet	907-282-D001	Valve Control Wire
2,446	Linear Feet	907-282-E001	Trench Excavation and Backfill
2	Each	907-282-G004	Electric Controller, 8 Station
4	Each	907-282-H002	Electric Control Valve, 1 1/2"
4	Each	907-282-H003	Electric Control Valve, 2"
2	Each	907-282-I001	Backflow Preventer, 2"
2	Each	907-282-J004	Isolation Valve, 2"
2	Each	907-282-K001	Quick Coupler Key with Hose and Swivel
4	Each	907-290-A001	Flagpole
1,200	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
2,557	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
35	Ton	907-307-D001	Lime
782	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
3,320	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
10	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
48	Linear Feet	907-605-U003	8" Non-perforated Pipe for Underdrains, PVC
	Lump Sum	907-607-PP007	Fence Slats, Vinyl
667	Square Yard	907-608-C001	Colored Concrete Sidewalk
10	Square Yard	907-608-E001	Exposed Aggregate Concrete Sidewalk
1,008	Square Feet	907-611-B001	Brick Pavers
509	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
459	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
193	Linear Feet	907-626-H004	Thermoplastic Legend, White
6	Each	907-630-PP001	Handicap Parking Sign with Post
44	Each	907-683-B012	Lighting Assembly, Low Mast, Type 30-1-12-400
32	Each	907-683-B013	Lighting Assembly, Low Mast, Type 16-1-0-150
	Lump Sum	907-809-PP003	Modular Block Retaining Wall

Construction necessary for site improvements to the Desoto County Rest Area on I-55, known as Federal Aid Project No. STP/IM-0055-04(091) / 105575301 & 302, in the County of Desoto, State of Mississippi.

PROJECT COMPLETION: October 15, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

5	Acre	201-C001	Random Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
3	Each	202-B039	Removal of Delineator, All Types
35	Each	202-B099	Removal of Existing Light and Foundation
8	Each	202-B115	Removal of Trees 10" to 20"
17	Each	202-B116	Removal of Trees Greater Than 20"
6	Each	202-B248	Removal of Manhole
1	Each	202-B256	Removal of Monument
1	Each	202-B271	Removal of Treatment Plant Structures and Appurtenances
1	Each	202-B272	Removal of Pump Structures and Appurtenances
750	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
50	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,270	Square Yard	216-B004	Solid Sodding, Bermuda
28,254	Linear Feet	234-A001	Temporary Silt Fence With Woven Wire Backing
250	Bale	235-A001	Temporary Erosion Checks
119	Linear Feet	603-A037	18" Steel Pipe, Jacked or Bored, Wall Thickness 0.375"
84	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
130	Linear Feet	607-B022	96" Type II Chain Link Fence, Class II
2	Each	607-G028	Gate, 18' x 8' Galvanized Metal
13	Each	607-P1030	Line Post, 11' x 2 1/2" Galvanized Steel
8	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel
4	Each	607-P2012	Brace Post, 12' x 2 1/2" Galvanized Steel
2	Each	607-P3015	Gate Post, 12' x 6" Galvanized Steel
253	Linear Feet	609-B001	Concrete Curb, Header
64	Square Yard	614-A004	Concrete Driveway, Without Reinforcement, 8-inch Thickness
58	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
3	Each	630-F007	Delineators, Post Mounted, Single Yellow
691	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
1,085	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
993	Linear Feet	682-A021	Underground Branch Circuit, AWG 3, 3 Conductor
945	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
517	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
889	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
985	Linear Feet	682-A039	Underground Branch Circuit, AWG 12, 3 Conductor
42	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
59	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
33	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
51	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
77	Linear Feet	682-B039	Underground Branch Circuit, Jacked or Bored, AWG 12, 3 Conductor

Call No. 14 for the October 27, 2009 Letting

12	Each	682-D001	Underground Pull Box
22	Each	682-E001	Underground Junction Box
2	Cubic Yard	684-A001	Pole Foundation, 12" Diameter
40	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
132	Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
200	Ton	815-A009	Loose Riprap, Size 300
4	Acre	907-225-A001	Grassing
10	Ton	907-225-B001	Agricultural Limestone
4	Each	907-230-A106	Shrub Planting, Yoshino Cherry
4	Each	907-230-A107	Shrub Planting, Helieri Holly
6	Each	907-230-A108	Shrub Planting, Heavenly Bamboo
4	Each	907-230-A109	Shrub Planting, Daylily
4	Each	907-230-A110	Shrub Planting, Creeping Lily Turf
35	Each	907-230-A111	Shrub Planting, Japanese Spinea
10	Each	907-230-A112	Shrub Planting, Blue Wave Hydrangea
4	Each	907-230-B087	Tree Planting, Crape Myrtle
4	Each	907-230-B088	Tree Planting, Chinese Dogwood
6,000	Square Feet	907-230-D001	Bed Preparation
10	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
	Lump Sum	907-242-A011	Installation of Sewer Lift Station
11	Each	907-242-A013	Installation of Combination Air Vacuum/Release Valve and Vault
1	Each	907-258-D001	Wooden Picnic Table and Benches
1	Each	907-258-E001	Trash Receptacle Decorative Washed Rock
3	Each	907-258-F001	Water Hydrant
4	Each	907-258-J001	Metal Bench
3	Each	907-258-PP001	Handicap Parking Sign and Post, Per Plans
2	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
8	Each	907-259-H003	Lighting Assembly, Vandal Resistant
14,127	Linear Feet	907-262-A003	6" PVC Pipe, C-900, Class 100
440	Linear Feet	907-262-A004	8" PVC Pipe, SDR 35
420	Linear Feet	907-265-A003	3/4" PVC Pipe, Schedule 40
9	Each	907-282-A007	Sprinkler Head, 1804-PRS-15Q
5	Each	907-282-A008	Sprinkler Head, 1804-PRS-15H
1	Each	907-282-A064	Sprinkler Head, 1804-PRS-15EST
105	Linear Feet	907-282-B002	Piping, 3/4" Diameter
155	Linear Feet	907-282-B003	Piping, 1" Diameter
7	Linear Feet	907-282-B006	Piping, 2" Diameter
100	Linear Feet	907-282-D001	Valve Control Wire
1	Each	907-282-G003	Electric Controller, 6 Station
3	Each	907-282-H001	Electric Control Valve, 1"
1	Each	907-282-I001	Backflow Preventer, 2"
2	Each	907-290-A001	Flagpole
20	Each	907-604-C001	Precast Manhole, 48-inch Diameter
202	Square Yard	907-608-C001	Colored Concrete Sidewalk
64	Square Yard	907-608-E001	Exposed Aggregate Concrete Sidewalk 4" Thick, Rock Finish

Call No. 14 for the October 27, 2009 Letting

23	Square Yard	907-608-E001	Exposed Aggregate Concrete Sidewalk 6" Thick, Rock Finish
7	Each	907-683-B008	Lighting Assembly, Low Mast, 150 W Type II
17	Each	907-683-B008	Lighting Assembly, Low Mast, 250 W Type III Traditionalized Post Top
16	Each	907-683-B008	Lighting Assembly, Low Mast, 250 W Type V Traditionalized Post Top

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR