SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): ADDENDUM NO. _____ ADDENDUM NO. 11/16/2009 DATED DATED ADDENDUM NO DATED ADDENDUM NO. DATED Number Description TOTAL ADDENDA: 1 (Must agree with total addenda issued prior to opening of bids) 1 Revised NTB 2822, replaces same; Revised NTB 2840, replaces same; Revised Wage Rates, Respectfully Submitted, replaces same; Bidsheets, replace same; Revised Progress Schedule; Added or Revised Plan sht. Nos. 2, 11, 16, 17, 18, 100.49, & 100.51; Amendment EBS Download Required. DATE Contractor BY Signature TITLE _____ ADDRESS CITY, STATE, ZIP PHONE ____ E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of and the names, titles and business addresses of the executives are as follows: President Address Secretary Address Treasurer Address The following is my (our) itemized proposal.

Revised 09/21/2005

NH-0009-01(113) / 105942301

Adams County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2822

CODE: (SP)

DATE: 11/16/2009

SUBJECT: Contract Time

PROJECT: NH-0009-01(113) / 105942301 - Adams County

The completion of work to be performed by the Contractor for this project will not be a specified date but shall be when all allowable time units are assessed, or any extension thereto as provided in Subsection 108.06. It is anticipated that the Notice of Award will be issued no later than **December 8, 2009** and the effective date of the Notice to Proceed / Beginning of Contract Time will be **March 11, 2010**.

Should the Contractor request a Notice to Proceed earlier than <u>March 11, 2010</u>, the requested date will become the new Notice to Proceed / Beginning of Contract Time date.

Allowable Time Units will be 303.

The contract time has been based on Column <u>"C"</u> of the Table of Time Units, in Subsection 108.06.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2840

CODE: (SP)

DATE: 11/16/2009

SUBJECT: Other Permits

PROJECT: NH-0009-01(113) / 105942301 - Adams County

The Bidder's attention is called to the requirements of the attached permit(s) for this project. The Contractor will be required to comply with the requirements of the attached permit(s).

DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE SPECIAL USE PERMIT

AMENDMENT #1

Natchez Trace Parkway Permit Number CE-NATR-5570-2008-15
The Permittee agrees to amend this permit as follows:
Amend the effective period of this Construction Easement to
December 25, 2008 through December 25, 2011

Page No. 4

PF.	RM	I	T	Т	E	E

October 30, 2009

Authorizing Official

Cameron H. Sholly Superintendent Natchez Trace Parkway

Date



United States Department of the Interior

NATIONAL PARK SERVICE

Natchez Trace Parkway 2680 Natchez Trace Parkway Tupelo, Mississippi 38804



L3031(NATR)xL30-3X

December 24, 2008

Mr. Charles Anderson, Acquisition Supervisor Right of Way Division, MDOT P.O. Box 1850 Jackson, MS 39215



Re: Construction Permit SER-NATR-5570-2008-015

Dear Mr. Anderson:

Enclosed is a Construction Permit for your signature authorizing the Mississippi Department of Transportation during the period of December 25, 2008, through December 25, 2009, to use the described lands or facilities in the attached permit for the purpose(s) of installing temporary silt retention basins to capture excess silt migrating off the highway "flyover" construction site along Highway 61. This is where the road passes through Parkway property and will keep silt from inundating creeks and other low-lying areas within the Parkway.

No silt-retention basin construction will be permitted at station 145+00. Within the 2.5 acre temporary construction easement, no more than .95 acre will be directly impacted by construction of the three permitted temporary silt retention basins. Of the .46 acre of potential wetland impacts associated with basin construction, no more than .1 acre will be permanently impacted.

Prior to any timber removal, arrangements will be made for a park staff member to be present on-site during vegetative clearing operations to ensure that desirable tree specimens are not negatively impacted.

All areas cleared for basin construction will be revegetated with Park-approved, native species during the first winter planting season following the conclusion of the project.

If any cultural resources are located during the course of this project, all work must stop and the Natchez Trace Parkway Resource Management staff notified immediately.

Please sign and date the Construction Permit in the spaces indicated in "red" and return the document to this office for final approval.

Do not hesitate to contact Landscape Architect Greg Smith at (662) 680-4024 with any questions concerning this Construction Permit. Additionally, please advise Mr. Smith at least seven (7) days in advance of starting work on this project.

Sincerely,

FOR Stennis R. Young Acting Superintendent

Enclosure.

cc: Mr. E. Claiborne Barnwell, Environmental Division Engineer, MDOT w/enclosure.

Mr. Darrell Broome, District 7 Engineer, w/enclosure



General Decision Number: MS080174 08/07/2009 MS174

State: Mississippi

Construction Type: Highway

County: Adams County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number	Publication Date
0	09/26/2008
1	10/24/2008
2	01/16/2009
3	04/03/2009
4	08/07/2009

^{*} ELEC0480-007 07/01/2009

	Rates	Fringes
ELECTRICIAN		7.93
SUMS2008-092 09/04/2008		
	Rates	Fringes
CARPENTER, Including Form Work	\$ 11.42	0.12
CEMENT MASON/CONCRETE FINISHER	\$ 10.30	0.00
IRONWORKER, REINFORCING	\$ 11.30	0.00
LABORER: Common or General	\$ 7.60	0.00
LABORER: Pipelayer	\$ 9.68	0.00
OPERATOR: Backhoe/Excavator	\$ 11.32	0.00
OPERATOR: Broom	\$ 10.17	0.00
OPERATOR: Bulldozer	\$ 10.77	0.00
OPERATOR: Crane	\$ 14.57	0.00
OPERATOR: Grader/Blade	\$ 12.46	0.00
OPERATOR: Loader	\$ 10.15	0.00
OPERATOR: Mechanic	\$ 12.04	0.00
OPERATOR: Oiler	\$ 12.33	0.48
OPERATOR: Roller	\$ 9.31	0.00

OPERATOR:	Scraper\$ 10.00	0.00
OPERATOR:	Tractor\$ 7.79	0.00
	Asphalt Paver and preader\$ 10.00	0.00
TRUCK DRIV	ZER\$ 9.22	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(ii)).

In the listing above, the "SU" designation means that rates listed under the identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have

been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in he matter? This can be:

- * an existing published wage determination
- a survey underlying a wage determination
- a Wage and Hour Division letter setting forth a position on a waqe

determination matter

a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries

of surveys, should be with the Wage and Hour Regional Office for the area in

which the survey was conducted because those Regional Offices

responsibility for the Davis-Bacon survey program. If the response from this

initial contact is not satisfactory, then the process described in 2.) and

3.) should be followed.

With regard to any other matter not yet ripe for the formal

process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an
interested party
(those affected by the action) can request review and
reconsideration from
the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR
Part 7).
Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

Section 905 Proposal (Sheet 2 - 1)

Construction necessary to make improvement to the intersection of U.S. Highway 61 and Catherine Devereux Road, known as Federal Aid Project No. NH-0009-01(113) / 102942301, in the County of Adams, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS ***

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED ***BID SCHEDULE***

Line	Item Code	Adj	Quantity	Units	Description	Unit Price		Description Unit Price		Item Amour	nt
No.		Code				Dollar	Ct	Dollar	Ct		
					Roadway Items						
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX				
0020	201-B001		1	Acre	Clearing and Grubbing						
0030	202-A001		1	Lump Sum	Removal of Obstructions	xxxxxxxx	XXX				
0040	202-B005		16,744	Square Yard	Removal of Asphalt Pavement, All Depths						
0050	202-B024		6,232	Square Yard	Removal of Concrete Median & Island Pavement, All Depths						
0060	202-B025		50	Square Yard	Removal of Concrete Paved Ditch						
0070	202-B038		7,572	Linear Feet	Removal of Curb, All Types						
0080	202-B042		2	Each	Removal of Flared End Section, All Sizes						

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0090	202-B055		13	Each	Removal of High Mast Lighting Assembly		
0100	202-B056		13	Each	Removal of High Mast Lighting Foundation		
0110	202-B076		2,000	Linear Feet	Removal of Traffic Stripe		
0120	202-B079		2	Each	Removal of Headwall		
0130	202-B106		873	Linear Feet	Removal of Pipe, All Sizes		
0140	203-A003	(E)	14,497	Cubic Yard	Unclassified Excavation, FM, AH		
0150	203-E058	(E)	6,386	Cubic Yard	Borrow Excavation, FM, Class B15, AH		
0160	203-EX017	(E)	22,374	Cubic Yard	Borrow Excavation, AH, FME, Class B9		
0170	206-A001	(S)	3,711	Cubic Yard	Structure Excavation		
0180	211-B001	(E)	1,510	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished		
0190	211-C001	(E)	599	Cubic Yard	Topsoil for Plant Holes, Contractor Furnished		
0200	212-A001		25,651	Square Yard	Light Ground Preparation		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amoun	ıt
0210	212-B001		51,304	Square Yard	Standard Ground Preparation				
0220	213-B001		2	Ton	Combination Fertilizer, 13-13-13				
0230	213-B002		2	Ton	Combination Fertilizer, 8-8-8				
0240	213-C001		6	Ton	Superphosphate				
0250	213-D001		1	Ton	Ammonium Nitrate				
0260	214-A007		6	Acre	Seeding, Bermudagrass				
0270	214-A012		6	Acre	Seeding, Annual Rye Grass				
0280	215-A001		5	Ton	Vegetative Materials for Mulch				
0290	216-B001		15,763	Square Yard	Solid Sodding, Centipede				
0300	219-A001		15	Thousand Gallon	Watering	20.	00	300.	00
0310	220-A001		6	Acre	Insect Pest Control	30.	00	180.	00
0320	221-A001	(S)	3	Cubic Yard	Portland Cement Concrete Paved Ditch				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	nt
0330	223-A001		9	Acre	Mowing	40.	00	360.	00
0340 Chang	232-A002 ged 11/16/2009		1	Thousand	Fertilizer for Woody Plant Material, Tablet, 21 gram				
0350 Chang	232-A003 ged 11/16/2009		1	Thousand	Fertilizer for Woody Plant Material, Tablet, 10 gram				
0360	234-A001		11,642	Linear Feet	Temporary Silt Fence				
0370	235-A001		80	Bale	Temporary Erosion Checks				
0380	236-A004		4	Each	Silt Basin, Type D				
0390	406-B001		11,534	Square Yard	Cold Milling of Concrete Pavement, All Depths				
0400	501-E001		94	Linear Feet	Expansion Joints, Without Dowels				
0410	501-K001		198	Square Yard	Transverse Grooving				
0420	502-A001	(C)	205	Square Yard	Reinforced Cement Concrete Bridge End Pavement				
0430	503-C007		2,000	Linear Feet	Saw Cut, Full Depth				
0440	602-A001	(S)	14,423	Pounds	Reinforcing Steel				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0450	603-CA002	(S)	4,342	Linear Feet	18" Reinforced Concrete Pipe, Class III		
0460	603-CA003	(S)	2,150	Linear Feet	24" Reinforced Concrete Pipe, Class III		
0470	603-CA007	(S)	36	Linear Feet	48" Reinforced Concrete Pipe, Class III		
0480	603-CA008	(S)	100	Linear Feet	54" Reinforced Concrete Pipe, Class III		
0490	603-CA009	(S)	234	Linear Feet	60" Reinforced Concrete Pipe, Class III		
0500	603-CB001	(S)	6	Each	18" Reinforced Concrete End Section		
0510	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section		
0520	603-CB006	(S)	1	Each	48" Reinforced Concrete End Section		
0530	603-CB007	(S)	1	Each	54" Reinforced Concrete End Section		
0540	603-CE001	(S)	102	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III		
0550	603-CE002	(S)	236	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III		
0560	603-SB025	(S)	1	Each	18" Branch Connections, Stub into 54" Concrete Pipe		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	t
0570	604-A001		6,397	Pounds	Castings				
0580	604-B001		5,138	Pounds	Gratings				
0590	605-AA003	(S)	2,887	Square Yard	Geotextile for Subsurface Drainage, Type III				
0600	605-X001	(GY)	905	Cubic Yard	Filter Material for Filter Beds, Type A				
0610	605-X003	(GY)	2,566	Cubic Yard	Filter Material for Filter Beds, Type B				
0620	609-B001	(S)	849	Linear Feet	Concrete Curb, Header				
0630	609-D003	(S)	7,983	Linear Feet	Combination Concrete Curb and Gutter Type 3				
0640	609-D016	(S)	6,245	Linear Feet	Combination Concrete Curb and Gutter Type 3 Modified				
0650	613-D005		3	Each	Adjustment of Manhole				
0660	616-A001	(S)	5,642	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0670	616-A003	(S)	90	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0680	618-A001		1	Lump Sum	Maintenance of Traffic	xxxxxxxx	XXX		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0690	619-A1002		8	Mile	Temporary Traffic Stripe, Continuous White		
0700	619-A2002		4	Mile	Temporary Traffic Stripe, Continuous Yellow		
0710	619-A3006		6	Mile	Temporary Traffic Stripe, Skip White		
0720	619-A5001		22,000	Linear Feet	Temporary Traffic Stripe, Detail		
0730	619-A6001		380	Linear Feet	Temporary Traffic Stripe, Legend		
0740	619-A6002		400	Square Feet	Temporary Traffic Stripe, Legend		
0750	619-D1001		76	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet		
0760	619-D2001		973	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More		
0770	619-F1001		3,400	Linear Feet	Concrete Median Barrier, Precast		
0780	619-F1002		500	Linear Feet	Portable Median Barrier		
0790	619-F2001		3,400	Linear Feet	Remove and Reset Concrete Median Barrier, Precast		
0800	619-F2002		500	Linear Feet	Remove and Reset Portable Median Barrier		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	t
0810	619-G4001		120	Linear Feet	Barricades, Type III, Single Faced				
0820	619-G4005		84	Linear Feet	Barricades, Type III, Double Faced				
0830	619-G4008		24	Linear Feet	Barricades, Type III, Double Faced, Permanent, Red/White				
0840	619-G5001		100	Each	Free Standing Plastic Drums				
0850	619-G7001		7	Each	Warning Lights, Type "B"				
0860	620-A001		1	Lump Sum	n Mobilization	XXXXXXXX	XXX		
0870	627-K001		620	Each	Red-Clear Reflective High Performance Raised Markers				
0880	627-L001		24	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0890	627-N001		24	Each	One-Way Yellow Reflective High Performance Raised Markers				
0900	628-I001		1	Mile	6" High Performance Cold Plastic Traffic Stripe, Skip White				
0910	628-J001		1	Mile	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
0920	628-M001		1	Mile	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0930	630-A001		365	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness		
0940	630-A002		394	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness		
0950	630-B001		91	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted		
0955 Added	630-B002 11/16/2009		1,656	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted		
0960	630-C001		77	Linear Feet	Steel U-Section Posts, 2.0 lb/ft		
0970	630-C004		573	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft		
0980	630-D003		119	Linear Feet	Structural Steel Beams, W6 x 9		
0990	630-E001		103	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles		
1000	630-E004		635	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar		
1010	630-K001		186	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"		
1020	630-K002		32	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"		
1030	630-K003		208	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1040	635-A001		144	Linear Feet	Vehicle Loop Assemblies		
1050	635-B001		2	Each	Probe Point Detection Units, Paired		
1060	636-A002		3,944	Linear Feet	Shielded Cable		
1070	638-A005		2	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel		
1080	640-A016		13	Each	Traffic Signal Heads, Type 1 LED		
1090	640-A017		7	Each	Traffic Signal Heads, Type 2 LED		
1100	640-A018		2	Each	Traffic Signal Heads, Type 3 LED		
1110	640-A024		2	Each	Traffic Signal Heads, Type 4 LED		
1120	642-A008		2	Each	Solid State Traffic Actuated Controllers, Type 8A		
1130	644-A001		8	Each	Optical Detector		
1140	644-B001		1,367	Linear Feet	Optical Detector Cable		
1150	644-C002		8	Each	Phase Selector, 4 Channel		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
1160	646-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment	XXXXXXXX	XXX	
1170	647-A005		15	Each	Pullbox, Type 2			
1180	648-A001		2	Each	Radio Interconnect, Installed in New Controller Cabinet			
1190	666-B004		528	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor			
1200	666-B012		325	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2 Conductor			
1210	666-B016		1,412	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor			
1220	668-A018		826	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"			
1230	668-A020		81	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"			
1240	668-B024		843	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"			
1250	668-B025		257	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"			
1260	668-C003		160	Linear Feet	Traffic Signal Conduit, Aerial Supported, Type 1, 1"			
1270	682-A010		1,482	Linear Feet	Underground Branch Circuit, AWG 10, 4 Conductor			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1280	682-A016		18,868	Linear Feet	Underground Branch Circuit, AWG 2, 4 Conductor		
1290	682-A026		6,920	Linear Feet	Underground Branch Circuit, AWG 4, 4 Conductor		
1300	682-A032		2,443	Linear Feet	Underground Branch Circuit, AWG 6, 4 Conductor		
1310	682-A043		175	Linear Feet	Underground Branch Circuit, AWG 3/0, 3 Conductor		
1320	682-B011		398	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 10, 4 Conductor		
1330	682-B018		2,888	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 2, 4 Conductor		
1340	682-B026		815	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 4, 4 Conductor		
1350	682-B032		672	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 6, 4 Conductor		
1360	682-C023		4,802	Linear Feet	Structure Mounted Branch Circuit, AWG 4, 4 Conductor		
1370	682-D001		17	Each	Underground Pull Box		
1380	682-D003		2	Each	Structure Mounted Pull Box		
1390	682-E001		13	Each	Underground Junction Box		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1400	682-E002		20	Each	Structure Mounted Junction Box				
1410	682-F001		2	Each	Secondary Power Controllers				
1420	683-B148		52	Each	Lighting Assembly, Low Mast, Type 20-1-0-150				
1430	683-B154		32	Each	Lighting Assembly, Low Mast, Type 30-1-0-250				
1440	683-B155		21	Each	Lighting Assembly, Low Mast, Type 30-2-1-250				
1450	683-B168		29	Each	Lighting Assembly, Low Mast, Type 20-2-1-150				
1460	683-B169		20	Each	Lighting Assembly, Low Mast, Type 30-1-6-250				
1470	684-A003		200	Cubic Yard	Pole Foundation, 24" Diameter				
1480	684-B003		80	Linear Feet	Slip Casing, 24" Diameter				
1490	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXX	XXX		
1500	814-B001	(S)	1	Lump Sum	Painting of Bridge	XXXXXXXX	XXX		
1510	815-A009	(S)	792	Ton	Loose Riprap, Size 300				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1520	815-E001	(S)	4,448	Square Yard	Geotextile under Riprap		
1530	815-F002	(S)	129	Ton	Sediment Control Stone		
1540	907-213-A001		12	Ton	Agricultural Limestone		
1550	907-225-A001		11	Acre	Grassing		
1560	907-226-A001		6	Acre	Temporary Grassing		
1570	907-230-A044		183	Each	Shrub Planting, Parsons Juniper		
1580	907-230-B006		21	Each	Tree Planting, Muskogee Crape Myrtle		
1590	907-230-B007		90	Each	Tree Planting, Natchez Crape Myrtle		
1600	907-230-B023		20	Each	Tree Planting, Eastern Red Cedar		
1610	907-230-B035		20	Each	Tree Planting, Water Oak		
1620	907-230-B090		20	Each	Tree Planting, Cottonwood		
1630	907-230-B091		20	Each	Tree Planting, Sweet Gum		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1640	907-230-B092		20	Each	Tree Planting, Black Mulberry		
1650	907-230-B093		20	Each	Tree Planting, Honey Locust		
1660	907-230-C001		250	Linear Feet	Bed Edging		
1670	907-230-D001		3,000	Square Feet	Bed Preparation		
1680	907-233-A001		38	Cubic Yard	Tree Bark Mulch, Type III		
1690	907-233-A002		29	Cubic Yard	Tree Bark Mulch, Type V		
1700	907-234-D001		10	Each	Inlet Siltation Guard		
1710	907-304-C001	(GY)	1,098	Cubic Yard	Granular Material, AEA, Class 5, Group C		
1720	907-304-C005	(GY)	12,812	Cubic Yard	Granular Material, AEA, Class 9, Group C		
1730	907-304-F003	(GT)	783	Ton	3/4" and Down Crushed Stone Base		
1740 Chang	907-307-C003 ged 11/16/2009	(M)	22,763	Square Yard	6" Soil-Lime-Water Mixing, Class C		
1750 Chang	907-307-D001 ged 11/16/2009		307	Ton	Lime		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	nt
1760	907-403-A001	(BA1)	2,410	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture				
1770 Chang	907-403-A002 ged 11/16/2009	(BA1)	2,683	Ton	Hot Mix Asphalt, HT, 19-mm mixture				
1780	907-403-A005	(BA1)	697	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture				
1790	907-403-A011	(BA1)	1,153	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture				
1800 Chang	907-403-A012 ged 11/16/2009	(BA1)	3,478	Ton	Hot Mix Asphalt, ST, 19-mm mixture				
1810	907-403-A015	(BA1)	598	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture				
1820	907-403-B004	(BA1)	500	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling				
1830 Delete	907-403-C005 ed 11/16/2009	(BA1)				xxxxxxxx	XXX	xxxxxxxx	XXX
1840	907-403-D001	(BA1)	5,464	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				
1850	907-403-D004	(BA1)	4,128	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
1860	907-601-A001	(S)	257	Cubic Yard	Class "B" Structural Concrete				
1870	907-601-B003	(S)	181	Cubic Yard	Class "B" Structural Concrete, Minor Structures				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
1880	907-617-A001		25	Each	Right-of-Way Marker			
1890	907-626-A003		3	Mile	6" Thermoplastic Traffic Stripe, Skip White			
1900	907-626-C006		4	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min			
1910	907-626-E004		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow			
1920	907-626-F006		2	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min			
1930	907-626-G004		11,679	Linear Feet	Thermoplastic Detail Stripe, White			
1940	907-626-H004		191	Linear Feet	Thermoplastic Legend, White			
1950	907-626-H005		581	Square Feet	Thermoplastic Legend, White			
1955 Added	907-630-I001 11/16/2009		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed	XXXXXXX	XXX	
1956 Added	907-630-I002 111/16/2009		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed	XXXXXXXX	XXX	
1957 Added	907-630-I003 11/16/2009		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed	XXXXXXXX	XXX	
1960	907-639-A015		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm			


Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1970	907-639-A018		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm				
1980	907-639-A020		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm				
1990	907-639-A026		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 50' Arms				
2000	907-639-A033		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35' Arms				
2010	907-639-C002		25	Cubic Yard	Pole Foundations, 36" Diameter				
2020	907-639-D001		88	Linear Feet	Slip Casing, 36" Diameter				
2030	907-649-A004		6	Each	Video Detection System, 1 Sensor, Type 2				
2040	907-649-E001		1	Lump Sum	Video Detection Training	XXXXXXXX	XXX		
2050	907-682-E001		134	Each	Underground Junction Box With Concrete Pad				
2060	907-831-PP00	1	1	Lump Sum	Architectural Precast Pieces	XXXXXXXX	XXX		
					ALTERNATE GROUP AA NUMBER 1	!	·	<u> </u>	
2070 Chang	907-308-A001 ged 11/16/2009		316	Ton	Portland Cement				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	nt
2080 Chang	907-308-B001 ged 11/16/2009	(M)	25,292	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base				
2090 Chang	907-308-B002 ged 11/16/2009	(M)	2,529	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil				
					ALTERNATE GROUP AA NUMBER 2				
2100 Chang	907-311-A003 ged 11/16/2009	(M)	27,821	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick				
2110 Chang	907-311-B001 ged 11/16/2009		197	Ton	Lime				
2120 Chang	907-311-C002 ged 11/16/2009		788	Ton	Fly Ash, Class C or F				
					Bridge Items				
2130	206-A001	(S)	2,493	Cubic Yard	Structure Excavation				
2140	602-A001	(S)	450,710	Pounds	Reinforcing Steel				
2150	801-A001	(S)	2,454	Cubic Yard	Foundation Excavation for Bridges				
2160	803-A001	(S)	23	Each	Test Pile				
2170	803-B001	(S)	2	Each	Conventional Static Loading Test	5,000.	00	10,000.	00
2180	803-C002	(S)	32,990	Linear Feet	14" x 14" Prestressed Concrete Piling				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
2190	803-C003	(S)	15,734	Linear Feet	16" x 16" Prestressed Concrete Piling				
2200	803-I001	(S)	3	Each	PDA Test Pile				
2210	805-A001	(S)	1,551,368	Pounds	Reinforcement				
2220	810-A005	(S)	28,510	Pounds	Structural Steel, A 709, Grade 36				
2230	813-A002	(S)	4,773	Linear Feet	Concrete Railing, 32"				
2240	815-D001	(S)	57	Cubic Yard	Concrete Slope Paving				
2250	907-601-A001	(S)	4,164	Cubic Yard	Class "B" Structural Concrete				
2260	907-804-A001	(S)	6,184	Cubic Yard	Bridge Concrete, Class AA				
2270	907-811-D001	(S)	36	Each	Disc Bearing Device				

*** BID CERTIFICATION ***

TOTA	L BID		\$ <u> </u>							
(*** DBE/WBE SECTION *** Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.									
	I/We agree that no less than percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).									
2	Classification of Bidder: Small Busin	ess (DBE)	Small Business (WB	E)						
3	3. A joint venture with a Small Business (DBE/WBE):									
	NOWLEDGES THAT HE/SHE HAS C NSTITUTE THEIR OFFICIAL BID.		NATURE STATEMENT *** IN THIS PROPOSAL FOR ACCURACY	AND CERTIFIED THAT THE FIGURES SHOWN						
		BII	DDER'S SIGNATURE	_						
		BI	DDER'S COMPANY	_						
		BIDDER'S I	FEDERAL TAX ID NUMBER	_						



This Progress Schedule does not indicate breaks in the contract time during December, January, and February.

Per Section 108 of the Specifications, during the months of December, January, and February, time will only be assessed in the Miscellaneous Phase.