


[Proposal & Plan Sales Will Begin on November 2, 2009](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for November – November 24, 2009



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR NOVEMBER - Tuesday, November 24, 2009

Bids will be opened publicly in the first floor auditorium of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 02, 2009

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 9:30 o'clock A.M., Tuesday; thereafter bids will be received in the First Floor Auditorium of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi, until 10:00 o'clock A.M., and shortly thereafter publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	RSIP-0055-04(070) / 105791301	Desoto & Tate
02	NH-0002-04(036) / 102090301	Lowndes
03	NH-0009-01(113) / 102942301	Adams
04	STP-1145-00(007) 101212301	Harrison
05	STP-0009-01(125) / 105537301 & STP-0009-01(126) / 105537302	Wilkinson
06	STP-0015-01(065) / 105579301	Adams
07	HSIP-0022-03(024) / 105548301	Chickasaw
08	STP-0022-04(034) / 101630301	Union
09	HSIP-0025-00(066) / 105554301	Monroe
10	HSIP-0056-01(069) / 105558301 & HSIP-0056-01(069) / 105558302	Hinds & Rankin
11	STP-0063-02(026) / 105375301	Forrest
12	BR-0301-00(010) / 100442301 & STP-0301-00(010) / 100442302	Jefferson

Construction necessary to install cable barrier, fence and other safety items on Interstate Highway 55, known as Federal Aid Project No. RSIP-0055-04(070) / 105791301 & 302, in the Counties of Tate and Desoto, State of Mississippi.

PROJECT COMPLETION: 195 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
370 Square Yard	202-B025	Removal of Concrete Paved Ditch
50 Each	202-B039	Removal of Delineator, All Types
116,283 Linear Feet	202-B041	Removal of Fence, All Types
15,468 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
100 Each	202-B086	Removal of Guard Post
400 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,000 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
34 Ton	213-C001	Superphosphate
100 Square Yard	216-A001	Solid Sodding
800 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
67 Acre	220-A001	Insect Pest Control
1,212 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
25,000 Linear Feet	234-A001	Temporary Silt Fence
300 Bale	235-A001	Temporary Erosion Checks
210 Each	606-A002	Guard Post, Type II Modified
11,743 Linear Feet	606-B001	Guard Rail, Class A, Type 1
32 Each	606-C003	Guard Rail, Cable Anchor, Type 1
24 Each	606-D001	Guard Rail, Bridge End Section, Type A
6 Each	606-D012	Guard Rail, Bridge End Section, Type I
62 Each	606-E001	Guard Rail, Terminal End Section
2 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4 Each	606-F001	Special Sections, Bridge Connector
105,180 Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
11,103 Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
9,000 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
4 Each	607-G115	Gate, 12' x 5' Aluminum
833 Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
10 Each	607-P1011	Line Post, 12' x 2" Galvanized Steel
6,574 Each	607-P1013	Line Post, 7' Tee Post Steel
1,375 Each	607-P1014	Line Post, 9' Tee Post Steel
876 Each	607-P1015	Line Post, 10' Tee Post Steel
3 Each	607-P1018	Line Post, 12' x 2 1/2" Galvanized Steel
111 Each	607-P1025	Line Post, 10' x 1 1/2" Galvanized Steel
166 Each	607-P1026	Line Post, 9' x 1 1/2" Galvanized Steel
20 Each	607-P1027	Line Post, 7' x 2" Galvanized Steel
22 Each	607-P1028	Line Post, 7' x 2 1/2" Galvanized Steel

Call No. 01 for the November 24, 2009 Letting

5	Each	607-P1031	Line Post, 10' x 2 1/2" Galvanized Steel
525	Each	607-P2001	Brace Post, 8' x 6" Timber
105	Each	607-P2002	Brace Post, 10' x 6" Timber
70	Each	607-P2003	Brace Post, 12' x 6" Timber
15	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
10	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
75	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
4	Each	607-P3001	Gate Post, 8' x 6" Timber
704	Each	607-Z001	Concrete Anchors
300	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
	Lump Sum	618-A001	Maintenance of Traffic
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,188	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
66	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
362	Each	630-F001	Delineators, Guard Rail, White
154	Each	630-F002	Delineators, Guard Rail, Yellow
16	Each	630-F006	Delineators, Post Mounted, Single White
30	Each	630-F007	Delineators, Post Mounted, Single Yellow
86	Each	630-F008	Delineators, Post Mounted, Double White
46	Each	630-F009	Delineators, Post Mounted, Double Yellow
44	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
21	Each	907-203-I002	Site Grading
67	Acre	907-225-A001	Grassing
134	Ton	907-225-B001	Agricultural Limestone
34	Acre	907-226-A001	Temporary Grassing
1,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
23,600	Linear Feet	907-606-G001	Cable Barrier
20	Each	907-606-H001	Cable Barrier Terminal Section
50	Each	907-606-I001	Cable Barrier Post Repair
2	Each	907-619-E3001	Changeable Message Sign

Grade, drain and bridge upgrade on US 45 from Carson Road to 4 miles south of US 82, known as Federal Aid Project No. NH-0002-04(036) / 102090301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: 225 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1,002 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
325 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
178 Square Yard	202-B025	Removal of Concrete Paved Ditch
956 Linear Feet	202-B064	Removal of Pipe, 8" And Above
316,968 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
397,773 Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
7,967 Cubic Yard	206-A001	Structure Excavation
392 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
769,785 Square Yard	212-A001	Light Ground Preparation
1,539,569 Square Yard	212-B001	Standard Ground Preparation
199 Ton	213-B001	Combination Fertilizer, 13-13-13
159 Ton	213-C001	Superphosphate
6,362 Pounds	214-A002	Seeding, Bermudagrass
7,952 Pounds	214-A003	Seeding, Tall Fescue
3,181 Pounds	214-A004	Seeding, Crimson Clover
3,181 Pounds	214-A014	Seeding, Browntop Millet
14,314 Pounds	214-A015	Seeding, Oats
3,976 Pounds	214-A017	Seeding, Rye Grass
795 Ton	215-A001	Vegetative Materials for Mulch
34,371 Square Yard	216-A001	Solid Sodding
20,713 Square Yard	217-A001	Ditch Liner
687 Thousand Gallon	219-A001	Watering
159 Acre	220-A001	Insect Pest Control
312 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
221 Acre	223-A001	Mowing
7,706 Linear Feet	234-A001	Temporary Silt Fence
4,920 Bale	235-A001	Temporary Erosion Checks
16 Each	236-A004	Silt Basin, Type D
2,535 Linear Feet	239-A001	Temporary Slope Drains
7,263 Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
251,797 Pounds	602-A001	Reinforcing Steel
8,324 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
138 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
220 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
108 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
4 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section

Call No. 02 for the November 24, 2009 Letting

14	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
7,000	Pounds	604-B001	Gratings
	Lump Sum	618-A001	Maintenance of Traffic
561	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
996	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Each	619-F3004	Delineators, Guard Rail, White
1,974	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
216	Each	619-G5001	Free Standing Plastic Drums
450	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
54	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	699-A001	Roadway Construction Stakes
3,119	Ton	815-A009	Loose Riprap, Size 300
3,310	Square Yard	815-E001	Geotextile under Riprap
57	Ton	815-F002	Sediment Control Stone
954	Ton	907-213-A001	Agricultural Limestone
1,004	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
5,545	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
767	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,917	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,416	Cubic Yard	907-601-A001	Class "B" Structural Concrete
20	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,196	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
4,300	Linear Feet	907-625-C001	Traffic Stripe, Continuous White, 4" Width
4,300	Linear Feet	907-625-D001	Traffic Stripe, Continuous Yellow, 4" Width
240	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
Bridge Items			
3,222	Square Yard	501-K001	Transverse Grooving
6	Each	803-B001	Conventional Static Loading Test
2,140	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,390	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,125	Linear Feet	803-D007	HP 14 x 89 Steel Piling
1,300	Linear Feet	803-F009	20" Pre-Formed Pile Hole
9	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
212,125	Pounds	805-A001	Reinforcement
1,611	Linear Feet	813-A001	Concrete Railing
982	Ton	815-A009	Loose Riprap, Size 300
783	Square Yard	815-E001	Geotextile under Riprap
1,495	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,076	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
479	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,397	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Construction necessary to make improvement to the intesection of U.S. Highway 61 and Catherine Devereux Road, known as Federal Aid Project No. NH-0009-01(113) / 102942301, in the County of Adams, State of Mississippi.

PROJECT COMPLETION: 391 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
16,744	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,232	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
50	Square Yard	202-B025	Removal of Concrete Paved Ditch
7,572	Linear Feet	202-B038	Removal of Curb, All Types
2	Each	202-B042	Removal of Flared End Section, All Sizes
13	Each	202-B055	Removal of High Mast Lighting Assembly
13	Each	202-B056	Removal of High Mast Lighting Foundation
2,000	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B079	Removal of Headwall
873	Linear Feet	202-B106	Removal of Pipe, All Sizes
14,497	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,386	Cubic Yard	203-E058	Borrow Excavation, FM, Class B15, AH
22,374	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
3,711	Cubic Yard	206-A001	Structure Excavation
1,510	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
599	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
25,651	Square Yard	212-A001	Light Ground Preparation
51,304	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
2	Ton	213-B002	Combination Fertilizer, 8-8-8
6	Ton	213-C001	Superphosphate
1	Ton	213-D001	Ammonium Nitrate
6	Acre	214-A007	Seeding, Bermudagrass
6	Acre	214-A012	Seeding, Annual Rye Grass
5	Ton	215-A001	Vegetative Materials for Mulch
15,763	Square Yard	216-B001	Solid Sodding, Centipede
15	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
9	Acre	223-A001	Mowing
720	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
444	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
11,642	Linear Feet	234-A001	Temporary Silt Fence
80	Bale	235-A001	Temporary Erosion Checks
4	Each	236-A004	Silt Basin, Type D
11,534	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
94	Linear Feet	501-E001	Expansion Joints, Without Dowels

Call No. 03 for the November 24, 2009 Letting

198 Square Yard	501-K001 Transverse Grooving
205 Square Yard	502-A001 Reinforced Cement Concrete Bridge End Pavement
2,000 Linear Feet	503-C007 Saw Cut, Full Depth
14,423 Pounds	602-A001 Reinforcing Steel
4,342 Linear Feet	603-CA002 18" Reinforced Concrete Pipe, Class III
2,150 Linear Feet	603-CA003 24" Reinforced Concrete Pipe, Class III
36 Linear Feet	603-CA007 48" Reinforced Concrete Pipe, Class III
100 Linear Feet	603-CA008 54" Reinforced Concrete Pipe, Class III
234 Linear Feet	603-CA009 60" Reinforced Concrete Pipe, Class III
6 Each	603-CB001 18" Reinforced Concrete End Section
2 Each	603-CB002 24" Reinforced Concrete End Section
1 Each	603-CB006 48" Reinforced Concrete End Section
1 Each	603-CB007 54" Reinforced Concrete End Section
102 Linear Feet	603-CE001 22" x 13" Concrete Arch Pipe, Class A III
236 Linear Feet	603-CE002 29" x 18" Concrete Arch Pipe, Class A III
1 Each	603-SB025 18" Branch Connections, Stub into 54" Concrete Pipe
6,397 Pounds	604-A001 Castings
5,138 Pounds	604-B001 Gratings
2,887 Square Yard	605-AA003 Geotextile for Subsurface Drainage, Type III
905 Cubic Yard	605-X001 Filter Material for Filter Beds, Type A
2,566 Cubic Yard	605-X003 Filter Material for Filter Beds, Type B
849 Linear Feet	609-B001 Concrete Curb, Header
7,983 Linear Feet	609-D003 Combination Concrete Curb and Gutter Type 3
6,245 Linear Feet	609-D016 Combination Concrete Curb and Gutter Type 3 Modified
3 Each	613-D005 Adjustment of Manhole
5,642 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
90 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001 Maintenance of Traffic
8 Mile	619-A1002 Temporary Traffic Stripe, Continuous White
4 Mile	619-A2002 Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A3006 Temporary Traffic Stripe, Skip White
22,000 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
380 Linear Feet	619-A6001 Temporary Traffic Stripe, Legend
400 Square Feet	619-A6002 Temporary Traffic Stripe, Legend
76 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
973 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
3,400 Linear Feet	619-F1001 Concrete Median Barrier, Precast
500 Linear Feet	619-F1002 Portable Median Barrier
3,400 Linear Feet	619-F2001 Remove and Reset Concrete Median Barrier, Precast
500 Linear Feet	619-F2002 Remove and Reset Portable Median Barrier
120 Linear Feet	619-G4001 Barricades, Type III, Single Faced
84 Linear Feet	619-G4005 Barricades, Type III, Double Faced
24 Linear Feet	619-G4008 Barricades, Type III, Double Faced, Permanent, Red/White
100 Each	619-G5001 Free Standing Plastic Drums
7 Each	619-G7001 Warning Lights, Type "B"
Lump Sum	620-A001 Mobilization

Call No. 03 for the November 24, 2009 Letting

620	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
24	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
1	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1	Mile	628-J001	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1	Mile	628-M001	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
365	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
394	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
91	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
77	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
573	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
119	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
103	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
635	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
186	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
32	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
208	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
144	Linear Feet	635-A001	Vehicle Loop Assemblies
2	Each	635-B001	Probe Point Detection Units, Paired
3,944	Linear Feet	636-A002	Shielded Cable
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
13	Each	640-A016	Traffic Signal Heads, Type 1 LED
7	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A024	Traffic Signal Heads, Type 4 LED
2	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
8	Each	644-A001	Optical Detector
1,367	Linear Feet	644-B001	Optical Detector Cable
8	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
15	Each	647-A005	Pullbox, Type 2
2	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
528	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
325	Linear Feet	666-B012	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2Conductor
1,412	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
826	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
81	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
843	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
257	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
160	Linear Feet	668-C003	Traffic Signal Conduit, Aerial Supported, Type 1, 1"
1,482	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 4 Conductor
18,868	Linear Feet	682-A016	Underground Branch Circuit, AWG 2, 4 Conductor
6,920	Linear Feet	682-A026	Underground Branch Circuit, AWG 4, 4 Conductor
2,443	Linear Feet	682-A032	Underground Branch Circuit, AWG 6, 4 Conductor
175	Linear Feet	682-A043	Underground Branch Circuit, AWG 3/0, 3 Conductor

Call No. 03 for the November 24, 2009 Letting

398	Linear Feet	682-B011	Underground Branch Circuit, Jacked or Bored, AWG 10, 4 Conductor
2,888	Linear Feet	682-B018	Underground Branch Circuit, Jacked or Bored, AWG 2, 4 Conductor
815	Linear Feet	682-B026	Underground Branch Circuit, Jacked or Bored, AWG 4, 4 Conductor
672	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 4 Conductor
4,802	Linear Feet	682-C023	Structure Mounted Branch Circuit, AWG 4, 4 Conductor
17	Each	682-D001	Underground Pull Box
2	Each	682-D003	Structure Mounted Pull Box
13	Each	682-E001	Underground Junction Box
20	Each	682-E002	Structure Mounted Junction Box
2	Each	682-F001	Secondary Power Controllers
52	Each	683-B148	Lighting Assembly, Low Mast, Type 20-1-0-150
32	Each	683-B154	Lighting Assembly, Low Mast, Type 30-1-0-250
21	Each	683-B155	Lighting Assembly, Low Mast, Type 30-2-1-250
29	Each	683-B168	Lighting Assembly, Low Mast, Type 20-2-1-150
20	Each	683-B169	Lighting Assembly, Low Mast, Type 30-1-6-250
200	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
80	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
	Lump Sum	814-B001	Painting of Bridge
792	Ton	815-A009	Loose Riprap, Size 300
4,448	Square Yard	815-E001	Geotextile under Riprap
129	Ton	815-F002	Sediment Control Stone
12	Ton	907-213-A001	Agricultural Limestone
11	Acre	907-225-A001	Grassing
6	Acre	907-226-A001	Temporary Grassing
183	Each	907-230-A044	Shrub Planting, Parsons Juniper
21	Each	907-230-B006	Tree Planting, Muskogee Crape Myrtle
90	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
20	Each	907-230-B023	Tree Planting, Eastern Red Cedar
20	Each	907-230-B035	Tree Planting, Water Oak
20	Each	907-230-B090	Tree Planting, Cottonwood
20	Each	907-230-B091	Tree Planting, Sweet Gum
20	Each	907-230-B092	Tree Planting, Black Mulberry
20	Each	907-230-B093	Tree Planting, Honey Locust
250	Linear Feet	907-230-C001	Bed Edging
3,000	Square Feet	907-230-D001	Bed Preparation
38	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
29	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
10	Each	907-234-D001	Inlet Siltation Guard
1,098	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
12,812	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
783	Ton	907-304-F003	3/4" and Down Crushed Stone Base
13,663	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
17	Ton	907-307-D001	Lime
2,410	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,827	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture

Call No. 03 for the November 24, 2009 Letting

697 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,153 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,433 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
598 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
500 Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
12,812 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
5,464 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
4,128 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
257 Cubic Yard	907-601-A001	Class "B" Structural Concrete
181 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
25 Each	907-617-A001	Right-of-Way Marker
3 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
4 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2 Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
11,679 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
191 Linear Feet	907-626-H004	Thermoplastic Legend, White
581 Square Feet	907-626-H005	Thermoplastic Legend, White
1 Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
2 Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1 Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1 Each	907-639-A026	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' & 50'Arms
1 Each	907-639-A033	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 35'Arms
25 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
88 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
6 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
Lump Sum	907-649-E001	Video Detection Training
134 Each	907-682-E001	Underground Junction Box With Concrete Pad
Lump Sum	907-831-PP001	Architectural Precast Pieces

ALTERNATE GROUP AA NO. 1

120 Ton	907-308-A001	Portland Cement
1,518 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
91,379 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil

ALTERNATE GROUP AA NO. 2

92,897 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
705 Ton	907-311-B001	Lime
2,821 Ton	907-311-C002	Fly Ash, Class C or F

Bridge Items

2,493 Cubic Yard	206-A001	Structure Excavation
450,710 Pounds	602-A001	Reinforcing Steel
2,454 Cubic Yard	801-A001	Foundation Excavation for Bridges
23 Each	803-A001	Test Pile
2 Each	803-B001	Conventional Static Loading Test
32,990 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
15,734 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
3 Each	803-I001	PDA Test Pile

Call No. 03 for the November 24, 2009 Letting

1,551,368 Pounds	805-A001 Reinforcement
28,510 Pounds	810-A005 Structural Steel, A 709, Grade 36
4,773 Linear Feet	813-A002 Concrete Railing, 32"
57 Cubic Yard	815-D001 Concrete Slope Paving
4,164 Cubic Yard	907-601-A001 Class "B" Structural Concrete
6,184 Cubic Yard	907-804-A001 Bridge Concrete, Class AA
36 Each	907-811-D001 Disc Bearing Device

Grade, drain and bridge necessary to construct SR 601 / Canal Road from 33rd Street to existing Canal Road, known as Federal Aid Project No. STP-1145-00(007) / 101212301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: 315 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
248 Square Yard	202-B025	Removal of Concrete Paved Ditch
200 Square Yard	202-B035	Removal of Concrete Sidewalk
9,681 Square Yard	202-B078	Removal of Pavement, All Types and Depths
144 Linear Feet	202-B106	Removal of Pipe, All Sizes
14,957 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,175,877 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
1,850 Cubic Yard	203-F001	Channel Excavation, FM
1,961 Cubic Yard	206-A001	Structure Excavation
200 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
642 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
225,000 Square Yard	209-A005	Geotextile Stabilization, Type VI, Non-Woven
461,543 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
230,772 Square Yard	212-A001	Light Ground Preparation
461,543 Square Yard	212-B001	Standard Ground Preparation
60 Ton	213-B001	Combination Fertilizer, 13-13-13
48 Ton	213-C001	Superphosphate
2,384 Pounds	214-A001	Seeding, Bahiagrass
1,907 Pounds	214-A002	Seeding, Bermudagrass
715 Pounds	214-A003	Seeding, Tall Fescue
954 Pounds	214-A004	Seeding, Crimson Clover
1,192 Pounds	214-A005	Seeding, Sericea Lespedeza
954 Pounds	214-A014	Seeding, Browntop Millet
4,291 Pounds	214-A015	Seeding, Oats
1,192 Pounds	214-A017	Seeding, Rye Grass
239 Ton	215-A001	Vegetative Materials for Mulch
200 Square Yard	216-A001	Solid Sodding
12,097 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
48 Acre	220-A001	Insect Pest Control
411 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
48 Acre	223-A001	Mowing
32,763 Linear Feet	234-A001	Temporary Silt Fence
200 Bale	235-A001	Temporary Erosion Checks
6 Each	236-A002	Silt Basin, Type B
1,176 Linear Feet	239-A001	Temporary Slope Drains
1,100 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
41,611 Pounds	602-A001	Reinforcing Steel
1,040 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
144 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets

Call No. 04 for the November 24, 2009 Letting

276	Linear Feet	603-CA097	36" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
584	Linear Feet	603-CA100	18" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
264	Linear Feet	603-CA132	18" Reinforced Concrete Pipe, Class IV, Class B Bedding, Rubber Type Gaskets
12	Each	603-CB001	18" Reinforced Concrete End Section
4	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB004	36" Reinforced Concrete End Section
784	Linear Feet	603-CE037	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
516	Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
940	Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
456	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
172	Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
416	Linear Feet	603-CE047	58" x 36" Concrete Arch Pipe, Class A IV, Flexible Plastic Gaskets
7	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
8	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
14	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
6	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
8	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
488	Pounds	604-A001	Castings
7,900	Pounds	604-B001	Gratings
1,500	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
150	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
150	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
60,000	Cubic Yard	605-X005	Filter Material for Filter Beds, Type C
454	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
5,600	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
5,600	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,060	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
430	Linear Feet	619-G4001	Barricades, Type III, Single Faced
100	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
160	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
70	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
29	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
89	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
216	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
	Lump Sum	699-A001	Roadway Construction Stakes
500	Square Yard	815-A004	Loose Riprap, Size 300
500	Square Yard	815-E001	Geotextile under Riprap
286	Ton	907-213-A001	Agricultural Limestone
25	Acre	907-227-A002	Hydroseeding, Temporary Grassing
24	Each	907-234-D001	Inlet Siltation Guard

Call No. 04 for the November 24, 2009 Letting

3,104	Linear Feet	907-237-A001	Wattles
3,166	Ton	907-304-B005	Granular Material, Class 9, Group C
145	Ton	907-304-F001	Size 825 Crushed Stone Base
561	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
507	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
421	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
450	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
842	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
378	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
277	Cubic Yard	907-601-A001	Class "B" Structural Concrete
32	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,000	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
250	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
121	Each	907-617-A001	Right-of-Way Marker
1	Each	907-622-A002	Engineer's Field Office Building, Type 3
5,578	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,594	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
264	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
88	Ton	907-308-A001	Portland Cement
7,554	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
7,554	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
58	Ton	907-311-B001	Lime
233	Ton	907-311-C002	Fly Ash, Class C or F
Bridge Items			
544	Cubic Yard	206-A001	Structure Excavation
11,948	Square Yard	501-K001	Transverse Grooving
6,036	Cubic Yard	801-A001	Foundation Excavation for Bridges
4	Each	803-B001	Conventional Static Loading Test
26,864	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
20,860	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
12	Each	803-I001	PDA Test Pile
1,228,041	Pounds	805-A001	Reinforcement
5,660	Linear Feet	813-A001	Concrete Railing
634	Ton	815-A009	Loose Riprap, Size 300
901	Cubic Yard	815-D001	Concrete Slope Paving
409	Cubic Yard	907-601-A001	Class "B" Structural Concrete
6,312	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
7,085	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
2,497	Linear Feet	907-804-C021	70' Prestressed Concrete Beam, Type III
1,077	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,137	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
3,828	Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV

Site Improvements at the Woodville Hospitality Station, known as Federal Aid Project No. STP-0009-01(125) / 105537301 & STP-0009-01(126) / 105537302, in the County of Wilkinson, State of Mississippi.

PROJECT COMPLETION: November 10, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1,227 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
963 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
42 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2 Each	202-B042	Removal of Flared End Section, All Sizes
96 Linear Feet	202-B064	Removal of Pipe, 8" And Above
704 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B105	Removal of Pipe Headwall, All Sizes
44,606 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
3,100 Cubic Yard	203-F001	Channel Excavation, FM
382 Cubic Yard	206-A001	Structure Excavation
44,910 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1,660 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
140 Cubic Yard	211-D001	Topsoil for Plant Pits, Contractor Furnished
6,450 Square Yard	212-A001	Light Ground Preparation
6,450 Square Yard	216-B004	Solid Sodding, Bermuda
650 Square Yard	217-A001	Ditch Liner
130 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
55 Cubic Yard	233-A001	Tree Bark Mulch, Type I
1,600 Linear Feet	234-A001	Temporary Silt Fence
150 Bale	235-A001	Temporary Erosion Checks
2,330 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
56 Linear Feet	501-E001	Expansion Joints, Without Dowels
3,408 Pounds	602-A001	Reinforcing Steel
496 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
56 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
204 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
136 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
3 Each	603-CB001	18" Reinforced Concrete End Section
4 Each	603-CB004	36" Reinforced Concrete End Section
2,090 Pounds	604-A001	Castings
64 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,462 Linear Feet	609-C002	Concrete Curb, Integral, Type 2
2,256 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
50 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

Call No. 05 for the November 24, 2009 Letting

172	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
58	Square Feet	619-D4001	Directional Signs
72	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
22	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
65	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
15	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
725	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
645	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
975	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
25	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
41	Square Feet	628-P001	High Performance Cold Plastic Legend, White
27	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
76	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
284	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
56	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
157	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
179	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
169	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
152	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
660	Linear Feet	682-A009	Underground Branch Circuit, AWG 10, 3 Conductor
1,945	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
1	Each	682-F001	Secondary Power Controllers
11	Each	683-B138	Lighting Assembly, Low Mast, Type A
9	Each	683-B139	Lighting Assembly, Low Mast, Type B
21	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
75	Linear Feet	684-B003	Slip Casing, 24" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
2,800	Square Yard	815-B001	Grouted Riprap
2,800	Square Yard	815-E001	Geotextile under Riprap
22	Ton	907-213-A001	Agricultural Limestone
6	Acre	907-225-A001	Grassing
395	Each	907-230-A023	Shrub Planting, Stella De Oro Daylily
915	Each	907-230-A044	Shrub Planting, Parsons Juniper
72	Each	907-230-A047	Shrub Planting, Dwarf Palmetto
85	Each	907-230-A068	Shrub Planting, Evergreen Giant Liriope
43	Each	907-230-A076	Shrub Planting, Muhly Grass
77	Each	907-230-A117	Shrub Planting, Knockout Rose
69	Each	907-230-A118	Shrub Planting, Indian Hawthorn
12	Each	907-230-B005	Tree Planting, Little Gem Magnolia
15	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
2	Each	907-230-B011	Tree Planting, Southern Magnolia
3	Each	907-230-B013	Tree Planting, Willow Oak
6	Each	907-230-B081	Tree Planting, Autumn Blaze Red Maple

Call No. 05 for the November 24, 2009 Letting

3	Each	907-230-B083	Tree Planting, Drake Chinese Elm
600	Linear Feet	907-237-A001	Wattles
	Lump Sum	907-242-A006	Construction of a Hospitality Station
	Lump Sum	907-242-B006	Construction of a Guardhouse
4	Each	907-258-E001	Trash Receptacle
1	Each	907-258-F001	Water Hydrant
1	Each	907-258-G001	Travel Trailer Sewage Dump Station
1	Each	907-258-I001	Sign, Masonry and Stone
4	Each	907-258-J001	Metal Bench
4	Each	907-258-O001	Cigarette Receptacle
6	Each	907-259-B001	Lighting Assembly, Bollards
4	Each	907-259-C001	Lighting Assembly, Flag Pole Lighting
3	Each	907-259-D001	Lighting Assembly, Sign Lighting
4	Each	907-259-G001	Lighting Assembly - Column Uplights
104	Linear Feet	907-261-A005	6" Diameter HDPE Casing
34	Linear Feet	907-261-A006	12" Diameter HDPE Casing
370	Linear Feet	907-261-A007	14" Diameter HDPE Casing
628	Linear Feet	907-262-A001	8" PVC Pipe
2	Each	907-262-C001	Sewer Service Assembly
3	Each	907-262-E001	Initial Alignment, Deflection and Pressure Test
500	Linear Feet	907-265-A004	1" PVC Pipe
140	Linear Feet	907-265-B001	6" PVC Pipe, With Joint Restraint
120	Pounds	907-265-C002	Ductile Iron Fittings
1	Each	907-265-E001	Potable Water Service Assembly
1	Each	907-265-F001	Fire Hydrant Assembly
3	Each	907-265-H001	Initial Testing
3	Each	907-265-I001	Initial Disinfection Testing
	Lump Sum	907-282-A019	Automatic Irrigation System
2	Each	907-290-A001	Flagpole
4,650	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
2,129	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
987	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
500	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
4,020	Square Yard	907-501-B002	8" Plain Cement Concrete Pavement, Broom Finish
42	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3	Each	907-604-C001	Precast Manhole, 48-inch Diameter
3	Each	907-604-V001	Initial Manhole Vacuum Test
435	Square Yard	907-608-C001	Colored Concrete Sidewalk
98	Square Feet	907-611-PP003	Detectable Warning, Per Plans
3	Each	907-617-A001	Right-of-Way Marker
370	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2,373	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
1,215	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
542	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
100	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,858	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. 05 for the November 24, 2009 Letting

15	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
229	Linear Feet	907-626-H004	Thermoplastic Legend, White
125	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-630-PP004	Site Interpretive Sign, Per Plans
9	Each	907-682-E001	Underground Junction Box With Concrete Pad

Landscaping and Lighting the US 84 Intersection between John R. Junkin Drive and Highway 61, known as Federal Aid Project No. STP-0015-01(065) / 105579301, in the County of Adams, State of Mississippi.

PROJECT COMPLETION: November 09, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

18	Each	202-B060	Removal of Low Mast Lighting Assembly
18	Each	202-B061	Removal of Low Mast Lighting Foundation
2	Each	202-B085	Removal of Trees
1,510	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
599	Cubic Yard	211-C001	Topsoil for Plant Holes, Contractor Furnished
24,393	Square Yard	212-A001	Light Ground Preparation
4,537	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-B002	Combination Fertilizer, 8-8-8
1	Ton	213-C001	Superphosphate
5	Ton	213-D001	Ammonium Nitrate
6	Acre	214-A007	Seeding, Bermudagrass
6	Acre	214-A012	Seeding, Annual Rye Grass
5	Ton	215-A001	Vegetative Materials for Mulch
15,763	Square Yard	216-B001	Solid Sodding, Centipede
315	Thousand Gallon	219-A001	Watering
9	Acre	223-A001	Mowing
1	Thousand	232-A002	Fertilizer for Woody Plant Material, Tablet, 21 gram
1	Thousand	232-A003	Fertilizer for Woody Plant Material, Tablet, 10 gram
	Lump Sum	618-A001	Maintenance of Traffic
159	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
124	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
5,989	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
11,351	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
1,377	Linear Feet	682-B026	Underground Branch Circuit, Jacked or Bored, AWG 4, 4 Conductor
1,066	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 4 Conductor
10	Each	682-D001	Underground Pull Box
2	Each	682-E001	Underground Junction Box
4	Each	682-F001	Secondary Power Controllers
77	Each	683-B154	Lighting Assembly, Low Mast, Type 30-1-0-250
53	Each	683-B155	Lighting Assembly, Low Mast, Type 30-2-1-250
241	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
80	Linear Feet	684-B007	Slip Casing, 30" Diameter
183	Each	907-230-A044	Shrub Planting, Parsons Juniper
21	Each	907-230-B006	Tree Planting, Muskogee Crape Myrtle
90	Each	907-230-B007	Tree Planting, Natchez Crape Myrtle
250	Linear Feet	907-230-C001	Bed Edging

Call No. 06 for the November 24, 2009 Letting

3,000	Square Feet	907-230-D001	Bed Preparation
38	Cubic Yard	907-233-A001	Tree Bark Mulch, Type III
29	Cubic Yard	907-233-A002	Tree Bark Mulch, Type V
94	Each	907-682-E001	Underground Junction Box With Concrete Pad

Construction necessary to improve the intersection of SR 32 at SR 15, known as Federal Aid Project No. HSIP-0022-03(024) / 105548301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

32	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
496	Linear Feet	202-B038	Removal of Curb, All Types
2	Each	202-B079	Removal of Headwall
1	Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
1	Each	202-B161	Removal of Existing Sign
878	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
458	Cubic Yard	203-G004	Excess Excavation, LVM, AH
2,640	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3,600	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
15	Pounds	214-A002	Seeding, Bermudagrass
19	Pounds	214-A003	Seeding, Tall Fescue
7	Pounds	214-A004	Seeding, Crimson Clover
19	Pounds	214-A017	Seeding, Rye Grass
50	Square Yard	216-A001	Solid Sodding
72	Thousand Gallon	219-A001	Watering
2	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
879	Linear Feet	234-A001	Temporary Silt Fence
20	Bale	235-A001	Temporary Erosion Checks
4,294	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
1,380	Linear Feet	503-C007	Saw Cut, Full Depth
218	Pounds	602-A001	Reinforcing Steel
32	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB002	24" Reinforced Concrete End Section
500	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
74	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
296	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
62	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
53	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
12	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
154	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
80	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
23	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft

Call No. 07 for the November 24, 2009 Letting

224	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
97	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
60	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
171	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
35	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
32	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
91	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
4	Each	645-A001	Flasher Assembly
19	Each	647-A001	Pullbox, Type 1
2,912	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
2,837	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
211	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
521	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
829	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
1,428	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
684	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
6	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,630	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
148	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2,848	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,285	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
108	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
361	Square Feet	907-626-H005	Thermoplastic Legend, White
79	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

Construction necessary for grade, drain, bridge and paving work on SR 15 from King's Creek south of New Albany to 6.4 miles south of the Tippah County Line, known as Federal Aid Project No. STP-0022-04(034) / 101630301, in the County of Union, State of Mississippi

PROJECT COMPLETION: 316 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
3 Acre	201-B001	Clearing and Grubbing
21,945 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
9,543 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
21 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
500 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
6,710 Linear Feet	202-B038	Removal of Curb, All Types
2 Each	202-B042	Removal of Flared End Section, All Sizes
22 Each	202-B057	Removal of Inlets, All Sizes
6,370 Linear Feet	202-B064	Removal of Pipe, 8" And Above
11 Each	202-B079	Removal of Headwall
1,500 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
418 Linear Feet	202-B102	Removal of Guard Rail
10 Each	202-B130	Removal of Piling
1 Each	202-B142	Removal of Junction Box
22 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
242,157 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
71,119 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
27,105 Cubic Yard	203-G003	Excess Excavation, FM, AH
13,735 Cubic Yard	206-A001	Structure Excavation
380 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
95,450 Square Yard	209-A001	Geotextile Stabilization, Type V
588,100 Square Yard	212-A001	Light Ground Preparation
1,116,200 Square Yard	212-B001	Standard Ground Preparation
145 Ton	213-B001	Combination Fertilizer, 13-13-13
115 Ton	213-C001	Superphosphate
5,800 Pounds	214-A001	Seeding, Bahiagrass
4,600 Pounds	214-A002	Seeding, Bermudagrass
5,800 Pounds	214-A003	Seeding, Tall Fescue
2,300 Pounds	214-A004	Seeding, Crimson Clover
2,300 Pounds	214-A014	Seeding, Browntop Millet
10,400 Pounds	214-A015	Seeding, Oats
2,900 Pounds	214-A017	Seeding, Rye Grass
580 Ton	215-A001	Vegetative Materials for Mulch
1,411 Square Yard	216-A001	Solid Sodding
681 Square Yard	217-A001	Ditch Liner
29 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control

Call No. 08 for the November 24, 2009 Letting

40	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
419	Square Yard	224-A001	Soil Reinforcing Mat
29,300	Linear Feet	234-A001	Temporary Silt Fence
2,912	Bale	235-A001	Temporary Erosion Checks
13	Each	236-A004	Silt Basin, Type D
60,237	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
160	Linear Feet	501-E001	Expansion Joints, Without Dowels
389	Square Yard	501-K001	Transverse Grooving
389	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
170	Linear Feet	503-C007	Saw Cut, Full Depth
127,639	Pounds	602-A001	Reinforcing Steel
13,036	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,994	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
508	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
480	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
36	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
44	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
128	Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
70	Each	603-CB001	18" Reinforced Concrete End Section
11	Each	603-CB002	24" Reinforced Concrete End Section
3	Each	603-CB003	30" Reinforced Concrete End Section
10	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
29,636	Pounds	604-A001	Castings
11,850	Pounds	604-B001	Gratings
19,034	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
1,556	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
4,943	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
425	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
100	Linear Feet	609-B002	Concrete Curb, Doweled
426	Linear Feet	609-C001	Concrete Curb, Integral, Type 1
215	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
26,714	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
6,039	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
669	Square Yard	614-B001	Concrete Driveway, With Reinforcement
5	Square Yard	616-A002	Concrete Median and/or Island Pavement, 6-inch
	Lump Sum	618-A001	Maintenance of Traffic
59,977	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,139	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
80,528	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,029	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape

Call No. 08 for the November 24, 2009 Letting

9 Mile	619-A3006	Temporary Traffic Stripe, Skip White
8 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
41,882 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,206 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6,270 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
224 Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,084 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
756 Linear Feet	619-F1002	Portable Median Barrier
433 Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
21 Each	619-F3004	Delineators, Guard Rail, White
1,308 Linear Feet	619-G4001	Barricades, Type III, Single Faced
2,271 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
662 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,052 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
55 Each	627-N001	One-Way Yellow Reflective High Performance Raised Markers
474 Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White
474 Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
356 Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
474 Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
807 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
251 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
455 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
189 Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
1,242 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
422 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
307 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
480 Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
3,504 Linear Feet	635-A001	Vehicle Loop Assemblies
1 Each	635-B001	Probe Point Detection Units, Paired
8,465 Linear Feet	636-A003	Shielded Cable, 4 Conductor
1 Each	637-A001	Equipment Cabinet
12 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
32 Each	640-A016	Traffic Signal Heads, Type 1 LED
2 Each	640-A018	Traffic Signal Heads, Type 3 LED
12 Each	640-A022	Traffic Signal Heads, Type 7 LED
4 Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
11 Each	647-A001	Pullbox, Type 1
29 Each	647-A005	Pullbox, Type 2
4 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
4,720 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
250 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
525 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"

Call No. 08 for the November 24, 2009 Letting

390	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
2,400	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
815	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1,125	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
255	Linear Feet	668-C003	Traffic Signal Conduit, Aerial Supported, Type 1, 1"
2,172	Linear Feet	682-A014	Underground Branch Circuit, AWG 2, 2 Conductor
4,182	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 6 Conductor
771	Linear Feet	682-B015	Underground Branch Circuit, Jacked or Bored, AWG 2, 2 Conductor
260	Linear Feet	682-B020	Underground Branch Circuit, Jacked or Bored, AWG 2, 6 Conductor
13	Each	682-D001	Underground Pull Box
18	Each	682-F001	Secondary Power Controllers
2	Each	683-A044	Lighting Assembly, High Mast, Type 120-4-A
4	Each	683-A050	Lighting Assembly, High Mast, Type 120-6-A
12	Each	683-B162	Lighting Assembly, Low Mast, Type 30-1-0-400
2	Each	683-D001	Portable Electric Power Units
14	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
34	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
	Lump Sum	699-B001	Bridge Construction Stakes
217	Ton	815-A009	Loose Riprap, Size 300
225	Square Yard	815-E001	Geotextile under Riprap
23	Ton	815-F002	Sediment Control Stone
690	Ton	907-213-A001	Agricultural Limestone
10,664	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
34,998	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
16,987	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
30,629	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
10,683	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
254	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
399	Cubic Yard	907-601-A001	Class "B" Structural Concrete
760	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,036	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
1,224	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
24,066	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
31,915	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
21,514	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
42,643	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
18,393	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,350	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,383	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,090	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-O001	Remove and Reset Signs, Ground Mounted on Round Post(s)
3	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm

Call No. 08 for the November 24, 2009 Letting

2	Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
1	Each	907-639-A030	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 65' Arm
1	Each	907-639-A062	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms
1	Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
1	Each	907-639-A064	Traffic Signal Equipment Pole, Type III, 30' Shaft, 30' & 35' Arms

Bridge Items

6,933	Square Yard	501-K001	Transverse Grooving
10	Each	803-B001	Conventional Static Loading Test
4,890	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
9,060	Linear Feet	803-D003	HP 14 x 73 Steel Piling
9,320	Linear Feet	803-F009	20" Pre-Formed Pile Hole
10	Each	803-I001	PDA Test Pile
10	Each	803-J001	Pile Restrike
30	Linear Feet	803-N001	Exploration
770	Linear Feet	803-O009	Temporary Casing, 54" Diameter
680,056	Pounds	805-A001	Reinforcement
5,008	Square Feet	809-A003	Retaining Wall System
3,095	Linear Feet	813-A002	Concrete Railing, 32"
238	Linear Feet	813-A003	Concrete Railing, 42"
4,190	Ton	815-A009	Loose Riprap, Size 300
113	Cubic Yard	815-D001	Concrete Slope Paving
5,616	Square Yard	815-E001	Geotextile under Riprap
1,465	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
131	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
3,359	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,088	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
5,191	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,914	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,537	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV
959	Linear Feet	907-804-C151	88' Prestressed Concrete Beam, Type III

Installing a Traffic Signal at the intersection of US 45 & Hamilton Road, known as Federal Aid Project No. HSIP-0025-00(066) / 105554301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: June 15, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
24	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
64	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
77	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
486	Linear Feet	635-A001	Vehicle Loop Assemblies
1,196	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
8	Each	640-A001	Traffic Signal Heads, Type 1
4	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
6	Each	647-A001	Pullbox, Type 1
1	Each	647-A003	Pullbox, Type 4
6	Each	647-A005	Pullbox, Type 2
1,040	Linear Feet	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4Conductor
1,414	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
120	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
1,236	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
298	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
210	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,650	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
530	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
864	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
680	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
4,568	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
282	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
526	Linear Feet	907-626-H004	Thermoplastic Legend, White
170	Square Feet	907-626-H005	Thermoplastic Legend, White
4	Each	907-630-O002	Remove and Reset Sign Assembly
2	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
2	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2	Each	907-639-A047	Traffic Signal Equipment Pole, Type V, 14' Shaft
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter

1 Cubic Yard 907-639-C003 Pole Foundations, 24" Diameter

Upgrading traffic signals and turn lanes on SR 25 in the Jackson Metro Area, known as Federal Aid Project No. HSIP-0056-01(069) / 105558301 & 302, in the Counties of Hinds and Rankin, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

52 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
5 Each	202-B057	Removal of Inlets, All Sizes
4,650 Linear Feet	202-B076	Removal of Traffic Stripe
1,438 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
6 Each	202-B099	Removal of Existing Light and Foundation
352 Linear Feet	202-B106	Removal of Pipe, All Sizes
600 Linear Feet	202-B141	Removal of Edge Drain
1 Each	202-B240	Removal of Water Line, All Sizes, All Types
180 Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
1,896 Cubic Yard	203-G004	Excess Excavation, LVM, AH
271 Cubic Yard	206-A001	Structure Excavation
15,800 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4,840 Square Yard	212-B001	Standard Ground Preparation
30 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
150 Linear Feet	234-A001	Temporary Silt Fence
20 Bale	235-A001	Temporary Erosion Checks
1,996 Square Yard	309-A001	Crushed Stone Drainage Layer
667 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,266 Pounds	602-A001	Reinforcing Steel
528 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2,196 Pounds	604-A001	Castings
2,097 Pounds	604-B001	Gratings
630 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
54 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
39 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
313 Linear Feet	609-B001	Concrete Curb, Header
995 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
291 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
11 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
3,559 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,785 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,990 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
2,020 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,882 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,074 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
24 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,422 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 10 for the November 24, 2009 Letting

2,435	Linear Feet	619-F1001	Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
912	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1005	Impact Attenuator, 45 MPH
	Lump Sum	620-A001	Mobilization
161	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
68	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
142	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
491	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
569	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
170	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
341	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
29	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
244	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
15,036	Linear Feet	635-A001	Vehicle Loop Assemblies
1	Each	635-B001	Probe Point Detection Units, Paired
1,432	Linear Feet	636-A003	Shielded Cable, 4 Conductor
44	Each	640-A016	Traffic Signal Heads, Type 1 LED
23	Each	640-A017	Traffic Signal Heads, Type 2 LED
1	Each	640-A018	Traffic Signal Heads, Type 3 LED
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
4	Each	650-A002	On Street Video Equipment, Fixed Type
2	Each	650-A003	On Street Video Equipment, PTZ Type
2	Each	661-A003	4 Channel Video Multiplexor
242	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
	Lump Sum	699-A001	Roadway Construction Stakes
137	Ton	907-304-B001	Granular Material, Class 5, Group C
253	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
810	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
17	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,584	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
856	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
832	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
759	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,067	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,793	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,114	Linear Feet	907-626-H004	Thermoplastic Legend, White
630	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
4	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter

Construction necessary to upgrade SR 42 east of Petal, known as Federal Aid Project No. STP-0063-02(026) / 105375301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: 322 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8,631 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
16,794 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
76 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
14 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1 Each	202-B057	Removal of Inlets, All Sizes
4 Each	202-B079	Removal of Headwall
4,305 Linear Feet	202-B106	Removal of Pipe, All Sizes
16 Mile	202-B149	Removal of Traffic Stripe
87,888 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,727 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
6,139 Cubic Yard	206-A001	Structure Excavation
120 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
147,677 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
22 Ton	213-C001	Superphosphate
4,436 Square Yard	216-A001	Solid Sodding
1,687 Square Yard	217-A001	Ditch Liner
89 Thousand Gallon	219-A001	Watering
45 Acre	220-A001	Insect Pest Control
101 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
45 Acre	223-A001	Mowing
15,970 Linear Feet	234-A001	Temporary Silt Fence
904 Bale	235-A001	Temporary Erosion Checks
25,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7,000 Linear Feet	503-C004	Saw Cut, 7-inch
71,355 Pounds	602-A001	Reinforcing Steel
11,224 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,468 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
310 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
76 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
112 Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
6 Each	603-CB001	18" Reinforced Concrete End Section
10 Each	603-CB002	24" Reinforced Concrete End Section
7 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
156 Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
7,742 Pounds	604-A001	Castings
1,143 Pounds	604-B001	Gratings

Call No. 11 for the November 24, 2009 Letting

863	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
49,376	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
200	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
450	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
16,759	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
1,613	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
32	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,246	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
48,508	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,279	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,429	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,502	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
379	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
474	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Single Faced
1,032	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1,237	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
743	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
142	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
491	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
63	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
569	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
94	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
170	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
341	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
29	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
244	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
96	Linear Feet	635-A001	Vehicle Loop Assemblies
970	Linear Feet	636-A002	Shielded Cable
1	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	644-A001	Optical Detector
760	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
3	Each	647-A001	Pullbox, Type 1
1	Each	647-A003	Pullbox, Type 4
3	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet

Call No. 11 for the November 24, 2009 Letting

1	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
800	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
180	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
324	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
84	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
500	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
312	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
45	Acre	907-225-A001	Grassing
130	Ton	907-225-B001	Agricultural Limestone
23	Acre	907-226-A001	Temporary Grassing
23,741	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
39,400	Ton	907-304-F001	Size 825 Crushed Stone Base
7,875	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
5,703	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,641	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
830	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,231	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,830	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
26,867	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,122	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
18,738	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
5,703	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
11,578	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
81	Cubic Yard	907-601-A001	Class "B" Structural Concrete
247	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
576	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
69	Each	907-617-A001	Right-of-Way Marker
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,216	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,128	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,370	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,741	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A013	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
8	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
403	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Replacing bridges on SR 553 near Fayette, known as Federal Aid Project Nos. BR-0301-00(010) / 100442301 & STP-0301-00(010) / 100442302, in the County of Jefferson, State of Mississippi.

PROJECT COMPLETION: 243 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
6,606 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B008	Removal of Box Culvert
171 Linear Feet	202-B064	Removal of Pipe, 8" And Above
2 Each	202-B079	Removal of Headwall
127 Linear Feet	202-B102	Removal of Guard Rail
81,774 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
12,952 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
25,037 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,522 Cubic Yard	206-A001	Structure Excavation
202 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
37,664 Square Yard	212-A001	Light Ground Preparation
75,328 Square Yard	212-B001	Standard Ground Preparation
10 Ton	213-B001	Combination Fertilizer, 13-13-13
8 Ton	213-C001	Superphosphate
303 Pounds	214-A002	Seeding, Bermudagrass
165 Pounds	214-A003	Seeding, Tall Fescue
147 Pounds	214-A004	Seeding, Crimson Clover
156 Pounds	214-A014	Seeding, Browntop Millet
700 Pounds	214-A015	Seeding, Oats
39 Ton	215-A001	Vegetative Materials for Mulch
737 Square Yard	216-A001	Solid Sodding
1,187 Square Yard	217-A001	Ditch Liner
1,420 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
84 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2 Acre	223-A001	Mowing
1,657 Square Yard	224-A001	Soil Reinforcing Mat
15,235 Linear Feet	234-A001	Temporary Silt Fence
1,300 Bale	235-A001	Temporary Erosion Checks
16 Each	236-A004	Silt Basin, Type D
336 Linear Feet	239-A001	Temporary Slope Drains
4,650 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,804 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
164 Linear Feet	501-E001	Expansion Joints, Without Dowels
365 Square Yard	501-K001	Transverse Grooving
365 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
182,803 Pounds	602-A001	Reinforcing Steel

Call No. 12 for the November 24, 2009 Letting

168	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
4	Each	603-CB002	24" Reinforced Concrete End Section
850	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
6,600	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
6,600	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
83	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
279	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
888	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
492	Linear Feet	619-G4001	Barricades, Type III, Single Faced
45	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	622-B002	Engineer's Field Office Building, Type 3 LO
144	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,228	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,228	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
54	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
90	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
100	Cubic Yard	631-A001	Flowable Fill
	Lump Sum	699-A001	Roadway Construction Stakes
4,000	Ton	815-A009	Loose Riprap, Size 300
4,800	Ton	815-A010	Loose Riprap, Size 500
8,710	Square Yard	815-E001	Geotextile under Riprap
335	Ton	815-F002	Sediment Control Stone
44	Ton	907-213-A001	Agricultural Limestone
5,304	Ton	907-304-B001	Granular Material, Class 5, Group C
7,367	Ton	907-304-B005	Granular Material, Class 9, Group C
192	Ton	907-304-F003	3/4" and Down Crushed Stone Base
13,861	Square Yard	907-307-B002	6" Soil-Lime-Water Mixing, Class B
188	Ton	907-307-D001	Lime
5,448	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,105	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
258	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
456	Cubic Yard	907-601-A001	Class "B" Structural Concrete
11	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
500	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
140	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
67	Each	907-617-A001	Right-of-Way Marker
14,168	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
14,168	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
78	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
36	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 12 for the November 24, 2009 Letting

450	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
			ALTERNATE GROUP AA NO. 1
243	Ton	907-308-A001	Portland Cement
16,500	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
5,940	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
			ALTERNATE GROUP AA NO. 2
22,440	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
132	Ton	907-311-B001	Lime
669	Ton	907-311-C002	Fly Ash, Class C or F
			Bridge Items
4,118	Square Yard	501-K001	Transverse Grooving
4	Each	803-A001	Test Pile
2	Each	803-B001	Conventional Static Loading Test
3,370	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,396	Linear Feet	803-O008	Temporary Casing, 48" Diameter
420,977	Pounds	805-A001	Reinforcement
2,059	Linear Feet	813-A001	Concrete Railing
1,286	Ton	815-A009	Loose Riprap, Size 300
890	Square Yard	815-E001	Geotextile under Riprap
1,473	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
1	Each	907-803-L003	Test Shaft, 48" Diameter
150	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
1,869	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
238	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
897	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
2,238	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
798	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,097	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR