


[Proposal & Plan Sales Will Begin on January 4, 2010](#)



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for January – January 26, 2010**



**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JANUARY - Tuesday, January 26, 2010**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

**PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 04, 2010**

Proposals must be purchased from:

Contract Administration Engineer  
 MDOT Administration Building  
 401 North West Street  
 Jackson, MS 39201

(or)

P.O. Box 1850  
 Jackson, MS 39215-1850  
 Telephone: (601) 359-7744  
 FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
 MDOT Shop Complex, Building C, Room 114  
 2567 North West Street  
 Jackson, MS 39216

(or)

P.O. Box 1850  
 Jackson, MS 39215-1850  
 Telephone: (601) 359-7460  
 or FAX: (601) 359-7461  
 or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JANUARY**

CALL	CONTRACT	COUNTY
* 01	IM-0055-01(066) / 102302301	Copiah
* 02	IM-0220-03(032) / 105248301	Hinds
	03 STP-0000-05(004) / 104756304	District 5
* 04	NH-0003-01(142) / 105470301	Hancock
* 05	NH-0009-01(123) / 105437301	Adams
* 06	STP-0009-02(077) / 105700301	Warren
	07 STP-0014-01(054) / 105740301	Pike
* 08	STP-0014-02(064) / 105828301	Lamar
	09 HSIP-0056-01(069) / 105558301 & HSIP-0056-01(069) / 105558302	Hinds & Rankin
* 10	STP-0075-01(009) / 105741301	Lauderdale
	11 MP-1759-10(001) / 303740301	Choctaw
	12 MP-2006-54(008) / 303679301	Panola
* 13	MP-7570-57(009) / 303757301	Pike
	14 BWO-3001-82(008) / 501764301 & LWO-3001-82(007) / 501764302	Yazoo
	15 BWO-1185-41(001) / 502259301, BWO-5189-51(001) / 502259302, BWO-5190-51(001) / 502259303, & BWO-7136-57(001) / 502259304	Lee, Newton, & Pike
* 16	STP-0022-01(073) / 105827301	Harrison

Grinding Northbound & Southbound lanes of I-55, from Crystal Springs to the Hinds County Line, known as Federal Aid Project No. IM-0055-01(066) / 102302301, in the County of Copiah, State of Mississippi.

PROJECT COMPLETION: 76 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

20	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,175	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,250	Linear Feet	202-B076	Removal of Traffic Stripe
20	Square Yard	202-B084	Removal of Base
20	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
2,065	Square Yard	202-B120	Removal of Concrete Pavement, Conventional Reinforcement, All Depths
10,000	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
1,106	Linear Feet	501-I001	Joint Filler, Wooden Board
2,065	Square Yard	503-A008	9" and Variable Reinforced Concrete Pavement
1,409	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,226	Linear Feet	503-C007	Saw Cut, Full Depth
100	Cubic Yard	503-D001	Concrete for Base Repair
640	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
2,226	Each	503-E003	Tie Bars, No. 8 Deformed Drilled and Epoxied or Grouted
1,106	Each	503-F001	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
46,000	Linear Feet	508-A001	Silicone Sealed Joints
45	Cubic Feet	510-A001	Graded Aggregate
340	Gallon	510-B001	Resin
1,575	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
10	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
9	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
8	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
8	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
7,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
7	Mile	625-C002	Traffic Stripe, Continuous White
7	Mile	625-D002	Traffic Stripe, Continuous Yellow
900	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
160	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,000	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,000	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
24	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
96	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft

Call No. 01 for the January 26, 2010 Letting

50	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
35	Each	630-F006	Delineators, Post Mounted, Single White
20	Each	630-F007	Delineators, Post Mounted, Single Yellow
90	Each	630-F008	Delineators, Post Mounted, Double White
30	Each	630-F009	Delineators, Post Mounted, Double Yellow
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
12,000	Ton	907-304-B002	Granular Material, Class 5, Group D
8,000	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,700	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
3,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
89,000	Square Yard	907-505-B001	Grinding Concrete Pavement
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
8,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
400	Linear Feet	907-626-H004	Thermoplastic Legend, White

Painting bridges on I-220 between I-20 and I-55, known as Federal Aid Project No. IM-0220-03(032) / 105248301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: August 15, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 0.5A
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 0.5B
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 4.8A
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 4.8B
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 5.1A
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 5.1B
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 8.3A
1 Each	816-B001	Maintenance Painting of Metal Structures Bridge No. 8.3B

Call No. 03 for the January 26, 2010 Letting

Installation of raised pavement markers in various locations of District 5, known as Federal Aid Project No. STP-0000-05(004) / 104756304, in District 5, State of Mississippi.

PROJECT COMPLETION: June 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
12,354 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
21,126 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
17,329 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Overlaying approximately 5 miles of U.S. Highway 90 westbound lanes from SR 607 to Lower Bay Road, known as Federal Aid Project No. NH-0003-01(142) / 105470301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: 61 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
7,200 Linear Feet	202-B076	Removal of Traffic Stripe
6,500 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
12,300 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,200 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
10 Mile	423-A001	Rumble Strips, Ground In
400 Square Yard	503-A007	9" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
300 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
200 Linear Feet	503-C002	Saw Cut, 3-inch
200 Linear Feet	503-C007	Saw Cut, Full Depth
70 Cubic Yard	503-D001	Concrete for Base Repair
150 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
10 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A3006	Temporary Traffic Stripe, Skip White
9,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,000 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
800 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
200 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
20,000 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
9,000 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,000 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500 Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying approximately 7 miles of U.S. Highway 61 in Natchez, known as Federal Aid Project No. NH-0009-01(123) / 105437301, in the County of Adams, State of Mississippi.

PROJECT COMPLETION: 60 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

250	Linear Feet	202-B041	Removal of Fence, All Types
4	Each	202-B043	Removal of Guard Rail Bridge End Section
244	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,648	Linear Feet	202-B076	Removal of Traffic Stripe
92	Linear Feet	202-B135	Removal of Guard Rail Double Faced Rail Including Rail & Posts
6	Each	202-B136	Removal of Guard Rail Terminal End Section
3	Each	202-B255	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
150,503	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
150	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
288	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
250	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
17	Each	607-P1029	Line Post, 5' x 2" Galvanized Steel
4	Each	607-P2017	Brace Post, 5' x 2 1/2" Galvanized Steel
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,050	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
20,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
231	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,050	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
140	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,174	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,174	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,174	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
36	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-F002	Delineators, Guard Rail, Yellow
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
2	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
32	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
1,716	Linear Feet	635-A001	Vehicle Loop Assemblies
1,712	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D

Call No. 05 for the January 26, 2010 Letting

25,300	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
300	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
51,384	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
64	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
1,050	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1,300	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
13	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
24,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
24,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,000	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 5 miles of US Highway 61 south of Interstate 20, known as Federal Aid Project No. STP-0009-02(077) / 105700301, in the County of Warren, State of Mississippi.

PROJECT COMPLETION: 89 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

420	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
270	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,244	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
420	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,500	Cubic Yard	203-G004	Excess Excavation, LVM, AH
12,000	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
800	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
938	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
13	Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
1	Each	606-B017	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4	Each	606-D015	Guard Rail, Bridge End Section
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
200	Linear Feet	609-E001	Bituminous Curb
270	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
38	Square Yard	616-B001	Hot Bituminous Median and/or Island Pavement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
11	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
24,777	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
2,775	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
1,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
120	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
569	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
856	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
569	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
38	Square Feet	628-P001	High Performance Cold Plastic Legend, White
100	Each	630-F001	Delineators, Guard Rail, White
500	Linear Feet	635-A001	Vehicle Loop Assemblies
1,500	Ton	907-304-B002	Granular Material, Class 5, Group D
420	Ton	907-304-F003	3/4" and Down Crushed Stone Base
1,800	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
11,000	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
11,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
950	Ton	907-403-D007	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22
2,200	Ton	907-403-D008	Hot Mix Asphalt, HT, 25-mm mixture, Polymer Modified, PG 82-22
37,552	Square Yard	907-499-A002	Roadbed Reclamation with Portland Cement
400	Ton	907-499-B001	Portland Cement
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

Call No. 06 for the January 26, 2010 Letting

9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
14,255	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,929	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,700	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,071	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 3 miles of U.S. Highway 98 between I-55 and ICRR Railroad Bridge, known as Federal Aid Project No. STP-0014-01(054) / 105740301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: 27 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

4	Each	202-B043	Removal of Guard Rail Bridge End Section
3	Each	202-B049	Removal of Guard Rail Cable Anchor, Type 1 Including Post, Rail, Anchor & Hardware
4	Each	202-B050	Removal of Guard Rail Cable Anchor, Type 2 Including Post, Rail, Anchor & Hardware
675	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
82,400	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B274	Removal of Guard Rail Bridge Connector
4,500	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
1,262	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
5	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
20,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,056	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,943	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
690	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Square Feet	619-D4001	Directional Signs
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
86	Each	627-F001	One-Way Yellow Reflective Raised Markers
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
420	Linear Feet	635-A001	Vehicle Loop Assemblies
750	Ton	907-403-D007	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22
46,928	Gallon	907-405-A001	Emulsified Asphalt for Micro-Surfacing
1,644	Ton	907-405-B001	Aggregate for Micro-Surfacing
29	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,113	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,556	Linear Feet	907-626-H004	Thermoplastic Legend, White

1,943 Square Feet

907-626-H005 Thermoplastic Legend, White

Widening and overlaying approximately 5 miles of U.S. Highway 98 between the Marion County Line and Oloh, known as Federal Aid Project No. STP-0014-02(064) / 105828301, in the County of Lamar, State of Mississippi.

PROJECT COMPLETION: 54 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

8,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
34,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,700	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
280	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,200	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,600	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
18,900	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
14,200	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,700	Linear Feet	907-626-H004	Thermoplastic Legend, White

Upgrading traffic signals and turn lanes on SR 25 in the Jackson Metro Area, known as Federal Aid Project No. HSIP-0056-01(069) / 105558301 & 302, in the Counties of Hinds and Rankin, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

52 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
5 Each	202-B057	Removal of Inlets, All Sizes
4,650 Linear Feet	202-B076	Removal of Traffic Stripe
1,438 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
6 Each	202-B099	Removal of Existing Light and Foundation
352 Linear Feet	202-B106	Removal of Pipe, All Sizes
600 Linear Feet	202-B141	Removal of Edge Drain
1 Each	202-B240	Removal of Water Line, All Sizes, All Types
180 Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
1,896 Cubic Yard	203-G004	Excess Excavation, LVM, AH
271 Cubic Yard	206-A001	Structure Excavation
15,800 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
4,840 Square Yard	212-B001	Standard Ground Preparation
30 Square Yard	216-A001	Solid Sodding
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
150 Linear Feet	234-A001	Temporary Silt Fence
20 Bale	235-A001	Temporary Erosion Checks
1,996 Square Yard	309-A001	Crushed Stone Drainage Layer
667 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,266 Pounds	602-A001	Reinforcing Steel
528 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2,196 Pounds	604-A001	Castings
2,097 Pounds	604-B001	Gratings
630 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
54 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
39 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
313 Linear Feet	609-B001	Concrete Curb, Header
1,230 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
291 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
11 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
3,559 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,785 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,990 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
2,020 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,882 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,074 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
24 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,198 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 09 for the January 26, 2010 Letting

2,435	Linear Feet	619-F1001	Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
912	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1005	Impact Attenuator, 45 MPH
	Lump Sum	620-A001	Mobilization
161	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
68	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
576	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
954	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
2,294	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
228	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
183	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
15,036	Linear Feet	635-A001	Vehicle Loop Assemblies
1	Each	635-B001	Probe Point Detection Units, Paired
1,432	Linear Feet	636-A003	Shielded Cable, 4 Conductor
44	Each	640-A016	Traffic Signal Heads, Type 1 LED
23	Each	640-A017	Traffic Signal Heads, Type 2 LED
1	Each	640-A018	Traffic Signal Heads, Type 3 LED
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
4	Each	650-A002	On Street Video Equipment, Fixed Type
2	Each	650-A003	On Street Video Equipment, PTZ Type
2	Each	661-A003	4 Channel Video Multiplexor
242	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
	Lump Sum	699-A001	Roadway Construction Stakes
137	Ton	907-304-B001	Granular Material, Class 5, Group C
253	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
810	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
17	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,584	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
856	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
832	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
759	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,067	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,793	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,114	Linear Feet	907-626-H004	Thermoplastic Legend, White
630	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-B001	Traffic Signal Equipment Pole Shaft Extension, 10-foot, Video Camera Mount
4	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter

Paving on SR 19 from the beginning of the four-lane section south of US 45 to I-20/59, known as Federal Aid Project No. STP-0075-01(009) / 105741301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: 65 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4	Each	202-B042	Removal of Flared End Section, All Sizes
2	Each	202-B105	Removal of Pipe Headwall, All Sizes
3,000	Square Yard	203-I001	Site Grading
4,840	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
25	Pounds	214-A001	Seeding, Bahiagrass
20	Pounds	214-A002	Seeding, Bermudagrass
20	Pounds	214-A003	Seeding, Tall Fescue
20	Pounds	214-A004	Seeding, Crimson Clover
2	Ton	215-A001	Vegetative Materials for Mulch
9,385	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
16	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB001	18" Reinforced Concrete End Section
3,000	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
540	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
24,329	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,105	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
714	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
414	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1,150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
16	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
16	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
2,724	Linear Feet	635-A001	Vehicle Loop Assemblies
3	Ton	907-213-A001	Agricultural Limestone
300	Ton	907-304-B001	Granular Material, Class 5, Group C
861	Ton	907-304-F003	3/4" and Down Crushed Stone Base
14,247	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
500	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
100	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling

Call No. 10 for the January 26, 2010 Letting

1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
36	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,500	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
13,899	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,340	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,105	Linear Feet	907-626-H004	Thermoplastic Legend, White
714	Square Feet	907-626-H005	Thermoplastic Legend, White

Overlaying approximately 3 miles of Business 12 in Ackerman, known as State Project No. MP-1759-10(001) / 303740301, in the County of Choctaw, State of Mississippi.

PROJECT COMPLETION: 24 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
480	Linear Feet	202-B076	Removal of Traffic Stripe
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
9,700	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,050	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
12	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
335	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
306	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
76	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
154	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
425	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
4,250	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
950	Linear Feet	907-626-H004	Thermoplastic Legend, White

Milling and overlaying approximately 8 miles of SR 6/US 278 from the Tallahatchie River to Interstate 55, known as State Project No. MP-2006-54(008) / 303679301, in the County of Panola, State of Mississippi

PROJECT COMPLETION: June 15, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

100	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2,830	Linear Feet	202-B076	Removal of Traffic Stripe
600	Square Yard	202-B078	Removal of Pavement, All Types and Depths
800	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
200	Linear Feet	202-B102	Removal of Guard Rail
350	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
156,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
2,350	Linear Feet	503-C007	Saw Cut, Full Depth
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D004	Guard Rail, Bridge End Section, Type E
16	Each	606-E001	Guard Rail, Terminal End Section
4	Each	606-F001	Special Sections, Bridge Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
25	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
37,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6,000	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,940	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
740	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
50	Each	630-F006	Delineators, Post Mounted, Single White
3,008	Linear Feet	635-A001	Vehicle Loop Assemblies
6,000	Ton	907-304-B009	Granular Material, Class 3, Group D
1,100	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,000	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
12,100	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
5,000	Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
672	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow

Call No. 12 for the January 26, 2010 Letting

7,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,000	Square Feet	907-626-H005	Thermoplastic Legend, White

Widening and overlaying approximately 10 miles of S.R. 570 between McComb and Felders Campground, known as State Project No. MP-7570-57(009) / 303757301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: 49 Time Units

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

100	Linear Feet	202-B076	Removal of Traffic Stripe
137,721	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
13,640	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,330	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
648	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
975	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
760	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
760	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,562	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
21,441	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
661	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
19	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,626	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,394	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
665	Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 14 for the January 26, 2010 Letting

Installation of Emergency Generators and Vehicle Wash / Plumbing Items at the Yazoo City District Office, known as State Project No. BWO-3001-82(008)/ 501764301 & LWO-3001-82(007) / 501764302, in the County of Yazoo, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Building Items**

Lump Sum	1520-A001	Installation of Two Emergency Generators
Lump Sum	1520-A001	Installation of Vehicle Wash & Plumbing Items

Call No. 15 for the January 26, 2010 Letting

Construction of Open Equipment Sheds at Tupelo, Newton and McComb, known as State Project Nos. BWO-1185-41(001)/502259301, BWO-5189-51(001)/502259302, BWO-5190-51(001)/502259303, & BWO-7136-57(001)/502259304, in the Counties of Lee, Newton & Pike, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Building Items**

Lump Sum            1500-A001    Construction of Open Equipment Shed at Tupelo

**Building Items**

Lump Sum            1500-A001    Construction of Open Equipment Shed 1 at Newton

**Building Items**

Lump Sum            1500-A001    Construction of Open Equipment Shed 2 at Newton

**Building Items**

Lump Sum            1500-A001    Construction of Open Equipment Shed at McComb

Widen and Overlaying approximately 6.2 miles of SR 15, from Lamey Bridge Road North, known as Federal Aid Project No. STP-0022-01(073) / 105827301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: June 07, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

1,310	Linear Feet	202-B076	Removal of Traffic Stripe
2,542	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
2,185	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
116	Square Feet	619-D4001	Directional Signs
294	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,160	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
150	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
22	Each	630-F001	Delineators, Guard Rail, White
100	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
10,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
11,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,050	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
866	Linear Feet	907-626-H004	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR