


[Proposal & Plan Sales Will Begin on February 1, 2010](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 23, 2010



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 23, 2010

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 01, 2010

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

| CALL | CONTRACT | COUNTY |
|------|---|--|
| * 01 | IM-0055-02(211) / 105079301 & IM-0055-02(212) / 105079302 | Holmes & Yazoo |
| 02 | IM-0059-01(093) / 103399301, IM-0059-02(095) / 103399302, IM-0059-01(103) / 103399303, & IM-0010-01(121) / 103399304 | Forrest, Jackson, Jones, & Pearl River |
| * 03 | HSIP-0110-01(026) / 104947301 | Harrison |
| 04 | STP-1145-00(011) / 101212305 | Harrison |
| * 05 | NH-0002-02(062) / 105801301 | Clarke & Lauderdale |
| 06 | STP-0002-07(015)/105820301 | Prentiss |
| 07 | HSIP-0008-01(119) / 105495302 | Harrison |
| * 08 | STP-0009-02(077) / 105700301 | Warren |
| 09 | STP-0070-04(015) / 105821301 | Pontotoc |
| 10 | STP-0070-05(027) / 105822301 | Pontotoc |
| * 11 | MP-5492-51(010) / 303817301 & MP-5489-51(008) / 303817302 | Newton |
| 12 | STP-0210-00(022) / 105825301 | Forrest |

Milling and overlaying approximately 16 miles of Interstate 55, known as Federal Aid Project Nos. IM-0055-02(211) / 105079301 & IM-0055-02(212) / 105079302, in the Counties of Yazoo and Holmes, State of Mississippi.

PROJECT COMPLETION: 79 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | |
|--------------------|--------------|--|
| 200 Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 1,950 Each | 202-B066 | Removal of Raised Reflective Pavement Marker |
| 9,250 Linear Feet | 202-B076 | Removal of Traffic Stripe , All Types |
| 200 Square Yard | 202-B097 | Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths |
| 200 Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 43,750 Ton | 406-A003 | Cold Milling of Bituminous Pavement, All Depths |
| 31 Mile | 423-A001 | Rumble Strips, Ground In |
| Lump Sum | 618-A001 | Maintenance of Traffic |
| 2 Square Feet | 618-B001 | Additional Construction Signs |
| 30 Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
| 33 Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 33 Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint |
| 22,625 Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 1,950 Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| Lump Sum | 620-A001 | Mobilization |
| 1,950 Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 2,750 Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,750 Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 2,750 Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 1,500 Ton | 907-304-B002 | Granular Material, Class 5, Group D |
| 300 Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base |
| 43,750 Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 17 Mile | 907-403-S002 | Joint Sealant for HMA |
| 16 Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 15 Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 16 Mile | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 11,325 Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |

Pavement restoration on Interstates 59 and 10 in District 6, known as Federal Aid Project Nos. IM-0059-01(093) / 103399301, IM-0059-02(095) / 103399302, IM-0059-01(103) / 103399303 & IM-0010-01(121) / 103399304, in the Counties of Forrest, Jones, Pearl River and Jackson, State of Mississippi.

PROJECT COMPLETION: 140 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|---------|-------------|-----------|--|
| | Lump Sum | 201-A001 | Clearing and Grubbing |
| 45 | Each | 202-B043 | Removal of Guard Rail Bridge End Section |
| 43 | Each | 202-B049 | Removal of Guard Rail Cable Anchor, Type 1 Including Post, Rail, Anchor & Hardware |
| 18,057 | Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 7 | Each | 202-B079 | Removal of Headwall |
| 1 | Each | 202-B088 | Removal of Box Culvert Headwall, All Sizes |
| 76 | Each | 202-B136 | Removal of Guard Rail Terminal End Section |
| 3,029 | Square Yard | 202-B151 | Removal of Reinforced Concrete Pavement, 9" & Variable Depth |
| 62 | Cubic Yard | 203-A003 | Unclassified Excavation, FM, AH |
| 28,902 | Cubic Yard | 203-EX038 | Borrow Excavation, AH, FME, Class B7-6 |
| 1,000 | Cubic Yard | 203-EX039 | Borrow Excavation, AH, LVM, Class B7-6 |
| 119 | Cubic Yard | 206-A001 | Structure Excavation |
| 126 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 18 | Ton | 213-C001 | Superphosphate |
| 18 | Acre | 220-A001 | Insect Pest Control |
| 18 | Acre | 223-A001 | Mowing |
| 1,500 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 150 | Bale | 235-A001 | Temporary Erosion Checks |
| 81,668 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 242,450 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths Shoulders, All Types |
| 199,943 | Linear Feet | 413-B001 | Cleaning and Sealing Joints |
| 30 | Mile | 423-A001 | Rumble Strips, Ground In |
| 48 | Linear Feet | 501-D001 | Expansion Joints, With Dowels |
| 3,612 | Each | 501-G001 | Dowels, Drilled and Installed |
| 3,612 | Linear Feet | 501-I001 | Joint Filler, Wooden Board |
| 3,029 | Square Yard | 503-A009 | 9" and Variable Reinforced Concrete Pavement, Broom Finish |
| 1,697 | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints |
| 10,176 | Linear Feet | 503-C006 | Saw Cut, 9-inch |
| 3,612 | Each | 503-E001 | Tie Bars, No. 4 Deformed Drilled and Epoxied or Grouted |
| 728 | Each | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 11,598 | Pounds | 602-A001 | Reinforcing Steel |
| 12 | Linear Feet | 603-CA088 | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 36 | Linear Feet | 603-CA089 | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 68 | Linear Feet | 603-CA090 | 30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 1 | Each | 603-CB001 | 18" Reinforced Concrete End Section |
| 800 | Pounds | 604-B001 | Gratings |
| 15,155 | Linear Feet | 606-B005 | Guard Rail, Class A, Type 1, 'W' Beam |
| 8 | Each | 606-B014 | Guard Rail, Bridge Connector, Per Plans |
| 27 | Each | 606-C003 | Guard Rail, Cable Anchor, Type 1 |

Call No. 02 for the February 23, 2010 Letting

| | | | |
|---------|-------------|---------------|--|
| 38 | Each | 606-D001 | Guard Rail, Bridge End Section, Type A |
| 4 | Each | 606-D003 | Guard Rail, Bridge End Section, Type D Modified |
| 7 | Each | 606-D005 | Guard Rail, Bridge End Section, Type F |
| 6 | Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 36 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| 33 | Each | 606-E003 | Guard Rail, Terminal End Section, Non-Flared |
| 365 | Linear Feet | 609-D002 | Combination Concrete Curb and Gutter Type 2 |
| 291 | Linear Feet | 615-A014 | Concrete Type IV Cast-in-Place Median Barrier, 42" High |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 30 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 30 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 30 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 35,196 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 600 | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 96 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 948 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 144 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| | Lump Sum | 620-A001 | Mobilization |
| 4,254 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 133 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 382 | Each | 630-F001 | Delineators, Guard Rail, White |
| 205 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 99 | Ton | 907-213-A001 | Agricultural Limestone |
| 33 | Acre | 907-225-A001 | Grassing |
| 33 | Acre | 907-226-A001 | Temporary Grassing |
| 3 | Each | 907-234-D001 | Inlet Siltation Guard |
| 400 | Linear Feet | 907-237-A001 | Wattles |
| 6,491 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| 25,661 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 380,864 | Square Yard | 907-505-B001 | Grinding Concrete Pavement |
| 87 | Cubic Yard | 907-601-A001 | Class "B" Structural Concrete |
| 8 | Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 28 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 5,982 | Linear Feet | 907-626-A006 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 36 | Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 5,982 | Linear Feet | 907-626-C005 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min |
| 34 | Mile | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 5,982 | Linear Feet | 907-626-F007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min |
| 27,328 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 7,568 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 600 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 1 | Each | 907-687-A016 | Sensor, Loop, Sensor Automatic Traffic Recorder Station |
| 912 | Linear Feet | 907-824-PP002 | Bridge Repair, Joint Repair, Per Plans |

Work necessary to install a Cable Barrier System in the median of Interstate Highway 110, known as Federal Aid Project No. HSIP-0110-01(026) / 104947301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: 59 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|--|
| 350 | Cubic Yard | 203-EX038 | Borrow Excavation, AH, FME, Class B7-6 |
| 487 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 8 | Each | 613-D004 | Adjustment of Inlet |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| | Lump Sum | 620-A001 | Mobilization |
| 5 | Acre | 907-225-A001 | Grassing |
| 15 | Ton | 907-225-B001 | Agricultural Limestone |
| 2 | Acre | 907-226-A001 | Temporary Grassing |
| 8 | Each | 907-234-D001 | Inlet Siltation Guard |
| 1,000 | Linear Feet | 907-237-A001 | Wattles |
| 12,828 | Linear Feet | 907-606-G001 | Cable Barrier |
| 12 | Each | 907-606-H001 | Cable Barrier Terminal Section |

Construction necessary to improve ramps and traffic signals at the I-10 / SR 601 Interchange, known as Federal Aid Project No. STP-1145-00(011) / 101212305, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: November 19, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | |
|---------------------|-----------|--|
| Lump Sum | 201-A001 | Clearing and Grubbing |
| Lump Sum | 202-A001 | Removal of Obstructions |
| 9,326 Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 5,500 Square Yard | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths |
| 4 Each | 202-B042 | Removal of Flared End Section, All Sizes |
| 1,000 Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 3,663 Linear Feet | 202-B093 | Removal of Curb & Gutter, All Types |
| 182 Linear Feet | 202-B106 | Removal of Pipe, All Sizes |
| 1,000 Cubic Yard | 203-A004 | Unclassified Excavation, LVM, AH |
| 13,709 Cubic Yard | 203-EX014 | Borrow Excavation, AH, LVM, Class B7 |
| 5,577 Cubic Yard | 203-EX039 | Borrow Excavation, AH, LVM, Class B7-6 |
| 10,790 Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 173 Cubic Yard | 206-A001 | Structure Excavation |
| 13,963 Square Yard | 209-A004 | Geotextile Stabilization, Type V, Non-Woven |
| 40,492 Square Yard | 211-A001 | Topsoil for Slope Treatment, From Right-of-Way |
| 40,492 Square Yard | 212-B001 | Standard Ground Preparation |
| 4 Ton | 213-B001 | Combination Fertilizer, 13-13-13 |
| 4 Ton | 213-C001 | Superphosphate |
| 209 Pounds | 214-A001 | Seeding, Bahiagrass |
| 167 Pounds | 214-A002 | Seeding, Bermudagrass |
| 63 Pounds | 214-A003 | Seeding, Tall Fescue |
| 84 Pounds | 214-A004 | Seeding, Crimson Clover |
| 17 Ton | 215-A001 | Vegetative Materials for Mulch |
| 19 Square Yard | 216-A001 | Solid Sodding |
| 1,690 Square Yard | 217-A001 | Ditch Liner |
| 380 Thousand Gallon | 219-A001 | Watering |
| 4 Acre | 220-A001 | Insect Pest Control |
| 2 Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 4 Acre | 223-A001 | Mowing |
| 800 Square Yard | 224-A001 | Soil Reinforcing Mat |
| 6,000 Linear Feet | 234-A001 | Temporary Silt Fence |
| 80 Bale | 235-A001 | Temporary Erosion Checks |
| 200 Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 754 Pounds | 602-A001 | Reinforcing Steel |
| 404 Linear Feet | 603-CA088 | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 33 Linear Feet | 603-CA089 | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 136 Linear Feet | 603-CA091 | 36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 1 Each | 603-CB001 | 18" Reinforced Concrete End Section |
| 2 Each | 603-CB002 | 24" Reinforced Concrete End Section |
| 3 Each | 603-CB004 | 36" Reinforced Concrete End Section |

Call No. 04 for the February 23, 2010 Letting

| | |
|--------------------|--|
| 500 Pounds | 604-B001 Gratings |
| 1,304 Linear Feet | 609-D002 Combination Concrete Curb and Gutter Type 2 |
| 27 Square Yard | 616-A001 Concrete Median and/or Island Pavement, 4-inch |
| 41 Square Yard | 616-A003 Concrete Median and/or Island Pavement, 10-inch |
| Lump Sum | 618-A001 Maintenance of Traffic |
| 1 Mile | 619-A3006 Temporary Traffic Stripe, Skip White |
| 21,120 Linear Feet | 619-A5001 Temporary Traffic Stripe, Detail |
| 606 Linear Feet | 619-A6001 Temporary Traffic Stripe, Legend |
| 100 Square Feet | 619-A6002 Temporary Traffic Stripe, Legend |
| 32 Square Feet | 619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet |
| 307 Square Feet | 619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More |
| 775 Linear Feet | 619-F1001 Concrete Median Barrier, Precast |
| 150 Linear Feet | 619-G4001 Barricades, Type III, Single Faced |
| 36 Linear Feet | 619-G4005 Barricades, Type III, Double Faced |
| 100 Each | 619-G5001 Free Standing Plastic Drums |
| 2 Each | 619-G7001 Warning Lights, Type "B" |
| Lump Sum | 620-A001 Mobilization |
| 125 Each | 627-K001 Red-Clear Reflective High Performance Raised Markers |
| 154 Square Feet | 630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 119 Square Feet | 630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 459 Square Feet | 630-B001 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 20 Linear Feet | 630-C001 Steel U-Section Posts, 2.0 lb/ft |
| 230 Linear Feet | 630-C004 Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 297 Linear Feet | 630-D003 Structural Steel Beams, W6 x 9 |
| 313 Pounds | 630-E001 Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 180 Pounds | 630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 16 Each | 630-F006 Delineators, Post Mounted, Single White |
| 4 Each | 630-F007 Delineators, Post Mounted, Single Yellow |
| 43 Each | 630-F008 Delineators, Post Mounted, Double White |
| 12 Each | 630-F009 Delineators, Post Mounted, Double Yellow |
| 44 Linear Feet | 630-K001 Welded & Seamless Steel Pipe Posts, 3" |
| 92 Linear Feet | 630-K003 Welded & Seamless Steel Pipe Posts, 4" |
| 192 Linear Feet | 635-A001 Vehicle Loop Assemblies |
| 3,250 Linear Feet | 636-A002 Shielded Cable |
| 1 Each | 637-A001 Equipment Cabinet |
| 1 Each | 638-A002 Loop Detector Amplifier, 4 Channel |
| 3 Each | 639-A127 Traffic Signal Equipment Pole, Type I, Wood, 40 Foot |
| 11 Each | 640-A016 Traffic Signal Heads, Type 1 LED |
| 2 Each | 640-A018 Traffic Signal Heads, Type 3 LED |
| 3 Each | 640-A022 Traffic Signal Heads, Type 7 LED |
| 2 Each | 640-A036 Traffic Signal Heads, Type 5L, LED |
| 1 Each | 642-A008 Solid State Traffic Actuated Controllers, Type 8A |
| 6 Each | 644-A001 Optical Detector |
| 2,675 Linear Feet | 644-B001 Optical Detector Cable |
| 2 Each | 644-C001 Phase Selector, 2 Channel |

Call No. 04 for the February 23, 2010 Letting

| | | |
|--------------------|--------------|--|
| Lump Sum | 646-A001 | Removal of Existing Traffic Signal Equipment |
| 1 Each | 647-A003 | Pullbox, Type 4 |
| 11 Each | 647-A005 | Pullbox, Type 2 |
| 2 Each | 650-A002 | On Street Video Equipment, Fixed Type |
| 1 Each | 650-A003 | On Street Video Equipment, PTZ Type |
| 4,073 Linear Feet | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| 661 Linear Feet | 666-B022 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor |
| 219 Linear Feet | 666-C007 | Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor |
| 1,418 Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 36 Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 500 Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| Lump Sum | 699-A001 | Roadway Construction Stakes |
| 16 Ton | 815-A008 | Loose Riprap, Size 200 |
| 25 Square Yard | 815-E001 | Geotextile under Riprap |
| 17 Ton | 907-213-A001 | Agricultural Limestone |
| 2 Each | 907-234-D001 | Inlet Siltation Guard |
| 6,484 Ton | 907-304-F001 | Size 825 Crushed Stone Base |
| 3,456 Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| 2,305 Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| 4,321 Ton | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| 3,241 Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 14 Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 5 Each | 907-617-A001 | Right-of-Way Marker |
| 2 Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 15,840 Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 15,840 Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 606 Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 849 Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 2 Each | 907-639-A007 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm |
| 1 Each | 907-639-A061 | Traffic Signal Equipment Pole, Type 1, 70' Shaft |
| 2 Each | 907-639-A062 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40'Arms |
| 20 Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 73 Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter |
| 1 Each | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection |
| 4 Each | 907-649-A003 | Video Detection System, 1 Sensor, Type 1 |
| 1 Each | 907-658-A002 | Hardened Network Switch, Type B |
| 3 Each | 907-662-A001 | Video Encoder, Type A |
| 3 Each | 907-662-B001 | Video Decoder, Type A |

Milling and overlaying approximately 7 miles of U.S. 45 south of Meridian, known as Federal Aid Project Nos. NH-0002-02(062) / 105801301 & NH-0002-03(073) / 105801302, in the Counties of Clarke and Lauderdale, State of Mississippi.

PROJECT COMPLETION: 64 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|--|
| 1,500 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 6,940 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 8 | Each | 202-B136 | Removal of Guard Rail Terminal End Section |
| 100 | Cubic Yard | 305-B001 | Size I Stabilizer Aggregate, Coarse |
| 20,020 | Ton | 406-A003 | Cold Milling of Bituminous Pavement, All Depths |
| 24 | Mile | 423-A001 | Rumble Strips, Ground In |
| 880 | Linear Feet | 508-A001 | Silicone Sealed Joints |
| 8 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 12 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 11 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 12 | Mile | 619-A3006 | Temporary Traffic Stripe, Skip White |
| 35,141 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 810 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 2,123 | Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| 16 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 327 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 36 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 2,123 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 100 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 3,663 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 3,663 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 3,663 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 18 | Each | 630-F001 | Delineators, Guard Rail, White |
| 18 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 28 | Each | 630-F003 | Delineators, Flexible Post Mounted, Crossover, Type I, Green |
| 28 | Each | 630-F004 | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow |
| 1,000 | Ton | 907-304-B001 | Granular Material, Class 5, Group C |
| 33,200 | Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture |
| 600 | Ton | 907-403-B004 | Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling |
| 13 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 13 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 12 | Mile | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 27,456 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 45,936 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 1,782 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |

Milling and overlaying U.S. 45 from SR 30 to SR 4, known as Federal Aid Project No. STP-0002-07(015) / 105820301 in the County of Prentiss, State of Mississippi.

PROJECT COMPLETION: 80 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|---|
| 50 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 184 | Each | 202-B039 | Removal of Delineator, All Types |
| 18 | Each | 202-B043 | Removal of Guard Rail Bridge End Section |
| 2,775 | Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 9,151 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 18 | Each | 202-B255 | Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware |
| 50 | Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 80,122 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 562 | Cubic Yard | 406-A002 | Cold Milling of Bituminous Pavement (LVM) (All Depths) |
| 4,754 | Gallon | 410-A001 | Asphalt for Surface Treatment, Grade AC-10 |
| 177 | Cubic Yard | 410-C012 | Seal Aggregate Cover Material, Size 7, Limestone |
| 24 | Mile | 423-A001 | Rumble Strips, Ground In |
| 2,775 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 18 | Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 18 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 35 | Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
| 3,436 | Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape |
| 35 | Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 2,506 | Linear Feet | 619-A2005 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape |
| 500 | Linear Feet | 619-A3003 | Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape |
| 30 | Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint |
| 53,975 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 608 | Linear Feet | 619-A5003 | Temporary Traffic Stripe, Detail, Type 1 or 2 Tape |
| 6,700 | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 2,133 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 608 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,977 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 3,437 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 6,277 | Cubic Yard | 907-304-A008 | Granular Material, LVM, Class 3, Group C |
| 3,512 | Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| 27,575 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 15 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 18 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 16,516 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 14 | Mile | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 36,040 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 17,935 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 3,350 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |

Call No. 06 for the February 23, 2010 Letting

150 Square Feet 907-626-H005 Thermoplastic Legend, White

Installing median barriers on U.S. 49 near Pass Rd, known as Federal Aid Project No. HSIP-0008-01(119) / 105495302, County of Harrison, State of Mississippi.

PROJECT COMPLETION: June 18, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|---|
| 4,353 | Linear Feet | 202-B017 | Removal of Concrete Combination Curb & Gutter |
| 882 | Square Yard | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths |
| 3,142 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 221 | Square Yard | 202-B078 | Removal of Pavement, All Types and Depths |
| 2,119 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| 39,034 | Pounds | 602-A001 | Reinforcing Steel |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 1,000 | Linear Feet | 619-F1002 | Portable Median Barrier |
| | Lump Sum | 620-A001 | Mobilization |
| 63 | Ton | 907-304-F001 | Size 825 Crushed Stone Base |
| 17 | Ton | 907-403-A001 | Hot Mix Asphalt, HT, 12.5-mm mixture |
| 81 | Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| 17 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| 570 | Cubic Yard | 907-601-A001 | Class "B" Structural Concrete |
| 3,861 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 1,533 | Linear Feet | 907-626-F005 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |

Overlaying approximately 5 miles of US Highway 61 south of Interstate 20, known as Federal Aid Project No. STP-0009-02(077) / 105700301, in the County of Warren, State of Mississippi.

PROJECT COMPLETION: 89 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|--|
| 420 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 270 | Square Yard | 202-B018 | Removal of Concrete Driveways, All Depths |
| 1,244 | Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 420 | Square Yard | 202-B097 | Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths |
| 1,500 | Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 12,000 | Ton | 406-A003 | Cold Milling of Bituminous Pavement, All Depths |
| 800 | Square Yard | 406-B001 | Cold Milling of Concrete Pavement, All Depths |
| 8 | Mile | 423-A001 | Rumble Strips, Ground In |
| 938 | Linear Feet | 606-B004 | Guard Rail, Class A, Type 1, Metal Post |
| 13 | Linear Feet | 606-B008 | Guard Rail, Class A, Type 1, Thrie Beam |
| 1 | Each | 606-B017 | Guard Rail, Class A, Type 1, Thrie Beam, Transition Section |
| 4 | Each | 606-D015 | Guard Rail, Bridge End Section |
| 8 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| 200 | Linear Feet | 609-E001 | Bituminous Curb |
| 270 | Square Yard | 614-B002 | Concrete Driveway, With Reinforcement, 6-inch Thickness |
| 38 | Square Yard | 616-B001 | Hot Bituminous Median and/or Island Pavement |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 11 | Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
| 4 | Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 11 | Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint |
| 24,777 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 2,775 | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 1,600 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 120 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 569 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 856 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 569 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 38 | Square Feet | 628-P001 | High Performance Cold Plastic Legend, White |
| 100 | Each | 630-F001 | Delineators, Guard Rail, White |
| 500 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 1,500 | Ton | 907-304-B002 | Granular Material, Class 5, Group D |
| 420 | Ton | 907-304-F003 | 3/4" and Down Crushed Stone Base |
| 1,800 | Ton | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 11,000 | Ton | 907-403-D002 | Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified |
| 11,000 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| 950 | Ton | 907-403-D007 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, PG 82-22 |
| 2,200 | Ton | 907-403-D008 | Hot Mix Asphalt, HT, 25-mm mixture, Polymer Modified, PG 82-22 |
| 37,552 | Square Yard | 907-499-A002 | Roadbed Reclamation with Portland Cement |
| 400 | Ton | 907-499-B001 | Portland Cement |
| 10 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |

Call No. 08 for the February 23, 2010 Letting

| | | | |
|--------|-------------|--------------|---|
| 9 | Mile | 907-626-C003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 7 | Mile | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 14,255 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 12,929 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 3,700 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 1,071 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |

Milling, widening, overlaying and sealing SR 6 from Old SR 6 to SR 15, known as Federal Aid Project No. STP-0070-04(015) / 105821301, in the County of Pontotoc, State of Mississippi.

PROJECT COMPLETION: 80 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|---------|-------------|--------------|--|
| 400 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 872 | Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 8,393 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 125 | Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 108,633 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 12,615 | Gallon | 410-A001 | Asphalt for Surface Treatment, Grade AC-10 |
| 12 | Mile | 423-A001 | Rumble Strips, Ground In |
| 613 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 4 | Each | 606-D010 | Guard Rail, Bridge End Section, Type H, Metal Post |
| 4 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 25 | Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
| 26 | Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 24 | Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint |
| 38,395 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 3,850 | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 1,467 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 57 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 252 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 252 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 252 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 14 | Each | 630-F001 | Delineators, Guard Rail, White |
| 14 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 4 | Each | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 1,385 | Cubic Yard | 907-304-A008 | Granular Material, LVM, Class 3, Group C |
| 14,830 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 2,943 | Ton | 907-403-C001 | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 12 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 11 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 11 | Mile | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 16,576 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 17,357 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 1,988 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |

Milling, widening and overlaying SR 6 from SR 15 to SR 9, known as Federal Aid Project No. STP-0070-05(027) / 105822301, in the County of Pontotoc, State of Mississippi.

PROJECT COMPLETION: 66 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|---------|-------------|--------------|--|
| 300 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 2,580 | Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 4,959 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 100 | Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 142,574 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 10 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1,800 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 12 | Each | 606-D010 | Guard Rail, Bridge End Section, Type H, Metal Post |
| 12 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 18 | Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
| 19 | Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 19 | Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint |
| 68,520 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 3,027 | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 1,186 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 23 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2,204 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,204 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 2,204 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 42 | Each | 630-F001 | Delineators, Guard Rail, White |
| 42 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 12 | Each | 630-G002 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 1,429 | Cubic Yard | 907-304-A008 | Granular Material, LVM, Class 3, Group C |
| 17,160 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 2,383 | Ton | 907-403-C001 | Hot Mix Asphalt, HT, 19-mm mixture, Trench Widening |
| 7 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 6 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 7 | Mile | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 22,611 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 4,899 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 1,009 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |

Milling and overlaying approximately 1 mile of SR 492 and 489 in Union, known as State Project Nos. MP-5492-51(010) & MP-5489-51(008) / 303817301 & 302, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: 53 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | |
|--------|-------------|--------------|--|
| 310 | Square Yard | 202-B097 | Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths |
| 200 | Cubic Yard | 310-B001 | Size I Stabilizer Aggregate, Coarse |
| 14,960 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 16,000 | Linear Feet | 413-C001 | Cleaning and Sealing Cracks |
| 292 | Square Yard | 503-A012 | 8" and Variable Plain Concrete Pavement, Broom Finish |
| 750 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| 70 | Cubic Yard | 503-D001 | Concrete for Base Repair |
| 265 | Each | 503-E002 | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted |
| 10 | Each | 613-D005 | Adjustment of Manhole |
| 10 | Each | 613-D011 | Adjustment of Water Valve |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 5,280 | Linear Feet | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 2 | Mile | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 5,280 | Linear Feet | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 2 | Mile | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 4,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,700 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 150 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 57 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 286 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 36 | Linear Feet | 619-G4005 | Barricades, Type III, Double Faced |
| 12 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 135 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 114 | Linear Feet | 628-J002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 114 | Linear Feet | 628-M002 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| 200 | Cubic Yard | 907-304-A001 | Granular Material, LVM, Class 5, Group C |
| 4,040 | Ton | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture |
| 615 | Ton | 907-403-B007 | Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling |
| 10,249 | Linear Feet | 907-413-D001 | Cleaning and Filling Joints in PCC Pavement |
| 10,249 | Linear Feet | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 2,640 | Linear Feet | 907-626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 2 | Mile | 907-626-B004 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 2,640 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 2 | Mile | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 200 | Linear Feet | 907-626-G001 | Thermoplastic Detail Stripe, Blue-ADA |
| 2,600 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 1,600 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 3 | Each | 907-626-H002 | Thermoplastic Legend, Blue-ADA Handicap Symbol |
| 1,900 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 250 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 6,000 | Linear Feet | 907-626-Y001 | Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min. |

Call No. 11 for the February 23, 2010 Letting

1,200 Linear Feet

907-626-Y003 Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil.
min.

Site Improvements to the Frontage Road on U.S. 49 at Hattiesburg, known as Federal Aid Project No. STP-0210-00(022) / 105825301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: November 19, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | |
|--------------------|-----------|---|
| Lump Sum | 202-A001 | Removal of Obstructions |
| 180 Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 25 Square Yard | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths |
| 280 Square Yard | 202-B035 | Removal of Concrete Sidewalk |
| 305 Linear Feet | 202-B053 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 225 Linear Feet | 202-B093 | Removal of Curb & Gutter, All Types |
| 1 Each | 202-B098 | Removal of Inlet and Junction Box, All Types & Sizes |
| 80 Linear Feet | 202-B106 | Removal of Pipe, All Sizes |
| 1 Each | 202-B160 | Removal of Existing Railroad Crossing |
| 200 Cubic Yard | 203-A004 | Unclassified Excavation, LVM, AH |
| 1,600 Cubic Yard | 203-EX008 | Borrow Excavation, AH, LVM, Class B4 |
| 1,200 Cubic Yard | 203-EX039 | Borrow Excavation, AH, LVM, Class B7-6 |
| 900 Cubic Yard | 203-G004 | Excess Excavation, LVM, AH |
| 200 Cubic Yard | 206-A001 | Structure Excavation |
| 100 Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 1,800 Square Yard | 212-B001 | Standard Ground Preparation |
| 4 Ton | 213-B003 | Combination Fertilizer, 8-24-24 |
| 2,280 Square Yard | 216-B005 | Solid Sodding, 419 Hybrid Bermuda |
| 30 Thousand Gallon | 219-A001 | Watering |
| 1 Acre | 220-A001 | Insect Pest Control |
| 1 Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 970 Linear Feet | 234-A001 | Temporary Silt Fence |
| 10 Bale | 235-A001 | Temporary Erosion Checks |
| 760 Square Yard | 406-B001 | Cold Milling of Concrete Pavement, All Depths |
| 4,800 Pounds | 602-A001 | Reinforcing Steel |
| 331 Linear Feet | 603-CA088 | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| 12 Linear Feet | 603-CE045 | 36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 2,967 Pounds | 604-A001 | Castings |
| 127 Pounds | 604-B001 | Gratings |
| 51 Linear Feet | 606-B005 | Guard Rail, Class A, Type 1, 'W' Beam |
| 3 Each | 606-D019 | Guard Rail, Bridge End Section, Type F Modified |
| 1 Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| 1,100 Square Yard | 608-A001 | Concrete Sidewalk, Without Reinforcement |
| 750 Linear Feet | 609-D001 | Combination Concrete Curb and Gutter Type 1 |
| Lump Sum | 613-A001 | Adjustment of Castings, Gratings & Utility Appurtenances |
| 76 Square Yard | 614-A002 | Concrete Driveway, Without Reinforcement, 6-inch Thickness |
| 7 Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 Square Feet | 618-B001 | Additional Construction Signs |
| 400 Linear Feet | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |

Call No. 12 for the February 23, 2010 Letting

| | | | |
|-------|-------------|---------------|---|
| 250 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 400 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 65 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 116 | Square Feet | 619-D4001 | Directional Signs |
| | Lump Sum | 620-A001 | Mobilization |
| 52 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 140 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 103 | Pounds | 630-E003 | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles |
| 13 | Each | 630-F001 | Delineators, Guard Rail, White |
| | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 8,502 | Pounds | 810-A005 | Structural Steel, A 709, Grade 36 |
| 4 | Ton | 907-213-A001 | Agricultural Limestone |
| 4 | Each | 907-258-K001 | Bollard , Collapsible Steel |
| 11 | Each | 907-258-K001 | Bollard , Steel |
| 105 | Linear Feet | 907-258-PP006 | Handrail , 38" , Per Plans |
| 190 | Linear Feet | 907-258-PP006 | Handrail , North Retaining Wall, Per Plans |
| 30 | Cubic Yard | 907-304-A005 | Granular Material, LVM, Class 9, Group C |
| 8 | Cubic Yard | 907-304-E006 | Granular Material, LVM, Size 67 |
| 380 | Ton | 907-304-F001 | Size 825 Crushed Stone Base |
| 140 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 45 | Cubic Yard | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 12 | Linear Feet | 907-603-PE211 | 12" Corrugated Polyethylene Pipe |
| 24 | Linear Feet | 907-605-P005 | 8" Non-Perforated Sewer Pipe for Underdrains, SDR 26 |
| 400 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 250 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 400 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 65 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| | Lump Sum | 907-809-PP004 | Retaining Wall , North, Per Plans |
| | Lump Sum | 907-809-PP004 | Retaining Wall , South, Per Plans |
| 26 | Linear Feet | 907-813-PP001 | Concrete Railing, 32" , Per Plans |
| | Lump Sum | 907-816-A001 | Maintenance Painting of Metal Structures |
| 75 | Linear Feet | 907-821-PP002 | Pedestrian Bridge Enclosure |
| | Lump Sum | 907-824-PP096 | Bridge Raising |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR