

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 2/12/2010 ADDENDUM NO. 3 DATED 03/15/2010
 ADDENDUM NO. 2 DATED 02/16/2010 ADDENDUM NO. DATED

- | Number | Description |
|--------|---|
| 1 | Replace Table of Contents with same; Add 907-237-3, 907-245-1 & 907-246-1; Replace Bidsheets with same; Amended EBS download required. |
| 2 | Replace Section 901 - Advertisement with same; Amended EBS download required. |
| 3 | Replace Table of Contents with same; Replace Notice To Bidders 14 with Notice To Bidders 2904; Revise Notice To Bidders 2866; Delete 907-213-2; Add Notice To Bidders 2976, 2985, & 3021; Add 907-225-2; Replace Bidsheets with same; Revise Plan Sheets 2, 9, 11, 12, 18, 19, 20, 21, 22, 23, & 41; Amended EBS download required. |

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: STP-1145-00(011) / 101212305 -- Harrison County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
Final Clean-up - # 3
Gopher Tortoises - # 151
Fiber Reinforced Concrete - # 640
Disadvantage Business Enterprise, W/Supplement - # 696
On-The-Job Training Program - # 777
Payroll Requirements - # 883
Non-Use of Precast Drainage Units - # 1322
Errata & Modifications to 2004 Standard Specifications - # 1405
Safety Apparel - # 1808
Federal Bridge Formula - # 1928
Department of Labor Ruling - # 2239
Status of ROW, W/Attachments - # 2382
Clearing and/or Grubbing - # 2418
DBE Forms, Participation and Payment - #2596
Non-Quality/Quality Assurance Concrete - # 2818
Petroleum Products Base Price - # 2858
Contract Time - # 2865
Specialty Items - # 2866
Storm Water Discharge Associated with Construction Activities (≥ 1
and < 5 Acres) - # 2904
Additional Erosion Control Requirements - # 2976
Application Rate for Mulch - # 2985
Pay Item Correction - # 3021

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplements

907-101-4: Definitions
907-102-4: Bidding Requirements and Conditions, W/Supplement
907-103-8: Award and Execution of Contract
907-104-1: Partnering Process
907-105-3: Cooperation By Contractors, W/Supplement
907-107-3: Contractors Protection Plan
907-107-7: Legal Relations & Responsibility to Public, W/Supplement
907-108-18: Prosecution and Progress
907-109-4: Measurement and Payment, W/Supplement
907-110-1: Wage Rates
907-225-2: Grassing

-- CONTINUED ON NEXT PAGE --

- 907-234-3: Siltation Barriers
- 907-237-3: Wattles
- 907-245-1: Triangular Silt Dikes
- 907-246-1: Sandbags
- 907-304-12: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), W/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), W/Supplement
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-617-2: Right-Of-Way Markers
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-626-15: Thermoplastic Traffic Markings
- 907-639-4: Traffic Signal Equipment Poles
- 907-648-1: Radio Interconnect
- 907-649-3: Video Vehicle Detection
- 907-658-3: Networking Equipment
- 907-662-3: Video Communication Equipment
- 907-701-3: Hydraulic Cement, W/Supplement
- 907-703-8: Aggregate
- 907-708-5: Non Metal Drainage Structures
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-1: Admixtures for Concrete
- 907-714-5: Miscellaneous Materials, W/Supplement
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-8: Concrete Bridges and Structures, W/Supplement

- 906-3: MDOT On-the-Job Training Program
- 906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,
PROPOSAL BID SHEETS,
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2904

CODE: (SP)

DATE: 01/04/2010

SUBJECT: Storm Water Discharge Associated with Construction Activity
(≥ 1 and < 5 Acres)

Construction Storm Water General NPDES Permit MSR 15 to discharge storm water associated with construction activity is required. This project is granted permission to discharge treated storm water into State waters. Copies of said permit and Storm Water Pollution Prevention Plan (SWPPP) are on file with the Department.

Prior to the execution of the contract, the successful bidder shall execute and deliver to the Executive Director an original signed copy of the completed Prime Contractor Certification (Form No. 1).

Failure of the bidder to execute and file the completed Prime Contractor Certification (Form No. 1) shall be just cause for the cancellation of the award.

The executed Prime Contractor Certification (Form No. 1) shall be prima facie evidence that the bidder has examined the permit, is satisfied as to the terms and conditions contained therein, and that the bidder has the primary responsibility for meeting all permit terms and conditions including, but not limited to, the inspection and reporting requirements of Part IV. For this project, the Contractor shall furnish, set up and read, as needed, an on-site rain gauge.

The Contractor must furnish the Project Engineer a completed copy of the Small Construction Notice of Intent (SCNOI) along with the Contractor's Erosion Control Plan.

The Contractor shall make inspections in accordance with Part IV.C and shall furnish the Project Engineer with the results of each weekly inspection as soon as possible following the date of inspection. A copy of the form is provided in Part IX. The weekly inspections must be documented monthly on the Inspection and Certification Form for Small Construction Erosion and Sediment Controls (Part IX). The Contractor's representative and the Project Engineer shall jointly review and discuss the results of the inspections so that corrective action can be taken. The Project Engineer shall retain copies of the inspection reports.

The Engineer will have the authority to suspend all work and/or withhold payments for failure of the Contractor to carry out provisions of MDEQ's Storm Water Construction General Permit, the erosion control plan, updates to the erosion control plan, and /or proper maintenance of the BMPs.

Securing a permit (s) for storm water discharge associated with the Contractor's activity on any other regulated area the Contractor occupies, shall be the responsibility of the Contractor.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2866

DATE: 03/16/2010

SUBJECT: Specialty Items

PROJECT: STP-1145-00(011) / 101212305 - Harrison County

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: CURBING, SIDEWALKS, GUTTERS

Line No	Pay Item	Description
0420	609-D002	Combination Concrete Curb and Gutter Type 2
0430	616-A001	Concrete Median and/or Island Pavement, 4-inch
0440	616-A003	Concrete Median and/or Island Pavement, 10-inch

CATEGORY: EROSION CONTROL

Line No	Pay Item	Description
0180	213-C001	Superphosphate
0230	215-A001	Vegetative Materials for Mulch
0240	216-A001	Solid Sodding
0250	217-A001	Ditch Liner
0260	219-A001	Watering
0270	220-A001	Insect Pest Control
0300	224-A001	Soil Reinforcing Mat
1002	907-225-A001	Grassing
1004	907-225-B001	Agricultural Limestone

CATEGORY: LANDSCAPING

Line No	Pay Item	Description
0290	223-A001	Mowing

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0580	627-K001	Red-Clear Reflective High Performance Raised Markers
1090	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1100	907-626-G004	Thermoplastic Detail Stripe, White
1110	907-626-G005	Thermoplastic Detail Stripe, Yellow
1120	907-626-H004	Thermoplastic Legend, White
1130	907-626-H005	Thermoplastic Legend, White

CATEGORY: DISPOSAL OF BUILDINGS, RIGHT OF WAY CLEA

Line No	Pay Item	Description
0060	202-B076	Removal of Traffic Stripe

CATEGORY: SURVEY AND STAKING

Line No	Pay Item	Description
0970	699-A001	Roadway Construction Stakes
1080	907-617-A001	Right-of-Way Marker

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0590	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0600	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0610	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0620	630-C001	Steel U-Section Posts, 2.0 lb/ft
0630	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
0640	630-D003	Structural Steel Beams, W6 x 9
0650	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0660	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0670	630-F006	Delineators, Post Mounted, Single White
0680	630-F007	Delineators, Post Mounted, Single Yellow
0690	630-F008	Delineators, Post Mounted, Double White
0700	630-F009	Delineators, Post Mounted, Double Yellow
0710	630-K001	Welded & Seamless Steel Pipe Posts, 3"
0720	630-K003	Welded & Seamless Steel Pipe Posts, 4"
0730	635-A001	Vehicle Loop Assemblies
0740	636-A002	Shielded Cable
0750	637-A001	Equipment Cabinet
0760	638-A002	Loop Detector Amplifier, 4 Channel
0770	639-A127	Traffic Signal Equipment Pole, Type I, Wood, 40 Foot
0780	640-A016	Traffic Signal Heads, Type 1 LED
0790	640-A018	Traffic Signal Heads, Type 3 LED
0800	640-A022	Traffic Signal Heads, Type 7 LED
0810	640-A036	Traffic Signal Heads, Type 5L, LED
0820	642-A008	Solid State Traffic Actuated Controllers, Type 8A
0830	644-A001	Optical Detector
0840	644-B001	Optical Detector Cable
0850	644-C002	Phase Selector, 4 Channel
0860	646-A001	Removal of Existing Traffic Signal Equipment
0870	647-A003	Pullbox, Type 4
0880	647-A005	Pullbox, Type 2
0890	650-A002	On Street Video Equipment, Fixed Type
0900	650-A003	On Street Video Equipment, PTZ Type
0910	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
0920	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0930	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
0940	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
0950	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
0960	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1140	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1150	907-639-A061	Traffic Signal Equipment Pole, Type 1, 70' Shaft
1160	907-639-A062	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms
1170	907-639-C002	Pole Foundations, 36" Diameter
1180	907-639-D001	Slip Casing, 36" Diameter
1190	907-648-C001	Radio Ethernet Interconnect, Local Intersection
1200	907-649-A003	Video Detection System, 1 Sensor, Type 1
1210	907-658-A002	Hardened Network Switch, Type B
1220	907-662-A001	Video Encoder, Type A
1230	907-662-B001	Video Decoder, Type A

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0460	619-A3006	Temporary Traffic Stripe, Skip White
0470	619-A5001	Temporary Traffic Stripe, Detail
0480	619-A6001	Temporary Traffic Stripe, Legend
0490	619-A6002	Temporary Traffic Stripe, Legend
0500	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
0510	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
0520	619-F1001	Concrete Median Barrier, Precast
0530	619-G4001	Barricades, Type III, Single Faced
0540	619-G4005	Barricades, Type III, Double Faced
0550	619-G5001	Free Standing Plastic Drums
0560	619-G7001	Warning Lights, Type "B"

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2976

CODE: (SP)

DATE: 02/23/2010

SUBJECT: Additional Erosion Control Requirements

Bidders are hereby advised of the following requirements that relate to erosion control activities on the project.

THE MAXIMUM TOTAL ACREAGE THAT CAN BE DISTURBED, AT ONE TIME, ON THE PROJECT IS NINETEEN (19) ACRES. THE CONTRACTOR SHALL BE REQUIRED TO STABILIZE DISTURBED AREAS PRIOR TO OPENING UP ADDITIONAL SECTIONS OF THE PROJECT. STABILIZED SHALL BE WHEN THE DISTURBED AREA HAS BEEN GRASSED, EITHER TEMPORARY OR PERMANENT, AND MULCHED ACCORDING TO THE SPECIFICATIONS. DISTURBED AREAS INCLUDE THE ROADBED, SLOPES AND REMAINING AREA OUT TO THE ROW LINE.

Clearing and Grubbing: Prior to beginning any clearing and grubbing operations on the project, controls shall be in place to address areas such as drainage structures, wetlands, streams, steep slopes and any other sensitive areas as directed by the Engineer. Clearing and grubbing should be limited to the minimum area necessary to construct the project. Grubbing operations should be minimized in areas outside the construction limits and stumps should be cut off flush with the existing ground elevations. A buffer area of at least fifteen (15) feet shall be in place adjacent to the right-of-way line and at least five (5) feet adjacent to stream banks. The buffer area can either be the existing vegetation that is left undisturbed or re-established by planting new vegetation if clearing and grubbing was required.

Unclassified Excavation: Cut sections shall be graded in accordance with the typical sections and plan grades. Permanent erosion control BMP's should be placed as soon as possible after the cut material has been moved. Fill sections that are completed shall have permanent erosion control BMP's placed. Fill sections that are not completed will be either permanently or temporarily grassed until additional material is made available to complete these sections. All unclassified excavation on the project will still be required to be moved prior to incorporating any borrow excavation on the project. The contractor may have to stockpile unclassified excavation in order to comply with the nineteen (19) acre requirement. No additional compensation will be made for stockpiling operations.

Disturbed areas that remain inactive for a period of more than thirty (30) days shall be temporary grassed and mulched. Temporary grassing and mulching shall only be paid one time for a given area.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2985

CODE: (SP)

DATE: 03/03/2010

SUBJECT: Application Rate for Mulch

Bidders are advised that the application rate for mulch used for temporary grassing on this project will be **2 tons per acre**. If the vegetation schedule in the plans show something other than 2 tons per acre, the Contractor is to disregard the vegetation table and use 2 tons per acre.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3021

CODE: (SP)

DATE: 03/15/2010

SUBJECT: Pay Item Corrections

PROJECT: STP-1145-00(011) / 101212305 -- Harrison County

Bidders are advised there are some errors on the Summary of Quantities Sheets in the plans. The pay item for pay item 215-A, Vegetative Material for Mulch was inadvertently omitted from the plan sheet. The pry item is listed on the bid sheet and will be required during the construction of the project.

The pay item listed on sheet SQ-1 for 907-225-A, Grassing, should have a until of measurement in acres, not square yards. The bid sheet shows the correct unit of measurement.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-225-2

CODE: (SP)

DATE: 03/02/2010

SUBJECT: Grassing

Section 907-225, Grassing, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

907-225.01--Description. Delete the last sentence of the first paragraph of Subsection 225.01 on page 158 and substitute the following.

This work includes ground preparation, fertilizing, and seeding necessary to establish a satisfactory growth of grass.

Delete the last paragraph of Subsection 225.01 on page 159.

907-225.02--Materials. Delete Subsection 225.02.3 on page 159 and substitute the following.

907-225.02.3--Blank.

907-225.03--Construction Requirements. Delete Subsection 225.03.4 on pages 162 and 163.

907-225.04--Method of Measurement. After the second sentence of Subsection 225.04 on page 163, add the following:

Acceptable quantities of agricultural limestone will be measured by the ton.

907-225.05--Basis of Payment. After the first paragraph of Subsection 225.05 on page 163, add the following:

Hard rock agricultural limestone will be paid for at the contract unit price per ton. Hard rock agricultural limestone with a relative neutralizing value (RNV), determined in accordance with Subsection 907-715-02.2.1.3, of between 60.0% and 62.9% will be paid for at half (½) the contract unit price per ton. No payment will be made for hard rock agricultural limestone with an RNV less than 60.0%.

Delete the first pay item listed on page 163 and substitute the following:

907-225-A: Grassing	- per acre
907-225-B: Agricultural Limestone	- per ton

Construction necessary to improve ramps and traffic signals at the I-10 / SR 601 Interchange, known as Federal Aid Project No. STP-1145-00(011) / 101212305, in the County of Harrison, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-A001		1	Lump Sum	Removal of Obstructions	XXXXXXXX	XXX		
0030	202-B005		9,326	Square Yard	Removal of Asphalt Pavement, All Depths				
0040	202-B024		5,500	Square Yard	Removal of Concrete Median & Island Pavement, All Depths				
0050	202-B042		4	Each	Removal of Flared End Section, All Sizes				
0060	202-B076		1,000	Linear Feet	Removal of Traffic Stripe				
0070	202-B093		3,663	Linear Feet	Removal of Curb & Gutter, All Types				
0080	202-B106		182	Linear Feet	Removal of Pipe, All Sizes				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	203-A004 Changed 03/16/2010	(E)	13,709	Cubic Yard	Unclassified Excavation, LVM, AH				
0100	203-EX014 Deleted 03/16/2010	(E)				XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0110	203-EX039	(E)	5,577	Cubic Yard	Borrow Excavation, AH, LVM, Class B7-6				
0120	203-G003	(E)	10,790	Cubic Yard	Excess Excavation, FM, AH				
0130	206-A001	(S)	173	Cubic Yard	Structure Excavation				
0140	209-A004		13,963	Square Yard	Geotextile Stabilization, Type V, Non-Woven				
0150	211-A001		40,492	Square Yard	Topsoil for Slope Treatment, From Right-of-Way				
0160	212-B001 Deleted 03/16/2010					XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0170	213-B001 Deleted 03/16/2010					XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0180	213-C001		4	Ton	Superphosphate				
0190	214-A001 Deleted 03/16/2010					XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0200	214-A002 Deleted 03/16/2010					XXXXXXXXXX	XXX	XXXXXXXXXX	XXX

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	214-A003					XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 03/16/2010								
0220	214-A004					XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 03/16/2010								
0230	215-A001		17	Ton	Vegetative Materials for Mulch				
0240	216-A001		19	Square Yard	Solid Sodding				
0250	217-A001		1,690	Square Yard	Ditch Liner				
0260	219-A001		1	Thousand Gallon	Watering	20.	00	20.	00
	Changed 03/16/2010								
0270	220-A001		4	Acre	Insect Pest Control	30.	00	120.	00
0280	221-A001	(S)	2	Cubic Yard	Portland Cement Concrete Paved Ditch				
0290	223-A001		4	Acre	Mowing	40.	00	160.	00
0300	224-A001		800	Square Yard	Soil Reinforcing Mat				
0310	234-A001		6,000	Linear Feet	Temporary Silt Fence				
0320	235-A001		80	Bale	Temporary Erosion Checks				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	406-A001		200	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0340	602-A001	(S)	754	Pounds	Reinforcing Steel				
0350	603-CA088	(S)	404	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0360	603-CA089	(S)	33	Linear Feet	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0370	603-CA091	(S)	136	Linear Feet	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0380	603-CB001	(S)	1	Each	18" Reinforced Concrete End Section				
0390	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section				
0400	603-CB004	(S)	3	Each	36" Reinforced Concrete End Section				
0410	604-B001		500	Pounds	Gratings				
0420	609-D002	(S)	1,304	Linear Feet	Combination Concrete Curb and Gutter Type 2				
0430	616-A001	(S)	27	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0440	616-A003	(S)	41	Square Yard	Concrete Median and/or Island Pavement, 10-inch				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX		
0460	619-A3006		1	Mile	Temporary Traffic Stripe, Skip White				
0470	619-A5001		21,120	Linear Feet	Temporary Traffic Stripe, Detail				
0480	619-A6001		606	Linear Feet	Temporary Traffic Stripe, Legend				
0490	619-A6002		100	Square Feet	Temporary Traffic Stripe, Legend				
0500	619-D1001		32	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0510	619-D2001		307	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0520	619-F1001		775	Linear Feet	Concrete Median Barrier, Precast				
0530	619-G4001		150	Linear Feet	Barricades, Type III, Single Faced				
0540	619-G4005		36	Linear Feet	Barricades, Type III, Double Faced				
0550	619-G5001		100	Each	Free Standing Plastic Drums				
0560	619-G7001		2	Each	Warning Lights, Type "B"				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0570	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0580	627-K001		125	Each	Red-Clear Reflective High Performance Raised Markers				
0590	630-A001		154	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness				
0600	630-A002		119	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness				
0610	630-B001		459	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted				
0620	630-C001		20	Linear Feet	Steel U-Section Posts, 2.0 lb/ft				
0630	630-C004		230	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft				
0640	630-D003		297	Linear Feet	Structural Steel Beams, W6 x 9				
0650	630-E001		313	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles				
0660	630-E004		180	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar				
0670	630-F006		16	Each	Delineators, Post Mounted, Single White				
0680	630-F007		4	Each	Delineators, Post Mounted, Single Yellow				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0690	630-F008		43	Each	Delineators, Post Mounted, Double White				
0700	630-F009		12	Each	Delineators, Post Mounted, Double Yellow				
0710	630-K001		44	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"				
0720	630-K003		92	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"				
0730	635-A001		192	Linear Feet	Vehicle Loop Assemblies				
0740	636-A002		3,250	Linear Feet	Shielded Cable				
0750	637-A001 Changed 03/16/2010		2	Each	Equipment Cabinet				
0760	638-A002		1	Each	Loop Detector Amplifier, 4 Channel				
0770	639-A127		3	Each	Traffic Signal Equipment Pole, Type I, Wood, 40 Foot				
0780	640-A016		11	Each	Traffic Signal Heads, Type 1 LED				
0790	640-A018		2	Each	Traffic Signal Heads, Type 3 LED				
0800	640-A022		3	Each	Traffic Signal Heads, Type 7 LED				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0810	640-A036		2	Each	Traffic Signal Heads, Type 5L, LED				
0820	642-A008		1	Each	Solid State Traffic Actuated Controllers, Type 8A				
0830	644-A001		6	Each	Optical Detector				
0840	644-B001		2,675	Linear Feet	Optical Detector Cable				
0850	644-C002		2	Each	Phase Selector, 4 Channel				
	Changed 03/16/2010								
0860	646-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment	XXXXXXXX	XXX		
0870	647-A003		1	Each	Pullbox, Type 4				
0880	647-A005		11	Each	Pullbox, Type 2				
0890	650-A002		2	Each	On Street Video Equipment, Fixed Type				
0900	650-A003		1	Each	On Street Video Equipment, PTZ Type				
0910	666-B016		4,073	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor				
0920	666-B022		661	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0930	666-C007		219	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor				
0940	668-A018		1,418	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"				
0950	668-A020		36	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"				
0960	668-B025		500	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"				
0970	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXXXX	XXX		
0975	815-A006	(S)	100	Ton	Loose Riprap, Size 100 Added 02/12/2010				
0980	815-A008	(S)	16	Ton	Loose Riprap, Size 200				
0990	815-E001	(S)	25	Square Yard	Geotextile under Riprap				
1000	907-213-A001				Deleted 03/16/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
1002	907-225-A001		9	Acre	Grassing Added 03/16/2010				
1004	907-225-B001		17	Ton	Agricultural Limestone Added 03/16/2010				
1010	907-234-D001		2	Each	Inlet Siltation Guard				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1012	907-237-A003		200	Linear Feet	Wattles, 20"		
	Added 02/12/2010						
1014	907-237-A002		40	Linear Feet	Wattles, 12"		
	Added 02/12/2010						
1016	907-245-A001		200	Linear Feet	Triangular Silt Dike		
	Added 02/12/2010						
1018	907-246-A001		200	Linear Feet	Sandbags		
	Added 02/12/2010						
1020	907-304-F001	(GT)	6,484	Ton	Size 825 Crushed Stone Base		
1030	907-403-A002	(BA1)	3,456	Ton	Hot Mix Asphalt, HT, 19-mm mixture		
1040	907-403-A012	(BA1)	2,305	Ton	Hot Mix Asphalt, ST, 19-mm mixture		
1050	907-403-D001	(BA1)	4,321	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified		
1060	907-403-D004	(BA1)	3,241	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified		
1070	907-601-B003	(S)	14	Cubic Yard	Class "B" Structural Concrete, Minor Structures		
1080	907-617-A001		5	Each	Right-of-Way Marker		
1090	907-626-A003		2	Mile	6" Thermoplastic Traffic Stripe, Skip White		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1100	907-626-G004		15,840	Linear Feet	Thermoplastic Detail Stripe, White				
1110	907-626-G005		15,840	Linear Feet	Thermoplastic Detail Stripe, Yellow				
1120	907-626-H004		606	Linear Feet	Thermoplastic Legend, White				
1130	907-626-H005		849	Square Feet	Thermoplastic Legend, White				
1140	907-639-A007		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm				
1150	907-639-A061		1	Each	Traffic Signal Equipment Pole, Type 1, 70' Shaft				
1160	907-639-A062		2	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40' Arms				
1170	907-639-C002		20	Cubic Yard	Pole Foundations, 36" Diameter				
1180	907-639-D001		73	Linear Feet	Slip Casing, 36" Diameter				
1190	907-648-C001		1	Each	Radio Ethernet Interconnect, Local Intersection				
1200	907-649-A003		4	Each	Video Detection System, 1 Sensor, Type 1				
1210	907-658-A002		1	Each	Hardened Network Switch, Type B				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1220	907-662-A001		3	Each	Video Encoder, Type A				
1230	907-662-B001		3	Each	Video Decoder, Type A				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER