

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 3/15/2010 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Table of Content, replaces same; Revised NTB No. 2977, replaces same; Delete SP 907-213-2; Add SP's 907-225-2 & 907-226-1; Bidsheets, replace same; Revised Plan Sht. Nos. 2, 3, & 9, replace the same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

SDP-2705-00(001) / 105220301

Lowndes County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: SDP-2705-00(001) / 105220301 -- Lowndes County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
 Final Cleanup - #3
 Fiber Reinforced Concrete - # 640
 On-The-Job Training Program - # 777
 Payroll Requirements - # 883
 Rumble Stripe - # 1312
 Errata & Modifications to 2004 Standard Specifications - #1405
 Advancement of Materials - # 1546
 Safety Apparel - # 1808
 Federal Bridge Formula - # 1928
 Status of ROW, W/Attachments - # 2382
 Contract Time - # 2787
 Project Number Change - # 2788
 Non-Quality Control / Quality Assurance Concrete - # 2818
 Petroleum Products Base Price - # 2858
 Storm Water Discharge Associated with Construction Activities (≥ 5
 Acres) - # 2905
 Reduced Speed Limit Signs - # 2937
 Additional Erosion Control Requirements - # 2976
 Specialty Items - # 2977
 Placement of Fill Material in a Federally Regulated Area - # 2982

907-101-4: Definitions
907-102-4: Bidding Requirements and Conditions, W/Supplement
907-103-8: Award and Execution of Contract
907-105-3: Cooperation By Contractors, W/Supplement
907-107-7: Legal Relations and Responsibility to Public, W/Supplement
907-107-8: Contractor's Erosion Control Plan
907-108-18: Prosecution and Progress
907-109-4: Measurement and Payment, W/Supplement
907-225-2 Grassing
907-226-1 Temporary Grassing
907-234-4: Siltation Barriers
907-237-3: Wattles
907-245-1: Triangular Silt Dikes
907-246-1: Sandbags
907-304-12: Granular Courses
907-307-3 Lime Treated Courses

PAGE 2 - PROJECT: SDP-2705-00(001) / 105220301 -- Lowndes County

- 907-401-2: Hot Mix Asphalt (HMA), W/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), W/Supplement
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-626-15: Thermoplastic Traffic Markings
- 907-701-3: Hydraulic Cement, W/Supplement
- 907-703-8: Aggregate
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-1: Admixtures for Concrete
- 907-714-5: Miscellaneous Materials, w/Supplement
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-8: Concrete for Bridges and Structures, W/Supplement

- 906-3: MDOT On-the-Job Training Program
- 906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,
PROPOSAL BID SHEETS,
COMBINATION BID PROPOSAL,
STATE BOARD OF CONTRACTORS REQUIREMENTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2977

DATE: 03/15/2010

SUBJECT: Specialty Items

PROJECT: SDP-2705-00(001) / 105220301 - Lowndes County

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: CURBING, SIDEWALKS, GUTTERS

Line No	Pay Item	Description
0440	609-D002	Combination Concrete Curb and Gutter Type 2
0450	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness

CATEGORY: EROSION CONTROL

Line No	Pay Item	Description
0170	213-C001	Superphosphate
0250	215-A001	Vegetative Materials for Mulch
0260	216-A001	Solid Sodding
0270	217-A001	Ditch Liner
0280	219-A001	Watering
0290	220-A001	Insect Pest Control
0741	907-225-A001	Grassing
0742	907-225-B001	Agricultural Limestone
0743	907-226-A001	Temporary Grassing

CATEGORY: GUARDRAIL, GUIDERAIL

Line No	Pay Item	Description
0410	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
0420	606-D012	Guard Rail, Bridge End Section, Type I
0430	606-E002	Guard Rail, Terminal End Section, Flared

CATEGORY: MISCELANEOUS/ SPECIALTY WORK ITEMS

Line No	Pay Item	Description
0340	423-A001	Rumble Strips, Ground In

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0630	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
0640	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
0650	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0660	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
0910	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
0920	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
0930	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
0940	907-626-G004	Thermoplastic Detail Stripe, White
0950	907-626-G005	Thermoplastic Detail Stripe, Yellow
0960	907-626-H004	Thermoplastic Legend, White

CATEGORY: DISPOSAL OF BUILDINGS, RIGHT OF WAY CLEA

Line No	Pay Item	Description
0080	202-B076	Removal of Traffic Stripe
0100	202-B102	Removal of Guard Rail
0330	406-A001	Cold Milling of Bituminous Pavement, All Depths

CATEGORY: SURVEY AND STAKING

Line No	Pay Item	Description
0720	699-B001	Bridge Construction Stakes

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0670	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0680	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0690	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
0700	630-F001	Delineators, Guard Rail, White

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0470	619-A1002	Temporary Traffic Stripe, Continuous White
0480	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
0490	619-A2002	Temporary Traffic Stripe, Continuous Yellow
0500	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
0510	619-A4006	Temporary Traffic Stripe, Skip Yellow
0520	619-A5001	Temporary Traffic Stripe, Detail
0530	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
0540	619-A6003	Temporary Traffic Stripe, Legend, Paint
0550	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
0560	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
0570	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
0580	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
0590	619-G4001	Barricades, Type III, Single Faced

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0600	619-G4005	Barricades, Type III, Double Faced
0610	619-G5001	Free Standing Plastic Drums

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. [907-225-2](#)

CODE: (SP)

DATE: [03/02/2010](#)

SUBJECT: **Grassing**

Section 907-225, Grassing, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

907-225.01--Description. Delete the last sentence of the first paragraph of Subsection 225.01 on page 158 and substitute the following.

This work includes ground preparation, fertilizing, and seeding necessary to establish a satisfactory growth of grass.

Delete the last paragraph of Subsection 225.01 on page 159.

907-225.02--Materials. Delete Subsection 225.02.3 on page 159 and substitute the following.

907-225.02.3--Blank.

907-225.03--Construction Requirements. Delete Subsection 225.03.4 on pages 162 and 163.

907-225.04--Method of Measurement. After the second sentence of Subsection 225.04 on page 163, add the following:

Acceptable quantities of agricultural limestone will be measured by the ton.

907-225.05--Basis of Payment. After the first paragraph of Subsection 225.05 on page 163, add the following:

Hard rock agricultural limestone will be paid for at the contract unit price per ton. Hard rock agricultural limestone with a relative neutralizing value (RNV), determined in accordance with Subsection 907-715-02.2.1.3, of between 60.0% and 62.9% will be paid for at half (½) the contract unit price per ton. No payment will be made for hard rock agricultural limestone with an RNV less than 60.0%.

Delete the first pay item listed on page 163 and substitute the following:

907-225-A: Grassing - per acre

907-225-B: Agricultural Limestone - per ton

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-226-1

CODE: (IS)

DATE: 06/23/2004

SUBJECT: Temporary Grassing

Section 907-226, Temporary Grassing, is hereby added to and made part of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction as follows:

SECTION 907-226 -- TEMPORARY GRASSING

907-226.01--Description. This work consists of furnishing, transporting, placing, plant establishment and all work necessary to produce rapid-growing grasses, grains or legumes to provide an initial, temporary cover of grass. This work includes ground preparation, fertilizing, seeding and mulching necessary to establish a satisfactory growth of temporary grass.

The Engineer or the plans will designate areas to be temporarily grassed. Any other areas the Contractor desires to grass will be measured for payment on if agreed upon by the Engineer.

907-226.02--Materials.

907-226.02.1--Fertilizers. Fertilizers for purposes of these specifications shall be understood to include standard manufactured products consisting of single or combination ingredients and agricultural limestone.

All fertilizer shall comply with the State fertilizer laws and the requirements of these specifications.

Fertilizers shall meet the requirements of Subsection 715.02.

907-226.02.2--Seeds. Seeds shall meet the requirements of Subsection 715.03, subject to the provisions of this subsection. The Contractor shall acquire seed from persons registered with the Mississippi Department of Agriculture and Commerce.

Except for the germination requirements, bags of seeds properly labeled or tagged according to law and indicating characteristics meeting or exceeding the requirements of Subsection 715.03 will be acceptable for planting.

The Contractor should provide adequate dry storage facilities for seeds, and shall furnish access to the storage for sampling stored seed.

907-226.02.3--Mulching. The vegetative materials for mulch shall meet the requirements of Subsection 715.05.

When used, bituminous material for mulch shall be Emulsified Asphalt, Grade SS-1, meeting the requirement of Subsection 702.07.

907-226.03--Construction Requirements. When the payment for temporary grassing is made using individual pay items, the rate of application shall not exceed the rate shown on the temporary vegetation schedule, unless otherwise approved by the Engineer. Any unauthorized overage due to increased application rates will not be measured for payment.

907-226.03.1--Ground Preparation.

907-226.03.1.1--General. Any equipment used for ground preparation shall be approved units suitable to perform the work and subject to the requirements of Subsection 108.05.

Light ground preparation should be used on areas where seeding is required to improve the coverage of partially vegetated areas.

907-226.03.1.2--Light Ground Preparation. Light ground preparation consists of scratching the surface with a close-tooth harrow, disk-harrow, or similar equipment. The depth of scratching should be at least three-quarters inch but not deep enough to damage existing grasses of the type being planted.

Aerating, moistening, or otherwise bringing the soil to a suitable condition for ground preparation shall be considered as incidental to the work and will not be measured for separate payment.

907-226.03.2--Fertilizing. The Contractor shall furnish all equipment necessary to properly handle, store, uniformly spread, and incorporate the specified application of fertilizer.

The Contractor shall incorporate fertilizer at a rate of 500 pounds per acre of 13-13-13 commercial fertilizer. The equivalent rate of other type fertilizers will be allowed if the equivalent percentages of Nitrogen, Phosphorus and Potassium are obtained. Fertilization shall be applied uniformly on the areas to be planted or seeded and uniformly incorporated into the soil.

Fertilizers should be applied on individual areas of not more than three acres.

All fertilizer should be incorporated within 24 hours following spreading.

907-226.03.3--Seeding.

907-226.03.3.1--General. Prior to planting the seeds, ground preparation and fertilizing should have been satisfactorily performed.

The required type of seeds, recommended rates of application and recommended planting dates of seeds are shown in the vegetation schedule on the plans. It is the Contractor's responsibility to apply an ample amount of each type of seed to produce a satisfactory growth of grass and of the seed type required.

Legume seeds should be treated in accordance with Subsection 715.03.4 immediately before sowing. Seeds should be uniformly sown over the entire area with mechanical seeders. Seeds of different sizes may necessitate separate sowing. When legume seeds become dry, they should be reinoculated.

Seeding should not be done during windy weather or when the ground is frozen, extremely wet, or in an untillable condition.

All seeds should be covered lightly with soil by raking, rolling, or other approved methods, and the area compacted with a cultipacker.

907-226.03.3.2--Plant Establishment. Plant establishment shall consist of preserving, protecting, watering, reseeding, and other work necessary to keep the seeded areas in satisfactory condition.

Areas requiring reseeding should be prepared and seeded and all other work performed as if the reseeding was the initial seeding. The types and application rates of fertilizer will be at the discretion of the Contractor.

907-226.03.3.3--Growth and Coverage. It shall be the Contractor's responsibility to provide satisfactory growth and coverage of grasses, legumes, or combination produced from the specified seeding.

Growth and coverage on seeded areas will be considered to be in reasonably close conformity with the intent of the contract when the type of vegetation specified, exclusive of that from seeds not expected to have germinated and shows growth at that time, has reached a point of maturity where stems or runners overlap adjacent similar growth in each direction over the entire area.

907-226.03.4--Mulching.

907-226.03.4.1--Equipment. Mulching equipment should be capable of maintaining a constant air stream which will blow or eject controlled quantities of mulch in a uniform pattern. If asphalt is used, a jet or spray nozzle for applying uniform, controlled amounts of asphalt to the vegetative material as it is ejected should be located at or near the discharge spout.

Mulch stabilizers should consist of dull blades or disks without camber and approximately 20 inches in diameter. The disks should be notched, should be spaced at approximately 8-inch intervals, and should be equipped with scrapers. The stabilizer should weigh approximately 1000 to 1200 pounds, should have a working width of no more than eight feet, and should be equipped with a ballast compartment, so that weight can be increased.

907-226.03.4.2--Placement of Vegetative Mulch. If required, mulching should be placed uniformly on designated areas within 24 hours following seeding unless weather conditions are such that mulching cannot be performed. Placement should begin on the windward side of areas and from tops of slopes. In its final position, the mulch should be loose enough to allow air to circulate but compact enough to partially shade the ground and reduce erosion.

The baled material should be loosened and broken thoroughly before it is fed into the machine to avoid placement of unbroken clumps.

907-226.03.4.3--Rates of Application and Anchoring Mulch. The recommended rate of application of vegetative mulch shall be as shown in the vegetation schedule in the plans. The mulch should be anchored by either the use of a mulch stabilizer or by tacking with bituminous material. If a mulch stabilizer is used, the mulch should be punched into the soil for a minimum depth of one inch. If bituminous material is used, the rate of application should be 150 gallons per acre.

Where steep slopes or other conditions are such that anchoring cannot be performed satisfactory with a mulch stabilizer, the Contractor may elect to use bituminous material applied at the time or immediately following the mulch placement.

When mulch stabilizers are used, anchoring the mulch should be performed along the contour of the ground surface.

907-226.03.4.4--Protection and Maintenance. The Contractor should take every precaution to prevent unnecessary foot and vehicular traffic.

907-226.04--Method of Measurement. When a pay item for temporary grassing is included in the plans, temporary grassing will be measured by the acre. Acceptance will be based on a satisfactory growth and coverage of seeds planted. When a pay item for temporary grassing is not included in the plans, temporary grassing shall be measured for payment using the appropriate pay items in the contract.

907-226.05--Basis of Payment. When a pay item for temporary grassing is included in the plans, temporary grassing, measured as prescribed above, will be paid for at the contract unit price per acre, which will be full compensation for all required materials, equipment, labor, testing and all work necessary to establish a satisfactory growth of grass.

Payment will be made under:

907-226-A: Temporary Grassing

- per acre

Construction necessary to replace two bridges on SR 182 between US 45 and Port Access Road, known as State Project No. SDP-2705-00(001) / 105220301, in the County of Lowndes, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	201-B001		1	Acre	Clearing and Grubbing				
0030	202-B005		2,605	Square Yard	Removal of Asphalt Pavement, All Depths				
0040	202-B009		2	Each	Removal of Bridge				
0050	202-B036		936	Square Yard	Removal of Concrete Slope Paving				
0060	202-B038		441	Linear Feet	Removal of Curb, All Types				
0070	202-B064		165	Linear Feet	Removal of Pipe, 8" And Above				
0080	202-B076		5,547	Linear Feet	Removal of Traffic Stripe				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	202-B097		10,123	Square Yard	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths				
0100	202-B102		718	Linear Feet	Removal of Guard Rail				
0110	203-EX019	(E)	51,450	Cubic Yard	Borrow Excavation, AH, FME, Class B10				
0120	203-G004	(E)	1,000	Cubic Yard	Excess Excavation, LVM, AH				
0130	206-A001	(S)	11	Cubic Yard	Structure Excavation				
0140	212-A001				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0150	212-B001				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0160	213-B001				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0170	213-C001		10	Ton	Superphosphate				
0180	214-A001				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0190	214-A002				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0200	214-A003				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	214-A004					XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 03/15/2010								
0220	214-A014					XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 03/15/2010								
0230	214-A015					XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 03/15/2010								
0240	214-A017					XXXXXXXX	XXX	XXXXXXXX	XXX
	Deleted 03/15/2010								
0250	215-A001		59	Ton	Vegetative Materials for Mulch				
0260	216-A001		157	Square Yard	Solid Sodding				
0270	217-A001		125	Square Yard	Ditch Liner				
0280	219-A001		4	Thousand Gallon	Watering	20.	00	80.	00
0290	220-A001		10	Acre	Insect Pest Control	30.	00	300.	00
0300	221-A001	(S)	18	Cubic Yard	Portland Cement Concrete Paved Ditch				
0310	234-A001		9,237	Linear Feet	Temporary Silt Fence				
0320	235-A001		175	Bale	Temporary Erosion Checks				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	406-A001		1,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0340	423-A001		3	Mile	Rumble Strips, Ground In				
0350	501-E001		155	Linear Feet	Expansion Joints, Without Dowels				
0360	501-K001		341	Square Yard	Transverse Grooving				
0370	502-A001	(C)	341	Square Yard	Reinforced Cement Concrete Bridge End Pavement				
0380	603-CA002	(S)	260	Linear Feet	18" Reinforced Concrete Pipe, Class III				
0390	603-CA003	(S)	148	Linear Feet	24" Reinforced Concrete Pipe, Class III				
0400	603-CB002	(S)	4	Each	24" Reinforced Concrete End Section				
0410	606-B005		850	Linear Feet	Guard Rail, Class A, Type 1, 'W' Beam				
0420	606-D012		8	Each	Guard Rail, Bridge End Section, Type I				
0430	606-E002		8	Each	Guard Rail, Terminal End Section, Flared				
0440	609-D002	(S)	404	Linear Feet	Combination Concrete Curb and Gutter Type 2				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	614-A002	(S)	384	Square Yard	Concrete Driveway, Without Reinforcement, 6-inch Thickness				
0460	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX		
0470	619-A1002		5	Mile	Temporary Traffic Stripe, Continuous White				
0480	619-A1007		134	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 Tape				
0490	619-A2002		3	Mile	Temporary Traffic Stripe, Continuous Yellow				
0500	619-A2007		207	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape				
0510	619-A4006		2	Mile	Temporary Traffic Stripe, Skip Yellow				
0520	619-A5001		2,573	Linear Feet	Temporary Traffic Stripe, Detail				
0530	619-A5004		81	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 Tape				
0540	619-A6003		659	Linear Feet	Temporary Traffic Stripe, Legend, Paint				
0550	619-A6007		102	Linear Feet	Temporary Traffic Stripe, Legend, Type 1 Tape				
0560	619-C7001		135	Each	Two-Way Yellow Reflective High Performance Raised Marker				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0570	619-D1001		33	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0580	619-D2001		381	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0590	619-G4001		24	Linear Feet	Barricades, Type III, Single Faced				
0600	619-G4005		216	Linear Feet	Barricades, Type III, Double Faced				
0610	619-G5001		112	Each	Free Standing Plastic Drums				
0620	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0630	627-L001		202	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0640	628-J002		880	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
0650	628-L002		160	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow				
0660	628-M002		660	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
0670	630-A001		81	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness				
0680	630-A002		147	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0690	630-C004		500	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft				
0700	630-F001		44	Each	Delineators, Guard Rail, White				
0710	631-A001		3	Cubic Yard	Flowable Fill				
0720	699-B001		1	Lump Sum	Bridge Construction Stakes	XXXXXXXXXX	XXX		
0730	815-A006	(S)	250	Ton	Loose Riprap, Size 100				
0740	907-213-A001				Deleted 03/15/2010	XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0741	907-225-A001		20	Acre	Grassing Added 03/15/2010				
0742	907-225-B001		59	Ton	Agricultural Limestone Added 03/15/2010				
0743	907-226-A001		10	Acre	Temporary Grassing Added 03/15/2010				
0750	907-234-F001		150	Linear Feet	Turbidity Barrier				
0760	907-237-A003		400	Linear Feet	Wattles, 20"				
0770	907-245-A001		200	Linear Feet	Triangular Silt Dike				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0780	907-246-A001		200	Linear Feet	Sandbags				
0790	907-304-A008	(GY)	8,265	Cubic Yard	Granular Material, LVM, Class 3, Group C				
0800	907-304-H002	(GY)	5,658	Cubic Yard	3/4" and Down Crushed Stone Base, LVM				
0810	907-307-C005	(M)	15,635	Square Yard	8" Soil-Lime-Water Mixing, Class C				
0820	907-307-D001		283	Ton	Lime				
0830	907-403-A001	(BA1)	310	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture				
0840	907-403-A002	(BA1)	1,954	Ton	Hot Mix Asphalt, HT, 19-mm mixture				
0850	907-403-A005	(BA1)	267	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture				
0860	907-403-A013	(BA1)	2,842	Ton	Hot Mix Asphalt, ST, 25-mm mixture				
0870	907-403-D001	(BA1)	2,559	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				
0880	907-403-D004	(BA1)	1,920	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
0890	907-601-B003	(S)	1	Cubic Yard	Class "B" Structural Concrete, Minor Structures				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0900	907-603-ALT01	(S)	932	Linear Feet	18" Type A Alternate Pipe				
0910	907-626-C004		3	Mile	6" Thermoplastic Edge Stripe, Continuous White				
0920	907-626-D003		1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow				
0930	907-626-E004		2	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow				
0940	907-626-G004		2,578	Linear Feet	Thermoplastic Detail Stripe, White				
0950	907-626-G005		492	Linear Feet	Thermoplastic Detail Stripe, Yellow				
0960	907-626-H004		281	Linear Feet	Thermoplastic Legend, White				
Bridge Items									
0970	501-K001		1,563	Square Yard	Transverse Grooving				
0980	803-B001	(S)	4	Each	Conventional Static Loading Test	5,000.	00	20,000.	00
0990	803-C002	(S)	1,462	Linear Feet	14" x 14" Prestressed Concrete Piling				
1000	803-C003	(S)	2,365	Linear Feet	16" x 16" Prestressed Concrete Piling				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1010	803-I001	(S)	4	Each	PDA Test Pile				
1020	805-A001	(S)	120,930	Pounds	Reinforcement				
1030	813-A001	(S)	879	Linear Feet	Concrete Railing				
1040	815-A009	(S)	1,097	Ton	Loose Riprap, Size 300				
1050	815-E001	(S)	713	Square Yard	Geotextile under Riprap				
1060	907-804-A001	(S)	667	Cubic Yard	Bridge Concrete, Class AA				
1070	907-804-C016	(S)	2,163	Linear Feet	40' Prestressed Concrete Beam, Type I+2				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER