

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 3/12/2010 ADDENDUM NO. DATED
ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Replace Table of Contents and add Notice To Bidders Nos. 3012 & 3019; Revise Bidsheets; Revise Plan Sheets 2, 6, & 7; Amendment EBS Download Required.

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: MP-2051-49(004) / 303828301 -- Montgomery County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
Final Cleanup - # 3
On-The-Job Training Program - # 777
Payroll Requirements - # 883
Rumble Stripe - # 1312
Errata & Modifications to 2004 Standard Specifications - # 1405
Advancement of Materials - # 1546
Safety Apparel - # 1808
Federal Bridge Formula - # 1928
Petroleum Products Base Price - # 2858
Reduced Speed Limit Signs - # 2937
Contract Time - # 2952
Special Density Requirements - # 3012
Cross Slope For Curves - # 3019

907-101-4: Definitions
907-102-4: Bidding Requirements and Conditions, W/ Supplement
907-103-8: Award and Execution of Contract
907-105-3: Cooperation By Contractors, W/ Supplement
907-107-7: Legal Relations & Responsibility to Public, W/ Supplement
907-108-18: Prosecution and Progress
907-109-4: Measurement and Payment, W/ Supplement
907-304-12: Granular Courses
907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
907-407-1: Tack Coat
907-618-4: Placement of Temporary Traffic Stripe
907-626-15: Thermoplastic Traffic Markings
907-703-8: Aggregates
907-720-1: Pavement Marking Materials

906-3: MDOT On-the-Job Training Program
906-6: MDOT On-the-Job Training Program - Alternate Program

-- CONTINUED ON NEXT PAGE --

SECTION 905 - PROPOSAL,
PROPOSAL BID SHEETS,
COMBINATION BID PROPOSAL,
STATE BOARD OF CONTRACTORS REQUIREMENTS,
NON-COLLUSION CERTIFICATION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3012

CODE: (SP)

DATE: 03/05/2010

SUBJECT: Special Density Requirements

PROJECT: MP-2051-49(004) / 303828301 -- Montgomery County

Bidders are advise that the density requirements for the HMA, MT, 4.75-mm mixture, on this project shall be roll to refusal. Disregard the density requiremets in the specification book or any special provision as it relates to HMA, 4.75-mm mixture. Refusal is defined as the number of roller passes to maximize the in-place unit weight of the mixture. On the first day of production and every three production days thereafter, a 500 foot test strip shall be evaluated to determine the required number of roller passes. Three random sites within the test strip shall be selected and monitored with the nuclear density gauge to determine refusal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 3019

CODE: (SP)

DATE: 03/12/10

SUBJECT: Cross Slope for Curves

PROJECT: MP-2051-49(004) / 303828301 – Montgomery County

Bidders are advised that cross slope correction is necessary on this project to correct grades in curves. Cuts and fills are provided herein for cross slope work.

Crown	Station	Slope				Grade Difference				Difference	
		Plan		Existing		Plan		Existing		Lt. of Cl.	Rt. Of CL
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of Cl.	Rt. Of CL	Lt. of Cl.	Rt. Of CL		
NC	45+13.8	-2.00	-2.00	-1.50	-1.42	-0.24	-0.24	-0.18	-0.17	-0.06	-0.07
	45+25	-1.78	-2.00	-1.33	-1.42	-0.21	-0.24	-0.16	-0.17	-0.05	-0.07
	45+50	-1.28	-2.00	-0.83	-1.67	-0.15	-0.24	-0.10	-0.20	-0.05	-0.04
	45+75	-0.78	-2.00	-0.83	-1.92	-0.09	-0.24	-0.10	-0.23	0.01	-0.01
TS	46+00	-0.28	-2.00	-1.25	-1.83	-0.03	-0.24	-0.15	-0.22	0.12	-0.02
	46+13.8	0.00	-2.00	-1.25	-2.00	0.00	-0.24	-0.15	-0.24	0.15	0.00
	46+25	0.20	-2.00	-1.17	-1.58	0.02	-0.24	-0.14	-0.19	0.16	-0.05
	46+50	0.65	-2.00	-0.83	-1.83	0.08	-0.24	-0.10	-0.22	0.18	-0.02
	46+75	1.09	-2.00	-0.08	-1.83	0.13	-0.24	-0.01	-0.22	0.14	-0.02
	47+00	1.54	-2.00	-0.33	-2.25	0.18	-0.24	-0.04	-0.27	0.22	0.03
PC	47+25.8	2.00	-2.00	-0.42	-2.17	0.24	-0.24	-0.05	-0.26	0.29	0.02
	47+50	2.86	-2.86	0.25	-2.75	0.34	-0.34	0.03	-0.33	0.31	-0.01
FULL	47+73.8	3.70	-3.70	0.75	-2.42	0.44	-0.44	0.09	-0.29	0.35	-0.15
	48+00	3.70	-3.70	0.75	-2.83	0.44	-0.44	0.09	-0.34	0.35	-0.10
	48+25	3.70	-3.70	0.92	-3.00	0.44	-0.44	0.11	-0.36	0.33	-0.08
	48+50	3.70	-3.70	1.25	-3.50	0.44	-0.44	0.15	-0.42	0.29	-0.02
	48+75	3.70	-3.70	1.58	-3.50	0.44	-0.44	0.19	-0.42	0.25	-0.02
	49+00	3.70	-3.70	1.83	-3.33	0.44	-0.44	0.22	-0.40	0.22	-0.04
	49+25	3.70	-3.70	1.58	-3.58	0.44	-0.44	0.19	-0.43	0.25	-0.01
	49+50	3.70	-3.70	1.50	-3.58	0.44	-0.44	0.18	-0.43	0.26	-0.01
	49+75	3.70	-3.70	1.25	-4.17	0.44	-0.44	0.15	-0.50	0.29	0.06
	50+00	3.70	-3.70	1.08	-4.50	0.44	-0.44	0.13	-0.54	0.31	0.10
	50+25	3.70	-3.70	1.08	-4.33	0.44	-0.44	0.13	-0.52	0.31	0.08
	50+50	3.70	-3.70	1.42	-4.08	0.44	-0.44	0.17	-0.49	0.27	0.05
	50+75	3.70	-3.70	1.17	-3.75	0.44	-0.44	0.14	-0.45	0.30	0.01
	51+00	3.70	-3.70	0.58	-3.25	0.44	-0.44	0.07	-0.39	0.37	-0.05
	51+25	3.70	-3.70	0.92	-3.92	0.44	-0.44	0.11	-0.47	0.33	0.03
	51+50	3.70	-3.70	1.08	-3.92	0.44	-0.44	0.13	-0.47	0.31	0.03
	51+75	3.70	-3.70	1.17	-3.75	0.44	-0.44	0.14	-0.45	0.30	0.01
	52+00	3.70	-3.70	1.42	-3.83	0.44	-0.44	0.17	-0.46	0.27	0.02

Crown	Station	Slope				Grade Difference				Difference	
		Plan		Existing		Plan		Existing		Lt. of Cl.	Rt. Of CL
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of Cl.	Rt. Of CL	Lt. of Cl.	Rt. Of CL		
	52+25	3.70	-3.70	1.58	-3.50	0.44	-0.44	0.19	-0.42	0.25	-0.02
	52+50	3.70	-3.70	1.50	-3.58	0.44	-0.44	0.18	-0.43	0.26	-0.01
	52+75	3.70	-3.70	1.42	-4.08	0.44	-0.44	0.17	-0.49	0.27	0.05
	53+00	3.70	-3.70	1.25	-3.58	0.44	-0.44	0.15	-0.43	0.29	-0.01
	53+25	3.70	-3.70	1.33	-3.42	0.44	-0.44	0.16	-0.41	0.28	-0.03
	53+50	3.70	-3.70	2.17	-3.75	0.44	-0.44	0.26	-0.45	0.18	0.01
	53+75	3.70	-3.70	1.75	-3.83	0.44	-0.44	0.21	-0.46	0.23	0.02
	54+00	3.70	-3.70	1.92	-4.08	0.44	-0.44	0.23	-0.49	0.21	0.05
	54+25	3.70	-3.70	1.92	-4.00	0.44	-0.44	0.23	-0.48	0.21	0.04
	54+50	3.70	-3.70	1.92	-4.17	0.44	-0.44	0.23	-0.50	0.21	0.06
	54+75	3.70	-3.70	2.17	-4.33	0.44	-0.44	0.26	-0.52	0.18	0.08
	55+00	3.70	-3.70	2.33	-4.08	0.44	-0.44	0.28	-0.49	0.16	0.05
	55+25	3.70	-3.70	1.67	-4.00	0.44	-0.44	0.20	-0.48	0.24	0.04
	55+50	3.70	-3.70	1.67	-3.92	0.44	-0.44	0.20	-0.47	0.24	0.03
	55+75	3.70	-3.70	1.58	-3.92	0.44	-0.44	0.19	-0.47	0.25	0.03
	56+00	3.70	-3.70	1.67	-3.58	0.44	-0.44	0.20	-0.43	0.24	-0.01
	56+25	3.70	-3.70	1.67	-4.00	0.44	-0.44	0.20	-0.48	0.24	0.04
	56+50	3.70	-3.70	1.50	-4.08	0.44	-0.44	0.18	-0.49	0.26	0.05
	56+75	3.70	-3.70	2.00	-4.75	0.44	-0.44	0.24	-0.57	0.20	0.13
	57+00	3.70	-3.70	1.92	-3.83	0.44	-0.44	0.23	-0.46	0.21	0.02
	57+25	3.70	-3.70	1.08	-3.50	0.44	-0.44	0.13	-0.42	0.31	-0.02
	57+50	3.70	-3.70	1.58	-3.17	0.44	-0.44	0.19	-0.38	0.25	-0.06
	57+75	3.70	-3.70	1.83	-3.33	0.44	-0.44	0.22	-0.40	0.22	-0.04
	58+00	3.70	-3.70	1.75	-3.25	0.44	-0.44	0.21	-0.39	0.23	-0.05
	58+25	3.70	-3.70	1.58	-3.17	0.44	-0.44	0.19	-0.38	0.25	-0.06
	58+50	3.70	-3.70	1.67	-3.67	0.44	-0.44	0.20	-0.44	0.24	0.00
	58+75	3.70	-3.70	1.92	-3.83	0.44	-0.44	0.23	-0.46	0.21	0.02
	59+00	3.70	-3.70	2.08	-3.50	0.44	-0.44	0.25	-0.42	0.19	-0.02
	59+25	3.70	-3.70	1.83	-3.33	0.44	-0.44	0.22	-0.40	0.22	-0.04
	59+50	3.70	-3.70	1.33	-3.17	0.44	-0.44	0.16	-0.38	0.28	-0.06
	59+75	3.70	-3.70	1.75	-3.25	0.44	-0.44	0.21	-0.39	0.23	-0.05

Crown	Station	Slope						Grade Difference							
		Plan			Existing			Plan			Existing			Difference	
		Lt. of CL	Rt. of CL	Of CL	Lt. of CL	Rt. of CL	Of CL	Lt. of CL	Rt. of CL	Of CL	Lt. of CL	Rt. of CL	Of CL	Lt. of CL	Rt. of CL
	60+00	3.70	-3.70	2.00	-3.00	0.44	-0.44	0.24	-0.36	0.20	-0.08				
	60+25	3.70	-3.70	1.58	-3.08	0.44	-0.44	0.19	-0.37	0.25	-0.07				
	60+50	3.70	-3.70	1.83	-3.17	0.44	-0.44	0.22	-0.38	0.22	-0.06				
	60+75	3.70	-3.70	2.00	-2.83	0.44	-0.44	0.24	-0.34	0.20	-0.10				
	61+00	3.70	-3.70	1.75	-3.17	0.44	-0.44	0.21	-0.38	0.23	-0.06				
	61+25	3.70	-3.70	1.58	-3.25	0.44	-0.44	0.19	-0.39	0.25	-0.05				
	61+50	3.70	-3.70	1.50	-2.75	0.44	-0.44	0.18	-0.33	0.26	-0.11				
	61+75	3.70	-3.70	2.00	-2.58	0.44	-0.44	0.24	-0.31	0.20	-0.13				
	62+00	3.70	-3.70	2.17	-2.75	0.44	-0.44	0.26	-0.33	0.18	-0.11				
	62+25	3.70	-3.70	1.83	-3.17	0.44	-0.44	0.22	-0.38	0.22	-0.06				
	62+50	3.70	-3.70	2.00	-3.58	0.44	-0.44	0.24	-0.43	0.20	-0.01				
	62+75	3.70	-3.70	2.08	-4.17	0.44	-0.44	0.25	-0.50	0.19	0.06				
	63+00	3.70	-3.70	1.92	-4.00	0.44	-0.44	0.23	-0.48	0.21	0.04				
	63+25	3.70	-3.70	2.00	-4.00	0.44	-0.44	0.24	-0.48	0.20	0.04				
	63+50	3.70	-3.70	1.25	-4.08	0.44	-0.44	0.15	-0.49	0.29	0.05				
	63+75	3.70	-3.70	1.08	-4.00	0.44	-0.44	0.13	-0.48	0.31	0.04				
	64+00	3.70	-3.70	1.08	-4.00	0.44	-0.44	0.13	-0.48	0.31	0.04				
	64+25	3.70	-3.70	1.00	-3.58	0.44	-0.44	0.12	-0.43	0.32	-0.01				
	64+50	3.70	-3.70	0.92	-3.00	0.44	-0.44	0.11	-0.36	0.33	-0.08				
	64+75	3.70	-3.70	1.08	-3.25	0.44	-0.44	0.13	-0.39	0.31	-0.05				
	65+00	3.70	-3.70	1.33	-3.33	0.44	-0.44	0.16	-0.40	0.28	-0.04				
	65+25	3.70	-3.70	1.00	-3.33	0.44	-0.44	0.12	-0.40	0.32	-0.04				
	65+50	3.70	-3.70	1.00	-3.25	0.44	-0.44	0.12	-0.39	0.32	-0.05				
	65+75	3.70	-3.70	1.33	-3.17	0.44	-0.44	0.16	-0.38	0.28	-0.06				
	66+00	3.70	-3.70	0.92	-3.33	0.44	-0.44	0.11	-0.40	0.33	-0.04				
	66+25	3.70	-3.70	0.50	-2.92	0.44	-0.44	0.06	-0.35	0.38	-0.09				
	66+50	3.70	-3.70	1.00	-2.58	0.44	-0.44	0.12	-0.31	0.32	-0.13				
	66+75	3.70	-3.70	0.17	-2.75	0.44	-0.44	0.02	-0.33	0.42	-0.11				
	67+00	3.70	-3.70	0.50	-3.58	0.44	-0.44	0.06	-0.43	0.38	-0.01				
	67+25	3.70	-3.70	1.33	-2.50	0.44	-0.44	0.16	-0.30	0.28	-0.14				
	67+50	3.70	-3.70	1.17	-1.92	0.44	-0.44	0.14	-0.23	0.30	-0.21				

Crown	Station	Slope				Grade Difference				Difference	
		Plan		Existing		Plan		Existing		Lt. of Cl.	Rt. Of CL
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of Cl.	Rt. Of CL	Lt. of Cl.	Rt. Of CL		
	67+75	3.70	-3.70	0.25	-2.58	0.44	-0.44	0.03	-0.31	0.41	-0.13
	68+00	3.70	-3.70	1.08	-1.83	0.44	-0.44	0.13	-0.22	0.31	-0.22
	68+25	3.70	-3.70	0.67	-2.25	0.44	-0.44	0.08	-0.27	0.36	-0.17
	68+50	3.70	-3.70	0.17	-2.50	0.44	-0.44	0.02	-0.30	0.42	-0.14
	68+75	3.70	-3.70	0.42	-2.25	0.44	-0.44	0.05	-0.27	0.39	-0.17
FULL	69+01.4	3.70	-3.70	-0.08	-2.58	0.44	-0.44	-0.01	-0.31	0.45	-0.13
	69+25	2.84	-2.84	0.25	-3.08	0.34	-0.34	0.03	-0.37	0.31	0.03
	69+49.4 Bk =										
PT	69+90.3 Ah	2.00	-2.00	0.17	-2.67	0.24	-0.24	0.02	-0.32	0.22	0.08
	70+00	1.83	-2.00	-0.17	-2.33	0.22	-0.24	-0.02	-0.28	0.24	0.04
	70+25	1.38	-2.00	-0.50	-2.33	0.17	-0.24	-0.06	-0.28	0.23	0.04
	70+50	0.93	-2.00	-0.67	-2.25	0.11	-0.24	-0.08	-0.27	0.19	0.03
	70+75	0.49	-2.00	-0.50	-2.50	0.06	-0.24	-0.06	-0.30	0.12	0.06
	71+00	0.04	-2.00	-0.67	-2.17	0.00	-0.24	-0.08	-0.26	0.08	0.02
ST	71+02.3	0.00	-2.00	-0.67	-2.08	0.00	-0.24	-0.08	-0.25	0.08	0.01
	71+25	-0.45	-2.00	-0.50	-1.67	-0.05	-0.24	-0.06	-0.20	0.01	-0.04
	71+50	-0.95	-2.00	-0.67	-1.42	-0.11	-0.24	-0.08	-0.17	-0.03	-0.07
	71+75	-1.45	-2.00	-1.00	-1.58	-0.17	-0.24	-0.12	-0.19	-0.05	-0.05
	72+00	-1.95	-2.00	-1.50	-1.67	-0.23	-0.24	-0.18	-0.20	-0.05	-0.04
NC	72+02.3	-2.00	-2.00	-1.50	-1.67	-0.24	-0.24	-0.18	-0.20	-0.06	-0.04

Crown	Station	Slope						Grade Difference									
		Plan			Existing			Plan			Existing			Difference			
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL		
NC	112+80.8	-2.00	-2.00	-2.33	-1.50	-2.00	-2.00	-2.33	-1.50	-2.00	-2.00	-2.33	-1.50	-2.00	-2.00	-2.33	-1.50
	113+00	-2.00	-1.62	-2.25	-1.33	-2.00	-2.00	-2.25	-1.33	-2.00	-2.00	-2.25	-1.33	-2.00	-2.00	-2.25	-1.33
	113+25	-2.00	-1.12	-2.17	-1.08	-2.00	-2.00	-2.17	-1.08	-2.00	-2.00	-2.17	-1.08	-2.00	-2.00	-2.17	-1.08
	113+50	-2.00	-0.62	-2.58	-1.00	-2.00	-2.00	-2.58	-1.00	-2.00	-2.00	-2.58	-1.00	-2.00	-2.00	-2.58	-1.00
TS	113+80.8	-2.00	0.00	-2.58	-1.17	-2.00	-2.00	-2.58	-1.17	-2.00	-2.00	-2.58	-1.17	-2.00	-2.00	-2.58	-1.17
	114+00	-2.00	0.34	-2.58	-1.17	-2.00	-2.00	-2.58	-1.17	-2.00	-2.00	-2.58	-1.17	-2.00	-2.00	-2.58	-1.17
	114+25	-2.00	0.79	-2.17	-0.75	-2.00	-2.00	-2.17	-0.75	-2.00	-2.00	-2.17	-0.75	-2.00	-2.00	-2.17	-0.75
	114+50	-2.00	1.24	-2.33	-0.75	-2.00	-2.00	-2.33	-0.75	-2.00	-2.00	-2.33	-0.75	-2.00	-2.00	-2.33	-0.75
	114+75	-2.00	1.68	-2.50	-0.25	-2.00	-2.00	-2.50	-0.25	-2.00	-2.00	-2.50	-0.25	-2.00	-2.00	-2.50	-0.25
PC	114+92.8	-2.00	2.00	-2.25	-0.08	-2.00	-2.00	-2.25	-0.08	-2.00	-2.00	-2.25	-0.08	-2.00	-2.00	-2.25	-0.08
	115+25	-2.34	2.34	-2.33	-0.08	-2.00	-2.00	-2.33	-0.08	-2.00	-2.00	-2.33	-0.08	-2.00	-2.00	-2.33	-0.08
FULL	115+40.8	-2.50	2.50	-2.25	0.00	-2.00	-2.00	-2.25	0.00	-2.00	-2.00	-2.25	0.00	-2.00	-2.00	-2.25	0.00
	115+75	-2.50	2.50	-2.00	0.50	-2.00	-2.00	-2.00	0.50	-2.00	-2.00	-2.00	0.50	-2.00	-2.00	-2.00	0.50
	116+00	-2.50	2.50	-2.17	0.58	-2.00	-2.00	-2.17	0.58	-2.00	-2.00	-2.17	0.58	-2.00	-2.00	-2.17	0.58
	116+25	-2.50	2.50	-2.08	0.67	-2.00	-2.00	-2.08	0.67	-2.00	-2.00	-2.08	0.67	-2.00	-2.00	-2.08	0.67
	116+50	-2.50	2.50	-3.17	0.08	-2.00	-2.00	-3.17	0.08	-2.00	-2.00	-3.17	0.08	-2.00	-2.00	-3.17	0.08
	116+75	-2.50	2.50	-2.58	0.75	-2.00	-2.00	-2.58	0.75	-2.00	-2.00	-2.58	0.75	-2.00	-2.00	-2.58	0.75
	117+00	-2.50	2.50	-2.92	1.00	-2.00	-2.00	-2.92	1.00	-2.00	-2.00	-2.92	1.00	-2.00	-2.00	-2.92	1.00
	117+25	-2.50	2.50	-2.92	0.75	-2.00	-2.00	-2.92	0.75	-2.00	-2.00	-2.92	0.75	-2.00	-2.00	-2.92	0.75
	117+50	-2.50	2.50	-2.58	1.17	-2.00	-2.00	-2.58	1.17	-2.00	-2.00	-2.58	1.17	-2.00	-2.00	-2.58	1.17
	117+75	-2.50	2.50	-3.00	1.67	-2.00	-2.00	-3.00	1.67	-2.00	-2.00	-3.00	1.67	-2.00	-2.00	-3.00	1.67
	118+00	-2.50	2.50	-2.58	0.92	-2.00	-2.00	-2.58	0.92	-2.00	-2.00	-2.58	0.92	-2.00	-2.00	-2.58	0.92
	118+25	-2.50	2.50	-2.50	0.75	-2.00	-2.00	-2.50	0.75	-2.00	-2.00	-2.50	0.75	-2.00	-2.00	-2.50	0.75
	118+50	-2.50	2.50	-2.17	0.42	-2.00	-2.00	-2.17	0.42	-2.00	-2.00	-2.17	0.42	-2.00	-2.00	-2.17	0.42
	118+75	-2.50	2.50	-2.08	0.58	-2.00	-2.00	-2.08	0.58	-2.00	-2.00	-2.08	0.58	-2.00	-2.00	-2.08	0.58
	119+00	-2.50	2.50	-2.33	1.00	-2.00	-2.00	-2.33	1.00	-2.00	-2.00	-2.33	1.00	-2.00	-2.00	-2.33	1.00
	119+25	-2.50	2.50	-2.17	0.67	-2.00	-2.00	-2.17	0.67	-2.00	-2.00	-2.17	0.67	-2.00	-2.00	-2.17	0.67
	119+50	-2.50	2.50	-1.75	0.58	-2.00	-2.00	-1.75	0.58	-2.00	-2.00	-1.75	0.58	-2.00	-2.00	-1.75	0.58
	119+75	-2.50	2.50	-2.00	0.00	-2.00	-2.00	-2.00	0.00	-2.00	-2.00	-2.00	0.00	-2.00	-2.00	-2.00	0.00
	120+00	-2.50	2.50	-2.08	0.00	-2.00	-2.00	-2.08	0.00	-2.00	-2.00	-2.08	0.00	-2.00	-2.00	-2.08	0.00
	120+25	-2.50	2.50	-2.58	0.17	-2.00	-2.00	-2.58	0.17	-2.00	-2.00	-2.58	0.17	-2.00	-2.00	-2.58	0.17
	120+50	-2.50	2.50	-3.25	0.67	-2.00	-2.00	-3.25	0.67	-2.00	-2.00	-3.25	0.67	-2.00	-2.00	-3.25	0.67
	120+75	-2.50	2.50	-3.00	0.83	-2.00	-2.00	-3.00	0.83	-2.00	-2.00	-3.00	0.83	-2.00	-2.00	-3.00	0.83
	121+00	-2.50	2.50	-3.50	0.83	-2.00	-2.00	-3.50	0.83	-2.00	-2.00	-3.50	0.83	-2.00	-2.00	-3.50	0.83
	121+25	-2.50	2.50	-3.00	1.08	-2.00	-2.00	-3.00	1.08	-2.00	-2.00	-3.00	1.08	-2.00	-2.00	-3.00	1.08
	121+50	-2.50	2.50	-2.25	0.75	-2.00	-2.00	-2.25	0.75	-2.00	-2.00	-2.25	0.75	-2.00	-2.00	-2.25	0.75
	121+75	-2.50	2.50	-2.00	0.50	-2.00	-2.00	-2.00	0.50	-2.00	-2.00	-2.00	0.50	-2.00	-2.00	-2.00	0.50
	122+00	-2.50	2.50	-2.50	0.50	-2.00	-2.00	-2.50	0.50	-2.00	-2.00	-2.50	0.50	-2.00	-2.00	-2.50	0.50
	122+25	-2.50	2.50	-2.17	0.42	-2.00	-2.00	-2.17	0.42	-2.00	-2.00	-2.17	0.42	-2.00	-2.00	-2.17	0.42
	122+50	-2.50	2.50	-2.08	0.67	-2.00	-2.00	-2.08	0.67	-2.00	-2.00	-2.08	0.67	-2.00	-2.00	-2.08	0.67
	122+75	-2.50	2.50	-1.92	0.42	-2.00	-2.00	-1.92	0.42	-2.00	-2.00	-1.92	0.42	-2.00	-2.00	-1.92	0.42
	123+00	-2.50	2.50	-1.83	0.42	-2.00	-2.00	-1.83	0.42	-2.00	-2.00	-1.83	0.42	-2.00	-2.00	-1.83	0.42
	123+25	-2.50	2.50	-1.67	0.50	-2.00	-2.00	-1.67	0.50	-2.00	-2.00	-1.67	0.50	-2.00	-2.00	-1.67	0.50
	123+50	-2.50	2.50	-1.50	1.25	-2.00	-2.00	-1.50	1.25	-2.00	-2.00	-1.50	1.25	-2.00	-2.00	-1.50	1.25
	123+75	-2.50	2.50	-2.08	1.08	-2.00	-2.00	-2.08	1.08	-2.00	-2.00	-2.08	1.08	-2.00	-2.00	-2.08	1.08
	124+00	-2.50	2.50	-1.67	1.25	-2.00	-2.00	-1.67	1.25	-2.00	-2.00	-1.67	1.25	-2.00	-2.00	-1.67	1.25

Crown	Station	Slope						Grade Difference						Difference	
		Plan			Existing			Plan			Existing			Lt. of Cl.	Rt. Of Cl.
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL				
	124+25	-2.50	2.50	-2.25	0.83	-0.30	0.30	-0.27	0.10	-0.03	0.20				
	124+50	-2.50	2.50	-2.58	0.92	-0.30	0.30	-0.31	0.11	0.01	0.19				
	124+75	-2.50	2.50	-2.33	0.75	-0.30	0.30	-0.28	0.09	-0.02	0.21				
	125+00	-2.50	2.50	-2.33	0.58	-0.30	0.30	-0.28	0.07	-0.02	0.23				
	125+25	-2.50	2.50	-2.33	0.75	-0.30	0.30	-0.28	0.09	-0.02	0.21				
	125+50	-2.50	2.50	-2.42	0.75	-0.30	0.30	-0.29	0.09	-0.01	0.21				
	125+75	-2.50	2.50	-2.50	0.75	-0.30	0.30	-0.30	0.09	0.00	0.21				
	126+00	-2.50	2.50	-2.58	0.75	-0.30	0.30	-0.31	0.09	0.01	0.21				
	126+25	-2.50	2.50	-2.92	0.67	-0.30	0.30	-0.35	0.08	0.05	0.22				
	126+50	-2.50	2.50	-2.50	0.75	-0.30	0.30	-0.30	0.09	0.00	0.21				
	126+75	-2.50	2.50	-2.75	1.08	-0.30	0.30	-0.33	0.13	0.03	0.17				
	127+00	-2.50	2.50	-2.92	1.00	-0.30	0.30	-0.35	0.12	0.05	0.18				
	127+25	-2.50	2.50	-3.00	0.75	-0.30	0.30	-0.36	0.09	0.06	0.21				
	127+50	-2.50	2.50	-2.50	0.92	-0.30	0.30	-0.30	0.11	0.00	0.19				
	127+75	-2.50	2.50	-3.00	0.75	-0.30	0.30	-0.36	0.09	0.06	0.21				
	128+00	-2.50	2.50	-2.25	0.67	-0.30	0.30	-0.27	0.08	-0.03	0.22				
	128+25	-2.50	2.50	-2.25	0.33	-0.30	0.30	-0.27	0.04	-0.03	0.26				
	128+50	-2.50	2.50	-2.17	0.92	-0.30	0.30	-0.26	0.11	-0.04	0.19				
	128+75	-2.50	2.50	-2.58	1.00	-0.30	0.30	-0.31	0.12	0.01	0.18				
	129+00	-2.50	2.50	-2.33	1.17	-0.30	0.30	-0.28	0.14	-0.02	0.16				
	129+25	-2.50	2.50	-2.00	1.50	-0.30	0.30	-0.24	0.18	-0.06	0.12				
	129+50	-2.50	2.50	-1.75	1.42	-0.30	0.30	-0.21	0.17	-0.09	0.13				
	129+75	-2.50	2.50	-1.83	1.42	-0.30	0.30	-0.22	0.17	-0.08	0.13				
	130+00	-2.50	2.50	-2.58	0.42	-0.30	0.30	-0.31	0.05	0.01	0.25				
	130+25	-2.50	2.50	-2.58	0.42	-0.30	0.30	-0.31	0.05	0.01	0.25				
	130+50	-2.50	2.50	-2.25	0.50	-0.30	0.30	-0.27	0.06	-0.03	0.24				
	130+75	-2.50	2.50	-2.08	0.50	-0.30	0.30	-0.25	0.06	-0.05	0.24				
	131+00	-2.50	2.50	-1.92	0.75	-0.30	0.30	-0.23	0.09	-0.07	0.21				
	131+25	-2.50	2.50	-1.92	0.67	-0.30	0.30	-0.23	0.08	-0.07	0.22				
	131+50	-2.50	2.50	-1.50	0.92	-0.30	0.30	-0.18	0.11	-0.12	0.19				
	131+75	-2.50	2.50	-1.83	1.17	-0.30	0.30	-0.22	0.14	-0.08	0.16				
	132+00	-2.50	2.50	-2.33	1.00	-0.30	0.30	-0.28	0.12	-0.02	0.18				
	132+25	-2.50	2.50	-2.58	0.92	-0.30	0.30	-0.31	0.11	0.01	0.19				
	132+50	-2.50	2.50	-2.58	0.83	-0.30	0.30	-0.31	0.10	0.01	0.20				
	132+75	-2.50	2.50	-2.25	1.08	-0.30	0.30	-0.27	0.13	-0.03	0.17				
	133+00	-2.50	2.50	-1.50	1.25	-0.30	0.30	-0.18	0.15	-0.12	0.15				
	133+25	-2.50	2.50	-1.33	1.50	-0.30	0.30	-0.16	0.18	-0.14	0.12				
	133+50	-2.50	2.50	-1.25	1.33	-0.30	0.30	-0.15	0.16	-0.15	0.14				
	133+75	-2.50	2.50	-1.00	1.33	-0.30	0.30	-0.12	0.16	-0.18	0.14				
	134+00	-2.50	2.50	-1.08	1.42	-0.30	0.30	-0.13	0.17	-0.17	0.13				
	134+25	-2.50	2.50	-1.17	1.42	-0.30	0.30	-0.14	0.17	-0.16	0.13				
	134+50	-2.50	2.50	-1.17	1.08	-0.30	0.30	-0.14	0.13	-0.16	0.17				
	134+75	-2.50	2.50	-1.33	0.83	-0.30	0.30	-0.16	0.10	-0.14	0.20				
	135+00	-2.50	2.50	-1.42	0.50	-0.30	0.30	-0.17	0.06	-0.13	0.24				
	135+25	-2.50	2.50	-0.92	1.33	-0.30	0.30	-0.11	0.16	-0.19	0.14				

Crown	Station	Slope						Grade Difference						Difference	
		Plan			Existing			Plan			Existing			Lt. of Cl.	Rt. Of Cl
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL
	135+50	-2.50	2.50	-1.33	0.75	-0.30	0.30	-0.30	0.30	-0.16	0.09	-0.14	0.21		
	135+75	-2.50	2.50	-1.50	0.92	-0.30	0.30	-0.30	0.30	-0.18	0.11	-0.12	0.19		
	136+00	-2.50	2.50	-1.83	1.17	-0.30	0.30	-0.30	0.30	-0.22	0.14	-0.08	0.16		
	136+25	-2.50	2.50	-2.08	0.83	-0.30	0.30	-0.30	0.30	-0.25	0.10	-0.05	0.20		
	136+50	-2.50	2.50	-2.58	1.08	-0.30	0.30	-0.30	0.30	-0.31	0.13	0.01	0.17		
	136+75	-2.50	2.50	-2.42	1.08	-0.30	0.30	-0.30	0.30	-0.29	0.13	-0.01	0.17		
	137+00	-2.50	2.50	-2.83	0.67	-0.30	0.30	-0.30	0.30	-0.34	0.08	0.04	0.22		
	137+25	-2.50	2.50	-3.25	0.92	-0.30	0.30	-0.30	0.30	-0.39	0.11	0.09	0.19		
	137+50	-2.50	2.50	-2.75	0.83	-0.30	0.30	-0.30	0.30	-0.33	0.10	0.03	0.20		
	137+75	-2.50	2.50	-2.58	1.08	-0.30	0.30	-0.30	0.30	-0.31	0.13	0.01	0.17		
	138+00	-2.50	2.50	-2.58	1.00	-0.30	0.30	-0.30	0.30	-0.31	0.12	0.01	0.18		
	138+25	-2.50	2.50	-2.92	1.08	-0.30	0.30	-0.30	0.30	-0.35	0.13	0.05	0.17		
	138+50	-2.50	2.50	-2.83	1.08	-0.30	0.30	-0.30	0.30	-0.34	0.13	0.04	0.17		
	138+75	-2.50	2.50	-3.75	1.00	-0.30	0.30	-0.30	0.30	-0.45	0.12	0.15	0.18		
	139+00	-2.50	2.50	-4.00	0.92	-0.30	0.30	-0.30	0.30	-0.48	0.11	0.18	0.19		
	139+25	-2.50	2.50	-3.75	1.25	-0.30	0.30	-0.30	0.30	-0.45	0.15	0.15	0.15		
	139+50	-2.50	2.50	-3.83	1.50	-0.30	0.30	-0.30	0.30	-0.46	0.18	0.16	0.12		
	139+75	-2.50	2.50	-3.67	1.42	-0.30	0.30	-0.30	0.30	-0.44	0.17	0.14	0.13		
	140+00	-2.50	2.50	-4.08	1.67	-0.30	0.30	-0.30	0.30	-0.49	0.20	0.19	0.10		
	140+25	-2.50	2.50	-4.08	1.50	-0.30	0.30	-0.30	0.30	-0.49	0.18	0.19	0.12		
	140+50	-2.50	2.50	-3.67	1.42	-0.30	0.30	-0.30	0.30	-0.44	0.17	0.14	0.13		
	140+75	-2.50	2.50	-3.58	1.25	-0.30	0.30	-0.30	0.30	-0.43	0.15	0.13	0.15		
	141+00	-2.50	2.50	-3.17	0.75	-0.30	0.30	-0.30	0.30	-0.38	0.09	0.08	0.21		
	141+25	-2.50	2.50	-2.83	1.25	-0.30	0.30	-0.30	0.30	-0.34	0.15	0.04	0.15		
	141+50	-2.50	2.50	-2.75	1.17	-0.30	0.30	-0.30	0.30	-0.33	0.14	0.03	0.16		
	141+75	-2.50	2.50	-2.83	1.33	-0.30	0.30	-0.30	0.30	-0.34	0.16	0.04	0.14		
	142+00	-2.50	2.50	-3.08	1.42	-0.30	0.30	-0.30	0.30	-0.37	0.17	0.07	0.13		
	142+25	-2.50	2.50	-3.25	1.58	-0.30	0.30	-0.30	0.30	-0.39	0.19	0.09	0.11		
	142+50	-2.50	2.50	-3.42	1.58	-0.30	0.30	-0.30	0.30	-0.41	0.19	0.11	0.11		
	142+75	-2.50	2.50	-3.58	1.58	-0.30	0.30	-0.30	0.30	-0.43	0.18	0.13	0.12		
	143+00	-2.50	2.50	-3.75	1.58	-0.30	0.30	-0.30	0.30	-0.45	0.19	0.15	0.11		
	143+25	-2.50	2.50	-3.58	1.83	-0.30	0.30	-0.30	0.30	-0.43	0.22	0.13	0.08		
	143+50	-2.50	2.50	-3.33	1.83	-0.30	0.30	-0.30	0.30	-0.40	0.22	0.10	0.08		
	143+75	-2.50	2.50	-3.58	1.75	-0.30	0.30	-0.30	0.30	-0.43	0.21	0.13	0.09		
	144+00	-2.50	2.50	-4.08	1.67	-0.30	0.30	-0.30	0.30	-0.49	0.20	0.19	0.10		
	144+25	-2.50	2.50	-3.42	1.50	-0.30	0.30	-0.30	0.30	-0.41	0.18	0.11	0.12		
	144+50	-2.50	2.50	-3.17	1.42	-0.30	0.30	-0.30	0.30	-0.38	0.17	0.08	0.13		
	144+75	-2.50	2.50	-3.08	1.08	-0.30	0.30	-0.30	0.30	-0.37	0.13	0.07	0.17		
	145+00	-2.50	2.50	-2.75	1.08	-0.30	0.30	-0.30	0.30	-0.33	0.13	0.03	0.17		
	145+25	-2.50	2.50	-2.67	0.92	-0.30	0.30	-0.30	0.30	-0.32	0.11	0.02	0.19		
	145+50	-2.50	2.50	-2.58	1.33	-0.30	0.30	-0.30	0.30	-0.31	0.16	0.01	0.14		
FULL	145+74.8	-2.50	2.50	-2.75	1.00	-0.30	0.30	-0.30	0.30	-0.33	0.12	0.03	0.18		
	146+00	-2.24	2.24	-2.75	0.92	-0.27	0.27	-0.27	0.27	-0.33	0.11	0.06	0.16		
PT	146+22.8	-2.00	2.00	-2.25	0.67	-0.24	0.24	-0.24	0.24	-0.27	0.08	0.03	0.16		
EQ	146+27.1 BK =147+97.4 AH	-2.00	1.92	-2.25	0.58	-0.24	0.23	-0.24	0.23	-0.27	0.07	0.03	0.16		
	148+00	-2.00	1.88	-2.17	0.58	-0.24	0.23	-0.24	0.23	-0.26	0.07	0.02	0.16		
	148+25	-2.00	1.43	-2.00	0.08	-0.24	0.17	-0.24	0.17	-0.24	0.01	0.00	0.16		
	148+50	-2.00	0.98	-1.92	0.00	-0.24	0.12	-0.24	0.12	-0.23	0.00	-0.01	0.12		
	148+75	-2.00	0.54	-2.50	-0.08	-0.24	0.06	-0.24	0.06	-0.30	-0.01	0.06	0.07		

Crown	Station	Slope						Grade Difference							
		Plan			Existing			Plan			Existing			Difference	
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL
	149+00	-2.00	0.09	-2.42	-0.17	-0.24	0.01	-0.29	-0.02	0.05	0.03				
ST	149+05.1	-2.00	0.00	-2.42	-0.17	-0.24	0.00	-0.29	-0.02	0.05	0.02				
	149+25	-2.00	-0.40	-2.50	-0.17	-0.24	-0.05	-0.30	-0.02	0.06	-0.03				
	149+50		-0.90	-2.42	-0.17	0.00	-0.11	-0.29	-0.02	0.29	-0.09				
	149+75	-2.00	-1.40	-1.92	-0.50	-0.24	-0.17	-0.23	-0.06	-0.01	-0.11				
	149+94.9 BK =														
EQ	152+48 AH	-2.00	-1.80	-1.75	-1.17	-0.24	-0.22	-0.21	-0.14	-0.03	-0.08				
NC	152+58.2	-2.00	-2.00	-1.75	-1.17	-0.24	-0.24	-0.21	-0.14	-0.03	-0.10				

Crown	Station	Slope						Grade Difference							
		Plan			Existing			Plan			Existing			Difference	
		Lt. of CL	Rt. Of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL
NC	165+75.5	-2.00	-2.00	-2.42	-1.50	-0.24	-0.24	-0.24	-0.24	-0.29	-0.18	0.05	-0.06		
	166+00	-2.00	-1.51	-2.33	-1.25	-0.24	-0.24	-0.18	-0.28	-0.15	0.04	-0.03			
	166+25	-2.00	-1.01	-2.17	-1.25	-0.24	-0.24	-0.12	-0.26	-0.15	0.02	0.03			
	166+50	-2.00	-0.51	-2.25	-0.92	-0.24	-0.24	-0.06	-0.27	-0.11	0.03	0.05			
TS	166+75.5	-2.00	0.00	-2.42	-1.08	-0.24	-0.24	0.00	-0.29	-0.13	0.05	0.13			
	167+00	-2.00	0.44	-2.67	-1.00	-0.24	-0.24	0.05	-0.32	-0.12	0.08	0.17			
	167+25	-2.00	0.88	-2.42	-0.50	-0.24	-0.24	0.11	-0.29	-0.06	0.05	0.17			
	167+50	-2.00	1.33	-2.25	0.00	-0.24	-0.24	0.16	-0.27	0.00	0.03	0.16			
	167+75	-2.00	1.78	-2.50	0.58	-0.24	-0.24	0.21	-0.30	0.07	0.06	0.14			
PC	167+87.5 Bk =														
	167+88.5 Ah	-2.00	2.00	-2.58	0.75	-0.24	-0.24	0.24	-0.31	0.09	0.07	0.15			
	168+00	-2.67	2.67	-2.75	0.83	-0.32	-0.32	0.32	-0.33	0.10	0.01	0.22			
	168+25	-4.13	4.13	-2.83	1.17	-0.50	-0.50	0.50	-0.34	0.14	-0.16	0.36			
FULL	168+36.5	-4.80	4.80	-3.17	1.33	-0.58	-0.58	0.58	-0.38	0.16	-0.20	0.42			
	168+50	-4.80	4.80	-3.42	1.42	-0.58	-0.58	0.58	-0.41	0.17	-0.17	0.41			
	168+75	-4.80	4.80	-3.42	1.58	-0.58	-0.58	0.58	-0.41	0.19	-0.17	0.39			
	169+00	-4.80	4.80	-2.67	1.42	-0.58	-0.58	0.58	-0.32	0.17	-0.26	0.41			
	169+25	-4.80	4.80	-2.25	2.17	-0.58	-0.58	0.58	-0.27	0.26	-0.31	0.32			
	169+50	-4.80	4.80	-2.25	2.33	-0.58	-0.58	0.58	-0.27	0.28	-0.31	0.30			
	169+75	-4.80	4.80	-3.00	1.92	-0.58	-0.58	0.58	-0.36	0.23	-0.22	0.35			
	170+00	-4.80	4.80	-3.17	2.33	-0.58	-0.58	0.58	-0.38	0.28	-0.20	0.30			
	170+25	-4.80	4.80	-3.00	2.17	-0.58	-0.58	0.58	-0.36	0.26	-0.22	0.32			
	170+50	-4.80	4.80	-3.17	2.08	-0.58	-0.58	0.58	-0.38	0.25	-0.20	0.33			
	170+75	-4.80	4.80	-3.42	1.92	-0.58	-0.58	0.58	-0.41	0.23	-0.17	0.35			
	171+00	-4.80	4.80	-2.83	1.83	-0.58	-0.58	0.58	-0.34	0.22	-0.24	0.36			
	171+25	-4.80	4.80	-3.08	2.42	-0.58	-0.58	0.58	-0.37	0.29	-0.21	0.29			
	171+50	-4.80	4.80	-3.42	2.25	-0.58	-0.58	0.58	-0.41	0.27	-0.17	0.31			
	171+75	-4.80	4.80	-3.00	2.50	-0.58	-0.58	0.58	-0.36	0.30	-0.22	0.28			
	172+00	-4.80	4.80	-2.92	2.58	-0.58	-0.58	0.58	-0.35	0.31	-0.23	0.27			
	172+25	-4.80	4.80	-2.67	2.25	-0.58	-0.58	0.58	-0.32	0.27	-0.26	0.31			
	172+50	-4.80	4.80	-2.67	2.00	-0.58	-0.58	0.58	-0.32	0.24	-0.26	0.34			
	172+75	-4.80	4.80	-3.00	1.83	-0.58	-0.58	0.58	-0.36	0.22	-0.22	0.36			
	173+00	-4.80	4.80	-3.58	2.42	-0.58	-0.58	0.58	-0.43	0.29	-0.15	0.29			

Crown	Station	Slope						Grade Difference							
		Plan			Existing			Plan			Existing			Difference	
		Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of CL	Rt. Of CL	Lt. of Cl.	Rt. Of CL	Lt. of Cl.	Rt. Of CL	Lt. of Cl.	Rt. Of CL	Lt. of Cl.	Rt. Of CL
	173+25	-4.80	4.80	-3.67	2.25	-0.58	0.58	-0.44	0.27	-0.14	0.31				
	173+50	-4.80	4.80	-3.83	2.25	-0.58	0.58	-0.46	0.27	-0.12	0.31				
	173+75	-4.80	4.80	-4.08	2.58	-0.58	0.58	-0.49	0.31	-0.09	0.27				
	174+00	-4.80	4.80	-4.33	2.50	-0.58	0.58	-0.52	0.30	-0.06	0.28				
	174+25	-4.80	4.80	-3.92	2.25	-0.58	0.58	-0.47	0.27	-0.11	0.31				
	174+50	-4.80	4.80	-3.75	2.42	-0.58	0.58	-0.45	0.29	-0.13	0.29				
	174+75	-4.80	4.80	-3.67	2.17	-0.58	0.58	-0.44	0.26	-0.14	0.32				
	175+00	-4.80	4.80	-3.75	2.25	-0.58	0.58	-0.45	0.27	-0.13	0.31				
	175+25	-4.80	4.80	-3.83	2.42	-0.58	0.58	-0.46	0.29	-0.12	0.29				
	175+50	-4.80	4.80	-3.83	2.50	-0.58	0.58	-0.46	0.30	-0.12	0.28				
	175+75	-4.80	4.80	-3.67	2.92	-0.58	0.58	-0.44	0.35	-0.14	0.23				
	176+00	-4.80	4.80	-3.67	2.42	-0.58	0.58	-0.44	0.29	-0.14	0.29				
	176+25	-4.80	4.80	-3.33	2.50	-0.58	0.58	-0.40	0.30	-0.18	0.28				
	176+50	-4.80	4.80	-3.17	2.42	-0.58	0.58	-0.38	0.29	-0.20	0.29				
	176+75	-4.80	4.80	-3.00	2.50	-0.58	0.58	-0.36	0.30	-0.22	0.28				
	177+00	-4.80	4.80	-2.83	1.92	-0.58	0.58	-0.34	0.23	-0.24	0.35				
	177+25	-4.80	4.80	-2.83	1.42	-0.58	0.58	-0.34	0.17	-0.24	0.41				
	177+50	-4.80	4.80	-2.67	1.42	-0.58	0.58	-0.32	0.17	-0.26	0.41				
	177+75	-4.80	4.80	-2.42	0.92	-0.58	0.58	-0.29	0.11	-0.29	0.47				
	178+00	-4.80	4.80	-2.67	0.75	-0.58	0.58	-0.32	0.09	-0.26	0.49				
FULL	178+29.7	-4.80	4.80	-2.17	0.58	-0.58	0.58	-0.26	0.07	-0.32	0.51				
	178+50	-3.62	3.62	-2.00	0.67	-0.43	0.43	-0.24	0.08	-0.19	0.35				
	178+77.7 Bk =														
PT	178+78.7 Ah	-2.00	2.00	-2.00	0.33	-0.24	0.24	-0.24	0.04	0.00	0.20				
	179+00	-2.00	1.62	-1.92	0.17	-0.24	0.19	-0.23	0.02	-0.01	0.17				
	179+25	-2.00	1.17	-2.00	0.08	-0.24	0.14	-0.24	0.01	0.00	0.13				
	179+50	-2.00	0.73	-1.83	-0.25	-0.24	0.09	-0.22	-0.03	-0.02	0.12				
	179+75	-2.00	0.28	-1.83	-0.83	-0.24	0.03	-0.22	-0.10	-0.02	0.13				
ST	179+90.7	-2.00	0.00	-1.83	-0.92	-0.24	0.00	-0.22	-0.11	-0.02	0.11				
	180+00	-2.00	-0.19	-1.58	-0.83	-0.24	-0.02	-0.19	-0.10	-0.05	0.08				
	180+25	-2.00	-0.69	-1.58	-1.08	-0.24	-0.08	-0.19	-0.13	-0.05	0.05				
	180+50	-2.00	-1.19	-1.67	-1.50	-0.24	-0.14	-0.20	-0.18	-0.04	0.04				
	180+75	-2.00	-1.69	-1.58	-1.42	-0.24	-0.20	-0.19	-0.17	-0.05	-0.03				
NC	180+90.7	-2.00	-2.00	-1.42	-1.75	-0.24	-0.24	-0.17	-0.21	-0.07	-0.03				

Overlying approximately 9 miles of US 51 north of Winona, known as State Project No. MP-2051-49(004) / 303828301, in the County of Montgomery, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	202-B078 Changed 03/12/2010		200	Square Yard	Removal of Pavement, All Types and Depths				
0020	202-B076		600	Linear Feet	Removal of Traffic Stripe				
0030	203-G003	(E)	100	Cubic Yard	Excess Excavation, FM, AH				
0040	203-G004	(E)	150	Cubic Yard	Excess Excavation, LVM, AH				
0050	406-A001		900	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0060	423-A001		18	Mile	Rumble Strips, Ground In				
0070	503-C007		200	Linear Feet	Saw Cut, Full Depth				
0080	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXXX	XXX		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	618-B001		1	Square Feet	Additional Construction Signs	10.	00	10.	00
0100	619-A1002		21	Mile	Temporary Traffic Stripe, Continuous White				
0110	619-A2002		12	Mile	Temporary Traffic Stripe, Continuous Yellow				
0120	619-A3006		1	Mile	Temporary Traffic Stripe, Skip White				
0130	619-A4006		8	Mile	Temporary Traffic Stripe, Skip Yellow				
0140	619-A5001		12,780	Linear Feet	Temporary Traffic Stripe, Detail				
0150	619-A6001		2,000	Linear Feet	Temporary Traffic Stripe, Legend				
0160	619-A6002		700	Square Feet	Temporary Traffic Stripe, Legend				
0170	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0180	627-L001		1,750	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0190	628-J002		400	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
0200	628-L002		200	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXX	XXX		
0220	907-304-B009	(GT)	6,300	Ton	Granular Material, Class 3, Group D Changed 03/12/2010				
0230	907-403-A007	(BA1)	200	Ton	Hot Mix Asphalt, MT, 19-mm mixture				
0240	907-403-A009	(BA1)	7,600	Ton	Hot Mix Asphalt, MT, 4.75-mm mixture				
0250	907-403-A010	(BA1)	4,900	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture				
0260	907-606-PP001		24	Each	Remove and Replace Guard Rail Blockouts				
0270	907-626-A003		1	Mile	6" Thermoplastic Traffic Stripe, Skip White				
0280	907-626-C004		20	Mile	6" Thermoplastic Edge Stripe, Continuous White				
0290	907-626-D003		8	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow				
0300	907-626-E004		12	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow				
0310	907-626-G004		1,800	Linear Feet	Thermoplastic Detail Stripe, White				
0320	907-626-G005		11,000	Linear Feet	Thermoplastic Detail Stripe, Yellow				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	907-626-H004		2,000	Linear Feet	Thermoplastic Legend, White				
0340	907-626-H005		700	Square Feet	Thermoplastic Legend, White				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER