


[Proposal & Plan Sales Will Begin on March 1, 2010](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for March – March 23, 2010



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MARCH - Tuesday, March 23, 2010

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 01, 2010

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
-04	STP-1145-00(011) / 101212305	Harrison
-05	NH-0002-02(062) / 105801301	Clarke & Lauderdale
01	HSIP-0055-02(205) / 105657301	Hinds
02	RSIP-0055-04(070) / 105791301	Desoto & Tate
03	STP-6947-00(004) / 101708302	Madison
04	STP-0014-01(054) / 105740301	Pike
05	SP-0023-00(002) / 105478301	Hancock
06	STP-0063-02(026) / 105375301	Forrest
07	STP-0540-00(005) / 100596301	Kemper
08	SDP-2705-00(001) / 105220301	Lowndes
09	MP-2051-49(004) / 303828301	Montgomery
10	MP-2334-36(009) / 303826301	Lafayette
* 11	MP-5011-38(006) / 303730301	Lauderdale
12	IM-0055-02(201) / 104523301 & IM-0055-02(213) / 104523302	Holmes
13	STP-0068-01(017) / 105861301	Lowndes
* 14	STP-0250-00(034) / 105706301	Hinds

Milling and overlaying approximately 7 miles of U.S. 45 south of Meridian, known as Federal Aid Project Nos. NH-0002-02(062) / 105801301 & NH-0002-03(073) / 105801302, in the Counties of Clarke and Lauderdale, State of Mississippi.

PROJECT COMPLETION: 64 Time Units

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,940	Linear Feet	202-B076	Removal of Traffic Stripe
8	Each	202-B136	Removal of Guard Rail Terminal End Section
100	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
20,020	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
24	Mile	423-A001	Rumble Strips, Ground In
880	Linear Feet	508-A001	Silicone Sealed Joints
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3006	Temporary Traffic Stripe, Skip White
35,141	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
810	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,123	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
2,123	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,663	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,663	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,663	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
18	Each	630-F001	Delineators, Guard Rail, White
18	Each	630-F002	Delineators, Guard Rail, Yellow
28	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
28	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1,000	Ton	907-304-B001	Granular Material, Class 5, Group C
33,200	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
600	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
13	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
27,456	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
45,936	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,782	Linear Feet	907-626-H004	Thermoplastic Legend, White

Construction necessary to improve ramps and traffic signals at the I-10 / SR 601 Interchange, known as Federal Aid Project No. STP-1145-00(011) / 101212305, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: November 19, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
9,326 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
5,500 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
4 Each	202-B042	Removal of Flared End Section, All Sizes
1,000 Linear Feet	202-B076	Removal of Traffic Stripe
3,663 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
182 Linear Feet	202-B106	Removal of Pipe, All Sizes
1,000 Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
13,709 Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
5,577 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
10,790 Cubic Yard	203-G003	Excess Excavation, FM, AH
173 Cubic Yard	206-A001	Structure Excavation
13,963 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
40,492 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
40,492 Square Yard	212-B001	Standard Ground Preparation
4 Ton	213-B001	Combination Fertilizer, 13-13-13
4 Ton	213-C001	Superphosphate
209 Pounds	214-A001	Seeding, Bahiagrass
167 Pounds	214-A002	Seeding, Bermudagrass
63 Pounds	214-A003	Seeding, Tall Fescue
84 Pounds	214-A004	Seeding, Crimson Clover
17 Ton	215-A001	Vegetative Materials for Mulch
19 Square Yard	216-A001	Solid Sodding
1,690 Square Yard	217-A001	Ditch Liner
380 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4 Acre	223-A001	Mowing
800 Square Yard	224-A001	Soil Reinforcing Mat
6,000 Linear Feet	234-A001	Temporary Silt Fence
80 Bale	235-A001	Temporary Erosion Checks
200 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
754 Pounds	602-A001	Reinforcing Steel
404 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
33 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
136 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
3 Each	603-CB004	36" Reinforced Concrete End Section

Call No. -04 for the March 23, 2010 Letting

500 Pounds	604-B001 Gratings
1,304 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
27 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
41 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001 Maintenance of Traffic
1 Mile	619-A3006 Temporary Traffic Stripe, Skip White
21,120 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
606 Linear Feet	619-A6001 Temporary Traffic Stripe, Legend
100 Square Feet	619-A6002 Temporary Traffic Stripe, Legend
32 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
307 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
775 Linear Feet	619-F1001 Concrete Median Barrier, Precast
150 Linear Feet	619-G4001 Barricades, Type III, Single Faced
36 Linear Feet	619-G4005 Barricades, Type III, Double Faced
100 Each	619-G5001 Free Standing Plastic Drums
2 Each	619-G7001 Warning Lights, Type "B"
Lump Sum	620-A001 Mobilization
125 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
154 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
119 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
459 Square Feet	630-B001 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
20 Linear Feet	630-C001 Steel U-Section Posts, 2.0 lb/ft
230 Linear Feet	630-C004 Steel U-Section Posts, 3.0 to 3.5 lb/ft
297 Linear Feet	630-D003 Structural Steel Beams, W6 x 9
313 Pounds	630-E001 Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
180 Pounds	630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
16 Each	630-F006 Delineators, Post Mounted, Single White
4 Each	630-F007 Delineators, Post Mounted, Single Yellow
43 Each	630-F008 Delineators, Post Mounted, Double White
12 Each	630-F009 Delineators, Post Mounted, Double Yellow
44 Linear Feet	630-K001 Welded & Seamless Steel Pipe Posts, 3"
92 Linear Feet	630-K003 Welded & Seamless Steel Pipe Posts, 4"
192 Linear Feet	635-A001 Vehicle Loop Assemblies
3,250 Linear Feet	636-A002 Shielded Cable
1 Each	637-A001 Equipment Cabinet
1 Each	638-A002 Loop Detector Amplifier, 4 Channel
3 Each	639-A127 Traffic Signal Equipment Pole, Type I, Wood, 40 Foot
11 Each	640-A016 Traffic Signal Heads, Type 1 LED
2 Each	640-A018 Traffic Signal Heads, Type 3 LED
3 Each	640-A022 Traffic Signal Heads, Type 7 LED
2 Each	640-A036 Traffic Signal Heads, Type 5L, LED
1 Each	642-A008 Solid State Traffic Actuated Controllers, Type 8A
6 Each	644-A001 Optical Detector
2,675 Linear Feet	644-B001 Optical Detector Cable
2 Each	644-C001 Phase Selector, 2 Channel

Call No. -04 for the March 23, 2010 Letting

Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
1 Each	647-A003	Pullbox, Type 4
11 Each	647-A005	Pullbox, Type 2
2 Each	650-A002	On Street Video Equipment, Fixed Type
1 Each	650-A003	On Street Video Equipment, PTZ Type
4,073 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
661 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
219 Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
1,418 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
36 Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
500 Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
Lump Sum	699-A001	Roadway Construction Stakes
100 Ton	815-A006	Loose Riprap, Size 100
16 Ton	815-A008	Loose Riprap, Size 200
25 Square Yard	815-E001	Geotextile under Riprap
17 Ton	907-213-A001	Agricultural Limestone
2 Each	907-234-D001	Inlet Siltation Guard
200 Linear Feet	907-237-A003	Wattles, 20"
40 Linear Feet	907-237-A002	Wattles, 12"
200 Linear Feet	907-245-A001	Triangular Silt Dike
200 Linear Feet	907-246-A001	Sandbags
6,484 Ton	907-304-F001	Size 825 Crushed Stone Base
3,456 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,305 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,321 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
3,241 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
14 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5 Each	907-617-A001	Right-of-Way Marker
2 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15,840 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,840 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
606 Linear Feet	907-626-H004	Thermoplastic Legend, White
849 Square Feet	907-626-H005	Thermoplastic Legend, White
2 Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1 Each	907-639-A061	Traffic Signal Equipment Pole, Type 1, 70' Shaft
2 Each	907-639-A062	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 40'Arms
20 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
73 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1 Each	907-648-C001	Radio Ethernet Interconnect, Local Intersection
4 Each	907-649-A003	Video Detection System, 1 Sensor, Type 1
1 Each	907-658-A002	Hardened Network Switch, Type B
3 Each	907-662-A001	Video Encoder, Type A
3 Each	907-662-B001	Video Decoder, Type A

Construction necessary to make interchange improvements at the I-55/Byram Interchange, known as Federal Aid Project No. HSIP-0055-02(205) / 105657301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: November 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,043	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
353	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
578	Square Yard	202-B025	Removal of Concrete Paved Ditch
6	Each	202-B070	Removal of Sign Including Post & Footing
7,300	Linear Feet	202-B076	Removal of Traffic Stripe
1,857	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
64	Linear Feet	202-B106	Removal of Pipe, All Sizes
1	Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
2,983	Cubic Yard	203-A004	Unclassified Excavation, LVM, AH
2,879	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
80	Cubic Yard	206-A001	Structure Excavation
13	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,589	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1,235	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5,556	Square Yard	212-A001	Light Ground Preparation
11,112	Square Yard	212-B001	Standard Ground Preparation
2	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
58	Pounds	214-A001	Seeding, Bahiagrass
46	Pounds	214-A002	Seeding, Bermudagrass
23	Pounds	214-A003	Seeding, Tall Fescue
23	Pounds	214-A004	Seeding, Crimson Clover
29	Pounds	214-A005	Seeding, Sericea Lespedeza
46	Pounds	214-A014	Seeding, Browntop Millet
207	Pounds	214-A015	Seeding, Oats
58	Pounds	214-A017	Seeding, Rye Grass
5	Ton	215-A001	Vegetative Materials for Mulch
587	Square Yard	217-A001	Ditch Liner
220	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
80	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
4,273	Linear Feet	234-A001	Temporary Silt Fence
156	Bale	235-A001	Temporary Erosion Checks
244	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
2,908	Linear Feet	503-C007	Saw Cut, Full Depth
2,184	Pounds	602-A001	Reinforcing Steel
79	Pounds	604-A001	Castings

Call No. 01 for the March 23, 2010 Letting

100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
1	Each	606-E001	Guard Rail, Terminal End Section
334	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
	Lump Sum	618-A001	Maintenance of Traffic
6,419	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,505	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
215	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
275	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
94	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
65	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
560	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,360	Linear Feet	619-F1001	Concrete Median Barrier, Precast
6	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
244	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
44	Each	627-O001	Yellow-Clear Reflective High Performance Raised Markers
5	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
12	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
520	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
143	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
20	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
180	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
42	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
129	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
111	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
10	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
42	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
1,440	Linear Feet	635-A001	Vehicle Loop Assemblies
4,600	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
5	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
2	Each	640-A005	Traffic Signal Heads, Type 2A
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A017	Traffic Signal Heads, Type 2 LED
3	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	640-A019	Traffic Signal Heads, Type 5 LED
3	Each	640-A022	Traffic Signal Heads, Type 7 LED
5	Each	644-A001	Optical Detector
965	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
14	Each	647-A005	Pullbox, Type 2
81	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
145	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
2,000	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor

Call No. 01 for the March 23, 2010 Letting

310	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
130	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
2,700	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
65	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
1,455	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
535	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Linear Feet	668-C005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
3	Each	686-A001	Relocation of Existing Lighting Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
60	Ton	815-A006	Loose Riprap, Size 100
7	Ton	907-213-A001	Agricultural Limestone
140	Linear Feet	907-237-A003	Wattles, 20"
120	Linear Feet	907-245-A001	Triangular Silt Dike
120	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
1,410	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
1,897	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
918	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
1,688	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
243	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,957	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
12	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
1,424	Square Yard	907-409-A001	Geotextile Fabric For Underseal
25	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Each	907-619-E3001	Changeable Message Sign
8,066	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
5,114	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
3,325	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,384	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
605	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
362	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
18	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-639-A013	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
1	Each	907-639-A072	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 80' Arms
1	Each	907-639-A073	Traffic Signal Equipment Pole, Type III, 17' Shaft, 60' & 65' Arms
10	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
2	Each	907-642-A004	Solid State Traffic Actuated Controller Modification, Type 8A
2,650	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
1	Each	907-658-A001	Hardened Network Switch, Type A
	Lump Sum	907-659-A001	Traffic Management Center Modifications

Construction necessary to install cable barrier, fence and other safety items on Interstate Highway 55, known as Federal Aid Project No. RSIP-0055-04(070) / 105791301 & 302, in the Counties of Tate and Desoto, State of Mississippi.

PROJECT COMPLETION: July 06, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
200 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
370 Square Yard	202-B025	Removal of Concrete Paved Ditch
50 Each	202-B039	Removal of Delineator, All Types
116,283 Linear Feet	202-B041	Removal of Fence, All Types
15,468 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
100 Each	202-B086	Removal of Guard Post
400 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,000 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
34 Ton	213-C001	Superphosphate
100 Square Yard	216-A001	Solid Sodding
800 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
67 Acre	220-A001	Insect Pest Control
1,212 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
25,000 Linear Feet	234-A001	Temporary Silt Fence
300 Bale	235-A001	Temporary Erosion Checks
210 Each	606-A002	Guard Post, Type II Modified
11,743 Linear Feet	606-B001	Guard Rail, Class A, Type 1
32 Each	606-C003	Guard Rail, Cable Anchor, Type 1
24 Each	606-D001	Guard Rail, Bridge End Section, Type A
6 Each	606-D012	Guard Rail, Bridge End Section, Type I
62 Each	606-E001	Guard Rail, Terminal End Section
2 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
4 Each	606-F001	Special Sections, Bridge Connector
105,180 Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
11,103 Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
9,000 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
4 Each	607-G115	Gate, 12' x 5' Aluminum
833 Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
10 Each	607-P1011	Line Post, 12' x 2" Galvanized Steel
6,574 Each	607-P1013	Line Post, 7' Tee Post Steel
1,375 Each	607-P1014	Line Post, 9' Tee Post Steel
876 Each	607-P1015	Line Post, 10' Tee Post Steel
3 Each	607-P1018	Line Post, 12' x 2 1/2" Galvanized Steel
111 Each	607-P1025	Line Post, 10' x 1 1/2" Galvanized Steel
166 Each	607-P1026	Line Post, 9' x 1 1/2" Galvanized Steel
20 Each	607-P1027	Line Post, 7' x 2" Galvanized Steel
22 Each	607-P1028	Line Post, 7' x 2 1/2" Galvanized Steel

Call No. 02 for the March 23, 2010 Letting

5	Each	607-P1031	Line Post, 10' x 2 1/2" Galvanized Steel
525	Each	607-P2001	Brace Post, 8' x 6" Timber
105	Each	607-P2002	Brace Post, 10' x 6" Timber
70	Each	607-P2003	Brace Post, 12' x 6" Timber
15	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
10	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
75	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
4	Each	607-P3001	Gate Post, 8' x 6" Timber
704	Each	607-Z001	Concrete Anchors
300	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
	Lump Sum	618-A001	Maintenance of Traffic
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,188	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
66	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
362	Each	630-F001	Delineators, Guard Rail, White
154	Each	630-F002	Delineators, Guard Rail, Yellow
16	Each	630-F006	Delineators, Post Mounted, Single White
30	Each	630-F007	Delineators, Post Mounted, Single Yellow
86	Each	630-F008	Delineators, Post Mounted, Double White
46	Each	630-F009	Delineators, Post Mounted, Double Yellow
44	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
250	Ton	815-A006	Loose Riprap, Size 100
21	Each	907-203-I002	Site Grading
67	Acre	907-225-A001	Grassing
134	Ton	907-225-B001	Agricultural Limestone
34	Acre	907-226-A001	Temporary Grassing
500	Linear Feet	907-237-A003	Wattles, 20"
240	Linear Feet	907-245-A001	Triangular Silt Dike
200	Linear Feet	907-246-A001	Sandbags
1,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
23,600	Linear Feet	907-606-G001	Cable Barrier
20	Each	907-606-H001	Cable Barrier Terminal Section
50	Each	907-606-I001	Cable Barrier Post Repair
2	Each	907-619-E3001	Changeable Message Sign

Construction necessary to relocate SR 463 in Madison, known as Federal Aid Project No. STP-6947-00(004) / 101708302, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: October 14, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
3,396 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
942 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,715 Linear Feet	202-B038	Removal of Curb, All Types
8 Each	202-B057	Removal of Inlets, All Sizes
1,393 Linear Feet	202-B064	Removal of Pipe, 8" And Above
110 Each	202-B066	Removal of Raised Reflective Pavement Marker
6,455 Linear Feet	202-B076	Removal of Traffic Stripe
13,710 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
47,100 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
5,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
7,129 Cubic Yard	206-A001	Structure Excavation
199 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
8,176 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
49,056 Square Yard	212-A001	Light Ground Preparation
98,113 Square Yard	212-B001	Standard Ground Preparation
13 Ton	213-B001	Combination Fertilizer, 13-13-13
10 Ton	213-C001	Superphosphate
406 Pounds	214-A002	Seeding, Bermudagrass
203 Pounds	214-A003	Seeding, Tall Fescue
203 Pounds	214-A004	Seeding, Crimson Clover
203 Pounds	214-A014	Seeding, Browntop Millet
913 Pounds	214-A015	Seeding, Oats
254 Pounds	214-A017	Seeding, Rye Grass
153 Ton	215-A001	Vegetative Materials for Mulch
75 Square Yard	216-A001	Solid Sodding
150 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
60 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
7 Acre	223-A001	Mowing
300 Square Yard	224-A001	Soil Reinforcing Mat
10,200 Linear Feet	234-A001	Temporary Silt Fence
3,168 Bale	235-A001	Temporary Erosion Checks
1 Each	236-A004	Silt Basin, Type D
1,000 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
166 Linear Feet	501-E001	Expansion Joints, Without Dowels
369 Square Yard	501-K001	Transverse Grooving
369 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

Call No. 03 for the March 23, 2010 Letting

271	Linear Feet	503-C007	Saw Cut, Full Depth
154,080	Pounds	602-A001	Reinforcing Steel
4,238	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
1,044	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
516	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
280	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
7	Each	603-CB001	18" Reinforced Concrete End Section
8	Each	603-CB002	24" Reinforced Concrete End Section
4	Each	603-CB006	48" Reinforced Concrete End Section
612	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
1,520	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
512	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
5	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
4	Each	603-SB015	44" x 27" Branch Connections, Stub into Box Culvert
1	Each	603-SB030	24" Branch Connections, Stub into Concrete Box Culvert Wingwall
1	Each	603-SB050	44" x 27" Branch Connection, Stub into Existing Inlet
1	Each	603-SB051	58" x 36" Branch Connections, Stub into Box Culvert
4,582	Pounds	604-A001	Castings
688	Pounds	604-B001	Gratings
11,084	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
897	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,660	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,949	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
696	Linear Feet	609-B001	Concrete Curb, Header
335	Linear Feet	609-B005	Concrete Curb, Special Design Doweled
884	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
13,203	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
1	Each	613-D005	Adjustment of Manhole
583	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1,134	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
141	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
1	Mile	619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
6,443	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,784	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
1,490	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
128	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
594	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape

Call No. 03 for the March 23, 2010 Letting

90	Square Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 Tape
200	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
200	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
234	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
753	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
486	Linear Feet	619-F1001	Concrete Median Barrier, Precast
250	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
468	Linear Feet	619-G4001	Barricades, Type III, Single Faced
88	Linear Feet	619-G4008	Barricades, Type III, Double Faced, Permanent, Red/White
272	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
412	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
411	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,759	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,744	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,744	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
2	Each	629-C001	Vehicular Impact Attenuator Back-up Wall
171	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
265	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
85	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
66	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
575	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
68	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
134	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
103	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
2,328	Linear Feet	635-A001	Vehicle Loop Assemblies
5,365	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
7	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
17	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A019	Traffic Signal Heads, Type 5 LED
14	Each	640-A021	Traffic Signal Heads, Type 6 LED
7	Each	640-A022	Traffic Signal Heads, Type 7 LED
3	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
10	Each	644-A001	Optical Detector
1,823	Linear Feet	644-B001	Optical Detector Cable
3	Each	644-C002	Phase Selector, 4 Channel
7	Each	647-A001	Pullbox, Type 1
4	Each	647-A003	Pullbox, Type 4
1	Each	647-A004	Pullbox, Type 5
17	Each	647-A005	Pullbox, Type 2
2,370	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,660	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor

Call No. 03 for the March 23, 2010 Letting

360	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
498	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
3,330	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
3,645	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
140	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
310	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
1,630	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
215	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,265	Linear Feet	668-C004	Traffic Signal Conduit, Aerial Supported, Type 1, 2 1/2"
175	Linear Feet	668-C005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
150	Square Yard	815-A004	Loose Riprap, Size 300
300	Ton	815-A006	Loose Riprap, Size 100
175	Square Yard	815-E001	Geotextile under Riprap
61	Ton	907-213-A001	Agricultural Limestone
2,400	Each	907-230-A042	Shrub Planting, Annuals 4" Pots
6,291	Each	907-230-A043	Shrub Planting, Asian Jasmine 4" Pots
1,007	Each	907-230-A044	Shrub Planting, Parsons Juniper 2 Gallon
12	Each	907-230-B011	Tree Planting, Southern Magnolia Select #3. 6'-8' Ht.
54	Each	907-230-B023	Tree Planting, Eastern Red Cedar 4'-5' Ht.
29	Each	907-230-B040	Tree Planting, Red Sunset Maple
70	Each	907-230-B094	Tree Planting, Spruce Pine 4'-5' Ht.
4	Each	907-234-D001	Inlet Siltation Guard
360	Linear Feet	907-237-A002	Wattles, 12"
460	Linear Feet	907-237-A003	Wattles, 20"
420	Linear Feet	907-245-A001	Triangular Silt Dike
600	Linear Feet	907-246-A001	Sandbags
1,720	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
7,030	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
200	Ton	907-304-F003	3/4" and Down Crushed Stone Base
30,816	Square Yard	907-307-B002	6" Soil-Lime-Water Mixing, Class B
425	Ton	907-307-D001	Lime
1,080	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
7,306	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,093	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
4,703	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,657	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
2,073	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
577	Cubic Yard	907-601-A001	Class "B" Structural Concrete
266	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
26,691	Square Feet	907-616-C001	Stamped & Colored Concrete Median and/or Island Pavement, Per Plans
96	Each	907-617-A001	Right-of-Way Marker
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

Call No. 03 for the March 23, 2010 Letting

1 Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
3 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
640 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
7,618 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,447 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,441 Linear Feet	907-626-H004	Thermoplastic Legend, White
947 Square Feet	907-626-H005	Thermoplastic Legend, White
1 Each	907-637-A001	Equipment Cabinet, Type B
2 Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1 Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1 Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1 Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
5 Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1 Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1 Each	907-639-A071	Traffic Signal Equipment Pole, Type IV, 40' Shaft, 55' Arm
23 Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
1 Each	907-650-A003	On Street Video Equipment, PTZ Type
6,285 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
445 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
3 Each	907-658-A001	Hardened Network Switch, Type A
1 Each	907-658-A002	Hardened Network Switch, Type B
Lump Sum	907-659-A001	Traffic Management Center Modifications
4 Each	907-662-A001	Video Encoder, Type A
1 Each	907-662-B001	Video Decoder, Type A
154 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NO. 1		
554 Ton	907-308-A001	Portland Cement
38,520 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2		
38,520 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
302 Ton	907-311-B001	Lime
1,210 Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1		
67 Ton	907-308-A001	Portland Cement
7,704 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP BB NO. 2		
7,704 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
50 Ton	907-311-B001	Lime
200 Ton	907-311-C002	Fly Ash, Class C or F
Bridge Items		
6,813 Square Yard	501-K001	Transverse Grooving
25,756 Pounds	602-A001	Reinforcing Steel
6,034 Cubic Yard	801-A001	Foundation Excavation for Bridges

Call No. 03 for the March 23, 2010 Letting

60	Linear Feet	803-N001	Exploration
300	Linear Feet	803-O003	Permanent Casing, 48" Diameter
1,620	Linear Feet	803-O008	Temporary Casing, 48" Diameter
1,439,206	Pounds	805-A001	Reinforcement
26,715	Square Feet	809-A004	Mechanically Stabilized Earth Wall System
8,451,133	Pounds	810-A002	Structural Steel, A 709
3,988	Linear Feet	813-B001	Concrete-Steel Railing
14	Cubic Yard	815-D001	Concrete Slope Paving
595	Cubic Yard	907-601-A002	Class "AA" Structural Concrete
4,992	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
1	Each	907-803-L003	Test Shaft, 48" Diameter
60	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
9,400	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
90	Each	907-811-D001	Disc Bearing Device
	Lump Sum	907-831-PP001	Architectural Precast Pieces

Overlaying approximately 3 miles of U.S. Highway 98 between I-55 and ICRR Railroad Bridge, known as Federal Aid Project No. STP-0014-01(054) / 105740301, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: June 24, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4	Each	202-B043	Removal of Guard Rail Bridge End Section
3	Each	202-B049	Removal of Guard Rail Cable Anchor, Type 1 Including Post, Rail, Anchor & Hardware
4	Each	202-B050	Removal of Guard Rail Cable Anchor, Type 2 Including Post, Rail, Anchor & Hardware
675	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
82,400	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B274	Removal of Guard Rail Bridge Connector
4,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,262	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-C003	Guard Rail, Cable Anchor, Type 1
5	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
20,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,056	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,943	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
690	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
58	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
420	Linear Feet	635-A001	Vehicle Loop Assemblies
750	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
29	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,113	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,556	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,943	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 04 for the March 23, 2010 Letting

ALTERNATE GROUP AA NO. 1

46,928	Gallon	907-405-A001	Emulsified Asphalt for Micro-Surfacing
1,644	Ton	907-405-B001	Aggregate for Micro-Surfacing

ALTERNATE GROUP AA NO. 2

5,030	Ton	907-403-D003	Hot Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified
-------	-----	--------------	--

Construction necessary to build an Access Road to the Welcome Center and NASA Infinity Site at the I-10/SR 607 Interchange, known as State Project No. SP-0023-00(002) / 105478301, in the County of Hancock, State of Mississippi.

PROJECT COMPLETION: September 10, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
98	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
300	Linear Feet	202-B041	Removal of Fence, All Types
368	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
36,046	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
9,225	Cubic Yard	203-G003	Excess Excavation, FM, AH
70	Cubic Yard	206-A001	Structure Excavation
100	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
16,335	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
8,937	Linear Feet	234-A001	Temporary Silt Fence
100	Bale	235-A001	Temporary Erosion Checks
184	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
5	Each	603-CB001	18" Reinforced Concrete End Section
144	Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
4	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
300	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
	Lump Sum	618-A001	Maintenance of Traffic
9,624	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
6,087	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2,363	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
2,838	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
154	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
396	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
42	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
42	Linear Feet	619-G4005	Barricades, Type III, Double Faced
12	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
77	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
30	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
89	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
79	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
136	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
60	Ton	815-A006	Loose Riprap, Size 100
4	Acre	907-225-A001	Grassing
8	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
200	Linear Feet	907-237-A003	Wattles, 20"
120	Linear Feet	907-245-A001	Triangular Silt Dike
120	Linear Feet	907-246-A001	Sandbags

Call No. 05 for the March 23, 2010 Letting

1,772	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
5,821	Ton	907-304-F004	Size 825B Crushed Stone Base
1,772	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
3,342	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5	Each	907-617-A001	Right-of-Way Marker

Construction necessary to upgrade SR 42 east of Petal, known as Federal Aid Project No. STP-0063-02(026) / 105375301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: May 04, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
8,631 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
16,794 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
76 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
14 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1 Each	202-B057	Removal of Inlets, All Sizes
4 Each	202-B079	Removal of Headwall
4,305 Linear Feet	202-B106	Removal of Pipe, All Sizes
16 Mile	202-B149	Removal of Traffic Stripe
87,888 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,727 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
6,139 Cubic Yard	206-A001	Structure Excavation
120 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
147,677 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
22 Ton	213-C001	Superphosphate
24,200 Square Yard	216-A001	Solid Sodding
1,687 Square Yard	217-A001	Ditch Liner
89 Thousand Gallon	219-A001	Watering
45 Acre	220-A001	Insect Pest Control
489 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
45 Acre	223-A001	Mowing
212 Square Yard	224-A001	Soil Reinforcing Mat
16,500 Linear Feet	234-A001	Temporary Silt Fence
904 Bale	235-A001	Temporary Erosion Checks
7 Each	236-A002	Silt Basin, Type B
18 Each	236-A004	Silt Basin, Type D
25,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7,000 Linear Feet	503-C004	Saw Cut, 7-inch
71,355 Pounds	602-A001	Reinforcing Steel
11,224 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,468 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
310 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
76 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
112 Linear Feet	603-CA125	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
6 Each	603-CB001	18" Reinforced Concrete End Section
10 Each	603-CB002	24" Reinforced Concrete End Section
7 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
156 Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets

Call No. 06 for the March 23, 2010 Letting

1 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
7,742 Pounds	604-A001	Castings
1,143 Pounds	604-B001	Gratings
863 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
49,376 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
200 Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
450 Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
16,759 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
1,613 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
32 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,246 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
48,508 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,279 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
3,429 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,502 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
379 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
474 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30 Linear Feet	619-G4001	Barricades, Type III, Single Faced
1,032 Each	619-G5001	Free Standing Plastic Drums
6 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
1,237 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
743 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
142 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
491 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
63 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
569 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
94 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
170 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
341 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
29 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
244 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
96 Linear Feet	635-A001	Vehicle Loop Assemblies
970 Linear Feet	636-A002	Shielded Cable
1 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8 Each	640-A016	Traffic Signal Heads, Type 1 LED
2 Each	640-A022	Traffic Signal Heads, Type 7 LED
1 Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4 Each	644-A001	Optical Detector
760 Linear Feet	644-B001	Optical Detector Cable
1 Each	644-C002	Phase Selector, 4 Channel
3 Each	647-A001	Pullbox, Type 1

Call No. 06 for the March 23, 2010 Letting

1	Each	647-A003	Pullbox, Type 4
3	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	648-B001	Radio Interconnect, Installed in Existing Controller Cabinet
800	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
180	Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2Conductor
324	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
84	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
500	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
312	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
45	Acre	907-225-A001	Grassing
130	Ton	907-225-B001	Agricultural Limestone
23	Acre	907-226-A001	Temporary Grassing
1,070	Linear Feet	907-237-A002	Wattles, 12"
340	Linear Feet	907-237-A003	Wattles, 20"
340	Linear Feet	907-245-A001	Triangular Silt Dike
1,410	Linear Feet	907-246-A001	Sandbags
5	Each	907-247-A001	Temporary Stream Diversion
23,741	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
39,400	Ton	907-304-F001	Size 825 Crushed Stone Base
7,875	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
5,703	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,641	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
830	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,231	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,830	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
26,867	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
2,122	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
18,738	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
5,703	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
11,578	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
81	Cubic Yard	907-601-A001	Class "B" Structural Concrete
247	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
576	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
69	Each	907-617-A001	Right-of-Way Marker
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,216	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,128	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,370	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,741	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-639-A013	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms

Call No. 06 for the March 23, 2010 Letting

8 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
403 Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

Reconstruction of SR 16 between Scooba and the Alabama State Line, known as Federal Aid Project No. STP-0540-00(005) / 100596301, in the County of Kemper, State of Mississippi.

PROJECT COMPLETION: November 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
34,334 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
693 Linear Feet	202-B038	Removal of Curb, All Types
62,707 Linear Feet	202-B076	Removal of Traffic Stripe
1,724 Linear Feet	202-B106	Removal of Pipe, All Sizes
102,247 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,000 Cubic Yard	203-D001	Muck Excavation, FM
4,155 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
196,314 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,146 Cubic Yard	206-A001	Structure Excavation
500 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
158,619 Square Yard	212-B001	Standard Ground Preparation
37 Ton	213-B001	Combination Fertilizer, 13-13-13
37 Ton	213-C001	Superphosphate
1,460 Pounds	214-A002	Seeding, Bermudagrass
730 Pounds	214-A003	Seeding, Tall Fescue
730 Pounds	214-A004	Seeding, Crimson Clover
660 Pounds	214-A014	Seeding, Browntop Millet
2,970 Pounds	214-A015	Seeding, Oats
825 Pounds	214-A017	Seeding, Rye Grass
248 Ton	215-A001	Vegetative Materials for Mulch
1,009 Square Yard	216-A001	Solid Sodding
4,555 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
37 Acre	220-A001	Insect Pest Control
1,058 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
12,207 Square Yard	224-A001	Soil Reinforcing Mat
41,258 Linear Feet	234-A001	Temporary Silt Fence
1,344 Bale	235-A001	Temporary Erosion Checks
100 Linear Feet	239-A001	Temporary Slope Drains
650 Ton	310-B003	Size I Stabilizer Aggregate, Coarse
47,570 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
170 Pounds	602-A001	Reinforcing Steel
444 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
128 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
176 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
360 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
892 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III

Call No. 07 for the March 23, 2010 Letting

216	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
14	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
8	Each	603-CB005	42" Reinforced Concrete End Section
22	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
328	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
196	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
144	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
336	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
6	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
6	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
381	Pounds	604-B001	Gratings
1,236	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E001	Guard Rail, Terminal End Section
423	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,884	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,360	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,328	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
88	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
639	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
892	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,260	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
144	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
824	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
618	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
309	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
133	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
271	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
52	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
629	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
92	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
96	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles

Call No. 07 for the March 23, 2010 Letting

116 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
28 Each	630-F001	Delineators, Guard Rail, White
28 Each	630-F002	Delineators, Guard Rail, Yellow
8 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
93 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
Lump Sum	699-A001	Roadway Construction Stakes
500 Ton	815-A006	Loose Riprap, Size 100
330 Ton	815-A009	Loose Riprap, Size 300
489 Square Yard	815-E001	Geotextile under Riprap
46 Ton	907-213-A001	Agricultural Limestone
980 Linear Feet	907-237-A003	Wattles, 20"
640 Linear Feet	907-245-A001	Triangular Silt Dike
500 Linear Feet	907-246-A001	Sandbags
15,680 Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
13,163 Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
37,983 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
1,288 Ton	907-307-D001	Lime
19,293 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
9,173 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
9,173 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
14 Cubic Yard	907-601-A001	Class "B" Structural Concrete
4 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
4,064 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
87 Each	907-617-A001	Right-of-Way Marker
12 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,866 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,358 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
695 Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
80 Ton	907-308-A001	Portland Cement
9,497 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2		
9,497 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
161 Ton	907-311-B001	Lime
644 Ton	907-311-C002	Fly Ash, Class C or F

Construction necessary to replace two bridges on SR 182 between US 45 and Port Access Road, known as State Project No. SDP-2705-00(001) / 105220301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: May 31, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
2,605 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B009	Removal of Bridge
936 Square Yard	202-B036	Removal of Concrete Slope Paving
441 Linear Feet	202-B038	Removal of Curb, All Types
165 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,547 Linear Feet	202-B076	Removal of Traffic Stripe
10,123 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
718 Linear Feet	202-B102	Removal of Guard Rail
51,450 Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
1,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
11 Cubic Yard	206-A001	Structure Excavation
47,152 Square Yard	212-A001	Light Ground Preparation
94,303 Square Yard	212-B001	Standard Ground Preparation
13 Ton	213-B001	Combination Fertilizer, 13-13-13
10 Ton	213-C001	Superphosphate
488 Pounds	214-A001	Seeding, Bahiagrass
390 Pounds	214-A002	Seeding, Bermudagrass
488 Pounds	214-A003	Seeding, Tall Fescue
195 Pounds	214-A004	Seeding, Crimson Clover
195 Pounds	214-A014	Seeding, Browntop Millet
878 Pounds	214-A015	Seeding, Oats
244 Pounds	214-A017	Seeding, Rye Grass
59 Ton	215-A001	Vegetative Materials for Mulch
157 Square Yard	216-A001	Solid Sodding
125 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
18 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
9,237 Linear Feet	234-A001	Temporary Silt Fence
175 Bale	235-A001	Temporary Erosion Checks
1,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3 Mile	423-A001	Rumble Strips, Ground In
155 Linear Feet	501-E001	Expansion Joints, Without Dowels
341 Square Yard	501-K001	Transverse Grooving
341 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
260 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
148 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
4 Each	603-CB002	24" Reinforced Concrete End Section

Call No. 08 for the March 23, 2010 Letting

850	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
404	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
384	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
134	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
207	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,573	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
81	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
659	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
102	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
135	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
33	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
381	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
216	Linear Feet	619-G4005	Barricades, Type III, Double Faced
112	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
202	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
880	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
160	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
660	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
81	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
147	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
500	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
44	Each	630-F001	Delineators, Guard Rail, White
3	Cubic Yard	631-A001	Flowable Fill
	Lump Sum	699-B001	Bridge Construction Stakes
250	Ton	815-A006	Loose Riprap, Size 100
59	Ton	907-213-A001	Agricultural Limestone
150	Linear Feet	907-234-F001	Turbidity Barrier
400	Linear Feet	907-237-A003	Wattles, 20"
200	Linear Feet	907-245-A001	Triangular Silt Dike
200	Linear Feet	907-246-A001	Sandbags
8,265	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
5,658	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
15,635	Square Yard	907-307-C005	8" Soil-Lime-Water Mixing, Class C
283	Ton	907-307-D001	Lime
310	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
1,954	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
267	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
2,842	Ton	907-403-A013	Hot Mix Asphalt, ST, 25-mm mixture

Call No. 08 for the March 23, 2010 Letting

2,559	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
1,920	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
932	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,578	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
492	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
281	Linear Feet	907-626-H004	Thermoplastic Legend, White
Bridge Items			
1,563	Square Yard	501-K001	Transverse Grooving
4	Each	803-B001	Conventional Static Loading Test
1,462	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2,365	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I001	PDA Test Pile
120,930	Pounds	805-A001	Reinforcement
879	Linear Feet	813-A001	Concrete Railing
1,097	Ton	815-A009	Loose Riprap, Size 300
713	Square Yard	815-E001	Geotextile under Riprap
667	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,163	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Overlaying approximately 9 miles of US 51 north of Winona, known as State Project No. MP-2051-49(004) / 303828301, in the County of Montgomery, State of Mississippi.

PROJECT COMPLETION: June 22, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
600	Linear Feet	202-B076	Removal of Traffic Stripe
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
150	Cubic Yard	203-G004	Excess Excavation, LVM, AH
900	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,780	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
700	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
200	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
	Lump Sum	699-A001	Roadway Construction Stakes
8,300	Ton	907-304-B009	Granular Material, Class 3, Group D
200	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
7,600	Ton	907-403-A009	Hot Mix Asphalt, MT, 4.75-mm mixture
4,900	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
24	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
700	Square Feet	907-626-H005	Thermoplastic Legend, White

Milling and Overlaying approximately 1 mile of Highway 334 in Oxford, known as State Project No. MP-2334-36(009) / 303826301 in the County of Lafayette, State of Mississippi.

PROJECT COMPLETION: June 21, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Linear Feet	202-B076	Removal of Traffic Stripe
200	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
37,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
100	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
25,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
12,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
120	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200	Linear Feet	635-A001	Vehicle Loop Assemblies
200	Ton	907-304-B009	Granular Material, Class 3, Group D
2,100	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
150	Square Feet	907-626-H005	Thermoplastic Legend, White

Milling and overlaying approximately 1.5 miles of US Highway 11 in Meridian, known as State Project No. MP-5011-38(006) / 303730301, in the County of Lauderdale, State of Mississippi.

PROJECT COMPLETION: August 02, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
25	Cubic Yard	203-EX034	Borrow Excavation, AH, LVM, Class B17
40	Cubic Yard	206-A001	Structure Excavation
30	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
50	Square Yard	217-A001	Ditch Liner
200	Linear Feet	234-A001	Temporary Silt Fence
30	Bale	235-A001	Temporary Erosion Checks
120	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
43,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11,500	Linear Feet	413-D001	Cleaning and Filling Joints
6,000	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
13,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
645	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
100	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
340	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
330	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Acre	907-225-A001	Grassing
1	Each	907-247-A001	Temporary Stream Diversion
900	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
5,900	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
11,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
22	Cubic Yard	907-601-A001	Class "B" Structural Concrete
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
3	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
450	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
450	Linear Feet	907-626-H004	Thermoplastic Legend, White
65	Square Feet	907-626-H005	Thermoplastic Legend, White

Pavement Resurfacing on Interstate 55 from SR 17 to the Carroll County Line, known as Federal Aid Project No. IM-0055-02(201) / 104523301 & IM-0055-02(213) / 104523302, in the County of Holmes, State of Mississippi.

PROJECT COMPLETION: October 21, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
10,400 Each	202-B066	Removal of Raised Reflective Pavement Marker
2,000 Linear Feet	202-B076	Removal of Traffic Stripe
100 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,500 Square Yard	202-B112	Removal of Concrete Pavement, Failed Areas
18,435 Linear Feet	202-B143	Removal of Porous Concrete Edge Drain
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
2 Acre	220-A001	Insect Pest Control
365 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2 Acre	223-A001	Mowing
8,000 Linear Feet	234-A001	Temporary Silt Fence
250 Bale	235-A001	Temporary Erosion Checks
1,000 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
12,000 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
86 Mile	423-A001	Rumble Strips, Ground In
1,500 Square Yard	503-A005	8" and Variable Reinforced Concrete Pavement
1,000 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,400 Linear Feet	503-C002	Saw Cut, 3-inch
2,900 Linear Feet	503-C005	Saw Cut, 8-inch
40 Cubic Yard	503-D001	Concrete for Base Repair
1,000 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
75,000 Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
95 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
89 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
90 Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
52,000 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
270 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
10,400 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
116 Square Feet	619-D4001	Directional Signs
Lump Sum	620-A001	Mobilization
5,150 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
45 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,050 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,125 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,125 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
30 Each	630-F006	Delineators, Post Mounted, Single White
20 Each	630-F007	Delineators, Post Mounted, Single Yellow
140 Each	630-F008	Delineators, Post Mounted, Double White
Lump Sum	699-A001	Roadway Construction Stakes

Call No. 12 for the March 23, 2010 Letting

2 Acre	907-225-A001	Grassing
6 Ton	907-225-B001	Agricultural Limestone
2 Acre	907-226-A001	Temporary Grassing
300 Linear Feet	907-237-A003	Wattles, 20"
120 Linear Feet	907-246-A001	Sandbags
44,000 Ton	907-304-B002	Granular Material, Class 5, Group D
1,800 Ton	907-304-F003	3/4" and Down Crushed Stone Base
38,500 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
28,325 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
135,000 Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
60,400 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
90 Mile	907-403-S002	Joint Sealant for HMA
900 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
32,000 Linear Feet	907-414-C001	High Density Self Adhesive Joint Sealing Tape, 24"
150,000 Linear Feet	907-605-H001	Edge Drain
16,600 Linear Feet	907-605-I001	Edge Drain Outlets/Vents
1,500 Linear Feet	907-606-G001	Cable Barrier
10 Each	907-606-H001	Cable Barrier Terminal Section
45 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
47 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,280 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
44 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
28,225 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
675 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
250 Linear Feet	907-626-H004	Thermoplastic Legend, White
Lump Sum	907-688-A001	Vehicle Inductive Loop and Axle Detector System

Mill and overlay approximately 10 miles of SR 69 and SR 182 from Columbus to the Alabama State Line, known as Federal Aid Project No. STP-0068-01(017) / 105861301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: November 15, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,025	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
6,000	Linear Feet	202-B076	Removal of Traffic Stripe
200	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
2,510	Linear Feet	202-B102	Removal of Guard Rail
150	Cubic Yard	203-G003	Excess Excavation, FM, AH
256,800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,800	Gallon	410-A003	Asphalt for Surface Treatment, Grade CRS-2
70	Cubic Yard	410-C012	Seal Aggregate Cover Material, Size 7, Limestone
12	Mile	423-A001	Rumble Strips, Ground In
1,100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
200	Linear Feet	606-B002	Guard Rail, Class A, Type 1, Double Faced
8	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
8	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-D006	Guard Rail, Bridge End Section, Type G
3	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
2	Each	606-D008	Guard Rail, Bridge End Section, Type H
11	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
2,341	Linear Feet	609-B001	Concrete Curb, Header
696	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
21	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
55,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
38,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
4,800	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
381	Square Feet	619-D4001	Directional Signs
1,295	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,868	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,868	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,868	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
66	Each	630-F001	Delineators, Guard Rail, White
20	Each	630-F002	Delineators, Guard Rail, Yellow
17	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
26,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,800	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

Call No. 13 for the March 23, 2010 Letting

4 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2 Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
16 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
26,400 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,250 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
19,300 Linear Feet	907-626-H004	Thermoplastic Legend, White
4,650 Square Feet	907-626-H005	Thermoplastic Legend, White

Milling and overlaying approximately 3 miles of Northside Drive and approximately 2 miles of Maddox Road in the City of Jackson, known as Federal Aid Project No. STP-0250-00(034) / 105706301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: October 08, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,413	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
556	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
4,427	Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
181	Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
2,060	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
3,106	Cubic Yard	203-G003	Excess Excavation, FM, AH
167	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
20	Pounds	214-A002	Seeding, Bermudagrass
1	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
83,084	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,833	Pounds	602-A001	Reinforcing Steel
316	Pounds	604-A001	Castings
200	Pounds	604-B001	Gratings
585	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
337	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
2,206	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
515	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
295	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
11,570	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,272	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,255	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
116	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
809	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
557	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	630-F012	Delineators, Guard Rail, Double White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
3,900	Linear Feet	635-A001	Vehicle Loop Assemblies
171	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
705	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
12,277	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
6,443	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling

Call No. 14 for the March 23, 2010 Letting

3,871	Ton	907-403-C007	Hot Mix Asphalt, MT, 12.5-mm mixture, Trench Widening
18	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,359	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,047	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,059	Linear Feet	907-626-H004	Thermoplastic Legend, White
2,817	Square Feet	907-626-H005	Thermoplastic Legend, White

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR