

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	N. L. Carson Construction Company, Inc.	T. L. Wallace Construction, Inc.	
Replacing a bridge on SR 35 at Harper Creek, known as Federal Aid Project No. BR-0023-01(069) / 100812302, in the County of Marion, State of Mississippi.					\$3,193,303.61	\$3,120,017.51	\$3,157,112.93	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0010	201-A001	Clearing and Grubbing	1.000	LS		86,000.00	55,000.00	
0020	201-B001	Clearing and Grubbing	1.000	ACRE		2,500.00	3,000.00	
0030	202-A001	Removal of Obstructions	1.000	LS		17,500.00	21,000.00	
0040	202-B005	Removal of Asphalt Pavement, All Depths	12,569.000	SY		3.00	2.65	
0050	202-B038	Removal of Curb, All Types	189.000	LF		3.50	3.65	
0060	202-B064	Removal of Pipe, 8" And Above	520.000	LF		4.00	6.45	
0070	202-B076	Removal of Traffic Stripe	1,977.000	LF		1.50	1.40	
0080	203-A003	Unclassified Excavation, FM, AH	8,454.000	CY		4.50	5.40	
0090	203-EX017	Borrow Excavation, AH, FME, Class B9	68,750.000	CY		6.25	6.70	
0100	203-G003	Excess Excavation, FM, AH	11,109.000	CY		3.50	5.95	
0110	206-A001	Structure Excavation	397.000	CY		6.50	6.55	
0120	213-C001	Superphosphate	9.000	TON		838.00	720.00	
0130	215-A001	Vegetative Materials for Mulch	21.000	TON		284.00	360.00	
0140	216-A001	Solid Sodding	111.000	SY		4.00	8.35	
0150	217-A001	Ditch Liner	810.000	SY		2.00	1.65	
0160	219-A001	Watering	2.000	KGAL		20.00	20.00	
0170	220-A001	Insect Pest Control	9.000	ACRE		30.00	30.00	
0180	221-A001	Portland Cement Concrete Paved Ditch	62.000	CY		401.00	380.00	
0190	223-A001	Mowing	1.000	ACRE		40.00	40.00	
0200	224-A001	Soil Reinforcing Mat	3,279.000	SY		4.00	5.00	
0210	234-A001	Temporary Silt Fence	6,197.000	LF		4.25	3.90	
0220	235-A001	Temporary Erosion Checks	578.000	BALE		7.00	11.00	
0230	236-A004	Silt Basin, Type D	1.000	EA		2,800.00	1,900.00	
0240	406-A001	Cold Milling of Bituminous Pavement, All Depths	800.000	SY		13.00	11.00	
0250	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1	1,918.000	GAL		4.50	3.55	
0260	423-A001	Rumble Strips, Ground In	2.000	MI		475.00	420.00	

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	N. L. Carson Construction Company, Inc.	T. L. Wallace Construction, Inc.	
Replacing a bridge on SR 35 at Harper Creek, known as Federal Aid Project No. BR-0023-01(069) / 100812302, in the County of Marion, State of Mississippi.					\$3,193,303.61	\$3,120,017.51	\$3,157,112.93	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0270	501-E001	Expansion Joints, Without Dowels	94.000	LF		11.00	14.00	
0280	501-K001	Transverse Grooving	196.000	SY		2.76	2.65	
0290	502-A001	Reinforced Cement Concrete Bridge End Pavement	202.000	SY		100.00	120.00	
0300	602-A001	Reinforcing Steel	355.000	LBS		0.92	0.93	
0310	603-CA002	18" Reinforced Concrete Pipe, Class III	352.000	LF		33.78	35.00	
0320	603-CA006	42" Reinforced Concrete Pipe, Class III	120.000	LF		101.00	100.00	
0330	603-CA009	60" Reinforced Concrete Pipe, Class III	88.000	LF		172.00	190.00	
0340	603-CB001	18" Reinforced Concrete End Section	3.000	EA		858.00	740.00	
0350	603-CB008	60" Reinforced Concrete End Section	2.000	EA		2,703.00	3,000.00	
0360	603-CE005	51" x 31" Concrete Arch Pipe, Class A III	168.000	LF		146.00	230.00	
0370	603-CE008	73" x 45" Concrete Arch Pipe, Class A III	84.000	LF		249.00	220.00	
0380	603-CF005	51" x 31" Concrete Arch Pipe End Section	4.000	EA		1,748.00	1,900.00	
0390	603-CF008	73" x 45" Concrete Arch Pipe End Section	2.000	EA		2,703.00	3,000.00	
0400	604-B001	Gratings	600.000	LBS		3.10	3.50	
0410	606-B001	Guard Rail, Class A, Type 1	450.000	LF		19.00	21.00	
0420	606-D012	Guard Rail, Bridge End Section, Type I	4.000	EA		2,150.00	2,400.00	
0430	606-E002	Guard Rail, Terminal End Section, Flared	4.000	EA		2,000.00	2,200.00	
0440	609-D002	Combination Concrete Curb and Gutter Type 2	1,440.000	LF		18.00	20.00	
0450	615-A015	Concrete Bridge End Barrier, 32"	40.000	LF		51.80	49.00	
0460	616-A001	Concrete Median and/or Island Pavement, 4-inch	438.000	SY		28.00	32.00	
0470	616-A003	Concrete Median and/or Island Pavement, 10-inch	72.000	SY		50.00	80.00	
0480	618-A001	Maintenance of Traffic	1.000	LS		29,000.00	20,000.00	
0490	619-A1001	Temporary Traffic Stripe, Continuous White	19,168.000	LF		0.15	0.22	
0500	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape	479.000	LF		1.65	1.65	
0510	619-A2001	Temporary Traffic Stripe, Continuous Yellow	29,209.000	LF		0.15	0.22	
0520	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tap	2,975.000	LF		0.65	0.83	

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	N. L. Carson Construction Company, Inc.	T. L. Wallace Construction, Inc.	
Replacing a bridge on SR 35 at Harper Creek, known as Federal Aid Project No. BR-0023-01(069) / 100812302, in the County of Marion, State of Mississippi.					\$3,193,303.61	\$3,120,017.51	\$3,157,112.93	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0530	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape	955.000	LF		1.65	1.65	
0540	619-A4001	Temporary Traffic Stripe, Skip Yellow	199.000	LF		0.50	0.56	
0550	619-A5001	Temporary Traffic Stripe, Detail	9,479.000	LF		0.25	0.22	
0560	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape	1,662.000	LF		1.65	1.65	
0570	619-A6001	Temporary Traffic Stripe, Legend	288.000	LF		0.90	0.83	
0580	619-A6002	Temporary Traffic Stripe, Legend	115.000	SF		2.00	1.10	
0590	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	29.000	EA		6.00	11.00	
0600	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	141.000	SF		6.00	6.65	
0610	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	468.000	SF		6.00	6.65	
0620	619-F1001	Concrete Median Barrier, Precast	1,420.000	LF		45.00	18.00	
0630	619-G4001	Barricades, Type III, Single Faced	168.000	LF		13.00	14.00	
0640	619-G4005	Barricades, Type III, Double Faced	24.000	LF		15.00	17.00	
0650	619-G5001	Free Standing Plastic Drums	88.000	EA		40.00	44.00	
0660	619-G7001	Warning Lights, Type "B"	4.000	EA		400.00	440.00	
0670	620-A001	Mobilization	1.000	LS		253,000.00	275,000.00	
0680	627-J001	Two-Way Clear Reflective High Performance Raised Markers	45.000	EA		6.00	11.00	
0690	627-K001	Red-Clear Reflective High Performance Raised Markers	29.000	EA		6.00	11.00	
0700	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	622.000	EA		6.00	4.45	
0710	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous	487.000	LF		3.75	3.90	
0720	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous	487.000	LF		3.75	3.90	
0730	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	76.000	SF		20.00	22.00	
0740	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	118.000	SF		22.00	24.00	
0750	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft	193.000	LF		9.50	11.00	
0760	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	135.000	LBS		3.50	3.90	
0770	630-F001	Delineators, Guard Rail, White	22.000	EA		18.00	20.00	
0780	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	2.000	EA		75.00	83.00	

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	N. L. Carson Construction Company, Inc.	T. L. Wallace Construction, Inc.	
Replacing a bridge on SR 35 at Harper Creek, known as Federal Aid Project No. BR-0023-01(069) / 100812302, in the County of Marion, State of Mississippi.					\$3,193,303.61	\$3,120,017.51	\$3,157,112.93	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
0790	630-K001	Welded & Seamless Steel Pipe Posts, 3"	16.000	LF		45.00	50.00	
0800	630-K003	Welded & Seamless Steel Pipe Posts, 4"	92.000	LF		50.00	56.00	
0810	699-A001	Roadway Construction Stakes	1.000	LS		75,000.00	46,000.00	
0820	815-A006	Loose Riprap, Size 100	150.000	TON		55.50	52.00	
0830	815-A009	Loose Riprap, Size 300	948.000	TON		52.50	52.00	
0840	815-E001	Geotextile under Riprap	371.000	SY		2.82	1.95	
0850	815-F002	Sediment Control Stone	94.000	TON		51.00	50.00	
0860	907-225-A001	Grassing	19.000	ACRE		800.00	610.00	
0870	907-225-B001	Agricultural Limestone	53.000	TON		126.00	83.00	
0880	907-226-A001	Temporary Grassing	9.000	ACRE		700.00	940.00	
0890	907-234-F001	Turbidity Barrier	210.000	LF		14.50	18.00	
0900	907-237-A003	Wattles, 20"	2,312.000	LF		5.00	5.55	
0910	907-245-A001	Triangular Silt Dike	200.000	LF		9.50	17.00	
0920	907-246-A001	Sandbags	200.000	LF		4.55	17.00	
0930	907-304-C003	Granular Material, AEA, Class 6, Group C	7,793.000	CY		12.00	12.00	
0940	907-307-C003	6" Soil-Lime-Water Mixing, Class C	15,342.000	SY		1.50	1.65	
0950	907-307-D001	Lime	197.000	TON		175.00	190.00	
0955	907-407-A001	Asphalt for Tack Coat	4,000.000	GAL		2.35	3.55	
0960	907-601-B003	Class "B" Structural Concrete, Minor Structures	9.000	CY		1,253.00	1,300.00	
0970	907-603-ALT01	18" Type A Alternate Pipe	300.000	LF		19.60	21.00	
0980	907-603-ALT02	24" Type A Alternate Pipe	52.000	LF		25.45	35.00	
0990	907-617-A001	Right-of-Way Marker	28.000	EA		250.00	88.00	
1000	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White	553.000	LF		0.49	0.56	
1010	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,	6,500.000	LF		0.49	0.61	
1020	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	15,453.000	LF		0.49	0.56	
1030	907-626-G004	Thermoplastic Detail Stripe, White	6,667.000	LF		0.60	0.56	

MARION (46)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	N. L. Carson Construction Company, Inc.	T. L. Wallace Construction, Inc.	
Replacing a bridge on SR 35 at Harper Creek, known as Federal Aid Project No. BR-0023-01(069) / 100812302, in the County of Marion, State of Mississippi.					\$3,193,303.61	\$3,120,017.51	\$3,157,112.93	
Ref#	SM Item	Item Description	Item Qty	Units		1	2	
1040	907-626-H004	Thermoplastic Legend, White	96.000	LF		2.00	2.20	
1050	907-626-H005	Thermoplastic Legend, White	115.000	SF		5.00	4.45	
1060	907-308-A001	Portland Cement	207.000	TON		135.00	150.00	
1070	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base	18,607.000	SY		1.50	1.65	
1080	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick	18,607.000	SY				
1090	907-311-B001	Lime	140.000	TON				
1100	907-311-C002	Fly Ash, Class C or F	561.000	TON				
1110	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture	3,190.000	TON		85.00	89.00	
1120	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture	3,142.000	TON		75.00	88.00	
1130	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture	2,267.000	TON		95.00	97.00	
1140	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture	3,190.000	TON				
1150	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture	2,267.000	TON				
1160	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture	3,142.000	TON				
1170	501-K001	Transverse Grooving	936.000	SY		2.76	2.65	
1180	803-B001	Conventional Static Loading Test	2.000	EA		5,000.00	5,000.00	
1190	803-C003	16" x 16" Prestressed Concrete Piling	2,980.000	LF		46.00	44.00	
1200	803-I001	PDA Test Pile	2.000	EA		6,700.00	7,400.00	
1210	803-J001	Pile Restrike	2.000	EA		850.00	1,100.00	
1220	805-A001	Reinforcement	71,721.000	LBS		0.77	0.70	
1230	813-A001	Concrete Railing	403.000	LF		51.80	54.00	
1240	815-A009	Loose Riprap, Size 300	792.000	TON		52.50	52.00	
1250	815-E001	Geotextile under Riprap	476.000	SY		2.80	1.95	
1260	907-804-A001	Bridge Concrete, Class AA	362.000	CY		541.00	560.00	
1270	907-804-C016	40' Prestressed Concrete Beam, Type I+2	1,178.000	LF		100.00	59.00	