


[Proposal & Plan Sales Will Begin on May 3, 2010](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for May – May 25, 2010



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MAY - Tuesday, May 25, 2010

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 03, 2010

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
-19	BWO-5130-62(002) / 501982301 & BWO-5131-62(002) / 501982302	Scott
01	NH-0020-01(133) / 102170301	Rankin
02	MP-1008-09(006) / 303891301	Chickasaw
03	MP-1023-29(006) / 303649301	Itawamba
04	MP-1030-73(005) / 303890301	Union
05	MP-1182-44(005) / 303892301	Lowndes
* 06	MP-5043-61(010) / 303909301	Rankin
* 07	MP-5388-52(003) / 303879301	Noxubee
* 08	MP-6000-00(167) / 303900301	District 6
* 09	MP-6000-00(168) / 303901301	District 6
* 10	MP-6084-34(008) / 303902301	Jones
* 11	MP-6605-24(001) / 303903301	Harrison
12	MP-7048-74(014) / 303866301	Walthall
13	MP-7532-16(004) / 303864301	Covington
14	MP-7590-16(004) / 303865301	Covington

Renovating the Rest Areas on I-20 at Morton and Forest, known as State Project Nos. BWO-5130-62(002) / 501982301 & BWO-5131-62(002) / 501982302, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: July 29, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,500	Linear Feet	234-A001	Temporary Silt Fence
75	Bale	235-A001	Temporary Erosion Checks
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
500	Linear Feet	907-237-A003	Wattles, 20"
100	Linear Feet	907-246-A001	Sandbags

Building Items

Lump Sum	1510-A001	Renovate Rest Area in Forest
Lump Sum	1510-A001	Renovate Rest Area in Morton

Construction necessary to add 2-lanes to I-20, from SR 468 to Greenfield Road, known as Federal Aid Project No. NH-0020-01(133) / 102170301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: August 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
33,327 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
880 Linear Feet	202-B011	Removal of Bridge Railing
3,025 Square Yard	202-B025	Removal of Concrete Paved Ditch
1,312 Square Yard	202-B036	Removal of Concrete Slope Paving
15 Each	202-B042	Removal of Flared End Section, All Sizes
2,035 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1 Each	202-B057	Removal of Inlets, All Sizes
1 Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
4 Each	202-B070	Removal of Sign Including Post & Footing
3,568 Square Feet	202-B071	Removal of Sign Panels Including Hardware
2 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
100 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
28 Each	202-B107	Removal of Sign, Ground Mounted with Posts
60,800 Linear Feet	202-B141	Removal of Edge Drain
27 Mile	202-B149	Removal of Traffic Stripe
97,487 Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
86,075 Cubic Yard	203-G003	Excess Excavation, FM, AH
858 Square Yard	203-I001	Site Grading
273 Cubic Yard	206-A001	Structure Excavation
12 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
17,784 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
11,965 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
15 Ton	213-C001	Superphosphate
60 Ton	215-A001	Vegetative Materials for Mulch
4,000 Square Yard	216-A001	Solid Sodding
2,500 Square Yard	217-A001	Ditch Liner
80 Thousand Gallon	219-A001	Watering
15 Acre	220-A001	Insect Pest Control
3,900 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
30 Acre	223-A001	Mowing
30,000 Linear Feet	234-A001	Temporary Silt Fence
1,000 Bale	235-A001	Temporary Erosion Checks
1,067 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
1,617 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
21 Mile	423-A001	Rumble Strips, Ground In
160 Linear Feet	501-D001	Expansion Joints, With Dowels
72 Linear Feet	501-E001	Expansion Joints, Without Dowels
112 Square Yard	501-K001	Transverse Grooving
160 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

Call No. 01 for the May 25, 2010 Letting

100	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
20	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
20	Linear Feet	503-C007	Saw Cut, Full Depth
20	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
10,573	Pounds	602-A001	Reinforcing Steel
28	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
108	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
256	Linear Feet	603-CA102	48" Reinforced Concrete Pipe, Class V, Jacked or Bored
780	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
240	Linear Feet	603-CA121	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
200	Linear Feet	603-CA122	42" Reinforced Concrete Pipe, Class V, Jacked or Bored
300	Linear Feet	603-CA123	54" Reinforced Concrete Pipe, Class V, Jacked or Bored
3	Each	603-CB001	18" Reinforced Concrete End Section
10	Each	603-CB002	24" Reinforced Concrete End Section
7	Each	603-CB004	36" Reinforced Concrete End Section
6	Each	603-CB005	42" Reinforced Concrete End Section
4	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
8	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
1	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
2	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
250	Pounds	604-B001	Gratings
7	Each	606-A001	Guard Posts
2,015	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
5	Each	606-D012	Guard Rail, Bridge End Section, Type I
9	Each	606-E001	Guard Rail, Terminal End Section
33,390	Linear Feet	615-A009	Concrete Type I Cast-in-Place Median Barrier, 42" High
40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
40	Linear Feet	615-A016	Concrete Bridge End Barrier, 42"
	Lump Sum	618-A001	Maintenance of Traffic
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
36	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3006	Temporary Traffic Stripe, Skip White
27,316	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,997	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
72	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
744	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
25,663	Linear Feet	619-F1001	Concrete Median Barrier, Precast
50,620	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
78	Linear Feet	619-G4001	Barricades, Type III, Single Faced
573	Each	619-G5001	Free Standing Plastic Drums
6	Unit	619-J1003	Impact Attenuator, 60 MPH

Call No. 01 for the May 25, 2010 Letting

6 Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
Lump Sum	620-A001	Mobilization
4,284 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
53 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
640 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
2,047 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,679 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
105 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
146 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
320 Linear Feet	630-D005	Structural Steel Beams, W6 x 15
163 Linear Feet	630-D007	Structural Steel Beams, W8 x 21
111 Linear Feet	630-D008	Structural Steel Beams, W10 x 22
57 Linear Feet	630-D010	Structural Steel Beams, W12 x 26
123 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
197 Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
440 Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
755 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
52 Each	630-F001	Delineators, Guard Rail, White
21 Each	630-F002	Delineators, Guard Rail, Yellow
2 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
80 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
488 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,620 Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
2,960 Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
700 Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
2,100 Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
345 Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
290 Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
150 Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
470 Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
4 Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
6 Cubic Yard	684-A003	Pole Foundation, 24" Diameter
11 Linear Feet	684-B003	Slip Casing, 24" Diameter
7 Each	686-A001	Relocation of Existing Lighting Assemblies High Mast
Lump Sum	699-A001	Roadway Construction Stakes
750 Ton	815-A006	Loose Riprap, Size 100
30 Acre	907-225-A001	Grassing
75 Ton	907-225-B001	Agricultural Limestone
15 Acre	907-226-A001	Temporary Grassing
2,200 Linear Feet	907-237-A003	Wattles, 20"
560 Linear Feet	907-245-A001	Triangular Silt Dike
800 Linear Feet	907-246-A001	Sandbags
1 Each	907-247-A001	Temporary Stream Diversion
6,101 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
54,149 Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C

Call No. 01 for the May 25, 2010 Letting

6,401	Ton	907-304-F003	3/4" and Down Crushed Stone Base
153,667	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
2,075	Ton	907-307-D001	Lime
15,911	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
25,057	Gallon	907-402-B001	Bituminous Tack Coat
108,220	Gallon	907-407-A001	Asphalt for Tack Coat
3,400	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
43	Cubic Yard	907-601-A001	Class "B" Structural Concrete
42	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
4	Each	907-619-J3001	Remove and Reset Impact Attenuator
27	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
15	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
24,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
62	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
	Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
	Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
	Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
	Lump Sum	907-630-I008	Metal Overhead Sign Supports, Assembly No. 8, Contractor Designed
	Lump Sum	907-630-I009	Metal Overhead Sign Supports, Assembly No. 9, Contractor Designed
	Lump Sum	907-630-I010	Metal Overhead Sign Supports, Assembly No. 10, Contractor Designed
ALTERNATE GROUP AA NO. 1			
1,211	Ton	907-308-A001	Portland Cement
108,691	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
108,691	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
820	Ton	907-311-B001	Lime
3,281	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
33,084	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,200	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
14,037	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
39,544	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
11,821	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
15,394	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
26,860	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
425	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling
ALTERNATE GROUP BB NO. 2			
11,821	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
14,037	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
39,544	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
2,200	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
33,084	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
26,860	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Call No. 01 for the May 25, 2010 Letting

15,394	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
425	Ton	907-403-Q002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

Bridge Items

2	Each	803-A001	Test Pile
2	Each	803-B002	Conventional Static Pile Load Test
1,560	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2	Each	803-J001	Pile Restrike
30	Linear Feet	803-N001	Exploration
360	Linear Feet	803-O007	Temporary Casing, 42" Diameter
146,649	Pounds	805-A001	Reinforcement
440	Linear Feet	813-A002	Concrete Railing, 32"
444	Linear Feet	813-A003	Concrete Railing, 42"
161	Cubic Yard	815-D001	Concrete Slope Paving
900	Linear Feet	907-803-K007	Drilled Shaft, 42" Diameter
49	Linear Feet	907-803-M006	Trial Shaft, 42" Diameter
598	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
199	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
239	Linear Feet	907-804-C002	60' Prestressed Concrete Beam, Type III
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
597	Linear Feet	907-804-C145	50' Prestressed Concrete Beam, Type II + 2

Overlaying approximately 4 miles of SR 8 from Long Creek to US 45 ALT, known as State Project No. MP-1008-09(006) / 303891301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: September 13, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

266	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2,722	Linear Feet	202-B076	Removal of Traffic Stripe
101	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,104	Linear Feet	202-B102	Removal of Guard Rail
250	Cubic Yard	203-G003	Excess Excavation, FM, AH
15,579	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Mile	423-A001	Rumble Strips, Ground In
525	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D002	Guard Rail, Bridge End Section, Type C
2	Each	606-D005	Guard Rail, Bridge End Section, Type F
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,460	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
144	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,222	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
686	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,372	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
664	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
38	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,443	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
17,976	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,304	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,950	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
759	Linear Feet	907-626-H004	Thermoplastic Legend, White
154	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

13,667	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
784	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening

ALTERNATE GROUP AA NO. 2

13,667	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
--------	-----	--------------	--------------------------------------

Call No. 02 for the May 25, 2010 Letting

784 Ton

907-403-0003 Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Milling and overlaying approximately 13 miles of SR 23 from Cotton Gin Road to the Alabama State Line, known as State Project No. MP-1023-29(006) / 303649301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: October 15, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

950	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,788	Linear Feet	202-B076	Removal of Traffic Stripe
1,050	Linear Feet	202-B102	Removal of Guard Rail
475	Cubic Yard	203-G003	Excess Excavation, FM, AH
14,867	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
260	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-D008	Guard Rail, Bridge End Section, Type H
28	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
47	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,669	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,449	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,318	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,250	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,625	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
132	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
172	Each	630-F001	Delineators, Guard Rail, White
8,000	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
35,724	Gallon	907-407-A001	Asphalt for Tack Coat
637	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
26	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,183	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,486	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,449	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
24,300	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
24,300	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Milling and overlaying approximately 12 miles of SR 30 from SR 15 to SR 370, known as State Project No. MP-1030-73(005) / 303890301, in the County of Union, State of Mississippi.

PROJECT COMPLETION: September 28, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,498	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
888	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,045	Cubic Yard	203-G004	Excess Excavation, LVM, AH
180,970	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
200	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
8	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,243	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,243	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,152	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
663	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
17,871	Gallon	907-407-A001	Asphalt for Tack Coat
24	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,044	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,296	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,166	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
19,025	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
19,025	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Milling and overlaying approximately 7 miles of the South Frontage Road of SR 182 near Columbus, known as State Project No. MP-1182-44(005) / 303892301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: August 23, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,550	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,900	Linear Feet	202-B076	Removal of Traffic Stripe
50	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
117	Linear Feet	202-B102	Removal of Guard Rail
16	Linear Feet	202-B275	Removal of Barricade, All Types
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
45,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
864	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16	Linear Feet	619-G4008	Barricades, Type III, Double Faced, Permanent, Red/White
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
740	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,560	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,560	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
75	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
620	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
7	Each	630-F001	Delineators, Guard Rail, White
24	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
3,500	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
11,111	Gallon	907-407-A001	Asphalt for Tack Coat
15	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,630	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
520	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
12,350	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
12,350	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Mill and Inlay US 43, from South of I-20 to North of US 80, known as State Project No. MP-5043-61(010) / 303909301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: October 15, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,207	Linear Feet	202-B076	Removal of Traffic Stripe
2,328	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
12	Each	202-B150	Removal of Object Markers
1,000	Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
1,375	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,100	Square Yard	209-A001	Geotextile Stabilization, Type V
50	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
34,224	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Linear Feet	503-C007	Saw Cut, Full Depth
1,803	Linear Feet	606-B001	Guard Rail, Class A, Type 1
10	Each	606-E001	Guard Rail, Terminal End Section
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
50	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
220	Linear Feet	609-E001	Bituminous Curb
300	Linear Feet	615-B001	Precast Concrete Median Barrier
80	Square Yard	616-B002	Hot Bituminous Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,690	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
10,972	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
857	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
280	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
162	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
252	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
80	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
30	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
26	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
311	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
	Lump Sum	699-A001	Roadway Construction Stakes
1,628	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
375	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
2,000	Gallon	907-407-A001	Asphalt for Tack Coat
2	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
724	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min

Call No. 06 for the May 25, 2010 Letting

2,086	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
242	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
7,270	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,652	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
540	Linear Feet	907-626-H003	Thermoplastic Legend, White, 4" Equivalent Length
857	Linear Feet	907-626-H004	Thermoplastic Legend, White
280	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

4,650	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
578	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
250	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

4,650	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
578	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
250	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Mill and Overlay SR 388, from Cliftonville to the Alabama Line, known as State Project No. MP-5388-52(003) / 303879301, in the County of Noxubee, State of Mississippi.

PROJECT COMPLETION: November 12, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

700	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
130,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
43	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
519	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
196	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
388	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,000	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
23,200	Gallon	907-407-A001	Asphalt for Tack Coat
4	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
15	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

14,550	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
11,325	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,465	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

14,550	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
11,325	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
1,465	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Call No. 08 for the May 25, 2010 Letting

Installing pavement markings on various routes in District 6, known as State Project No. MP-6000-00(167) / 303900301, in District 6, State of Mississippi.

PROJECT COMPLETION: September 30, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

44	Mile	202-B149	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
372	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
372	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
372	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
715,421	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
357,233	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 09 for the May 25, 2010 Letting

Maintenance painting four bridges in District 6, known as State Project No. MP-6000-00(168) / 303901301, in the Counties of Clarke and Wayne, State of Mississippi.

PROJECT COMPLETION: November 12, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Each	816-B001	Maintenance Painting of Metal Structures , Big Creek Bridge on SR 63
1 Each	816-B001	Maintenance Painting of Metal Structures , Chickasawhay River Bridge on SR 145/18
1 Each	816-B001	Maintenance Painting of Metal Structures , KCS Railroad Bridge on SR 145/18
1 Each	816-B001	Maintenance Painting of Metal Structures , Pachuta Creek Bridge on SR 18

Overlaying approximately 5 miles of U.S. Highway 84 from the Bogue Homa Bridge to the Wayne County Line, known as State Project No. MP-6084-34(008) / 303902301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: October 15, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

125	Linear Feet	202-B038	Removal of Curb, All Types
60	Linear Feet	202-B076	Removal of Traffic Stripe
1,100	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,700	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
125	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,620	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
18,069	Gallon	907-407-A001	Asphalt for Tack Coat
10	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
550	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
11	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
24,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,400	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

300	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
6,900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
12,200	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
15,400	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

6,900	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
300	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
12,200	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
15,400	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Milling and overlaying approximately 3 miles of SR 605 between Magnolia Street and Interstate 10, known as State Project No. MP-6605-24(001) / 303903301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: September 10, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
150,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2,854	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,560	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
980	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,980	Linear Feet	635-A001	Vehicle Loop Assemblies
7,978	Gallon	907-407-A001	Asphalt for Tack Coat
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
14,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
4,400	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
875	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
12,700	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
12,700	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
875	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture

Overlaying approximately 6 miles of SR 48 between Tylertown and Dexter, known as State Project No. MP-7048-74(014) / 303866301 in the County of Walthall, State of Mississippi.

PROJECT COMPLETION: September 22, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,746	Linear Feet	202-B076	Removal of Traffic Stripe
8	Each	202-B082	Removal of Guard Rail, Terminal Section, MELT
4,357	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
1,500	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
20	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2,945	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
794	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
55	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
257	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
83	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
621	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,050	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,050	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
116	Each	630-F001	Delineators, Guard Rail, White
10,597	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
14,224	Gallon	907-407-A001	Asphalt for Tack Coat
1,773	Pounds	907-420-A001	Undersealing Concrete Pavement
96	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
12	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,303	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
642	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,334	Linear Feet	907-626-H004	Thermoplastic Legend, White
55	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
8,839	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5,350	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
8,839	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
5,350	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Overlaying SR 532 from SR 35 for approximately 5 miles known as State Project No. MP-7532-16(004) / 303864301 in the County of Covington, State of Mississippi.

PROJECT COMPLETION: September 13, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,067	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
300	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
956	Linear Feet	202-B076	Removal of Traffic Stripe
12	Each	202-B137	Removal of Guard Rail Cable Anchor
445	Cubic Yard	203-G004	Excess Excavation, LVM, AH
4,167	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
1,613	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,790	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
720	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
104	Each	627-F001	One-Way Yellow Reflective Raised Markers
303	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
753	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
478	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
478	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
10	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
10	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
6,878	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
445	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
10,853	Gallon	907-407-A001	Asphalt for Tack Coat
48	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,930	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,860	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,260	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
225	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
7,088	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
6,554	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
7,088	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
225	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
6,554	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Overlaying approximately 8 miles of SR 590 near US Hwy 49 known as State Project No. MP-7590-16(004) / 303865301 in the county of Covington, State of Mississippi.

PROJECT COMPLETION: September 20, 2010

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,250	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
44	Square Yard	202-B035	Removal of Concrete Sidewalk
20	Linear Feet	202-B038	Removal of Curb, All Types
4	Each	202-B043	Removal of Guard Rail Bridge End Section
2,096	Linear Feet	202-B076	Removal of Traffic Stripe
540	Linear Feet	202-B102	Removal of Guard Rail
8	Each	202-B137	Removal of Guard Rail Cable Anchor
521	Cubic Yard	203-G004	Excess Excavation, LVM, AH
9,723	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
575	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
52	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,665	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,048	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
452	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
52	Each	627-F001	One-Way Yellow Reflective Raised Markers
565	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,005	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,048	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,048	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
6,776	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
521	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
12,853	Gallon	907-407-A001	Asphalt for Tack Coat
80	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
15	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
610	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
5,558	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol

Call No. 14 for the May 25, 2010 Letting

2,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
326	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
262	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
10,973	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
6,356	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
10,973	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
262	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
6,356	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney Attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR