SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

| ADDE | ENDUM NO. | 1 | DATED | 8/16/2 | 010 | ADDENDUM NO. | DATED |
|------------|--|--|-------|---|-----------------|--------------|---------------|
| ADDE | ENDUM NO | 2 | DATED | 8 /17/2 | 010 | ADDENDUM NO | DATED |
| Number 1 | replaces same Bidder Nos. 1 1260M; Bidsh Added Plan Sh 13, 14, 15, 16, 35, 36, 74, 7 80.01, 81, 82, 8 EBS Download Table of Cont 1247M, replac No. 1260M; A Bidsheets, re | Description of Content, replaces same; Advertisses same; Revised or Added Noting Nos. 1246M, 1251M, 1257M, 129M; Bidshts., replace same; Revised Plan Sht. Nos. 2, 4, 6, 7, 8, 9, 10, 10, 15, 16, 17, 18, 19, 20, 21, 22, 25, 36, 74, 75, 76, 76.01, 76.02, 77, 7, 81, 82, 83, 84, 85, 86, & 499; Amer Download Required. The of Content, replaces same; Revised M, replaces same; Delete Notice To Electory, Add Notice To Bidders No. 1260M; Add Notice To Bidders No. 1260M; Add Notice To Bidders No. 1260M; Add Required. | | otice To 258M & vised or , 11, 12, , 33, 34, 78, 80, endment sed NTB Bidders o. 1261M; | TOTAL ADDENDA:2 | | |
| (To be fil | led in if a corpo | oration) | | | | | |
| | Our corporation business addre | | | | | of | and the names |
| | Pres | ident | | | | Add | Iress |
| | Secr | etary | | | | Add | Iress |
| | Trea | surer | | | | Add | Iress |

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: SP-9392-00(003) / 100710301 – Jackson County

901—Advertisement

904--Notice to Bidders: Governing Specs. - # 1M

Asbestos National Emission Standards for Hazardous Air

Pollutants (NESHAP) - # 9M Selection of Optional Items - # 29M Soft Metric Reinforcing Steel - # 32M ASTM or AASHTO Designation - # 33M

Structural Steel Fabrication Inspection Costs - # 49M

Plant Pest Quarantines Information - #74M

Quantity for Fillet Concrete - # 223M

Concrete Base for Bridge End Pavement - # 432M

Alterations in Bidding Process - # 526M

Errata and Modifications to the 1996 Standard Specification Book – # 664M

Substitution of Cold Plastic Traffic Markings - # 665M

Grade Control for Placement of Full Depth HMA Pavement - # 740M

Work in Proximity of Overhead High Voltage Power Lines - #741M

Payment to Subcontractors - # 777M

Contract Overpayment(s) - # 779M

Certificate of Traffic Control Devices - # 804M

Removal of Construction Signs - #853M

Submittal of Hydrated Lime Shipping Tickets - # 863M

Fuel Tax Applicability to Bidders and Contractors - #896M

Estimated Monthly Quantities - # 900M

Gopher Tortoises - # 936M

Open Burning-Restrictions On Ozone Action Days - # 965M

Fiber Reinforced Concrete - # 1041M

On-The-Job Training - # 1057M

Payroll Requirements - # 1082M

Rumble Stripe - # 1087M

Non-Use of Precast Drainage Units - # 1089M

Conversion Factors for MDOT Field Manual for HMA Pavements – # 1102M

Safety Apparel - # 1129M

Federal Bridge Formula - # 1144M

Status of ROW, W/Attachments - # 1170M

Clearing and/or Grubbing - # 1174M

Non-Quality Control / Quality Assurance Concrete - # 1215M

Petroleum Products Base Price - # 1220M

PAGE 2 PROJECT: SP-9392-00(003) / 100710301 – Jackson County

Storm Water Discharge Associated With Construction Activities (\geq 2.0 hectares) - # 1225M

Reduced Speed Limit Signs - # 1229M

Additional Erosion Control Requirements - # 1235M

Warm Mix Asphalt (WMA) - # 1237M

Alternate Asphalt Mix Bid Items - # 1238M

Plan Sheets - # 1239M

Contract Time - # 1246M

Specialty Items - # 1247M

Performance Period - # 1248M

Placement of Fill in Federally Regulated Areas - # 1250M

Restricted Areas - # 1251M

Sequence of Operations - # 1252M

Project Number Change - # 1253M

Temporary Traffic Paint - # 1254M

Railway-Highway Provision, W/Supplement - # 1255M

Project Sign - # 1257M

Additional Contract Requirements - # 1258M

Asphalt Pay Item Correction - # 1261M

907-101-4M: Definitions

907-102-7M: Bidding Requirements and Conditions, W/Supplement

907-103-7M: Award and Execution of Contract

907-104-4M: Minor Alterations to the Contract, W/Supplement

907-104-5M: Differing Site Conditions

907-104-6M: Removal & Disposal of Materials

907-105-2M: Load & Speed Restrictions

907-105-3M: Claims

907-105-5M: Cooperation By Contractors, W/Supplement

907-106-1M: Convict Produced Materials 907-106-2M: Contractor Pit & Quarry Sites

907-107-10M: Environmental Protection

907-107-16M: Legal Relations and Responsibility to Public, W/Supplement

907-107-17M: Contractor's Erosion Control Plan

907-108-25M: Prosecution & Progress, W/Supplement

907-108-27M: Liquidated Damages Table

907-109-13M: Measurement and Payment, W/Supplement

907-203-1M: Excavation and Embankment

907-207-4M: Settlement Plates

907-209-1M: Geotextile Fabric For Stabilization

907-209-3M: Geotextiles 907-217-1M: Ditch Liner 907-223-1M: Mowing 907-225-4M: Grassing

907-226-1M: Temporary Grassing

-- CONTINUED ON NEXT PAGE --

PAGE 3 PROJECT: SP-9392-00(003) / 100710301 – Jackson County

907-227-4M: Hydroseeding 907-234-1M: Silt Fence **Siltation Barriers** 907-234-4M: 907-237-3M: Wattles 907-241-2M: Floc Blocks Triangular Silt Dikes 907-245-2M: 907-246-2M: Sandbags **Granular Courses** 907-304-16M: 907-307-5M: **Lime Treated Courses** 907-308-4M: Portland Cement Treated Courses 907-311-4M: Lime-Fly Ash Treated Courses Hot Mix Asphalt (HMA) and Warm Mix Asphalt (WMA), W/Supplement 907-401-10M: Hot Mix Asphalt (HMA) and Warm Mix Asphalt (WMA), W/Supplement 907-403-8M: Tack Coat 907-407-1M: Ground-In Rumble Strips 907-423-2M: Portland Cement Concrete Pavement 907-501-12M: 907-601-2M: Structural Concrete **Culverts and Storm Drains** 907-603-4M: Underdrains 907-605-8M: 907-610-1M: **Drainage Wicks** 907-617-3M: Right-Of-Way Markers Placement of Temporary Traffic Stripe 907-618-7M: 907-619-13M: **Temporary Pavement Markings** Portable Median Barrier 907-619-14M: Engineer's Field Office Building 907-622-3M: 907-626-12M: Thermoplastic Markings Double Drop Thermoplastic Markings 907-626-19M: **Raised Pavement Markings** 907-627-1M: 907-628-9M: **Cold Plastic Pavement Markings** Contractor Designed Overhead Sign Supports, W/Supplement 907-630-4M: Shielded Cable 907-636-1M: 907-639-3M: Traffic Signal Equipment Poles Traffic Signal and Pedestrian Heads 907-640-1M: **Pullboxes** 907-647-2M: 907-648-2M: Radio Interconnect Construction Layout & Staking 907-699-2M: 907-700-2M: Use of Crushed Reclaimed Concrete Pavement in Asphalt 907-701-3M: Hydraulic Cement, W/Supplement Petroleum Asphalt Cement & Polymer Modified Petroleum Cement 907-702-7M: Coarse Aggregate for Cement Concrete 907-703-1M: Aggregates for Hot Mix Asphalt (HMA), W/Supplement 907-703-4M: 907-703-8M: Aggregates, W/Supplement Rubber Type Gaskets 907-707-1M: Non-Metal Drainage Structures 907-708-6M: 907-709-1M: Metal Pipe

-- CONTINUED ON NEXT PAGE --

PAGE 4 PROJECT: SP-9392-00(003) / 100710301 – Jackson County

| Fast Drying Acrylic Waterborne Traffic Paint |
|--|
| Fast Dry Solvent Traffic Paint |
| Reinforcing Steel |
| Synthetic Structural Fiber Reinforcement |
| Materials for Guardrail Posts |
| Admixtures for Concrete, W/Supplement |
| Quick Lime 907-714-9M: Geotextiles |
| Miscellaneous Materials, W/Supplement |
| Erosion Control Blanket |
| Roadside Development Materials |
| Miscellaneous Materials |
| High Performance Cold Plastic Pavement Markings |
| Reflective Pavement Markers & Adhesive for Pavement Markers, |
| <u>W/Supplement</u> |
| Pavement Marking Material |
| Flexible Delineators |
| Materials for Signing |
| Reflective Sheeting |
| Deep Foundations |
| Concrete for Bridges and Structures, W/ Supplement |
| Steel Structures |
| Geotextile Fabric for Riprap |
| Railway-Highway Provisions, W/ Supplement |
| |
| Training Special Provision |
| MDOT On-the-Job Training Program |
| |

SECTION 905 - PROPOSAL,
PROPOSAL BID SHEETS,
COMBINATION BID PROPOSAL,
STATE BOARD OF CONTRACTORS REQUIREMENTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM.
(PILE DRIVING FORM),

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 1247M

DATE: 08/17/2010

SUBJECT: Specialty Items

PROJECT: SP-9392-00(003) / 100710301 - Jackson County

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: EROSION CONTROL

| Line No | Pay Item | Description |
|------------|--------------|---|
| 0100 | 211-A001 | Topsoil for Slope Treatment (From Right-of-Way) |
| 0110 | 213-C001 | Superphosphate |
| 0120 | 215-A001 | Vegetative Materials for Mulch |
| 0130 | 216-A001 | Solid Sodding |
| 0140 | 219-A001 | Watering |
| 0150 | 220-A001 | Insect Pest Control |
| 0160 | 221-A001 | Portland Cement Concrete Paved Ditch |
| 0170 | 224-A001 | Soil Reinforcing Mat |
| 0180 | 235-A001 | Temporary Erosion Checks |
| 0190 | 239-A001 | Temporary Slope Drains |
| 0950 | 907-217-A001 | Ditch Liner |
| 0970 | 907-225-A001 | Grassing |
| 0980 | 907-225-B001 | Agricultural Limestone |
| 0990 | 907-226-A002 | Temporary Grassing |
| 1000 | 907-234-A002 | Temporary Silt Fence |
| 1010 | 907-234-D001 | Inlet Siltation Guard |
| | | |

CATEGORY: LANDSCAPING

| Line No | Pay Item | Description | |
|------------|--------------|-------------|--|
| 0960 | 907-223-A001 | Mowing | |

CATEGORY: LIGHTING, ALUMINUM TRUSSED ARM

| Line No | Pay Item | Description |
|------------|--------------|--|
| 1880 | 908-679-A009 | Underground Branch Circuit (AWG 2) (3 Conductor) |
| 1890 | 908-679-A024 | Underground Branch Circuit (AWG 8) (3 Conductor) |
| 1900 | 908-679-C023 | Structure Mounted Branch Circuit (AWG 8) (3 Conductor) |
| 1910 | 908-679-D001 | Underground Pull Boxes |
| 1920 | 908-679-E001 | Secondary Power Controllers |
| 1930 | 908-679-G040 | Lighting Assemblies - High Mast Type 36-6 |
| 1940 | 908-679-I010 | Underpass Lighting Assemblies Type UP |
| 1950 | 908-679-J007 | Slip Casing (1500-mm Diameter) |
| 1960 | 908-679-K008 | Pole Foundation (1500-mm Diameter) |
| | | |

CATEGORY: MISCELANEOUS/ SPECIALTY WORK ITEMS

| Line No | Pay Item | Description |
|------------|--------------|--|
| 1200 | 907-610-A001 | Drainage Wicks |
| 1690 | 907-690-A001 | Portland Cement Grout for Plugging Abandoned Wells |

CATEGORY: PAVEMENT STRIPING AND MARKING

| Line No | Pay Item | Description |
|------------|---------------|--|
| 1330 | 907-626-AA003 | 150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min) |
| 1340 | 907-626-CC004 | 150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min) |
| 1350 | 907-626-DD002 | 150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min) |
| 1360 | 907-626-EE004 | 150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min) |
| 1370 | 907-626-FF005 | 150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (2.25-mm min) |
| 1380 | 907-626-GG007 | Thermoplastic Detail Stripe (150-mm Equivalent Length) (White) (3.00-mm min.) |
| 1390 | 907-626-GG008 | Thermoplastic Detail Stripe (150-mm Equivalent Length) (Yellow) (3.00-mm min.) |
| 1400 | 907-626-HH004 | Thermoplastic Legend (White) (3.00-mm min) |
| 1410 | 907-626-HH005 | Thermoplastic Legend (White) (3.00-mm min) |
| 1420 | 907-627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 1430 | 907-627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 1440 | 907-627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1450 | 907-628-II001 | 150-mm High Performance Cold Plastic Traffic Stripe (Skip White) |
| 1460 | 907-628-KK001 | 150-mm High Performance Cold Plastic Edge Stripe (Continuous White) |
| 1470 | 907-628-NN001 | 150-mm High Performance Cold Plastic Edge Stripe (Continuous Yellow) |
| 1480 | 907-628-OO001 | High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length((White) |
| | | |

CATEGORY: SURVEY AND STAKING

| Line No | Pay Item | Description |
|------------|--------------|-----------------------------|
| 1210 | 907-617-A003 | Right-of-Way Marker |
| 1700 | 907-699-A001 | Roadway Construction Stakes |

CATEGORY: TES

| Line No | Pay Item | Description |
|------------|----------|--|
| 0845 | 646-A001 | Removal of Existing Traffic Signal Equipment |

CATEGORY: TRAFFIC CONTROL - PERMANENT

| Line No | Pay Item | Description |
|------------|----------|--|
| 0630 | 630-A001 | Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness) |
| 0640 | 630-A002 | Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness) |
| 0650 | 630-B001 | Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted) |
| 0660 | 630-B002 | Interstate Directional Signs (Bolted Extruded Aluminum Panels, Overhead Mounted) |
| 0670 | 630-B003 | Interstate Directional Signs (Bolted Extruded Aluminum Panels, Bridge Mounted) |
| 0760 | 630-F001 | Delineators (Guard Rail)(White) |
| 0770 | 630-F006 | Delineators (Post Mounted)(Single White) |

CATEGORY: TRAFFIC CONTROL - PERMANENT

| Line No | Pay Item | Description |
|------------|--------------|--|
| 0780 | 630-F007 | Delineators (Post Mounted)(Single Yellow) |
| 0790 | 630-F008 | Delineators (Post Mounted)(Double White) |
| 0800 | 630-F009 | Delineators (Post Mounted)(Double Yellow) |
| 1490 | 907-630-1002 | Metal Overhead Sign Supports (Assembly No. 1) (Contractor Designed) |
| 1500 | 907-630-I004 | Metal Overhead Sign Supports (Assembly No. 2) (Contractor Designed) |
| 1520 | 907-630-J004 | Overhead Sign Supported on Bridge (Assembly No 4) (Contractor Designed) |
| 1525 | 907-630-J005 | Overhead Sign Supported on Bridge (Assembly No 5) (Contractor Designed) |
| 1526 | 907-635-A001 | Vehicle Loop Assemblies |
| 1530 | 907-636-A001 | Shielded Cable, AWG #18, 4 Conductor |
| 1550 | 907-639-A027 | Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (12.0mm Arm) |
| 1570 | 907-639-A028 | Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (15.0mm Arm) |
| 1580 | 907-639-A029 | Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (6.0 m & 18.0 m Arms) |
| 1590 | 907-639-A030 | Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (7.0 m & 20.0 m Arms) |
| 1601 | 907-639-A031 | Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (12.0m Arm) |
| 1602 | 907-639-A032 | Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0m Arm) |
| 1603 | 907-639-A033 | Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0m & 15.0 m Arm) |
| 1604 | 907-639-A034 | Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (17.0m & 20.0 m Arm) |
| 1620 | 907-639-C005 | Pole Foundations, 900-mm Diameter |
| 1640 | 907-639-D005 | Slip Casing, 900-mm Diameter |
| 1650 | 907-640-B001 | Traffic Signal Heads (Type 1) LED |
| 1660 | 907-640-B006 | Traffic Signal Heads (Type 7) LED |
| 1670 | 907-640-B009 | Traffic Signal Heads (Type 4) LED |
| 1680 | 907-648-A001 | Radio Interconnect (Installed in New Controller Cabinet) |
| 1730 | 908-635-A001 | Vehicle Loop Assemblies |
| 1740 | 908-638-A005 | Loop Detector Amplifier, (4 Channel) |
| 1745 | 907-640-B004 | Traffic Signal Heads (Type 3) LED |
| 1750 | 908-642-A007 | Solid State Traffic Actuated Controllers (Type 8A) |
| 1760 | 908-643-A001 | Closed Loop On-Street Master System |
| 1770 | 908-647-A001 | Pullbox (Type 1) |
| 1780 | 908-647-A002 | Pullboxes (Type 2) |
| 1790 | 908-666-B018 | Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14), 7 Conductor |
| 1810 | 908-668-A013 | Traffic Signal Conduit (Underground) (Type IV) (DN 25) |
| 1820 | 908-668-A016 | Traffic Signal Conduit (Underground) (Type IV) (DN 50) |
| 1830 | 908-668-A018 | Traffic Signal Conduit (Underground) (Type IV) (DN 75) |
| 1850 | 908-668-B016 | Traffic Signal Conduit (Underground Drilled or Jacked)(Type IV)(DN 50) |
| 1860 | 908-668-B018 | Traffic Signal Conduit (Underground Drilled or Jacked)(Type IV)(DN 75) |
| | | |

CATEGORY: TRAFFIC CONTROL - TEMPORARY

| Line No | Pay Item | Description |
|------------|-----------|---|
| 0560 | 619-D1001 | Standard Roadside Construction Signs (less than 0.9 square meter) |
| 0570 | 619-D2001 | Standard Roadside Construction Signs (0.9 square meter or more) |
| 0580 | 619-G4001 | Barricades (Type III) (Single Faced) |
| 0590 | 619-G4002 | Barricades (Type III) (Single Faced) (Permanent) |
| 0600 | 619-G4005 | Barricades (Type III) (Double Faced) |

CATEGORY: TRAFFIC CONTROL - TEMPORARY

| Line No | Pay Item | Description |
|------------|---------------|--|
| 0610 | 619-G5001 | Free Standing Plastic Drums |
| 1220 | 907-619-A1002 | Temporary Traffic Stripe (Continuous White) (Type 1 Tape) |
| 1230 | 907-619-A1010 | Temporary Traffic Stripe (Continuous White) |
| 1240 | 907-619-A2002 | Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape) |
| 1250 | 907-619-A2010 | Temporary Traffic Stripe (Continuous Yellow) |
| 1260 | 907-619-A3005 | Temporary Traffic Stripe (Skip White) |
| 1270 | 907-619-A3009 | Temporary Traffic Stripe, Skip White, Type 1 Tape |
| 1280 | 907-619-A4006 | Temporary Traffic Stripe, Skip Yellow |
| 1290 | 907-619-A5005 | Temporary Traffic Stripe (Detail) |
| 1300 | 907-619-A6010 | Temporary Traffic Stripe (Legend) |
| 1310 | 907-619-F1001 | Portable Median Barrier |

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

CODE: (SP)

SECTION 904 - NOTICE TO BIDDERS NO. 1261M

DATE: 08/17/2010

SUBJECT: Asphalt Pay Item Correction

PROJECT: SP-9392-00(003) / 100710301 -- Jackson County

Bidders are advised that the asphalt types and quantities shown on the Summary of Quantities sheet in the plans for pay items 907-403-A, Hot Mix Asphalt, MT, 19-mm mixture and 907-403-M, Warm Mix Asphalt, MT, 19-mm mixture are in error. The correct asphalt types and quantities are as follows and are listed on the bid sheets.

| 907-403-A011: | Hot Mix Asphalt, HT, 19-mm mixture | 17,955 metric tons |
|---------------|---|---------------------|
| 907-403-D003: | Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified | 18.362 metric tons |
| | | 0,0 0 |
| 907-403-M011· | Warm Mix Asphalt, HT, 19-mm mixture | 17 955 metric tons |
| | 1 | |
| 907-403-P003: | Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified | 118,362 metric tons |