


Proposal & Plan Sales Will Begin on September 6, 2010



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for September – September 28, 2010**



# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR SEPTEMBER - Tuesday, September 28, 2010

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

### **PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 06, 2010**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
-06	HSIP-0022-01(056) / 103289301	Jones
-09	SP-9392-00(003) / 100710301	Jackson
01	NH-0006-01(084) / 105510301	Marshall & Desoto
02	IM-9999-05(009) / 105445301, IM-9999-05(009) / 105445302, & IM-9999-05(009) / 105445303	Madison, Rankin, & Hinds
* 03	HSIP-0000-01(007) / 106020301	District 1
04	STP-0003-01(183) / 105945301	Harrison
05	HSIP-0008-01(121) / 105875301	Forrest
* 06	HSIP-0020-01(196) / 105943301	Warren
* 07	HSIP-0023-01(075) / 105911301	Pearl River
08	HSIP-0040-02(031) / 105736301	Itawamba
09	STP-2901-00(030) / 105891301	Grenada
10	HSIP-7312-00(003) / 105928301	Hinds
* 11	MP-1000-00(050) / 303997301	District 1
12	MRP-6110-24(028) / 303936301	Harrison
13	BWO-2198-17(003) / 502016301	Desoto
14	BWO-7126-57(001) / 501774303 & BWO-7127-57(001) / 501774304	Pike
15	NH-0002-04(041) / 102090301	Lowndes
* 16	STP-9999-06(010) / 105957301, STP-9999-06(010) / 105957302, STP-9999-06(010) / 105957303, STP-9999-06(010) / 105957304, & STP-9999-06(010) / 105957305	Harrison & Jackson

CALL CONTRACT

\* 17 HSIP-0055-01(098) / 105973301 & HSIP-0055-01(098) / 105973302

COUNTY

Pike & Lincoln

Construction necessary to upgrade the roadway and traffic signals on SR 15 in Laurel, known as Federal Aid Project No. HSIP-0022-01(056) / 103289301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: October 19, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
15,360 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
11,129 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
3,522 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
393 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,804 Linear Feet	202-B038	Removal of Curb, All Types
4 Each	202-B057	Removal of Inlets, All Sizes
50 Each	202-B069	Removal of Sign
15 Each	202-B070	Removal of Sign Including Post & Footing
500 Linear Feet	202-B076	Removal of Traffic Stripe
6,493 Square Yard	202-B078	Removal of Pavement, All Types and Depths
40 Linear Feet	202-B106	Removal of Pipe, All Sizes
6,493 Square Yard	202-B121	Removal of Soil Cement, All Depths
4 Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
10 Each	202-B152	Removal of Right-Of-Way Marker
4,093 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
2,039 Cubic Yard	203-G003	Excess Excavation, FM, AH
157 Cubic Yard	206-A001	Structure Excavation
1,080 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
9,500 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
1 Ton	213-C001	Superphosphate
2 Ton	215-A001	Vegetative Materials for Mulch
9,500 Square Yard	216-A001	Solid Sodding
190 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
1 Acre	223-A001	Mowing
3,000 Linear Feet	234-A001	Temporary Silt Fence
50 Bale	235-A001	Temporary Erosion Checks
500 Linear Feet	239-A001	Temporary Slope Drains
4,770 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,125 Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
250 Linear Feet	503-C007	Saw Cut, Full Depth
5,606 Pounds	602-A001	Reinforcing Steel
100 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
88 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1 Each	603-CB002	24" Reinforced Concrete End Section
1,701 Pounds	604-A001	Castings
244 Pounds	604-B001	Gratings
34 Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V

Call No. -06 for the September28, 2010 Letting

200	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
762	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM
1,787	Linear Feet	609-B001	Concrete Curb, Header
6,242	Linear Feet	609-D005	Combination Concrete Curb and Gutter Type 3B Modified
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
1,863	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
133	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
15	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
6,823	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,484	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8,458	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,802	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,031	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
528	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
334	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
228	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
690	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6	Each	619-E1001	Flashing Arrow Panel, Type C
84	Linear Feet	619-G4005	Barricades, Type III, Double Faced
529	Each	619-G5001	Free Standing Plastic Drums
31	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	619-H1001	Traffic Signals
	Lump Sum	620-A001	Mobilization
20	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
509	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
430	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
278	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
84	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
300	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
96	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
350	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
128	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
30	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
139	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
31	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
84	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
120	Linear Feet	635-A001	Vehicle Loop Assemblies
1,405	Linear Feet	636-A003	Shielded Cable, 4 Conductor
5	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
10	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A031	Traffic Signal Heads, Type 1A LED
4	Each	640-A036	Traffic Signal Heads, Type 5L, LED
2	Each	640-A045	Traffic Signal Heads, Type 3L, LED
2	Each	640-A046	Traffic Signal Heads, Type 7L, LED

Call No. -06 for the September28, 2010 Letting

3	Each	640-A047	Traffic Signal Heads, Type 7R, LED
3	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1	Each	643-A001	Closed Loop On-Street Master System
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A001	Pullbox, Type 1
4	Each	647-A003	Pullbox, Type 4
3	Each	647-A004	Pullbox, Type 5
4	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
415	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
668	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
525	Linear Feet	666-B050	Electric Cable, Underground in Conduit, IMSA 26-3, AWG 6, 4Conductor
309	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
260	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
112	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
80	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
242	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
1,303	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
255	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
1	Acre	907-225-A001	Grassing
2	Ton	907-225-B001	Agricultural Limestone
150	Linear Feet	907-237-A003	Wattles, 20"
363	Ton	907-304-F002	Size 610 Crushed Stone Base
750	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
2,250	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
21,500	Gallon	907-407-A001	Asphalt for Tack Coat
66	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
8	Each	907-604-PP003	Modify Existing Inlet, Per Plans
500	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
100	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8,426	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
6,823	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
1,206	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
7,638	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,631	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9,916	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,045	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,883	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,290	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-626-H007	Thermoplastic Legend, Interstate Shield
2	Each	907-626-H008	Thermoplastic Legend, Route Marker
3	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm

Call No. -06 for the September 28, 2010 Letting

1	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
1	Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1	Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
17	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-641-A001	Radar Detection System
1	Each	907-642-B001	Solid State Traffic Actuated Controller Modification
1	Each	907-648-B001	Radio Serial Interconnect, Installed in Existing Controller Cabinet
9	Each	907-649-A003	Video Detection System, 1 Sensor, Type 1
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type
3,191	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
653	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
2	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
2	Each	907-662-A001	Video Encoder, Type A
3,191	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"

ALTERNATE GROUP AA NO. 1

3,848	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
933	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
1,720	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
1,591	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

3,848	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
1,720	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
933	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
1,591	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified



Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.

PROJECT COMPLETION: April 15, 2013

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
2 Each	202-B043	Removal of Flared End Section (All Sizes)
278 Meter	202-B066	Removal of Pipe (200-mm and above)
160 Meter	202-B076	Removal of Traffic Stripe
35,816 Square Meter	202-B079	Removal of Pavement (All Types and Depths)
854 Meter	202-B094	Removal of Curb & Gutter (All Types)
35 Each	202-B179	Removal of Existing Sign
50,674 Cubic Meter	203-G003	Excess Excavation (FM) (AH)
1,916 Cubic Meter	206-A001	Structure Excavation
105,000 Square Meter	211-A001	Topsoil for Slope Treatment (From Right-of-Way)
20 Metric Ton	213-C001	Superphosphate
92 Metric Ton	215-A001	Vegetative Materials for Mulch
258 Square Meter	216-A001	Solid Sodding
16 thousand liter	219-A001	Watering
10 Hectare	220-A001	Insect Pest Control
84 Cubic Meter	221-A001	Portland Cement Concrete Paved Ditch
39,400 Square Meter	224-A001	Soil Reinforcing Mat
430 Bale	235-A001	Temporary Erosion Checks
700 Meter	239-A001	Temporary Slope Drains
80 Cubic Meter	305-B001	Size I Stabilizer Aggregate, Coarse (LVM)
23,763 Square Meter	406-A001	Cold Milling of Bituminous Pavement (All Depths)
300 Square Meter	406-B001	Cold Milling of Concrete Pavement (All Depths)
66 Meter	501-E001	Expansion Joints (Without Dowels)
398 Square Meter	502-A002	Reinforced Cement Concrete Bridge End Pavement (225 mm)
8,731 Kilogram	602-A001	Reinforcing Steel
350 Meter	603-C-A090	450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
108 Meter	603-C-A091	600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
15 Meter	603-C-A093	900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
41 Meter	603-C-A094	1050-mm Reinforced Concrete Pipe, Class III (Rubber Type Gaskets)
43 Meter	603-C-A102	450-mm Reinforced Concrete Pipe, Class IV (Rubber Type Gaskets)
249 Meter	603-C-A107	1650-mm Reinforced Concrete Pipe, Class III (Rubber Type Gasket)
49 Meter	603-C-A112	450-mm Reinforced Concrete Pipe, Class V (Rubber Type Gaskets)
16 Each	603-C-B001	450-mm Reinforced Concrete End Section
4 Each	603-C-B002	600-mm Reinforced Concrete End Section
4 Each	603-C-B004	900-mm Reinforced Concrete End Section
2 Each	603-C-B005	1050-mm Reinforced Concrete End Section
6 Each	603-C-B009	1650-mm Reinforced Concrete End Section
456 Meter	603-C-E040	560-mm x 345-mm Concrete Arch Pipe, Class A III (Flexible Plastic Gaskets)
11 Each	603-C-F001	560-mm x 345-mm Concrete Arch Pipe End Section
2 Each	603-S-B052	450-mm Branch Connections (Stub into 1650-mm Concrete Pipe)
3,459 Kilogram	604-A001	Castings

Call No. -09 for the September 28, 2010 Letting

2,595	Kilogram	604-B001	Gratings
870	Meter	605-O004	150-mm Perforated Sewer Pipe for Underdrains (SDR 35)
259	Meter	605-P004	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 35)
140	Cubic Meter	605-W001	Filter Material for Combination Storm Drain &/or Underdrains, Type A (FM)
152	Cubic Meter	605-W002	Filter Material for Combination Storm Drain &/or Underdrains, Type B (FM)
11,705	Cubic Meter	605-X005	Filter Material for Filter Beds, Type C
153	Meter	606-B001	Guard Rail (Class A, Type 1)
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
6,484	Meter	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
12	Meter	615-A016	Concrete Bridge End Barrier, 850-mm
11,568	Square Meter	616-A001	Concrete Median and/or Island Pavement (100-mm)
74	Square Meter	616-A003	Concrete Median and/or Island Pavement (250-mm)
	Lump Sum	618-A001	Maintenance of Traffic
15	Square Meter	619-D1001	Standard Roadside Construction Signs (less than 0.9 square meter)
86	Square Meter	619-D2001	Standard Roadside Construction Signs (0.9 square meter or more)
220	Meter	619-G4001	Barricades (Type III) (Single Faced)
15	Meter	619-G4002	Barricades (Type III) (Single Faced) (Permanent)
18	Meter	619-G4005	Barricades (Type III) (Double Faced)
305	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
9	Square Meter	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)
48	Square Meter	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)
95	Square Meter	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Ground Mounted)
60	Square Meter	630-B002	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Overhead Mounted)
34	Square Meter	630-B003	Interstate Directional Signs (Bolted Extruded Aluminum Panels, Bridge Mounted)
2	Meter	630-C001	Steel U-Section Posts (2.97 kg/m)
240	Meter	630-C003	Steel U-Section Posts (4.46 kg/m)
36	Meter	630-D003	Structural Steel Beams (W150 x 18)
35	Meter	630-D017	Structural Steel Beams (W250 x 38.7)
75	Meter	630-D018	Structural Steel Beams (W310 x 38.7)
252	Kilogram	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)
207	Kilogram	630-E005	Structural Steel Angles & Bars (102 mm x 102 mm x 7.9 mm Angles)
44	Kilogram	630-E007	Structural Steel Angles & Bars (76 mm x 76 mm x 6.4 mm Angles)
22	Each	630-F001	Delineators (Guard Rail)(White)
85	Each	630-F006	Delineators (Post Mounted)(Single White)
31	Each	630-F007	Delineators (Post Mounted)(Single Yellow)
195	Each	630-F008	Delineators (Post Mounted)(Double White)
10	Each	630-F009	Delineators (Post Mounted)(Double Yellow)
4	Each	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted
5	Meter	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)
30	Meter	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)
111	Meter	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment

Call No. -09 for the September28, 2010 Letting

810	Metric Ton	815-A005	Loose Riprap, (Size 45 kg)
320	Metric Ton	815-A007	Loose Riprap, (Size 136 kg)
318,396	Cubic Meter	907-203-EX002	Borrow Excavation (AH)(FME) (Class B4)
6	Each	907-207-A001	Settlement Plate
101,025	Square Meter	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)
4,900	Square Meter	907-209-A006	Geotextile Fabric Stabilization (Type VIII)
7,400	Square Meter	907-209-A007	Geotextile Fabric Stabilization (Type IX)
4,230	Square Meter	907-209-A008	Geotextile Fabric Stabilization (Type X)
1,500	Square Meter	907-209-A009	Geotextile Fabric Stabilization (Type XI)
3,250	Square Meter	907-209-A010	Geotextile Fabric Stabilization (Type XII)
1,465	Square Meter	907-217-A001	Ditch Liner
1	Hectare	907-223-A001	Mowing
20	Hectare	907-225-A001	Grassing
138	Metric Ton	907-225-B001	Agricultural Limestone
10	Hectare	907-226-A002	Temporary Grassing
8,030	Meter	907-234-A002	Temporary Silt Fence
1	Each	907-234-D001	Inlet Siltation Guard
400	Meter	907-237-A002	Wattles, 500-mm
18	Each	907-241-A001	Floc Blocks
150	Meter	907-245-A001	Triangular Silt Dike
1,850	Meter	907-246-A001	Sandbags
9,047	Cubic Meter	907-304-A001	Granular Material (Class 6, Group C)
50,422	Metric Ton	907-304-I004	Crushed Stone Base (Size 610)
2,622	Square Meter	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)
340	Metric Ton	907-307-D001	Lime
79,820	Liter	907-407-A001	Asphalt for Tack Coat
65	Meter	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment
5	Kilometer	907-423-A001	Rumble Strips (Ground In)
398	Square Meter	907-501-K001	Transverse Grooving
76	Cubic Meter	907-601-B001	Class "B" Structural Concrete, Minor Structures
24	Meter	907-603-ALT01	450-mm Type A Alternate Pipe
19	Meter	907-603-ALT13	900-mm Type A Alternate Pipe
1,812	Square Meter	907-605-AA004	Geotextile for Subsurface Drainage, Type III
2	Each	907-606-F004	Guard Rail, Terminal End Section, Flared
1	Each	907-606-F005	Guard Rail, Terminal End Section, Non-Flared
86,746	Meter	907-610-A001	Drainage Wicks
40	Each	907-617-A003	Right-of-Way Marker
433	Meter	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)
8	Kilometer	907-619-A1010	Temporary Traffic Stripe (Continuous White)
433	Meter	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)
9	Kilometer	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)
10	Kilometer	907-619-A3005	Temporary Traffic Stripe (Skip White)
964	Meter	907-619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape
531	Meter	907-619-A4006	Temporary Traffic Stripe, Skip Yellow
3,595	Meter	907-619-A5005	Temporary Traffic Stripe (Detail)
193	Square Meter	907-619-A6010	Temporary Traffic Stripe (Legend)

Call No. -09 for the September28, 2010 Letting

100	Meter	907-619-F1001	Portable Median Barrier
1	Each	907-622-B002	Engineer's Field Office Building (Type 3 LO)
8	Kilometer	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm min)
7	Kilometer	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous White) (2.25-mm min)
252	Meter	907-626-DD002	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm min)
2	Kilometer	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.25-mm min)
4	Kilometer	907-626-FF005	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yellow) (2.25-mm min)
7,252	Meter	907-626-GG007	Thermoplastic Detail Stripe (150-mm Equivalent Length) (White) (3.00-mm min.)
1,738	Meter	907-626-GG008	Thermoplastic Detail Stripe (150-mm Equivalent Length) (Yellow) (3.00-mm min.)
205	Meter	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)
150	Square Meter	907-626-HH005	Thermoplastic Legend (White) (3.00-mm min)
30	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,043	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
164	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
740	Meter	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip White)
433	Meter	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousWhite)
433	Meter	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (ContinuousYellow)
21	Meter	907-628-OO001	High Performance Cold Plastic Detail Stripe (150-mm Equivalent Length)((White)
	Lump Sum	907-630-I002	Metal Overhead Sign Supports (Assembly No. 1) (Contractor Designed)
	Lump Sum	907-630-I004	Metal Overhead Sign Supports (Assembly No. 2) (Contractor Designed)
	Lump Sum	907-630-J004	Overhead Sign Supported on Bridge (Assembly No 4) (Contractor Designed)
	Lump Sum	907-630-J005	Overhead Sign Supported on Bridge (Assembly No 5) (Contractor Designed)
1,139	Meter	907-635-A001	Vehicle Loop Assemblies
3,000	Meter	907-636-A001	Shielded Cable, AWG #18, 4 Conductor
1	Each	907-639-A027	Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (12.0mm Arm)
3	Each	907-639-A028	Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (15.0mm Arm)
1	Each	907-639-A029	Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (6.0m & 18.0 m Arms)
1	Each	907-639-A030	Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (7.0m & 20.0 m Arms)
2	Each	907-639-A031	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (12.0m Arm)
1	Each	907-639-A032	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0m Arm)
1	Each	907-639-A033	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0m & 15.0 m Arm)
1	Each	907-639-A034	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (17.0m & 20.0 m Arm)
32	Cubic Meter	907-639-C005	Pole Foundations, 900-mm Diameter
51	Meter	907-639-D005	Slip Casing, 900-mm Diameter
18	Each	907-640-B001	Traffic Signal Heads (Type 1) LED
9	Each	907-640-B006	Traffic Signal Heads (Type 7) LED
6	Each	907-640-B009	Traffic Signal Heads (Type 4) LED
3	Each	907-648-A001	Radio Interconnect (Installed in New Controller Cabinet)
13,200	Kilogram	907-690-A001	Portland Cement Grout for Plugging Abandoned Wells
	Lump Sum	907-699-A001	Roadway Construction Stakes
1,128	Square Meter	907-815-E001	Geotextile Fabric under Riprap
	Lump Sum	907-899-A001	Railway Highway Provisions
2,640	Meter	908-635-A001	Vehicle Loop Assemblies

Call No. -09 for the September28, 2010 Letting

12	Each	908-638-A005	Loop Detector Amplifier, (4 Channel)
2	Each	907-640-B004	Traffic Signal Heads (Type 3) LED
4	Each	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)
1	Each	908-643-A001	Closed Loop On-Street Master System
17	Each	908-647-A001	Pullbox (Type 1)
16	Each	908-647-A002	Pullboxes (Type 2)
906	Meter	908-666-B018	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),7 Conductor
788	Meter	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)
662	Meter	908-668-A016	Traffic Signal Conduit (Underground) (Type IV) (DN 50)
51	Meter	908-668-A018	Traffic Signal Conduit (Underground) (Type IV) (DN 75)
194	Meter	908-668-B016	Traffic Signal Conduit (Underground Drilled or Jacked)(TypeIV)(DN 50)
289	Meter	908-668-B018	Traffic Signal Conduit (Underground Drilled or Jacked)(TypeIV)(DN 75)
100	Meter	908-679-A009	Underground Branch Circuit (AWG 2) (3 Conductor)
1,210	Meter	908-679-A024	Underground Branch Circuit (AWG 8) (3 Conductor)
153	Meter	908-679-C023	Structure Mounted Branch Circuit (AWG 8) (3 Conductor)
6	Each	908-679-D001	Underground Pull Boxes
1	Each	908-679-E001	Secondary Power Controllers
5	Each	908-679-G040	Lighting Assemblies - High Mast Type 36-6
12	Each	908-679-I010	Underpass Lighting Assemblies Type UP
45	Meter	908-679-J007	Slip Casing (1500-mm Diameter)
97	Cubic Meter	908-679-K008	Pole Foundation (1500-mm Diameter)
ALTERNATE GROUP AA NO. 1			
213	Metric Ton	907-308-A001	Portland Cement
23,594	Square Meter	907-308-B001	Soil-Cement-Water Mixing, (Optional Mixers) (Design Soil)
ALTERNATE GROUP AA NO. 2			
23,594	Square Meter	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick
170	Metric Ton	907-311-B001	Lime
680	Metric Ton	907-311-C003	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
17,955	Metric Ton	907-403-A011	Hot Mix Asphalt, HT, 19-mm mixture
18,362	Metric Ton	907-403-D003	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
11,707	Metric Ton	907-403-D002	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
17,955	Metric Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
18,362	Metric Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
11,707	Metric Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
<b>Bridge Items</b>			
72	Meter	607-B021	2400-mm Type I Chain Link Fence (Class II)
1,411	Cubic Meter	801-A001	Foundation Excavation for Bridges
357,124	Kilogram	805-A001	Reinforcement
432	Meter	813-A001	Concrete Railing
185	Cubic Meter	815-D001	Concrete Slope Paving
5,962	Square Meter	907-501-K001	Transverse Grooving
6,594	Meter	907-803-E001	400-mm x 400-mm Prestressed Concrete Piling
5	Each	907-803-I001	PDA Test Pile
1	Each	907-803-J001	Pile Restrike

Call No. -09 for the September 28, 2010 Letting

2,931	Cubic Meter	907-804-A001	Bridge Concrete (Class AA)
3,433	Meter	907-804-C106	36-m Prestressed Concrete Beam, Type BT-1830
11,240	Kilogram	907-810-A001	Structural Steel

Reconstruction of U.S. Highway 78 (rubblizing, milling, removal of concrete, and overlaying) between Coldwater River and the West Holly Springs Exit, known as Federal Aid Project Nos. NH-0006-01(084) / 105510301 & 302, in the Counties of Desoto and Marshall, State of Mississippi.

PROJECT COMPLETION: June 28, 2013

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

20 Acre	201-B001	Clearing and Grubbing
34,305 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
411 Square Yard	202-B010	Removal of Bridge End Pavement
978 Square Yard	202-B025	Removal of Concrete Paved Ditch
187,214 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
2,738 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
1 Each	202-B042	Removal of Flared End Section, All Sizes
19 Each	202-B057	Removal of Inlets, All Sizes
741 Linear Feet	202-B064	Removal of Pipe, 8" And Above
76 Each	202-B070	Removal of Sign Including Post & Footing
224,099 Linear Feet	202-B076	Removal of Traffic Stripe
10 Each	202-B086	Removal of Guard Post
9,975 Linear Feet	202-B102	Removal of Guard Rail
1,200 Square Yard	202-B138	Removal of Riprap
1 Each	202-B142	Removal of Junction Box
800 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
27,571 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
16,993 Cubic Yard	203-G003	Excess Excavation, FM, AH
150 Cubic Yard	206-A001	Structure Excavation
38 Ton	213-C001	Superphosphate
153 Ton	215-A001	Vegetative Materials for Mulch
958 Square Yard	216-A001	Solid Sodding
1,000 Square Yard	217-A001	Ditch Liner
19 Thousand Gallon	219-A001	Watering
38 Acre	220-A001	Insect Pest Control
282 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
76 Acre	223-A001	Mowing
30,000 Linear Feet	234-A001	Temporary Silt Fence
800 Bale	235-A001	Temporary Erosion Checks
178,366 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
60 Mile	423-A001	Rumble Strips, Ground In
186 Linear Feet	501-E001	Expansion Joints, Without Dowels
411 Square Yard	501-K001	Transverse Grooving
411 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
110 Linear Feet	503-C007	Saw Cut, Full Depth
36 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,664 Pounds	602-A001	Reinforcing Steel
488 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
32 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III

Call No. 01 for the September28, 2010 Letting

16	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
40	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
32	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
56	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
32	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
3,800	Pounds	604-B001	Gratings
16,909	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
848	Each	606-A001	Guard Posts
7,000	Linear Feet	606-B001	Guard Rail, Class A, Type 1
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
16	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
32	Each	606-D008	Guard Rail, Bridge End Section, Type H
2	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
51	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-E009	Guard Rail, Terminal End Section, Double Faced
11,786	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
38,410	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
1,800	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
6	Each	607-G002	Gate, 12' x 60" Aluminum
6	Each	607-G038	Gate, 12' x 60" Chain Link
2,020	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
404	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
269	Each	607-P1010	Line Post, 10' x 2" Galvanized Steel
773	Each	607-P1013	Line Post, 7' Tee Post Steel
154	Each	607-P1014	Line Post, 9' Tee Post Steel
103	Each	607-P1015	Line Post, 10' Tee Post Steel
39	Each	607-P2001	Brace Post, 8' x 6" Timber
8	Each	607-P2002	Brace Post, 10' x 6" Timber
5	Each	607-P2003	Brace Post, 12' x 6" Timber
76	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
51	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
381	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
4	Each	607-P2024	Brace Post, 8' x 3 1/2" Galvanized Steel
6	Each	607-P3001	Gate Post, 8' x 6" Timber
73	Each	607-Z001	Concrete Anchors
	Lump Sum	618-A001	Maintenance of Traffic
225	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8,400	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
157	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
25,200	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
98	Mile	619-A3006	Temporary Traffic Stripe, Skip White



Call No. 01 for the September 28, 2010 Letting

133,955	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
656	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
489	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
632	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
52	Each	619-D3001	Remove and Reset Signs, All Sizes
6	Each	619-E1001	Flashing Arrow Panel, Type C
35,640	Linear Feet	619-F1001	Concrete Median Barrier, Precast
17,952	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
50	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
4,400	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
144	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
487	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
304	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
42	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
836	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
110	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
39	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
102	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
53	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
104	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
345	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
274	Each	630-F001	Delineators, Guard Rail, White
120	Each	630-F002	Delineators, Guard Rail, Yellow
224	Each	630-F006	Delineators, Post Mounted, Single White
58	Each	630-F007	Delineators, Post Mounted, Single Yellow
300	Each	630-F008	Delineators, Post Mounted, Double White
80	Each	630-F009	Delineators, Post Mounted, Double Yellow
32	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
297	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
120	Cubic Yard	631-A001	Flowable Fill
46	Each	647-A003	Pullbox, Type 4
43	Each	647-A004	Pullbox, Type 5
27	Each	647-A005	Pullbox, Type 2
730	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
785	Linear Feet	666-B028	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
2,370	Linear Feet	666-B038	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
1,025	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor

Call No. 01 for the September 28, 2010 Letting

135	Linear Feet	666-B045	Electric Cable, Underground in Conduit, THHN, AWG #3/0, 4 Conductor
2,993	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
685	Linear Feet	668-A030	Traffic Signal Conduit, Underground, Rolled Pipe, 2 @ 2"
270	Linear Feet	668-A034	Traffic Signal Conduit, Underground, Rolled Pipe, 3 @ 2"
1,585	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
	Lump Sum	699-A001	Roadway Construction Stakes
1,028	Linear Feet	808-A001	Joint Preparation
4,304	Ton	815-A009	Loose Riprap, Size 300
40	Cubic Yard	815-C001	Concrete Riprap in Bags
5,253	Square Yard	815-E001	Geotextile under Riprap , Type V, Non-Woven
91	Each	907-203-I002	Site Grading
76	Acre	907-225-A001	Grassing
229	Ton	907-225-B001	Agricultural Limestone
38	Acre	907-226-A001	Temporary Grassing
90	Each	907-234-D001	Inlet Siltation Guard
1,400	Linear Feet	907-237-A003	Wattles, 20"
800	Linear Feet	907-245-A001	Triangular Silt Dike
700	Linear Feet	907-246-A001	Sandbags
30,688	Ton	907-304-B009	Granular Material, Class 3, Group D
45,586	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
67,273	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
269,835	Gallon	907-407-A001	Asphalt for Tack Coat
10,208	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
290,874	Square Yard	907-507-A001	Rubblizing Existing Portland Cement Concrete Pavement
378	Cubic Yard	907-507-B001	Filler Aggregate
24	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
169,087	Linear Feet	907-605-H002	Prefabricated Edge Drain
16,909	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
8	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
65	Each	907-617-A001	Right-of-Way Marker
6	Each	907-619-E3001	Changeable Message Sign
35	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
40	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
36	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
55,185	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
24,493	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
882	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
159	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
	Lump Sum	907-630-M001	Pedestal Sign Support, Assembly No 1, Contractor Designed
	Lump Sum	907-630-M002	Pedestal Sign Support, Assembly No 2, Contractor Designed
49	Each	907-630-O003	Remove and Reset Sign, All Sizes
8	Each	907-637-A001	Equipment Cabinet, Type B
8	Each	907-639-E001	Camera Pole with Foundation, 50' Pole
16	Each	907-641-A001	Radar Detection System
24	Each	907-650-A002	On Street Video Equipment, Fixed Type

Call No. 01 for the September28, 2010 Letting

8	Each	907-650-A003	On Street Video Equipment, PTZ Type
2	Each	907-656-A002	Dynamic Message Sign, Type 2
	Lump Sum	907-656-B001	Dynamic Message Sign Training
91,185	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
1,665	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
8	Each	907-658-A001	Hardened Network Switch, Type A
1	Each	907-658-A003	Hardened Network Switch, Type C
8	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-660-A001	OTN Node
1	Each	907-660-B001	OTN Node Communications Hut
8	Each	907-662-A001	Video Encoder, Type A
74,885	Linear Feet	907-668-E002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
2,330	Linear Feet	907-668-E003	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 3 @ 2"
11,270	Linear Feet	907-668-F002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 2 @ 2"
915	Linear Feet	907-668-F003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked,Rolled Pipe, 3 @ 2"
920	Linear Feet	907-668-G002	Traffic Signal Conduit Bank, Aerial Supported, Type I, 2 @2"
	Lump Sum	907-688-A001	Vehicle Inductive Loop and Axle Detector System
129	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
514	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
ALTERNATE GROUP AA NO. 1			
1,684	Ton	907-308-A001	Portland Cement
143,172	Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
ALTERNATE GROUP AA NO. 2			
143,172	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
1,102	Ton	907-311-B001	Lime
4,436	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
1,563	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
107,525	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
1,172	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
17,832	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
139,308	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
16,105	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
16,105	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
17,832	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
139,308	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
1,172	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
1,563	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
107,525	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP CC NO. 1			
5,145	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
5,836	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

Call No. 01 for the September 28, 2010 Letting

5,836	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP CC NO. 2			
5,145	Mile	907-626-I002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
5,836	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
5,836	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Interstate Sign and Truss replacements on I-20, I-55, & I-220, known as Federal Aid Project Nos. IM-9999-05(009) / 105445301, 302, & 303, in the Counties of Hinds, Madison, and Rankin, State of Mississippi.

PROJECT COMPLETION: June 29, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

43	Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
3,741	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
6,476	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
6,916	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
272	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
3,612	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
109	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
1,107	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
317	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
243	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
108	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
358	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1,074	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1,411	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
679	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
861	Each	630-F006	Delineators, Post Mounted, Single White
875	Each	630-F007	Delineators, Post Mounted, Single Yellow
1,255	Each	630-F008	Delineators, Post Mounted, Double White
589	Each	630-F009	Delineators, Post Mounted, Double Yellow
169	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
333	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
196	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
132	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
54	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 10
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 11
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 12
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 13
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 137
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 138
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 139
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 14
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 140
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 141
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 144
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 146
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 17
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 18

Call No. 02 for the September 28, 2010 Letting

Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 19
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 20
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 21
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 23
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 24
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 25
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 26
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 28
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 29
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 32
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 33
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 34
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 35
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 36
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 37
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 38
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 39
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 40
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 41
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 42
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 44
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 45
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 46
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 47
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 54
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 7
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 8
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed Assembly # 9
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 105
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 142
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 143
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 15
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 16
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 22
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 30
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 31
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 43
Lump Sum	907-630-J007	Metal Overhead Sign Supported on Bridge, Contractor Designed Assembly # 99
665 Square Feet	907-630-PP014	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Overhead

Call No. 02 for the September 28, 2010 Letting

Mounted

ALTERNATE GROUP AA NO. 1

12,994	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
45,251	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted

ALTERNATE GROUP AA NO. 2

45,251	Square Feet	907-630-B033	Interstate Directional Signs, Thermal Transfer Printed, Overhead Mounted
12,994	Square Feet	907-630-B034	Interstate Directional Signs, Thermal Transfer Printed, Ground Mounted

Installation of Cable Barrier on Various Routes in District 1, known as Federal Aid Project No. HSIP-0000-01(007) / 106020301, in District 1, State of Mississippi.

PROJECT COMPLETION: October 28, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

17,924	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6,500	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
6	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
8,000	Linear Feet	907-237-A003	Wattles, 20"
474,016	Linear Feet	907-606-G001	Cable Barrier
275	Each	907-606-H001	Cable Barrier Terminal Section
2,258	Each	907-606-I001	Cable Barrier Post Repair



Construction of a Bike Path, from Thornton Ave. to Southern Circle, known as Federal Aid Project No. STP-0003-01(183) / 105945301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: March 31, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
504 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1,097 Linear Feet	907-608-PP005	Concrete Pathway, 9'
7,659 Linear Feet	907-608-PP006	Concrete Pathway, 12'
787 Linear Feet	907-608-PP007	Concrete Pathway, 9' to 12' Transition
1 Each	907-608-PP011	Concrete Pathway, Equipment Ramp
12,372 Linear Feet	907-619-L001	Construction Safety Fence

Installing a traffic signal on U.S. Highway 49 at the South Gate of Camp Shelby & Anderson Road, known as Federal Aid Project No. HSIP-0008-01(121) / 105875301, in the County of Forrest, State of Mississippi.

PROJECT COMPLETION: February 25, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
225 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
60 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4 Each	202-B070	Removal of Sign Including Post & Footing
317 Linear Feet	202-B076	Removal of Traffic Stripe
250 Square Yard	212-B001	Standard Ground Preparation
2 Ton	215-A001	Vegetative Materials for Mulch
250 Square Yard	216-A001	Solid Sodding
2,500 Linear Feet	234-A001	Temporary Silt Fence
70 Linear Feet	503-C007	Saw Cut, Full Depth
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
82 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
24 Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
60 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,105 Linear Feet	635-A001	Vehicle Loop Assemblies
2,165 Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
3 Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8 Each	640-A016	Traffic Signal Heads, Type 1 LED
2 Each	640-A017	Traffic Signal Heads, Type 2 LED
2 Each	640-A031	Traffic Signal Heads, Type 1A LED
2 Each	640-A032	Traffic Signal Heads, Type 3A LED
4 Each	647-A001	Pullbox, Type 1
3 Each	647-A005	Pullbox, Type 2
1 Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
38 Square Feet	653-B001	Street Name Sign, Encapsulated Lens
2,160 Linear Feet	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
90 Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
125 Linear Feet	666-B022	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 2 Conductor
270 Linear Feet	666-C005	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 4 Conductor
930 Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
175 Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
2,010 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
100 Linear Feet	668-B016	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 2"
1 Acre	907-225-A001	Grassing
2 Ton	907-225-B001	Agricultural Limestone
100 Linear Feet	907-237-A003	Wattles, 20"
2 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
122 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
880 Linear Feet	907-626-H004	Thermoplastic Legend, White

Call No. 05 for the September28, 2010 Letting

116	Square Feet	907-626-H005	Thermoplastic Legend, White
6	Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
16	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
4	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly

Installation of Cable Barrier on Interstate 20 from Bovina to the Big Black River, known as Federal Aid Project No. HSIP-0020-01(196) / 105943301, in the County of Warren, State of Mississippi.

PROJECT COMPLETION: July 29, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

1,120	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
750	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
925	Linear Feet	907-237-A003	Wattles, 20"
29,400	Linear Feet	907-606-G001	Cable Barrier
16	Each	907-606-H001	Cable Barrier Terminal Section
140	Each	907-606-I001	Cable Barrier Post Repair

Widening, Overlaying, and Correcting the cross slopes of approximately 3.24 miles of State Road 13 from 1.7 miles East of I-59 to the Forrest County Line, known as Federal Aid Project No. HSIP-0023-01(075) / 105911301, in the County of Pearl River, State of Mississippi.

PROJECT COMPLETION: April 04, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

150	Linear Feet	202-B102	Removal of Guard Rail
2,930	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
450	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
162	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
304	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
560	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
280	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
280	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
12	Each	630-F001	Delineators, Guard Rail, White
1,200	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
4,860	Gallon	907-407-A001	Asphalt for Tack Coat
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
450	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
400	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
4,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
6,700	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
4,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
6,700	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Upgrade the Roadway on SR 25 between Smithville and Fulton, known as Federal Aid Project No. HSIP-0040-02(031) / 105736301, in the County of Itawamba, State of Mississippi.

PROJECT COMPLETION: April 29, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

638	Linear Feet	202-B102	Removal of Guard Rail
24	Mile	423-A001	Rumble Strips, Ground In
638	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-E002	Guard Rail, Terminal End Section, Flared
498	Linear Feet	609-B001	Concrete Curb, Header
117	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
28	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
268	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
76	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
16	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1,181	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
987	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
450	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
975	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
2,370	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
38	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
33	Each	630-F001	Delineators, Guard Rail, White
137	Each	630-F006	Delineators, Post Mounted, Single White
33	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
24	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,080	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
324	Linear Feet	907-626-H004	Thermoplastic Legend, White

Installation of a Traffic Signal on U.S. 51 at South Street, known as Federal Aid Project No. STP-2901-00(030) / 105891301 in the County of Grenada, State of Mississippi.

PROJECT COMPLETION: June 07, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

74	Linear Feet	202-B038	Removal of Curb, All Types
8	Each	202-B070	Removal of Sign Including Post & Footing
46	Square Yard	202-B216	Removal of Island Pavement, All Types
10	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
50	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
50	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
912	Linear Feet	635-A001	Vehicle Loop Assemblies
1,113	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
8	Each	640-A021	Traffic Signal Heads, Type 6 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
3	Each	647-A001	Pullbox, Type 1
6	Each	647-A005	Pullbox, Type 2
24	Square Feet	653-B001	Street Name Sign, Encapsulated Lens
747	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
696	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
284	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
475	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
74	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
94	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
100	Linear Feet	907-619-L001	Construction Safety Fence
1,419	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
1	Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
8	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter

Construction necessary to upgrade Springridge Road between Interstate 20 and U.S. Highway 80, known as Federal Aid Project No. HSIP-7312-00(003) / 105928301, in the County of Hinds, State of Mississippi.

PROJECT COMPLETION: March 18, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

720	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
500	Linear Feet	202-B076	Removal of Traffic Stripe
425	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
275	Square Yard	212-B001	Standard Ground Preparation
275	Square Yard	216-B004	Solid Sodding, Bermuda
6	Thousand Gallon	219-A001	Watering
2,514	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
2,130	Linear Feet	503-C007	Saw Cut, Full Depth
501	Linear Feet	609-B003	Concrete Curb, Special Design
1,120	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
19	Square Yard	616-A004	Concrete Median and/or Island Pavement, 12-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
5,058	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
465	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
253	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
32	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
42	Linear Feet	619-G4001	Barricades, Type III, Single Faced
242	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
192	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,304	Linear Feet	635-A001	Vehicle Loop Assemblies
1	Ton	907-213-A001	Agricultural Limestone
	Lump Sum	907-282-A019	Automatic Irrigation System
200	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
2,286	Gallon	907-407-A001	Asphalt for Tack Coat
982	Square Feet	907-616-C001	Stamped & Colored Concrete Median and/or Island Pavement, Per Plans
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
5,420	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
465	Linear Feet	907-626-H004	Thermoplastic Legend, White
253	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
3,429	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
3,429	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture



Placing an Ultra Thin Asphalt Overlay on approximately 6 miles of SR 370 and SR 371, known as State Project No. MP-1000-00(050) / 303997301, in District 1, State of Mississippi.

PROJECT COMPLETION: November 19, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
16 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
969 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
163 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
Lump Sum	620-A001	Mobilization
7 Mile	625-B002	Traffic Stripe, Skip Yellow
12 Mile	625-C002	Traffic Stripe, Continuous White
5 Mile	625-D002	Traffic Stripe, Continuous Yellow
775 Linear Feet	625-E001	Detail Traffic Stripe
130 Linear Feet	625-F002	Legend
660 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,620 Gallon	907-411-B001	Bituminous Tack Coat
ALTERNATE GROUP AA NO. 1		
3,460 Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
ALTERNATE GROUP AA NO. 2		
3,460 Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

Call No. 12 for the September 28, 2010 Letting

Repairing Timber Fenders on I-110 Bridge Over Back Bay of Biloxi, known As State Project No. MRP-6110-24(028) / 303936301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: December 17, 2010

**Advance Information Only - Items and Quantities Subject to Change**

**Bridge Items**

1	Each	202-B130	Removal of Piling
17	Thousand Board Feet	820-B001	Treated Timber
6,540	Linear Feet	820-D001	Treated Timber Piling

Call No. 13 for the September 28, 2010 Letting

Construction necessary to renovate the Rest Area Buildings on I-55 Northbound near Hernando, known as State Project No. BWO-2198-17(003) / 502016301, in the County of Desoto, State of Mississippi.

PROJECT COMPLETION: August 31, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Building Items**

Lump Sum	1500-A001	Construction of Renovate Rest Area Building
----------	-----------	---

Call No. 14 for the September 28, 2010 Letting

Construction necessary to build a new Spray Truck Building & Equipment Shed for District Seven at McComb, known as State Project Nos. BWO-7126-57 (001) / 501774303 & BWO-7127-57(001) / 501774304, in the County of Pike, State of Mississippi.

PROJECT COMPLETION: June 30, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Building Items**

Lump Sum	1500-A001	Construction of Spray Truck Building
Lump Sum	1500-A001	Construction of Equipment Shed

Grade, drain and bridge upgrade on U.S. 45 from Carson Road to 4 miles south of U.S. 82, known as Federal Aid Project No. NH-0002-04(041) / 102090301, in the County of Lowndes, State of Mississippi.

PROJECT COMPLETION: September 28, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

Lump Sum	201-A001	Clearing and Grubbing
1,002 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
325 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
727 Square Yard	202-B025	Removal of Concrete Paved Ditch
956 Linear Feet	202-B064	Removal of Pipe, 8" And Above
316,968 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
397,773 Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
7,967 Cubic Yard	206-A001	Structure Excavation
392 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
159 Ton	213-C001	Superphosphate
636 Ton	215-A001	Vegetative Materials for Mulch
37,013 Square Yard	216-A001	Solid Sodding
17,361 Square Yard	217-A001	Ditch Liner
687 Thousand Gallon	219-A001	Watering
159 Acre	220-A001	Insect Pest Control
270 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
221 Acre	223-A001	Mowing
2,807 Square Yard	224-A001	Soil Reinforcing Mat
65,330 Linear Feet	234-A001	Temporary Silt Fence
4,920 Bale	235-A001	Temporary Erosion Checks
14 Each	236-A004	Silt Basin, Type D
2,535 Linear Feet	239-A001	Temporary Slope Drains
7,263 Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
251,797 Pounds	602-A001	Reinforcing Steel
8,324 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
138 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
220 Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
108 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
4 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
14 Each	603-SB040	18" Branch Connections, Stub into Box Culvert
7,000 Pounds	604-B001	Gratings
Lump Sum	618-A001	Maintenance of Traffic
8,600 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
8,600 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
576 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,029 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
116 Square Feet	619-D4001	Directional Signs

Call No. 15 for the September 28, 2010 Letting

2,022	Linear Feet	619-G4001	Barricades, Type III, Single Faced
18	Linear Feet	619-G4005	Barricades, Type III, Double Faced
224	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
54	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	699-A001	Roadway Construction Stakes
1,200	Ton	815-A006	Loose Riprap, Size 100
3,808	Ton	815-A009	Loose Riprap, Size 300
3,921	Square Yard	815-E001	Geotextile under Riprap
75	Ton	815-F002	Sediment Control Stone
319	Acre	907-225-A001	Grassing
954	Ton	907-225-B001	Agricultural Limestone
160	Acre	907-226-A001	Temporary Grassing
4	Each	907-234-D001	Inlet Siltation Guard
300	Linear Feet	907-234-F001	Turbidity Barrier
100	Linear Feet	907-237-A002	Wattles, 12"
2,280	Linear Feet	907-237-A003	Wattles, 20"
2,280	Linear Feet	907-245-A001	Triangular Silt Dike
2,280	Linear Feet	907-246-A001	Sandbags
9	Each	907-247-A001	Temporary Stream Diversion
1,004	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
5,545	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
697	Gallon	907-407-A001	Asphalt for Tack Coat
1,416	Cubic Yard	907-601-A001	Class "B" Structural Concrete
20	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,292	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
4,300	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
4,300	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
240	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
			ALTERNATE GROUP AA NO. 1
767	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,917	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
767	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
1,917	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			<b>Bridge Items</b>
3,222	Square Yard	501-K001	Transverse Grooving
6	Each	803-B002	Conventional Static Pile Load Test
2,140	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,390	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,125	Linear Feet	803-D007	HP 14 x 89 Steel Piling
1,840	Linear Feet	803-F009	20" Pre-Formed Pile Hole
9	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
212,125	Pounds	805-A001	Reinforcement
1,611	Linear Feet	813-A001	Concrete Railing

Call No. 15 for the September 28, 2010 Letting

982	Ton	815-A009	Loose Riprap, Size 300
783	Square Yard	815-E001	Geotextile under Riprap
1,495	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
3,076	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
479	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,397	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Mill and Overlay Various Streets in Harrison and Jackson Counties, known as Federal Aid Project Nos. STP-9999-06(010) / 105957301, 302, 303, 304, & 305, in the Counties of Harrison & Jackson, State of Mississippi.

PROJECT COMPLETION: July 15, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

950	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
900	Linear Feet	202-B038	Removal of Curb, All Types
1,275	Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
600	Linear Feet	202-B102	Removal of Guard Rail
1,902	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
25	Square Yard	216-A001	Solid Sodding
31,742	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
450	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
1,400	Linear Feet	503-C007	Saw Cut, Full Depth
16	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
550	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D006	Guard Rail, Bridge End Section, Type G
10	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,300	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
175	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
150	Linear Feet	609-B002	Concrete Curb, Doweled
325	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
150	Linear Feet	609-D017	Combination Concrete Curb and Gutter, Per Plans
212	Each	613-D007	Adjustment of Utility Appurtenance
	Lump Sum	618-A001	Maintenance of Traffic
5	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,000	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,499	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,053	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
300	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
120	Square Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 Tape
1,044	Square Feet	619-D4001	Directional Signs
	Lump Sum	620-A001	Mobilization
620	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
60	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
140	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
300	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
31	Each	630-F001	Delineators, Guard Rail, White
31	Each	630-F002	Delineators, Guard Rail, Yellow
324	Linear Feet	635-A001	Vehicle Loop Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
203	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
17,093	Gallon	907-407-A001	Asphalt for Tack Coat



Call No. 16 for the September 28, 2010 Letting

13,530	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
13,530	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
10	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,125	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
40	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
7,211	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,473	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
8,821	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,136	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
870	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
11,832	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,230	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
11,832	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
870	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
1,230	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Installation of Cable Barrier on Interstate 55 from the Louisiana State Line to the Union Street Bridge, known as Federal Aid Project No. HSIP-0055-01(098) / 105973301 & 302, in the Counties of Pike and Lincoln, State of Mississippi.

PROJECT COMPLETION: July 18, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

4,305	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2,000	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
2,550	Linear Feet	907-237-A003	Wattles, 20"
116,235	Linear Feet	907-606-G001	Cable Barrier
74	Each	907-606-H001	Cable Barrier Terminal Section
555	Each	907-606-I001	Cable Barrier Post Repair

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN  
EXECUTIVE DIRECTOR