

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0010	201-A001	Clearing and Grubbing	1.000	LS		43,500.00	118,750.00	101,363.44
0020	202-B043	Removal of Flared End Section (All Sizes)	2.000	EA		65.00	265.00	111.89
0030	202-B066	Removal of Pipe (200-mm and above)	278.000	m		9.85	17.25	23.56
0040	202-B076	Removal of Traffic Stripe	160.000	m		6.00	6.00	6.50
0050	202-B079	Removal of Pavement (All Types and Depths)	35,816.000	m2		2.75	1.20	1.29
0060	202-B094	Removal of Curb & Gutter (All Types)	854.000	m		1.65	17.25	10.84
0070	202-B179	Removal of Existing Sign	35.000	EA		300.00	250.00	23.67
0075	202-B224	Removal of Rubbish	16,731.000	m3		20.93	36.00	34.36
0080	203-G003	Excess Excavation (FM) (AH)	33,943.000	m3		6.50	8.25	5.89
0090	206-A001	Structure Excavation	1,916.000	m3		13.08	16.50	4.42
0100	211-A001	Topsoil for Slope Treatment (From Right-of-Way)	105,000.000	m2		1.80	0.85	0.97
0110	213-C001	Superphosphate	20.000	mton		400.00	400.00	683.35
0120	215-A001	Vegetative Materials for Mulch	92.000	mton		175.00	175.00	202.94
0130	216-A001	Solid Sodding	258.000	m2		10.00	10.00	5.98
0140	219-A001	Watering	16.000	kl		6.00	6.00	6.00
0150	220-A001	Insect Pest Control	10.000	ha		75.00	75.00	75.00
0160	221-A001	Portland Cement Concrete Paved Ditch	84.000	m3		490.00	410.00	403.53
0170	224-A001	Soil Reinforcing Mat	39,400.000	m2		2.80	2.80	2.58
0180	235-A001	Temporary Erosion Checks	430.000	BALE		10.00	10.00	7.05
0190	239-A001	Temporary Slope Drains	700.000	m		25.00	25.00	27.03
0200	305-B001	Size I Stabilizer Aggregate, Coarse (LVM)	80.000	m3		55.09	90.00	98.61
0210	406-A001	Cold Milling of Bituminous Pavement (All Depths)	23,763.000	m2		2.40	1.80	1.93
0220	406-B001	Cold Milling of Concrete Pavement (All Depths)	300.000	m2		22.50	20.00	21.44
0230	501-E001	Expansion Joints (Without Dowels)	66.000	m		19.82	55.00	58.95
0240	502-A002	Reinforced Cement Concrete Bridge End Pavement (225 mm)	398.000	m2		124.21	124.21	150.06
0250	602-A001	Reinforcing Steel	8,731.000	kg		2.32	2.30	2.38

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0260	603-C-A090	450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gask	350.000	m		124.05	76.50	78.05
0270	603-C-A091	600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gask	108.000	m		193.00	118.50	100.53
0280	603-C-A093	900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gask	15.000	m		405.00	237.00	213.63
0290	603-C-A094	1050-mm Reinforced Concrete Pipe, Class III (Rubber Type Gas	41.000	m		442.25	289.50	216.47
0300	603-C-A102	450-mm Reinforced Concrete Pipe, Class IV (Rubber Type Gaske	43.000	m		135.96	90.00	89.45
0310	603-C-A107	1650-mm Reinforced Concrete Pipe, Class III (Rubber Type Gas	249.000	m		1,007.00	660.00	528.20
0320	603-C-A112	450-mm Reinforced Concrete Pipe, Class V (Rubber Type Gasket	49.000	m		154.00	105.00	103.94
0330	603-C-B001	450-mm Reinforced Concrete End Section	16.000	EA		593.00	534.00	785.40
0340	603-C-B002	600-mm Reinforced Concrete End Section	4.000	EA		680.00	614.00	853.08
0350	603-C-B004	900-mm Reinforced Concrete End Section	4.000	EA		1,158.00	1,154.00	1,265.11
0360	603-C-B005	1050-mm Reinforced Concrete End Section	2.000	EA		1,581.00	1,469.00	1,501.18
0370	603-C-B009	1650-mm Reinforced Concrete End Section	6.000	EA		3,163.00	2,693.00	2,590.31
0380	603-C-E040	560-mm x 345-mm Concrete Arch Pipe, Class A III (Flexible PI	456.000	m		184.75	121.50	108.68
0390	603-C-F001	560-mm x 345-mm Concrete Arch Pipe End Section	11.000	EA		593.00	534.00	785.40
0400	603-S-B052	450-mm Branch Connections (Stub into 1650-mm Concrete Pipe)	2.000	EA		4,900.00	1,500.00	826.65
0410	604-A001	Castings	3,459.000	kg		6.59	4.00	4.94
0420	604-B001	Gratings	2,595.000	kg		8.29	4.00	6.79
0430	605-O004	150-mm Perforated Sewer Pipe for Underdrains (SDR 35)	870.000	m		32.81	30.00	23.58
0440	605-P004	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 35)	259.000	m		32.81	30.00	31.15
0450	605-W001	Filter Material for Combination Storm Drain &/or Underdrains	140.000	m3		54.25	95.00	69.74
0460	605-W002	Filter Material for Combination Storm Drain &/or Underdrains	152.000	m3		17.10	45.00	29.56
0470	605-X005	Filter Material for Filter Beds, Type C	11,705.000	m3		21.58	21.58	14.93
0480	606-B001	Guard Rail (Class A, Type 1)	153.000	m		75.00	67.00	72.77
0490	606-C003	Guard Rail, Cable Anchor, Type 1	1.000	EA		1,100.00	998.00	887.47
0500	606-D012	Guard Rail, Bridge End Section, Type I	2.000	EA		3,000.00	2,250.00	2,163.21

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0510	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	6,484.000	m		41.98	44.00	40.45
0520	615-A016	Concrete Bridge End Barrier, 850-mm	12.000	m		134.12	145.00	155.41
0530	616-A001	Concrete Median and/or Island Pavement (100-mm)	11,568.000	m2		29.00	32.50	29.48
0540	616-A003	Concrete Median and/or Island Pavement (250-mm)	74.000	m2		71.00	46.00	80.86
0550	618-A001	Maintenance of Traffic	1.000	LS		112,014.91	330,000.00	90,030.82
0560	619-D1001	Standard Roadside Construction Signs (less than 0.9 square m	15.000	m2		96.50	170.00	182.21
0570	619-D2001	Standard Roadside Construction Signs (0.9 square meter or mo	86.000	m2		96.50	170.00	182.21
0580	619-G4001	Barricades (Type III) (Single Faced)	220.000	m		71.00	75.00	80.39
0590	619-G4002	Barricades (Type III) (Single Faced) (Permanent)	15.000	m		125.00	125.00	133.98
0600	619-G4005	Barricades (Type III) (Double Faced)	18.000	m		75.00	75.00	80.39
0610	619-G5001	Free Standing Plastic Drums	305.000	EA		60.79	60.00	64.31
0620	620-A001	Mobilization	1.000	LS		1,780,000.00	1,270,196.00	1,273,882.00
0630	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)	9.000	m2		195.00	225.00	218.51
0640	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)	48.000	m2		210.00	257.00	235.31
0650	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panel	95.000	m2		240.00	270.00	268.93
0660	630-B002	Interstate Directional Signs (Bolted Extruded Aluminum Panel	60.000	m2		240.00	270.00	268.93
0670	630-B003	Interstate Directional Signs (Bolted Extruded Aluminum Panel	34.000	m2		240.00	310.00	268.93
0680	630-C001	Steel U-Section Posts (2.97 kg/m)	2.000	m		27.00	30.00	30.25
0690	630-C003	Steel U-Section Posts (4.46 kg/m)	240.000	m		27.00	28.00	30.25
0700	630-D003	Structural Steel Beams (W150 x 18)	36.000	m		165.00	225.00	184.89
0710	630-D017	Structural Steel Beams (W250 x 38.7)	35.000	m		247.50	240.00	277.33
0720	630-D018	Structural Steel Beams (W310 x 38.7)	75.000	m		247.50	255.00	277.33
0730	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)	252.000	kg		5.00	7.50	5.60
0740	630-E005	Structural Steel Angles & Bars (102 mm x 102 mm x 7.9 mm Ang	207.000	kg		5.00	7.50	5.60
0750	630-E007	Structural Steel Angles & Bars (76 mm x 76 mm x 6.4 mm Angle	44.000	kg		5.00	7.50	5.60
0760	630-F001	Delineators (Guard Rail)(White)	22.000	EA		18.00	18.00	44.82

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0770	630-F006	Delineators (Post Mounted)(Single White)	85.000	EA		40.00	30.00	44.82
0780	630-F007	Delineators (Post Mounted)(Single Yellow)	31.000	EA		40.00	30.00	44.82
0790	630-F008	Delineators (Post Mounted)(Double White)	195.000	EA		40.00	35.00	44.82
0800	630-F009	Delineators (Post Mounted)(Double Yellow)	10.000	EA		40.00	35.00	44.82
0810	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted	4.000	EA		125.00	75.00	140.07
0820	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)	5.000	m		150.00	175.00	168.08
0830	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)	30.000	m		165.00	185.00	184.89
0840	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)	111.000	m		180.00	215.00	201.70
0845	646-A001	Removal of Existing Traffic Signal Equipment	1.000	LS		7,000.00	50,000.00	22,410.87
0850	815-A005	Loose Riprap, (Size 45 kg)	810.000	mton		68.00	56.50	56.22
0860	815-A007	Loose Riprap, (Size 136 kg)	320.000	mton		68.00	61.50	64.89
0870	907-203-EX002	Borrow Excavation (AH)(FME) (Class B4)	318,396.000	m3		10.00	13.40	14.17
0880	907-207-A001	Settlement Plate	6.000	EA		500.00	1,500.00	2,143.65
0890	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)	101,025.000	m2		1.94	1.62	1.38
0900	907-209-A006	Geotextile Fabric Stabilization (Type VIII)	4,900.000	m2		18.28	18.48	20.24
0910	907-209-A007	Geotextile Fabric Stabilization (Type IX)	7,400.000	m2		10.26	11.50	10.04
0920	907-209-A008	Geotextile Fabric Stabilization (Type X)	4,230.000	m2		10.26	11.50	10.04
0930	907-209-A009	Geotextile Fabric Stabilization (Type XI)	1,500.000	m2		8.99	9.30	8.55
0940	907-209-A010	Geotextile Fabric Stabilization (Type XII)	3,250.000	m2		6.44	9.30	5.76
0950	907-217-A001	Ditch Liner	1,465.000	m2		3.00	3.00	1.63
0960	907-223-A001	Mowing	1.000	ha		100.00	100.00	100.00
0970	907-225-A001	Grassing	20.000	ha		2,470.00	2,470.00	2,785.83
0980	907-225-B001	Agricultural Limestone	138.000	mton		80.00	80.00	110.70
0990	907-226-A002	Temporary Grassing	10.000	ha		1,900.00	1,900.00	2,529.29
1000	907-234-A002	Temporary Silt Fence	8,030.000	m		10.57	8.30	6.71
1010	907-234-D001	Inlet Siltation Guard	1.000	EA		800.00	550.00	413.12

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
1020	907-237-A002	Wattles, 500-mm	400.000	m		19.68	16.00	14.68
1030	907-241-A001	Floc Blocks	18.000	EA		150.00	150.00	104.90
1040	907-245-A001	Triangular Silt Dike	150.000	m		34.00	34.00	34.01
1050	907-246-A001	Sandbags	1,850.000	m		3.20	3.20	6.57
1060	907-304-A001	Granular Material (Class 6, Group C)	9,047.000	m3		24.34	29.50	15.19
1070	907-304-I004	Crushed Stone Base (Size 610)	50,422.000	mton		34.33	36.95	36.69
1080	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)	47,525.000	m2		1.00	1.00	2.36
1090	907-307-D001	Lime	685.000	mton		100.00	100.00	212.70
1100	907-407-A001	Asphalt for Tack Coat	113,045.000	l		0.80	0.80	0.86
1110	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment	65.000	m		29.50	32.50	31.62
1120	907-423-A001	Rumble Strips (Ground In)	5.000	km		232.00	315.00	248.66
1130	907-501-K001	Transverse Grooving	398.000	m2		3.00	3.00	3.05
1140	907-601-B001	Class "B" Structural Concrete, Minor Structures	77.000	m3		1,070.00	1,550.00	1,149.51
1150	907-603-ALT01	450-mm Type A Alternate Pipe	24.000	m		115.00	76.50	125.64
1160	907-603-ALT13	900-mm Type A Alternate Pipe	19.000	m		410.00	237.00	310.12
1170	907-605-AA004	Geotextile for Subsurface Drainage, Type III	1,812.000	m2		1.50	1.65	1.08
1180	907-606-F004	Guard Rail, Terminal End Section, Flared	2.000	EA		3,500.00	2,000.00	2,218.68
1190	907-606-F005	Guard Rail, Terminal End Section, Non-Flared	1.000	EA		3,000.00	2,000.00	2,440.55
1200	907-610-A001	Drainage Wicks	86,746.000	m		1.32	1.32	1.47
1210	907-617-A003	Right-of-Way Marker	40.000	EA		258.27	100.00	111.17
1220	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)	433.000	m		1.00	1.00	1.08
1230	907-619-A1010	Temporary Traffic Stripe (Continuous White)	8.000	km		1,000.00	1,000.00	1,082.65
1240	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)	433.000	m		1.00	1.00	1.08
1250	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)	9.000	km		500.00	500.00	541.32
1260	907-619-A3005	Temporary Traffic Stripe (Skip White)	10.000	km		500.00	500.00	541.33
1270	907-619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape	964.000	m		1.00	1.00	1.08

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
1280	907-619-A4006	Temporary Traffic Stripe, Skip Yellow	531.000	m		1.00	1.00	1.08
1290	907-619-A5005	Temporary Traffic Stripe (Detail)	3,595.000	m		1.00	1.00	1.08
1300	907-619-A6010	Temporary Traffic Stripe (Legend)	193.000	m2		20.00	20.00	21.65
1310	907-619-F1001	Portable Median Barrier	100.000	m		99.77	86.00	147.44
1320	907-622-B002	Engineer's Field Office Building (Type 3 LO)	1.000	EA		33,290.30	20,000.00	41,281.07
1330	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm mi	8.000	km		1,000.00	1,000.00	1,082.65
1340	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Whi	7.000	km		2,000.00	2,000.00	2,165.30
1350	907-626-DD002	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm m	252.000	m		3.00	3.00	3.25
1360	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.2	2.000	km		2,000.00	2,000.00	2,165.30
1370	907-626-FF005	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yel	4.000	km		2,000.00	2,000.00	2,165.30
1380	907-626-GG007	Thermoplastic Detail Stripe (150-mm Equivalent Length) (Whit	7,252.000	m		3.00	3.00	3.25
1390	907-626-GG008	Thermoplastic Detail Stripe (150-mm Equivalent Length) (Yell	1,738.000	m		3.00	3.00	3.25
1400	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)	205.000	m		3.00	3.00	3.25
1410	907-626-HH005	Thermoplastic Legend (White) (3.00-mm min)	150.000	m2		33.00	33.00	35.73
1420	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers	30.000	EA		5.00	5.00	5.41
1430	907-627-K001	Red-Clear Reflective High Performance Raised Markers	1,043.000	EA		5.00	5.00	5.41
1440	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers	164.000	EA		5.00	5.00	5.41
1450	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip Wh	740.000	m		10.00	10.00	10.83
1460	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (Continuous	433.000	m		15.00	15.00	16.24
1470	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (Continuous	433.000	m		15.00	15.00	16.24
1480	907-628-OO001	High Performance Cold Plastic Detail Stripe (150-mm Equivale	21.000	m		15.00	15.00	16.24
1490	907-630-I002	Metal Overhead Sign Supports (Assembly No. 1) (Contractor De	1.000	LS		54,000.00	57,650.00	60,509.35
1500	907-630-I004	Metal Overhead Sign Supports (Assembly No. 2) (Contractor De	1.000	LS		250,000.00	305,565.00	280,135.88
1520	907-630-J004	Overhead Sign Supported on Bridge (Assembly No 4) (Contracto	1.000	LS		38,000.00	40,500.00	42,580.65
1525	907-630-J005	Overhead Sign Supported on Bridge (Assembly No 5) (Contracto	1.000	LS		32,000.00	35,935.00	35,857.40

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
1526	907-635-A001	Vehicle Loop Assemblies	1,139.000	m		18.00	18.90	20.17
1530	907-636-A001	Shielded Cable, AWG #18, 4 Conductor	3,000.000	m		1.50	1.58	1.68
1550	907-639-A027	Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (12.0	1.000	EA		4,900.00	5,145.00	5,490.67
1570	907-639-A028	Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (15.0	3.000	EA		5,800.00	6,090.00	6,499.15
1580	907-639-A029	Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (6.0	1.000	EA		11,300.00	11,865.00	12,662.15
1590	907-639-A030	Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (7.0	1.000	EA		11,300.00	11,865.00	12,662.15
1601	907-639-A031	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (12.0	2.000	EA		6,500.00	6,825.00	7,283.54
1602	907-639-A032	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0	1.000	EA		7,250.00	7,613.00	8,123.95
1603	907-639-A033	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0	1.000	EA		11,600.00	12,180.00	12,998.30
1604	907-639-A034	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (17.0	1.000	EA		17,025.00	17,876.00	19,077.25
1620	907-639-C005	Pole Foundations, 900-mm Diameter	32.000	m3		825.00	866.00	924.45
1640	907-639-D005	Slip Casing, 900-mm Diameter	51.000	m		160.00	168.00	179.29
1650	907-640-B001	Traffic Signal Heads (Type 1) LED	18.000	EA		680.00	714.00	761.97
1660	907-640-B006	Traffic Signal Heads (Type 7) LED	9.000	EA		1,195.00	1,255.00	1,339.05
1670	907-640-B009	Traffic Signal Heads (Type 4) LED	6.000	EA		850.00	893.00	952.46
1680	907-648-A001	Radio Interconnect (Installed in New Controller Cabinet)	3.000	EA		4,560.00	4,788.00	5,109.68
1690	907-690-A001	Portland Cement Grout for Plugging Abandoned Wells	13,200.000	kg		1.50	1.10	0.65
1700	907-699-A001	Roadway Construction Stakes	1.000	LS		150,110.65	365,000.00	70,730.92
1710	907-815-E001	Geotextile Fabric under Riprap	1,128.000	m2		2.50	2.00	2.36
1720	907-899-A001	Railway Highway Provisions	1.000	LS		69,065.42	125,000.00	305,469.91
1730	908-635-A001	Vehicle Loop Assemblies	2,640.000	m		18.00	18.90	20.17
1740	908-638-A005	Loop Detector Amplifier, (4 Channel)	12.000	EA		558.00	586.00	625.26
1745	907-640-B004	Traffic Signal Heads (Type 3) LED	2.000	EA		1,010.00	1,061.00	1,131.75
1750	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)	4.000	EA		14,100.00	14,805.00	15,799.67
1760	908-643-A001	Closed Loop On-Street Master System	1.000	EA		27,660.00	29,043.00	30,994.23
1770	908-647-A001	Pullbox (Type 1)	17.000	EA		560.00	588.00	627.50

JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
1780	908-647-A002	Pullboxes (Type 2)	16.000	EA		685.00	719.00	767.57
1790	908-666-B018	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),	906.000	m		3.50	3.68	3.92
1810	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)	788.000	m		10.75	11.29	12.05
1820	908-668-A016	Traffic Signal Conduit (Underground) (Type IV) (DN 50)	662.000	m		12.50	13.12	14.01
1830	908-668-A018	Traffic Signal Conduit (Underground) (Type IV) (DN 75)	51.000	m		15.00	15.75	16.81
1850	908-668-B016	Traffic Signal Conduit (Underground Drilled or Jacked)(Type	194.000	m		48.00	50.00	53.79
1860	908-668-B018	Traffic Signal Conduit (Underground Drilled or Jacked)(Type	289.000	m		65.00	68.00	72.84
1880	908-679-A009	Underground Branch Circuit (AWG 2) (3 Conductor)	100.000	m		27.50	29.00	30.82
1890	908-679-A024	Underground Branch Circuit (AWG 8) (3 Conductor)	1,210.000	m		17.00	17.85	19.05
1900	908-679-C023	Structure Mounted Branch Circuit (AWG 8) (3 Conductor)	153.000	m		33.00	34.65	36.98
1910	908-679-D001	Underground Pull Boxes	6.000	EA		950.00	998.00	1,064.52
1920	908-679-E001	Secondary Power Controllers	1.000	EA		11,200.00	11,760.00	12,550.09
1930	908-679-G040	Lighting Assemblies - High Mast Type 36-6	5.000	EA		20,225.00	21,236.00	22,662.99
1940	908-679-I010	Underpass Lighting Assemblies Type UP	12.000	EA		630.00	662.00	705.94
1950	908-679-J007	Slip Casing (1500-mm Diameter)	45.000	m		370.00	172.00	414.60
1960	908-679-K008	Pole Foundation (1500-mm Diameter)	97.000	m3		1,025.00	1,076.00	1,148.56
1970	907-308-A001	Portland Cement	429.000	mton		333.41	333.41	132.37
1980	907-308-B001	Soil-Cement-Water Mixing, (Optional Mixers) (Design Soil)	47,525.000	m2		2.17	2.17	2.36
1990	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick	47,525.000	m2				
2000	907-311-B001	Lime	343.000	mton				
2010	907-311-C003	Fly Ash, Class C or F	1,370.000	mton				
2024	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture	9,948.000	mton		72.57	78.15	83.76
2025	907-403-A011	Hot Mix Asphalt, HT, 19-mm mixture	9,948.000	mton		72.57	77.08	82.62
2026	907-403-D003	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified	4,200.000	mton		80.01	83.48	89.48
2027	907-403-D001	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	9,211.000	mton		85.09	94.45	101.23
2030	907-403-D002	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	9,044.000	mton		81.50	92.85	99.52



JACKSON (30)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Tanner Construction Company, Inc.	Holden Earth Moving & Construction Company, Inc.	Hosea O. Weaver & Sons, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$19,525,703.75	\$20,995,450.67	\$22,772,224.04	\$23,027,214.02
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
2044	907-403-M005	Warm Mix Asphalt, ST, 19-mm mixture	9,948.000	mton				
2045	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture	9,948.000	mton				
2046	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified	4,200.000	mton				
2047	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	9,211.000	mton				
2050	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	9,044.000	mton				
2060	607-B021	2400-mm Type I Chain Link Fence (Class II)	72.000	m		100.00	100.00	176.85
2070	801-A001	Foundation Excavation for Bridges	1,411.000	m3		18.96	18.96	19.72
2080	805-A001	Reinforcement	357,124.000	kg		1.58	1.58	1.52
2090	813-A001	Concrete Railing	432.000	m		110.69	110.69	155.41
2100	815-D001	Concrete Slope Paving	185.000	m3		524.39	524.39	369.78
2110	907-501-K001	Transverse Grooving	5,962.000	m2		3.00	3.00	3.05
2120	907-803-E001	400-mm x 400-mm Prestressed Concrete Piling	6,594.000	m		114.94	114.94	123.26
2130	907-803-I001	PDA Test Pile	5.000	EA		3,168.97	3,168.97	6,913.27
2140	907-803-J001	Pile Restrike	1.000	EA		1,693.94	1,500.00	1,607.74
2150	907-804-A001	Bridge Concrete (Class AA)	2,931.000	m3		600.00	600.00	750.28
2160	907-804-C106	36-m Prestressed Concrete Beam, Type BT-1830	3,433.000	m		400.00	400.00	405.15
2170	907-810-A001	Structural Steel	11,240.000	kg		17.92	17.92	15.01

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
0010	201-A001	Clearing and Grubbing	1.000	LS	146,309.63	750,000.00	294,117.65	435,000.00
0020	202-B043	Removal of Flared End Section (All Sizes)	2.000	EA	286.31	850.00	211.76	280.00
0030	202-B066	Removal of Pipe (200-mm and above)	278.000	m	23.06	40.00	23.16	28.00
0040	202-B076	Removal of Traffic Stripe	160.000	m	6.36	6.00	7.06	6.30
0050	202-B079	Removal of Pavement (All Types and Depths)	35,816.000	m2	1.27	1.25	1.41	1.35
0060	202-B094	Removal of Curb & Gutter (All Types)	854.000	m	6.89	15.00	7.72	13.00
0070	202-B179	Removal of Existing Sign	35.000	EA	60.16	300.00	352.94	71.00
0075	202-B224	Removal of Rubbish	16,731.000	m3	30.01	32.00	48.39	38.00
0080	203-G003	Excess Excavation (FM) (AH)	33,943.000	m3	7.07	6.50	8.32	8.70
0090	206-A001	Structure Excavation	1,916.000	m3	3.26	15.00	7.69	9.80
0100	211-A001	Topsoil for Slope Treatment (From Right-of-Way)	105,000.000	m2	0.81	0.85	3.52	0.89
0110	213-C001	Superphosphate	20.000	mton	713.90	405.00	724.71	650.00
0120	215-A001	Vegetative Materials for Mulch	92.000	mton	265.79	180.00	215.22	190.00
0130	216-A001	Solid Sodding	258.000	m2	6.74	10.00	6.34	5.65
0140	219-A001	Watering	16.000	kl	6.00	6.00	6.00	6.00
0150	220-A001	Insect Pest Control	10.000	ha	75.00	75.00	75.00	75.00
0160	221-A001	Portland Cement Concrete Paved Ditch	84.000	m3	296.82	550.00	484.71	440.00
0170	224-A001	Soil Reinforcing Mat	39,400.000	m2	1.50	2.80	3.24	5.35
0180	235-A001	Temporary Erosion Checks	430.000	BALE	16.61	6.00	7.35	6.60
0190	239-A001	Temporary Slope Drains	700.000	m	55.88	28.00	46.32	22.00
0200	305-B001	Size I Stabilizer Aggregate, Coarse (LVM)	80.000	m3	120.42	100.00	98.48	51.00
0210	406-A001	Cold Milling of Bituminous Pavement (All Depths)	23,763.000	m2	1.91	1.85	2.12	1.95
0220	406-B001	Cold Milling of Concrete Pavement (All Depths)	300.000	m2	21.20	30.00	23.53	21.00
0230	501-E001	Expansion Joints (Without Dowels)	66.000	m	58.29	40.00	55.56	55.00
0240	502-A002	Reinforced Cement Concrete Bridge End Pavement (225 mm)	398.000	m2	148.38	140.00	141.41	140.00
0250	602-A001	Reinforcing Steel	8,731.000	kg	2.24	2.25	4.80	2.25

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
0260	603-C-A090	450-mm Reinforced Concrete Pipe, Class III (Rubber Type Gask	350.000	m	72.87	110.00	94.28	110.00
0270	603-C-A091	600-mm Reinforced Concrete Pipe, Class III (Rubber Type Gask	108.000	m	98.63	150.00	140.84	140.00
0280	603-C-A093	900-mm Reinforced Concrete Pipe, Class III (Rubber Type Gask	15.000	m	233.05	255.00	257.92	220.00
0290	603-C-A094	1050-mm Reinforced Concrete Pipe, Class III (Rubber Type Gas	41.000	m	249.73	300.00	311.17	280.00
0300	603-C-A102	450-mm Reinforced Concrete Pipe, Class IV (Rubber Type Gaske	43.000	m	85.88	120.00	103.65	840.00
0310	603-C-A107	1650-mm Reinforced Concrete Pipe, Class III (Rubber Type Gas	249.000	m	552.60	615.00	805.57	650.00
0320	603-C-A112	450-mm Reinforced Concrete Pipe, Class V (Rubber Type Gasket	49.000	m	108.52	130.00	115.08	130.00
0330	603-C-B001	450-mm Reinforced Concrete End Section	16.000	EA	437.28	575.00	522.35	640.00
0340	603-C-B002	600-mm Reinforced Concrete End Section	4.000	EA	525.53	675.00	592.94	720.00
0350	603-C-B004	900-mm Reinforced Concrete End Section	4.000	EA	1,017.93	1,200.00	1,282.35	1,400.00
0360	603-C-B005	1050-mm Reinforced Concrete End Section	2.000	EA	1,174.72	1,450.00	1,664.71	1,700.00
0370	603-C-B009	1650-mm Reinforced Concrete End Section	6.000	EA	2,493.43	2,500.00	3,788.24	3,300.00
0380	603-C-E040	560-mm x 345-mm Concrete Arch Pipe, Class A III (Flexible PI	456.000	m	105.25	150.00	123.09	150.00
0390	603-C-F001	560-mm x 345-mm Concrete Arch Pipe End Section	11.000	EA	452.20	675.00	522.35	640.00
0400	603-S-B052	450-mm Branch Connections (Stub into 1650-mm Concrete Pipe)	2.000	EA	3,654.03	750.00	1,294.12	740.00
0410	604-A001	Castings	3,459.000	kg	5.93	15.00	6.74	5.05
0420	604-B001	Gratings	2,595.000	kg	6.71	15.00	7.78	6.05
0430	605-O004	150-mm Perforated Sewer Pipe for Underdrains (SDR 35)	870.000	m	18.78	50.00	40.54	45.00
0440	605-P004	150-mm Non-perforated Sewer Pipe for Underdrains (SDR 35)	259.000	m	22.53	50.00	44.40	45.00
0450	605-W001	Filter Material for Combination Storm Drain &/or Underdrains	140.000	m3	119.84	110.00	40.58	84.00
0460	605-W002	Filter Material for Combination Storm Drain &/or Underdrains	152.000	m3	58.78	45.00	40.58	50.00
0470	605-X005	Filter Material for Filter Beds, Type C	11,705.000	m3	23.43	30.00	28.68	49.00
0480	606-B001	Guard Rail (Class A, Type 1)	153.000	m	72.05	65.00	77.18	68.00
0490	606-C003	Guard Rail, Cable Anchor, Type 1	1.000	EA	878.65	975.00	941.18	1,000.00
0500	606-D012	Guard Rail, Bridge End Section, Type I	2.000	EA	2,141.71	2,500.00	2,294.12	2,600.00

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
0510	609-D007	Combination Concrete Curb and Gutter Type 2 Modified	6,484.000	m	37.94	42.00	41.49	50.00
0520	615-A016	Concrete Bridge End Barrier, 850-mm	12.000	m	153.68	325.00	146.46	150.00
0530	616-A001	Concrete Median and/or Island Pavement (100-mm)	11,568.000	m2	29.71	30.00	32.94	39.00
0540	616-A003	Concrete Median and/or Island Pavement (250-mm)	74.000	m2	93.41	75.00	77.39	68.00
0550	618-A001	Maintenance of Traffic	1.000	LS	146,393.15	100,000.00	57,647.06	139,000.00
0560	619-D1001	Standard Roadside Construction Signs (less than 0.9 square m	15.000	m2	218.34	175.00	200.00	180.00
0570	619-D2001	Standard Roadside Construction Signs (0.9 square meter or mo	86.000	m2	205.04	175.00	200.00	180.00
0580	619-G4001	Barricades (Type III) (Single Faced)	220.000	m	70.86	75.00	88.24	79.00
0590	619-G4002	Barricades (Type III) (Single Faced) (Permanent)	15.000	m	124.71	125.00	147.06	130.00
0600	619-G4005	Barricades (Type III) (Double Faced)	18.000	m	155.89	76.00	88.24	79.00
0610	619-G5001	Free Standing Plastic Drums	305.000	EA	76.90	60.00	70.59	63.00
0620	620-A001	Mobilization	1.000	LS	984,651.03	2,000,000.00	1,254,210.33	2,000,000.00
0630	630-A001	Standard Roadside Signs (Sheet Aluminum, 2.03-mm Thickness)	9.000	m2	247.12	230.00	216.67	210.00
0640	630-A002	Standard Roadside Signs (Sheet Aluminum, 3.18-mm Thickness)	48.000	m2	269.09	250.00	233.33	220.00
0650	630-B001	Interstate Directional Signs (Bolted Extruded Aluminum Panel	95.000	m2	296.54	275.00	266.67	250.00
0660	630-B002	Interstate Directional Signs (Bolted Extruded Aluminum Panel	60.000	m2	296.54	275.00	266.67	250.00
0670	630-B003	Interstate Directional Signs (Bolted Extruded Aluminum Panel	34.000	m2	324.00	300.00	266.67	250.00
0680	630-C001	Steel U-Section Posts (2.97 kg/m)	2.000	m	32.95	30.00	30.00	28.00
0690	630-C003	Steel U-Section Posts (4.46 kg/m)	240.000	m	30.75	28.00	30.00	28.00
0700	630-D003	Structural Steel Beams (W150 x 18)	36.000	m	247.12	230.00	183.33	170.00
0710	630-D017	Structural Steel Beams (W250 x 38.7)	35.000	m	263.60	245.00	275.11	260.00
0720	630-D018	Structural Steel Beams (W310 x 38.7)	75.000	m	280.07	260.00	275.00	260.00
0730	630-E006	Structural Steel Angles & Bars (11 mm x 65 mm Flat Bars)	252.000	kg	8.24	7.50	5.56	5.25
0740	630-E005	Structural Steel Angles & Bars (102 mm x 102 mm x 7.9 mm Ang	207.000	kg	8.24	7.50	5.56	5.25
0750	630-E007	Structural Steel Angles & Bars (76 mm x 76 mm x 6.4 mm Angle	44.000	kg	8.24	7.50	5.56	5.25
0760	630-F001	Delineators (Guard Rail)(White)	22.000	EA	19.77	18.00	20.00	19.00

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
0770	630-F006	Delineators (Post Mounted)(Single White)	85.000	EA	32.95	30.00	44.44	42.00
0780	630-F007	Delineators (Post Mounted)(Single Yellow)	31.000	EA	32.95	30.00	44.44	42.00
0790	630-F008	Delineators (Post Mounted)(Double White)	195.000	EA	38.44	35.00	44.44	42.00
0800	630-F009	Delineators (Post Mounted)(Double Yellow)	10.000	EA	38.44	35.00	44.44	42.00
0810	630-G001	Type 3 Object Markers (OM-3R or OM-3L) Post Mounted	4.000	EA	82.37	75.00	138.89	130.00
0820	630-K001	Welded & Seamless Steel Pipe Posts (DN 75)	5.000	m	192.20	180.00	166.67	160.00
0830	630-K002	Welded & Seamless Steel Pipe Posts (DN 90)	30.000	m	203.19	185.00	183.33	170.00
0840	630-K003	Welded & Seamless Steel Pipe Posts (DN 100)	111.000	m	236.14	215.00	200.00	190.00
0845	646-A001	Removal of Existing Traffic Signal Equipment	1.000	LS	21,966.27	12,500.00	5,888.89	6,000.00
0850	815-A005	Loose Riprap, (Size 45 kg)	810.000	mton	62.95	60.00	76.24	62.00
0860	815-A007	Loose Riprap, (Size 136 kg)	320.000	mton	62.64	60.00	76.24	62.00
0870	907-203-EX002	Borrow Excavation (AH)(FME) (Class B4)	318,396.000	m3	13.89	12.00	12.49	14.00
0880	907-207-A001	Settlement Plate	6.000	EA	591.16	2,500.00	1,176.47	1,000.00
0890	907-209-A004	Geotextile Fabric Stabilization (Type V Non-Woven)	101,025.000	m2	1.47	2.50	1.94	2.35
0900	907-209-A006	Geotextile Fabric Stabilization (Type VIII)	4,900.000	m2	19.91	20.00	29.27	19.00
0910	907-209-A007	Geotextile Fabric Stabilization (Type IX)	7,400.000	m2	9.75	9.00	16.07	9.60
0920	907-209-A008	Geotextile Fabric Stabilization (Type X)	4,230.000	m2	9.75	10.00	11.48	9.60
0930	907-209-A009	Geotextile Fabric Stabilization (Type XI)	1,500.000	m2	8.15	8.50	15.82	8.35
0940	907-209-A010	Geotextile Fabric Stabilization (Type XII)	3,250.000	m2	5.63	6.50	11.37	6.10
0950	907-217-A001	Ditch Liner	1,465.000	m2	1.65	3.00	1.06	0.95
0960	907-223-A001	Mowing	1.000	ha	100.00	100.00	100.00	100.00
0970	907-225-A001	Grassing	20.000	ha	4,063.76	2,500.00	2,955.29	2,600.00
0980	907-225-B001	Agricultural Limestone	138.000	mton	82.37	80.00	117.40	110.00
0990	907-226-A002	Temporary Grassing	10.000	ha	2,581.04	1,925.00	2,682.35	2,400.00
1000	907-234-A002	Temporary Silt Fence	8,030.000	m	9.31	9.00	11.19	1.90
1010	907-234-D001	Inlet Siltation Guard	1.000	EA	540.50	750.00	1,235.29	550.00

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
1020	907-237-A002	Wattles, 500-mm	400.000	m	23.05	35.00	20.07	15.00
1030	907-241-A001	Floc Blocks	18.000	EA	174.90	200.00	172.94	240.00
1040	907-245-A001	Triangular Silt Dike	150.000	m	206.12	45.00	33.77	27.00
1050	907-246-A001	Sandbags	1,850.000	m	18.21	75.00	8.50	14.00
1060	907-304-A001	Granular Material (Class 6, Group C)	9,047.000	m3	25.23	43.00	21.96	31.00
1070	907-304-I004	Crushed Stone Base (Size 610)	50,422.000	mton	40.50	32.00	42.32	39.00
1080	907-307-C001	150-mm Soil-Lime-Water Mixing (Class C)	47,525.000	m2	2.33	2.25	2.50	2.30
1090	907-307-D001	Lime	685.000	mton	210.33	200.00	225.51	210.00
1100	907-407-A001	Asphalt for Tack Coat	113,045.000	l	0.85	0.90	0.81	0.84
1110	907-413-H001	Sawing and Sealing Transverse Joints in Asphalt Pavment	65.000	m	52.99	70.00	69.66	31.00
1120	907-423-A001	Rumble Strips (Ground In)	5.000	km	1,160.63	250.00	260.66	240.00
1130	907-501-K001	Transverse Grooving	398.000	m2	3.29	8.00	3.17	2.85
1140	907-601-B001	Class "B" Structural Concrete, Minor Structures	77.000	m3	1,149.29	1,500.00	1,029.41	1,700.00
1150	907-603-ALT01	450-mm Type A Alternate Pipe	24.000	m	177.60	90.00	126.83	70.00
1160	907-603-ALT13	900-mm Type A Alternate Pipe	19.000	m	371.17	180.00	359.03	130.00
1170	907-605-AA004	Geotextile for Subsurface Drainage, Type III	1,812.000	m2	3.12	3.00	1.88	2.00
1180	907-606-F004	Guard Rail, Terminal End Section, Flared	2.000	EA	2,196.63	2,275.00	2,352.94	2,400.00
1190	907-606-F005	Guard Rail, Terminal End Section, Non-Flared	1.000	EA	2,416.29	2,275.00	2,588.24	2,600.00
1200	907-610-A001	Drainage Wicks	86,746.000	m	1.52	1.40	1.54	1.50
1210	907-617-A003	Right-of-Way Marker	40.000	EA	340.69	175.00	352.94	94.00
1220	907-619-A1002	Temporary Traffic Stripe (Continuous White) (Type 1 Tape)	433.000	m	1.06	1.00	1.11	1.05
1230	907-619-A1010	Temporary Traffic Stripe (Continuous White)	8.000	km	1,059.87	1,000.00	1,111.11	1,100.00
1240	907-619-A2002	Temporary Traffic Stripe (Continuous Yellow) (Type 1 Tape)	433.000	m	1.06	1.00	1.11	1.05
1250	907-619-A2010	Temporary Traffic Stripe (Continuous Yellow)	9.000	km	529.94	500.00	555.56	530.00
1260	907-619-A3005	Temporary Traffic Stripe (Skip White)	10.000	km	529.94	500.00	555.56	530.00
1270	907-619-A3009	Temporary Traffic Stripe, Skip White, Type 1 Tape	964.000	m	1.06	1.00	1.11	1.05

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
1280	907-619-A4006	Temporary Traffic Stripe, Skip Yellow	531.000	m	1.06	1.00	1.11	1.05
1290	907-619-A5005	Temporary Traffic Stripe (Detail)	3,595.000	m	1.06	1.00	1.11	1.05
1300	907-619-A6010	Temporary Traffic Stripe (Legend)	193.000	m2	21.20	20.00	22.22	21.00
1310	907-619-F1001	Portable Median Barrier	100.000	m	192.61	80.00	214.84	570.00
1320	907-622-B002	Engineer's Field Office Building (Type 3 LO)	1.000	EA	49,067.82	100,000.00	200,000.00	21,000.00
1330	907-626-AA003	150-mm Thermoplastic Traffic Stripe (Skip White) (2.25-mm mi	8.000	km	1,059.87	1,000.00	1,111.11	1,100.00
1340	907-626-CC004	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Whi	7.000	km	2,119.74	2,000.00	2,222.22	2,100.00
1350	907-626-DD002	150-mm Thermoplastic Traffic Stripe (Skip Yellow) (2.25-mm m	252.000	m	3.18	3.00	3.33	3.15
1360	907-626-EE004	150-mm Thermoplastic Traffic Stripe (Continuous Yellow) (2.2	2.000	km	2,119.75	2,000.00	2,222.22	2,100.00
1370	907-626-FF005	150-mm Thermoplastic Double Drop Edge Stripe (Continuous Yel	4.000	km	2,119.75	2,000.00	2,222.22	2,100.00
1380	907-626-GG007	Thermoplastic Detail Stripe (150-mm Equivalent Length) (Whit	7,252.000	m	3.18	3.00	3.33	3.15
1390	907-626-GG008	Thermoplastic Detail Stripe (150-mm Equivalent Length) (Yell	1,738.000	m	3.18	3.00	3.33	3.15
1400	907-626-HH004	Thermoplastic Legend (White) (3.00-mm min)	205.000	m	3.18	3.00	3.33	3.15
1410	907-626-HH005	Thermoplastic Legend (White) (3.00-mm min)	150.000	m2	34.98	33.00	36.67	35.00
1420	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers	30.000	EA	5.30	5.00	5.56	5.25
1430	907-627-K001	Red-Clear Reflective High Performance Raised Markers	1,043.000	EA	5.30	5.00	5.56	5.25
1440	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers	164.000	EA	5.30	5.00	5.56	5.25
1450	907-628-II001	150-mm High Performance Cold Plastic Traffic Stripe (Skip Wh	740.000	m	10.60	10.00	11.11	11.00
1460	907-628-KK001	150-mm High Performance Cold Plastic Edge Stripe (Continuous	433.000	m	15.90	15.00	16.67	16.00
1470	907-628-NN001	150-mm High Performance Cold Plastic Edge Stripe (Continuous	433.000	m	15.90	15.00	16.67	16.00
1480	907-628-OO001	High Performance Cold Plastic Detail Stripe (150-mm Equivale	21.000	m	15.90	15.00	16.67	16.00
1490	907-630-I002	Metal Overhead Sign Supports (Assembly No. 1) (Contractor De	1.000	LS	63,317.76	60,000.00	60,000.00	57,000.00
1500	907-630-I004	Metal Overhead Sign Supports (Assembly No. 2) (Contractor De	1.000	LS	242,249.48	225,000.00	277,777.78	263,000.00
1520	907-630-J004	Overhead Sign Supported on Bridge (Assembly No 4) (Contracto	1.000	LS	39,467.89	41,000.00	42,222.22	40,000.00
1525	907-630-J005	Overhead Sign Supported on Bridge (Assembly No 5) (Contracto	1.000	LS	39,467.89	36,000.00	35,555.56	34,000.00
1526	907-635-A001	Vehicle Loop Assemblies	1,139.000	m	19.77	19.00	20.00	19.00

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
1530	907-636-A001	Shielded Cable, AWG #18, 4 Conductor	3,000.000	m	1.65	1.60	1.67	1.60
1550	907-639-A027	Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (12.0	1.000	EA	5,381.74	5,200.00	5,444.44	5,200.00
1570	907-639-A028	Traffic Signal Equipment Pole (Type II) (5.0-m Shaft) (15.0	3.000	EA	6,370.22	6,150.00	6,444.44	6,100.00
1580	907-639-A029	Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (6.0	1.000	EA	12,410.94	12,000.00	12,555.56	12,000.00
1590	907-639-A030	Traffic Signal Equipment Pole (Type III) (5.0 m Shaft) (7.0	1.000	EA	12,410.94	12,000.00	12,555.56	12,000.00
1601	907-639-A031	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (12.0	2.000	EA	7,139.04	7,000.00	7,222.22	6,800.00
1602	907-639-A032	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0	1.000	EA	7,962.77	7,700.00	8,055.56	7,600.00
1603	907-639-A033	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (13.0	1.000	EA	12,740.43	12,300.00	12,888.89	12,000.00
1604	907-639-A034	Traffic Signal Equipment Pole (Type IV) (9.0 m Shaft) (17.0	1.000	EA	18,698.78	18,100.00	18,916.67	18,000.00
1620	907-639-C005	Pole Foundations, 900-mm Diameter	32.000	m3	906.11	875.00	916.67	870.00
1640	907-639-D005	Slip Casing, 900-mm Diameter	51.000	m	175.73	170.00	177.78	170.00
1650	907-640-B001	Traffic Signal Heads (Type 1) LED	18.000	EA	746.85	725.00	755.56	720.00
1660	907-640-B006	Traffic Signal Heads (Type 7) LED	9.000	EA	1,312.48	1,270.00	1,327.78	1,300.00
1670	907-640-B009	Traffic Signal Heads (Type 4) LED	6.000	EA	933.57	900.00	944.44	900.00
1680	907-648-A001	Radio Interconnect (Installed in New Controller Cabinet)	3.000	EA	5,008.31	4,850.00	5,066.67	4,800.00
1690	907-690-A001	Portland Cement Grout for Plugging Abandoned Wells	13,200.000	kg	1.15	1.50	9.80	3.00
1700	907-699-A001	Roadway Construction Stakes	1.000	LS	129,403.93	450,000.00	161,111.11	243,000.00
1710	907-815-E001	Geotextile Fabric under Riprap	1,128.000	m2	3.27	3.00	2.92	2.35
1720	907-899-A001	Railway Highway Provisions	1.000	LS	336,135.41	150,000.00	344,705.88	282,000.00
1730	908-635-A001	Vehicle Loop Assemblies	2,640.000	m	19.77	19.00	20.00	19.00
1740	908-638-A005	Loop Detector Amplifier, (4 Channel)	12.000	EA	612.86	600.00	620.00	590.00
1745	907-640-B004	Traffic Signal Heads (Type 3) LED	2.000	EA	1,109.30	1,075.00	1,122.22	1,100.00
1750	908-642-A007	Solid State Traffic Actuated Controllers (Type 8A)	4.000	EA	15,486.22	15,000.00	15,666.67	15,000.00
1760	908-643-A001	Closed Loop On-Street Master System	1.000	EA	30,379.35	30,000.00	30,733.33	29,000.00
1770	908-647-A001	Pullbox (Type 1)	17.000	EA	615.06	600.00	622.22	590.00
1780	908-647-A002	Pullboxes (Type 2)	16.000	EA	752.34	730.00	761.11	720.00



JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
1790	908-666-B018	Electric Cable (Underground in Conduit)(IMSA 20-1)(AWG 14),	906.000	m	3.84	3.70	388.89	3.70
1810	908-668-A013	Traffic Signal Conduit (Underground) (Type IV) (DN 25)	788.000	m	11.81	11.50	11.94	11.00
1820	908-668-A016	Traffic Signal Conduit (Underground) (Type IV) (DN 50)	662.000	m	13.73	13.30	13.89	13.00
1830	908-668-A018	Traffic Signal Conduit (Underground) (Type IV) (DN 75)	51.000	m	16.47	16.00	16.67	16.00
1850	908-668-B016	Traffic Signal Conduit (Underground Drilled or Jacked)(Type	194.000	m	52.72	51.00	53.33	51.00
1860	908-668-B018	Traffic Signal Conduit (Underground Drilled or Jacked)(Type	289.000	m	71.39	69.00	72.22	68.00
1880	908-679-A009	Underground Branch Circuit (AWG 2) (3 Conductor)	100.000	m	30.20	30.00	30.56	29.00
1890	908-679-A024	Underground Branch Circuit (AWG 8) (3 Conductor)	1,210.000	m	18.67	18.00	18.89	18.00
1900	908-679-C023	Structure Mounted Branch Circuit (AWG 8) (3 Conductor)	153.000	m	36.24	35.00	36.67	35.00
1910	908-679-D001	Underground Pull Boxes	6.000	EA	1,043.40	1,000.00	1,055.56	1,000.00
1920	908-679-E001	Secondary Power Controllers	1.000	EA	12,301.11	12,000.00	12,444.44	12,000.00
1930	908-679-G040	Lighting Assemblies - High Mast Type 36-6	5.000	EA	22,213.39	21,500.00	22,472.22	21,000.00
1940	908-679-I010	Underpass Lighting Assemblies Type UP	12.000	EA	691.94	670.00	700.00	660.00
1950	908-679-J007	Slip Casing (1500-mm Diameter)	45.000	m	406.38	400.00	411.11	390.00
1960	908-679-K008	Pole Foundation (1500-mm Diameter)	97.000	m3	1,125.77	1,090.00	1,138.89	1,100.00
1970	907-308-A001	Portland Cement	429.000	mton	130.89	125.00	145.29	130.00
1980	907-308-B001	Soil-Cement-Water Mixing, (Optional Mixers) (Design Soil)	47,525.000	m2	2.33	2.30	2.59	2.30
1990	907-311-A002	Processing Lime and Fly Ash Treated Course, 150 mm Thick	47,525.000	m2				
2000	907-311-B001	Lime	343.000	mton				
2010	907-311-C003	Fly Ash, Class C or F	1,370.000	mton				
2024	907-403-A003	Hot Mix Asphalt, ST, 19-mm mixture	9,948.000	mton	82.83	79.00	78.94	82.00
2025	907-403-A011	Hot Mix Asphalt, HT, 19-mm mixture	9,948.000	mton	81.69	78.00	77.86	81.00
2026	907-403-D003	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified	4,200.000	mton	88.48	85.00	84.32	99.00
2027	907-403-D001	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	9,211.000	mton	100.11	95.00	95.40	98.00
2030	907-403-D002	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	9,044.000	mton	98.41	94.00	93.79	88.00
2044	907-403-M005	Warm Mix Asphalt, ST, 19-mm mixture	9,948.000	mton				

JACKSON (30)					John G. Walton Construction Company, Inc.	Hill Brothers Construction Company, Inc.	Gulf Equipment Corporation	T. L. Wallace Construction, Inc.
Grade, Drain, Bridge, and Paving necessary to reconstruct SR 611 at U.S. 90, known as State Project No. SP-9392-00(003) / 100710301, in the County of Jackson, State of Mississippi.					\$23,138,247.07	\$24,299,309.25	\$24,726,281.28	\$24,998,010.25
Ref#	SM Item	Item Description	Item Qty	Units	4	5	6	7
2045	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture	9,948.000	mton				
2046	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified	4,200.000	mton				
2047	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified	9,211.000	mton				
2050	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified	9,044.000	mton				
2060	607-B021	2400-mm Type I Chain Link Fence (Class II)	72.000	m	181.22	240.00	166.67	165.00
2070	801-A001	Foundation Excavation for Bridges	1,411.000	m3	19.50	15.00	18.59	18.00
2080	805-A001	Reinforcement	357,124.000	kg	1.51	2.00	1.43	1.40
2090	813-A001	Concrete Railing	432.000	m	153.68	200.00	146.46	150.00
2100	815-D001	Concrete Slope Paving	185.000	m3	365.66	550.00	348.48	340.00
2110	907-501-K001	Transverse Grooving	5,962.000	m2	3.22	8.00	2.88	2.85
2120	907-803-E001	400-mm x 400-mm Prestressed Concrete Piling	6,594.000	m	121.89	135.00	123.23	115.00
2130	907-803-I001	PDA Test Pile	5.000	EA	6,836.18	8,500.00	6,515.15	6,400.00
2140	907-803-J001	Pile Restrike	1.000	EA	1,589.81	1,000.00	1,515.15	1,500.00
2150	907-804-A001	Bridge Concrete (Class AA)	2,931.000	m3	741.91	650.00	707.07	700.00
2160	907-804-C106	36-m Prestressed Concrete Beam, Type BT-1830	3,433.000	m	400.63	390.00	441.41	378.00
2170	907-810-A001	Structural Steel	11,240.000	kg	14.84	15.00	14.14	14.00