


Proposal & Plan Sales Will Begin on October 27, 2010



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Special Letting Date for November – November 8, 2010



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
SPECIAL LETTING DATE FOR NOVEMBER - November 08, 2010

Bids will be opened publicly in the Contract Administration Division of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 27, 2010

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., and publicly opened.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER SPECIAL LETTING

CALL	CONTRACT	COUNTY
-03	IM-0020-02(080) / 105870301	Scott

Pavement Restoration on I-20, from SR 481 to the Newton County Line, known as Federal Aid Project No. IM-0020-02(080) / 105870301, in the County of Scott, State of Mississippi.

PROJECT COMPLETION: Contractor Determined

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

742	Station	201-D001	Random Clearing
359	Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
472,432	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
250	Linear Feet	202-B022	Removal of Concrete Median Barrier
1,221	Square Yard	202-B025	Removal of Concrete Paved Ditch
263,735	Square Yard	202-B037	Removal of Continuously Reinforced Concrete Pavement, All Depths
6	Each	202-B042	Removal of Flared End Section, All Sizes
700	Linear Feet	202-B064	Removal of Pipe, 8" And Above
163,159	Linear Feet	202-B076	Removal of Traffic Stripe
55	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
3,984	Linear Feet	202-B102	Removal of Guard Rail
14,840	Square Yard	202-B104	Removal of Asphalt Pavement, All Depths, Including Soil Cement Base
96,552	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
10,752	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
736,919	Cubic Yard	203-EX029	Borrow Excavation, AH, FME, Class B15
497,973	Cubic Yard	203-G003	Excess Excavation, FM, AH
10,834	Square Yard	203-I001	Site Grading
50	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,577	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
76,920	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
55	Ton	213-C001	Superphosphate
224	Ton	215-A001	Vegetative Materials for Mulch
250	Square Yard	216-A001	Solid Sodding
950	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
55	Acre	220-A001	Insect Pest Control
886	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,150	Acre	223-A001	Mowing
20,000	Linear Feet	234-A001	Temporary Silt Fence
500	Bale	235-A001	Temporary Erosion Checks
1,000	Linear Feet	239-A001	Temporary Slope Drains
75,555	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
259,077	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
504	Linear Feet	413-D001	Cleaning and Filling Joints
70	Mile	423-A001	Rumble Strips, Ground In
320	Linear Feet	501-F001	Concrete Lug Anchors
55	Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
41	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
48	Linear Feet	503-C002	Saw Cut, 3-inch
48	Linear Feet	503-C007	Saw Cut, Full Depth

Call No. -03 for the November 08, 2010 Letting

1	Cubic Yard	503-D001	Concrete for Base Repair
19	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
885	Each	512-A001	Holes
126	Pounds	512-C002	Calcium Chloride
208	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
500	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
4,577	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
33	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
500	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
	Lump Sum	605-Z006	Underdrain Appurtenances, Elbows, Couplings, etc.
61	Each	606-A001	Guard Posts
9,797	Linear Feet	606-B001	Guard Rail, Class A, Type 1
34	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
6	Each	606-D012	Guard Rail, Bridge End Section, Type I
47	Each	606-E001	Guard Rail, Terminal End Section
250	Linear Feet	615-A003	Concrete Type IV Cast-in-Place Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
128	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
124	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
77	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
52,878	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
692	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
213	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1,257	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
5,673	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
133	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,125	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
10	Each	619-D3001	Remove and Reset Signs, All Sizes
819	Square Feet	619-D4001	Directional Signs
2	Each	619-E1001	Flashing Arrow Panel, Type C
53,310	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,120	Linear Feet	619-F1002	Portable Median Barrier
53,864	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
945	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
264	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
6	Unit	619-J1003	Impact Attenuator, 60 MPH
6	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	622-A003	Engineer's Field Office Building, Type 3

Call No. -03 for the November 08, 2010 Letting

3,275	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
126	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
111	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
291	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
395	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
199	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
421	Each	630-F001	Delineators, Guard Rail, White
121	Each	630-F002	Delineators, Guard Rail, Yellow
90	Each	630-F006	Delineators, Post Mounted, Single White
18	Each	630-F007	Delineators, Post Mounted, Single Yellow
74	Each	630-F008	Delineators, Post Mounted, Double White
19	Each	630-F009	Delineators, Post Mounted, Double Yellow
12	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
44	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
45	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
143	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,465	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
1,120	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
50	Linear Feet	682-A028	Underground Branch Circuit, AWG 4/0, 3 Conductor
6,433	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
420	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
80	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
1,112	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
10	Each	682-D001	Underground Pull Box
1	Each	682-F001	Secondary Power Controllers
2	Each	683-A033	Lighting Assembly, High Mast, Type 110-6-S
2	Each	683-A044	Lighting Assembly, High Mast, Type 120-4-A
6	Each	683-B082	Lighting Assembly, Low Mast, Type 45-1-0-400
11	Each	683-B095	Lighting Assembly, Low Mast, Type 45-2-0-400
1	Each	683-D001	Portable Electric Power Units
20	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
56	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
48	Linear Feet	684-B003	Slip Casing, 24" Diameter
2	Linear Feet	684-B004	Slip Casing, 36" Diameter
12	Linear Feet	684-B006	Slip Casing, 48" Diameter
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A006	Loose Riprap, Size 100
100	Ton	815-A009	Loose Riprap, Size 300
150	Ton	815-F002	Sediment Control Stone
113	Acre	907-225-A001	Grassing
326	Ton	907-225-B001	Agricultural Limestone
62	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A002	Wattles, 12"
1,000	Linear Feet	907-237-A003	Wattles, 20"
250	Linear Feet	907-245-A001	Triangular Silt Dike

Call No. -03 for the November 08, 2010 Letting

250	Each	907-246-A002	Sandbags
161,301	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
459,404	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
6,202	Ton	907-307-D001	Lime
57	Mile	907-403-S002	Joint Sealant for HMA
169,832	Gallon	907-407-A001	Asphalt for Tack Coat
504	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
6,320	Pounds	907-512-B004	Portland Cement Pressure Grout Slurry, Type 4
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
7	Cubic Yard	907-601-B004	Class "C" Structural Concrete, Minor Structures
487	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
105	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
20,400	Linear Feet	907-606-G001	Cable Barrier
16	Each	907-606-H001	Cable Barrier Terminal Section
75	Each	907-606-I001	Cable Barrier Post Repair
8	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
4,985	Linear Feet	907-606-PP009	Remove and Replace Blockouts & Add Rub-Rail
6	Each	907-619-E3001	Changeable Message Sign
51,200	Linear Feet	907-619-P1001	Glare Paddles
33	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
37	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
254	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
37	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
28,293	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
85	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
831	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
49	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
17	Each	907-682-E001	Underground Junction Box With Concrete Pad
ALTERNATE GROUP AA NO. 1			
67,824	Ton	907-304-B001	Granular Material, Class 5, Group C
ALTERNATE GROUP AA NO. 2			
67,824	Ton	907-304-D004	Granular Material, Crushed Concrete
ALTERNATE GROUP BB NO. 1			
4,909	Ton	907-308-A001	Portland Cement
435,981	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP BB NO. 2			
435,981	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
3,308	Ton	907-311-B001	Lime
13,226	Ton	907-311-C001	Fly Ash, Class C
ALTERNATE GROUP CC NO. 1			
8,966	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
76,095	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
4,540	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,042	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
75,101	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
4,867	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Call No. -03 for the November 08, 2010 Letting

653 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
76,610 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
62,196 Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
26,629 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
10,100 Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

ALTERNATE GROUP CC NO. 2

4,867 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
6,042 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
75,101 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
4,540 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
8,966 Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
76,095 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
653 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
26,629 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
76,610 Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
62,196 Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
10,100 Ton	907-403-Q002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR