$S \ E \ C \ T \ I \ O \ N \quad 9 \ 0 \ 5 \ -- \ P \ R \ O \ P \ O \ S \ A \ L \quad (CONTINUED)$

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for <u>five percent (5%) of total bid</u> and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| ADDE | ENDUM NO. | 1 | DATED | 11/15/2 | 2010 | ADDENDUM NO. | DATE |) | |
|-----------------|---------------------------------|-------------------------|-----------------------------|--------------------------|-----------------|---|----------|---------------------|-------------|
| ADDE | ENDUM NO | | DATED | | | ADDENDUM NO. | DATE |) <u> </u> | |
| Number 1 | Revised Bidsho Required. | Descr eets; Ame | ription endment EBS D | ownload | (Musi Respe | AL ADDENDA:1 t agree with total addenda is ectfully Submitted, E | - | ppening of | Èbids) |
| | | | | | | Cor | ntractor | | |
| | | | | | BY | | | | |
| | | | | | D1_ | Sig | gnature | | |
| | | | | | TITL | Е | | | |
| | | | | | | RESS | | | |
| | | | | | | , STATE, ZIP | | | |
| | | | | | PHO | NE | | | |
| | | | | | | | | | |
| | | | | | | AIL | | | |
| (To be fil | led in if a corpo | oration) | | | | | | | |
| (titles and | Our corporation business addres | is charte sses of th | ered under the executives a | Laws of t re as follo | he State ws: | of | | and | the names, |
| | Presi | dent | | | | Ade | dress | | |
| | Secr | etary | | | | Ado | dress | | |
| | Treas | surer | | | | Ade | dress | | |
| The follo | wing is my (our |) itemize | d proposal. | | | | | N 1 <i>i</i> | |
| Revised 09 | 9/21/2005 | | | | | BR-0337-00(009) / 10 | 02491301 | Newton | County(ies) |

Section 905 Proposal (Sheet 2 - 1)

Replacement of Bridges No. 29.6 and No. 29.9 on SR 503 between the Jasper County Line and US Highway 80, know as Federal Aid Project No. BR-0337-00(009) / 102491301, in the County of Newton, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS *** BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED ***BID SCHEDULE***

| Line | Item Code | | Quantity | Units | Description | Unit Price | | Item Amount | | |
|------|---------------|------|----------|----------------|---|------------|-----|-------------|----|--|
| No. | | Code | | | | Dollar | Ct | Dollar | Ct | |
| | Roadway Items | | | | | | | | | |
| 0010 | 201-A001 | | 1 | Lump Sum | Clearing and Grubbing | XXXXXXXX | XXX | | | |
| 0020 | 202-A001 | | 1 | Lump Sum | Removal of Obstructions | xxxxxxxx | xxx | | | |
| 0030 | 202-B005 | | 15,016 | Square Yard | Removal of Asphalt Pavement, All Depths | | | | | |
| 0040 | 202-B064 | | 63 | Linear Feet | Removal of Pipe, 8" And Above | | | | | |
| 0050 | 202-B069 | | 9 | Each | Removal of Sign | | | | | |
| 0060 | 202-B076 | | 1,700 | Linear Feet | Removal of Traffic Stripe | | | | | |
| 0070 | 202-B087 | | 800 | Linear Feet | Removal of Guard Rail, Including Rails, Posts and Terminal Ends | | | | | |
| 0080 | 203-A003 | (E) | 718 | Cubic Yard | Unclassified Excavation, FM, AH | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | ; | Bid Amour | nt |
|-------------|-----------|-------------|----------|----------------|---|------------|----|-----------|----|
| 0090 | 203-EX033 | (E) | 61,767 | Cubic Yard | Borrow Excavation, AH, FME, Class B17 | | | | |
| 0100 | 203-G003 | (E) | 33,879 | Cubic Yard | Excess Excavation, FM, AH | | | | |
| 0110 | 209-A004 | | 1,400 | Square Yard | Geotextile Stabilization, Type V, Non-Woven | | | | |
| 0120 | 213-C001 | | 5 | Ton | Superphosphate | | | | |
| 0130 | 215-A001 | | 26 | Ton | Vegetative Materials for Mulch | | | | |
| 0140 | 220-A001 | | 9 | Acre | Insect Pest Control | 30. | 00 | 270. | 00 |
| 0150 | 223-A001 | | 1 | Acre | Mowing | 40. | 00 | 40. | 00 |
| 0160 | 234-A001 | | 7,730 | Linear Feet | Temporary Silt Fence | | | | |
| 0170 | 235-A001 | | 313 | Bale | Temporary Erosion Checks | | | | |
| 0180 | 310-B001 | (GY) | 500 | Cubic Yard | Size I Stabilizer Aggregate, Coarse | | | | |
| 0190 | 406-A001 | | 450 | Square Yard | Cold Milling of Bituminous Pavement, All Depths | | | | |
| 0200 | 409-A002 | | 626 | Square Yard | Geotextile Fabric For Underseal, Type V | | | | |

Section 905 Proposal (Sheet 2 - 2) BR-0337-00(009) / 102491301 Newton County

| 0220 | 501-K001 | | 307 | Square Yard | Transverse Grooving | | | |
|------|-----------|------|-------|----------------|---|----------|-----|---|
| 0230 | 502-A001 | (C) | 320 | Square Yard | Reinforced Cement Concrete Bridge End Pavement | | | Ī |
| 0240 | 606-B001 | | 850 | Linear Feet | Guard Rail, Class A, Type 1 | | | Ī |
| 0250 | 606-D012 | | 8 | Each | Guard Rail, Bridge End Section, Type I | | | |
| 0260 | 606-E001 | | 8 | Each | Guard Rail, Terminal End Section | | | T |
| 0270 | 615-A018 | (S) | 80 | Linear Feet | Concrete Bridge End Barrier, 33.5" | | | T |
| 0280 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic | XXXXXXXX | XXX | , |
| 0290 | 618-C001 | | 1 | Lump Sum | Construction & Removal of Detour Bridge | XXXXXXXX | xxx | , |
| 0300 | 619-A1001 | | 8,464 | Linear Feet | Temporary Traffic Stripe, Continuous White | | | |
| 0310 | 619-A2001 | | 8,464 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow | | | T |
| 0320 | 619-A2005 | | 1,850 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape | | | |

Expansion Joints, Without Dowels

Section 905 Proposal (Sheet 2 - 3)

Item Code

501-E001

Adj

Code

Quantity

Units

148 Linear

Feet

Line

No.

0210

Bid Amount

Unit Price

Description

| Section 905 |
|------------------------|
| Proposal (Sheet 2 - 4) |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amoun | nt |
|-------------|-----------|-------------|----------|----------------|--|------------|-----|-----------|----|
| 0330 | 619-C7001 | | 106 | Each | Two-Way Yellow Reflective High Performance Raised Marker | | | | |
| 0340 | 619-D1001 | | 64 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet | | | | |
| 0350 | 619-D2001 | | 252 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More | | | | |
| 0360 | 619-F3004 | | 24 | Each | Delineators, Guard Rail, White | | | | |
| 0370 | 619-G4001 | | 144 | Linear Feet | Barricades, Type III, Single Faced | | | | |
| 0380 | 619-G4005 | | 24 | Linear Feet | Barricades, Type III, Double Faced | | | | |
| 0390 | 619-G5001 | | 29 | Each | Free Standing Plastic Drums | | | | |
| 0400 | 619-G7001 | | 2 | Each | Warning Lights, Type "B" | | | | |
| 0410 | 619-K1001 | | 200 | Linear Feet | Installation and Removal of Guard Rail, Type I, Class A | | | | |
| 0420 | 619-K4001 | | 8 | Each | Installation and Removal of Guardrail, Terminal End Section | | | | |
| 0430 | 620-A001 | | 1 | Lump Sun | n Mobilization | xxxxxxxx | XXX | | |
| 0440 | 627-L001 | | 84 | Each | Two-Way Yellow Reflective High Performance Raised Markers | | | | |

| Section 905 |
|------------------------|
| Proposal (Sheet 2 - 5) |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amount | t |
|-------------|-----------|-------------|----------|----------------|--|------------|-----|------------|---|
| 0450 | 628-J002 | | 1,430 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous White | | | | |
| 0460 | 628-L002 | | 715 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow | | | | |
| 0470 | 628-M002 | | 415 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow | | | | |
| 0480 | 630-A001 | | 24 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | | | | |
| 0490 | 630-A002 | | 81 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness | | | | |
| 0500 | 630-C003 | | 121 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft | | | | |
| 0510 | 630-E004 | | 97 | Pounds | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar | | | | |
| 0520 | 630-F001 | | 48 | Each | Delineators, Guard Rail, White | | | | |
| 0530 | 630-K001 | | 35 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3" | | | | |
| 0540 | 630-K003 | | 54 | Linear Feet | Welded & Seamless Steel Pipe Posts, 4" | | | | |
| 0550 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes | XXXXXXXX | xxx | | |
| 0560 | 815-A006 | (S) | 150 | Ton | Loose Riprap, Size 100 | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amoun | t |
|---------------|----------------------------|-------------|----------|----------------|--|------------|-----------|---|
| 0570 Chang | 815-E001 ged 11/15/2010 | (S) | 1,008 | Square Yard | Geotextile under Riprap | | | |
| 0580 | 815-F002 | (S) | 100 | Ton | Sediment Control Stone | | | |
| 0590 | 907-225-A001 | | 13 | Acre | Grassing | | | |
| 0600 | 907-225-B001 | | 19 | Ton | Agricultural Limestone | | | |
| 0610 | 907-226-A001 | | 5 | Acre | Temporary Grassing | | | |
| 0620 | 907-237-A003 | | 460 | Linear Feet | Wattles, 20" | | | |
| 0630 | 907-245-A001 | | 120 | Linear Feet | Triangular Silt Dike | | | |
| 0640 | 907-246-A001 | | 100 | Linear Feet | Sandbags | | | |
| 0650 | 907-304-A001 | (GY) | 2,115 | Cubic Yard | Granular Material, LVM, Class 5, Group C | | | |
| 0660 | 907-304-C005 | (GY) | 6,576 | Cubic Yard | Granular Material, AEA, Class 9, Group C | | | |
| 0670 | 907-304-F002 | (GT) | 158 | Ton | Size 610 Crushed Stone Base | | | |
| 0680 | 907-307-C003 | (M) | 868 | Square Yard | 6" Soil-Lime-Water Mixing, Class C | | | |

BR-0337-00(009) / 102491301 Newton County

Section 905 Proposal (Sheet 2 - 7)

| BR-0337-00(009) / 102491301 |
|-----------------------------|
| Newton County |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|-------------|---------------|-------------|----------|----------------|--|------------|-------------|
| 0690 | 907-307-D001 | | 12 | Ton | Lime | | |
| 0700 | 907-407-A001 | (A2) | 324 | Gallon | Asphalt for Tack Coat | | |
| 0710 | 907-413-E001 | | 148 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement | | |
| 0720 | 907-601-B003 | (S) | 1 | Cubic Yard | Class "B" Structural Concrete, Minor Structures | | |
| 0730 | 907-603-ALT0 | 1 (S) | 400 | Linear Feet | 18" Type A Alternate Pipe | | |
| 0740 | 907-617-A001 | | 23 | Each | Right-of-Way Marker | | |
| 0750 | 907-626-C008 | | 7,030 | Linear Feet | 6" Thermoplastic Edge Stripe, Continuous White | | |
| 0760 | 907-626-D004 | | 2,230 | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip Yellow | | |
| 0770 | 907-626-E003 | | 2,570 | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous Yellow | | |
| 0780 | 907-630-PP010 | | 18 | Square Feet | Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted | | |
| | | | | | ALTERNATE GROUP AA NUMBER 1 | <u> </u> | · · · · · · |
| 0790 | 907-308-A001 | | 246 | Ton | Portland Cement | | |

| 0800 | 907-308-B001 | (M) | 17 |
|------|--------------|------|----|
| 0810 | 907-308-B002 | (M) | 7 |
| | | | |

Section 905 Proposal (Sheet 2 - 8)

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|-------------|--------------|-------------|----------|----------------|--|------------|------------|
| 0800 | 907-308-B001 | (M) | 17,962 | Square Yard | Soil-Cement-Water Mixing, Optional Mixers, Base | | |
| 0810 | 907-308-B002 | (M) | 7,806 | Square Yard | Soil-Cement-Water Mixing, Optional Mixers, Design Soil | | |
| | | | | | ALTERNATE GROUP AA NUMBER 2 | | II |
| 0820 | 907-311-A003 | (M) | 25,768 | Square Yard | Processing Lime and Fly Ash Treated Course, 6" Thick | | |
| 0830 | 907-311-B001 | | 191 | Ton | Lime | | |
| 0840 | 907-311-C002 | | 764 | Ton | Fly Ash, Class C or F | | |
| | | | | | ALTERNATE GROUP BB NUMBER 1 | | 1 |
| 0850 | 907-403-A011 | (BA1) | 2,394 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture | | |
| 0860 | 907-403-A012 | (BA1) | 2,142 | Ton | Hot Mix Asphalt, ST, 19-mm mixture | | |
| 0870 | 907-403-B007 | (BA1) | 457 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling | | |
| 0880 | 907-403-C005 | (BA1) | 229 | Ton | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening | | |
| | | | | | ALTERNATE GROUP BB NUMBER 2 | 1 1 | 1 1 |
| 0890 | 907-403-M002 | (BA1) | 2,394 | Ton | Warm Mix Asphalt, MT, 12.5-mm mixture | | |

| Section 905 |
|------------------------|
| Proposal (Sheet 2 - 9) |

BR-0337-00(009) / 102491301 Newton County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Bid Amour | nt |
|-------------|--------------|-------------|----------|----------------|--|------------|----|-----------|----|
| 0900 | 907-403-M011 | (BA1) | 2,142 | Ton | Warm Mix Asphalt, HT, 19-mm mixture | | | | |
| 0910 | 907-403-N002 | (BA1) | 457 | Ton | Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling | | | | |
| 0920 | 907-403-0003 | (BA1) | 229 | Ton | Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening | | | | |
| | | | | | Bridge Items | | | | |
| 0930 | 501-K001 | | 2,111 | Square Yard | Transverse Grooving | | | | |
| 0940 | 803-B002 | (S) | 4 | Each | Conventional Static Pile Load Test | 5,000. | 00 | 20,000. | 00 |
| 0950 | 803-C002 | (S) | 1,280 | Linear Feet | 14" x 14" Prestressed Concrete Piling | | | | |
| 0960 | 803-C003 | (\$) | 2,140 | Linear Feet | 16" x 16" Prestressed Concrete Piling | | | | |
| 0970 | 803-C004 | (S) | 1,860 | Linear Feet | 18" x 18" Prestressed Concrete Piling | | | | |
| 0980 | 803-F006 | (S) | 670 | Linear Feet | 24" Pre-Formed Pile Hole | | | | |
| 0990 | 803-F009 | (S) | 640 | Linear Feet | 20" Pre-Formed Pile Hole | | | | |
| 1000 | 803-F010 | (S) | 1,206 | Linear Feet | 22" Pre-Formed Pile Hole | | | | |

| Section 905 |
|-------------------------|
| Proposal (Sheet 2 - 10) |

| BR-0337-00(009) / 102491301 |
|-----------------------------|
| Newton County |

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|-------------|--------------|-------------|----------|----------------|---|------------|------------|
| 1010 | 803-I001 | (S) | 7 | Each | PDA Test Pile | | |
| 1020 | 805-A001 | (S) | 172,901 | Pounds | Reinforcement | | |
| 1030 | 813-A001 | (S) | 1,266 | Linear Feet | Concrete Railing | | |
| 1040 | 815-A009 | (S) | 2,049 | Ton | Loose Riprap, Size 300 | | |
| 1050 | 815-E001 | (S) | 368 | Square Yard | Geotextile under Riprap | | |
| 1060 | 907-804-A001 | (S) | 917 | Cubic Yard | Bridge Concrete, Class AA | | |
| 1070 | 907-804-C016 | (S) | 1,789 | Linear Feet | 40' Prestressed Concrete Beam, Type I+2 | | |
| 1080 | 907-804-C171 | (S) | 499 | Linear Feet | 100' Prestressed Concrete Beam, Type IV | | |
| 1090 | 907-804-C184 | (S) | 548 | Linear Feet | 55' Prestressed Concrete Beam, Type II | | |
| 1100 | 907-804-C185 | (S) | 299 | Linear Feet | 60' Prestressed Concrete Beam, Type II | | |

Section 905 Proposal (Sheet 2 - 11)

*** BID CERTIFICATION ***

TOTAL BID......

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

- 1. I/We agree that no less than ______ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
- 2. Classification of Bidder: Small Business (DBE)______ Small Business (WBE)_____

3. A joint venture with a Small Business (DBE/WBE):

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER

(Date Printed 11/15/10 11:46 am) (Addendum No. 1)