


[Proposal & Plan Sales Will Begin on November 1, 2010](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for November – November 23, 2010



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR NOVEMBER - Tuesday, November 23, 2010

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 01, 2010

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	BR-0337-00(009) / 102491301	Newton
02	STP-0540-00(005) / 100596301	Kemper
03	MP-1008-09(007) / 303999301	Chickasaw
04	MP-2008-22(012) / 303948301	Grenada
05	BWO-5126-45(001) / 501520301, BWO-5127-45(001) / 501520302, & BWO-5197-45(001) / 501520303	Madison
06	BWO-5198-40(001) / 502316301 & BWO-5199-40(001) / 502316302	Leake

Replacement of Bridges No. 29.6 and No. 29.9 on SR 503 between the Jasper County Line and US Highway 80, know as Federal Aid Project No. BR-0337-00(009) / 102491301, in the County of Newton, State of Mississippi.

PROJECT COMPLETION: September 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
15,016	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
63	Linear Feet	202-B064	Removal of Pipe, 8" And Above
9	Each	202-B069	Removal of Sign
1,700	Linear Feet	202-B076	Removal of Traffic Stripe
800	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
718	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
61,767	Cubic Yard	203-EX033	Borrow Excavation, AH, FME, Class B17
33,879	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,400	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
5	Ton	213-C001	Superphosphate
26	Ton	215-A001	Vegetative Materials for Mulch
9	Acre	220-A001	Insect Pest Control
1	Acre	223-A001	Mowing
7,730	Linear Feet	234-A001	Temporary Silt Fence
313	Bale	235-A001	Temporary Erosion Checks
500	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
450	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
626	Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
148	Linear Feet	501-E001	Expansion Joints, Without Dowels
307	Square Yard	501-K001	Transverse Grooving
320	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
850	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
8	Each	606-E001	Guard Rail, Terminal End Section
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
8,464	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
8,464	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,850	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
106	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
252	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Each	619-F3004	Delineators, Guard Rail, White
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
29	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A

Call No. 01 for the November 23, 2010 Letting

8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
84	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,430	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
715	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
415	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
24	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
81	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
121	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
97	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
48	Each	630-F001	Delineators, Guard Rail, White
35	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
54	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
150	Ton	815-A006	Loose Riprap, Size 100
1,008	Square Yard	815-E001	Geotextile under Riprap 11
100	Ton	815-F002	Sediment Control Stone
13	Acre	907-225-A001	Grassing
19	Ton	907-225-B001	Agricultural Limestone
5	Acre	907-226-A001	Temporary Grassing
460	Linear Feet	907-237-A003	Wattles, 20"
120	Linear Feet	907-245-A001	Triangular Silt Dike
100	Linear Feet	907-246-A001	Sandbags
2,115	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
6,576	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
158	Ton	907-304-F002	Size 610 Crushed Stone Base
868	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
12	Ton	907-307-D001	Lime
324	Gallon	907-407-A001	Asphalt for Tack Coat
148	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
400	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
23	Each	907-617-A001	Right-of-Way Marker
7,030	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,230	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2,570	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
ALTERNATE GROUP AA NO. 1			
246	Ton	907-308-A001	Portland Cement
17,962	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
7,806	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
25,768	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
191	Ton	907-311-B001	Lime
764	Ton	907-311-C002	Fly Ash, Class C or F

Call No. 01 for the November 23, 2010 Letting

ALTERNATE GROUP BB NO. 1

2,394	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,142	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
457	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
229	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP BB NO. 2

2,394	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
2,142	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
457	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
229	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Bridge Items

2,111	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
1,280	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2,140	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,860	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
670	Linear Feet	803-F006	24" Pre-Formed Pile Hole
640	Linear Feet	803-F009	20" Pre-Formed Pile Hole
1,206	Linear Feet	803-F010	22" Pre-Formed Pile Hole
7	Each	803-I001	PDA Test Pile
172,901	Pounds	805-A001	Reinforcement
1,266	Linear Feet	813-A001	Concrete Railing
2,049	Ton	815-A009	Loose Riprap, Size 300
368	Square Yard	815-E001	Geotextile under Riprap
917	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,789	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
499	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
548	Linear Feet	907-804-C184	55' Prestressed Concrete Beam, Type II
299	Linear Feet	907-804-C185	60' Prestressed Concrete Beam, Type II

Reconstruction of SR 16 between Scooba and the Alabama State Line, known as Federal Aid Project No. STP-0540-00(005) / 100596301, in the County of Kemper, State of Mississippi.

PROJECT COMPLETION: November 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
9 Acre	201-B001	Clearing and Grubbing
38,629 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
693 Linear Feet	202-B038	Removal of Curb, All Types
2,167 Linear Feet	202-B064	Removal of Pipe, 8" And Above
7,080 Linear Feet	202-B076	Removal of Traffic Stripe
1,000 Linear Feet	202-B102	Removal of Guard Rail
89,811 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,000 Cubic Yard	203-D001	Muck Excavation, FM
4,392 Cubic Yard	203-E058	Borrow Excavation, FM, Class B15, AH
84,885 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,146 Cubic Yard	206-A001	Structure Excavation
500 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
2,133 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
29,443 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
37 Ton	213-C001	Superphosphate
146 Ton	215-A001	Vegetative Materials for Mulch
1,009 Square Yard	216-A001	Solid Sodding
4,555 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
37 Acre	220-A001	Insect Pest Control
265 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
12,207 Square Yard	224-A001	Soil Reinforcing Mat
41,258 Linear Feet	234-A001	Temporary Silt Fence
1,344 Bale	235-A001	Temporary Erosion Checks
100 Linear Feet	239-A001	Temporary Slope Drains
650 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
11,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
481 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
12 Mile	423-A001	Rumble Strips, Ground In
170 Pounds	602-A001	Reinforcing Steel
364 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
128 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
176 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
360 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
892 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
216 Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
12 Each	603-CB002	24" Reinforced Concrete End Section

Call No. 02 for the November 23, 2010 Letting

2	Each	603-CB003	30" Reinforced Concrete End Section
4	Each	603-CB004	36" Reinforced Concrete End Section
8	Each	603-CB005	42" Reinforced Concrete End Section
22	Each	603-CB006	48" Reinforced Concrete End Section
6	Each	603-CB007	54" Reinforced Concrete End Section
328	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
196	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
144	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
336	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
6	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
6	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D008	Guard Rail, Bridge End Section, Type H
8	Each	606-E001	Guard Rail, Terminal End Section
423	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,884	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,360	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,328	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
88	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
682	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,068	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,260	Linear Feet	619-G4001	Barricades, Type III, Single Faced
72	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
144	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
864	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
618	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
309	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
126	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
174	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
52	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
416	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
92	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
96	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
116	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

Call No. 02 for the November 23, 2010 Letting

93	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
500	Square Yard	815-A001	Loose Riprap, Size 100
330	Square Yard	815-A004	Loose Riprap, Size 300
489	Square Yard	815-E001	Geotextile under Riprap
73	Acre	907-225-A001	Grassing
219	Ton	907-225-B001	Agricultural Limestone
37	Acre	907-226-A001	Temporary Grassing
980	Linear Feet	907-237-A003	Wattles, 20"
640	Linear Feet	907-245-A001	Triangular Silt Dike
500	Linear Feet	907-246-A001	Sandbags
16,072	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
13,486	Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
12,693	Ton	907-304-F002	Size 610 Crushed Stone Base
51,503	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
695	Ton	907-307-D001	Lime
18,746	Gallon	907-407-A001	Asphalt for Tack Coat
24	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3,904	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
104	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
105	Each	907-617-A001	Right-of-Way Marker
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,866	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,358	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
695	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
696	Ton	907-308-A001	Portland Cement
50,443	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
12,876	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
ALTERNATE GROUP AA NO. 2			
63,319	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
475	Ton	907-311-B001	Lime
1,900	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
16,965	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
16,168	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
6,682	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
493	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
6,036	Ton	907-403-B005	Hot Mix Asphalt, MT, 19-mm mixture, Leveling
1,381	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
16,965	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
6,682	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
16,168	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture

Call No. 02 for the November 23, 2010 Letting

493 Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling
6,036 Ton	907-403-N007	Warm Mix Asphalt, MT, 19-mm mixture, Leveling
1,381 Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Milling & Overlaying approximately 2 miles of SR 8 from MLK Drive to the Trace Regional Medical Center, & SR 389 from Jackson Street to Intersection of SR 8, known as State Project No. MP-1008-09(007) / 303999301, in the County of Chickasaw, State of Mississippi.

PROJECT COMPLETION: May 07, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
150 Cubic Yard	203-G003	Excess Excavation, FM, AH
43,328 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
5 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,428 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,426 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
51 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,242 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
482 Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
2,600 Gallon	907-407-A001	Asphalt for Tack Coat
3 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
68 Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,980 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,446 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2 Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
713 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,056 Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1
4,173 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2
4,173 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill and Overlay SR 8, West of I-55 to East of SR 333, known as State Project No. MP-2008-22(012) / 303948301, in the County of Grenada, State of Mississippi

PROJECT COMPLETION: June 24, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

60	Square Yard	202-B026	Removal of Concrete Paved Shoulders, All Depths
1,390	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
6,176	Linear Feet	202-B076	Removal of Traffic Stripe
200	Square Yard	202-B078	Removal of Pavement, All Types and Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
5	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
64,800	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
300	Linear Feet	503-C007	Saw Cut, Full Depth
770	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
6	Each	606-D008	Guard Rail, Bridge End Section, Type H
10	Each	606-E001	Guard Rail, Terminal End Section
15	Each	613-D005	Adjustment of Manhole
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3006	Temporary Traffic Stripe, Skip White
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
79,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
27,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
6,600	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
45	Each	630-F001	Delineators, Guard Rail, White
13	Each	630-F002	Delineators, Guard Rail, Yellow
10	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15,000	Linear Feet	635-A001	Vehicle Loop Assemblies
6,500	Ton	907-304-B009	Granular Material, Class 3, Group D
40,200	Gallon	907-407-A001	Asphalt for Tack Coat
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
65,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
27,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
9,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
3,500	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

Call No. 04 for the November 23, 2010 Letting

4,400 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,700 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
19,000 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
950 Ton	907-403-E003	Hot Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified, Leveling
7,150 Ton	907-403-E004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling

ALTERNATE GROUP AA NO. 2

4,400 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
1,700 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
19,000 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
7,150 Ton	907-403-Q001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified, Leveling
950 Ton	907-403-Q004	Warm Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified, Levling

ALTERNATE GROUP BB NO. 1

650 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,450 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
950 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,950 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
450 Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP BB NO. 2

650 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,450 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
950 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,950 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
450 Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow

Construction necessary to build the Maintenance Area Headquarters, Equipment Shed, and Chemical/Salt Storage at Canton, known as State Project Nos. BWO-5126-45(001) / 501520301, BWO-5127-45(001) / 501520302, & BWO-5197-45(001) / 501520303, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: November 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1500-A001	Construction of Chemical/Salt Storage Bldg.
Lump Sum	1500-A001	Construction of Equipment Shed
Lump Sum	1500-A001	Construction of Maintenance Area Headquarters Bldg.
1,543 Linear Feet	607-B009	72" Type I Chain Link Fence, Class I
1 Each	607-G039	Gate, 6' x 6' Chain Link
155 Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
20 Each	607-P2021	Brace Post, 9' 6" x 2 1/2" Galvanized Steel
2 Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
6 Each	607-P3020	Gate Post, 11' x 3 1/2" Galvanized Steel
2 Each	907-607-G001	Gate, 24' Chain Link, Cantilever, With Top Guard, Per Plans

Call No. 06 for the November 23, 2010 Letting

Construction necessary to build a Maintenance Area Headquarters & Equipment Shed at Carthage, known as State Project Nos. BWO-5198-40(001) / 502316301 & BWO-5199-40(001) / 502316302, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: November 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Building Items

	Lump Sum	1500-A001	Construction of Equipment Shed
	Lump Sum	1500-A001	Construction of Maintenance Area Headquarters
430	Linear Feet	607-B009	72" Type I Chain Link Fence, Class I
1	Each	607-G039	Gate, 6' x 6' Chain Link
1	Each	607-G105	Gate, 24' x 6' Double Chain Link w/ Top Guard
43	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
7	Each	607-P2021	Brace Post, 9' 6" x 2 1/2" Galvanized Steel
2	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
3	Each	607-P3020	Gate Post, 11' x 3 1/2" Galvanized Steel

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR