## **SECTION 905 -- PROPOSAL** (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM N	IO. <u>1</u>	DATED	1/14/2	011	ADDENDUM NO.		DATED		
ADDENDUM N	10	DATED			ADDENDUM NO.		DATED		
NTB 337 & Bid She	Description sed Table of Contents, Added NTB 3367 & 3375, Revised Special Provision 907-401-2 d Sheets, Revised Plan Sheets 2, 7, 8, 15, & mendment EBS Download Required.				AL ADDENDA: t agree with total adder ectfully Submitted, E	nda issued		of bids	)
						Contract	or		
				BY					
						Signatu	re		
				TITL	Е				
				ADD	RESS				
				CITY	, STATE, ZIP				
				PHO	NE				
				FAX					
				E-MA					
(To be filled in if a	corporation)								
Our corport titles and business a					of		and	the	names,
	President					Address			
	Secretary					Address			
	Treasurer					Address			
The following is my			94301 & S	STP-000	2-03(047) / 100487301	L	owndes & Noxube	∍ Cou	nty(ies)

## **TABLE OF CONTENTS**

#### **PROJECT:** NH-0002-04(039) / 100094301 – Lowndes County STP-0002-03(047) / 100487301 -- Noxubee County

901--Advertisement

904Notice to	Bidders:	Governing Specs # 1 Final Cleanup - # 3 Procedure for Converting from TLTW to Divided 4-lane - # 5 Fiber Reinforced Concrete - # 640 Disadvantaged Business Enterprise w/ supplement - # 696 On-The-Job Training Program - # 777 Payroll Requirements - # 883 Rumble Stripe - # 1312 Errata & Modifications to 2004 Standard Specifications - #1405 Safety Apparel - # 1808 Federal Bridge Formula - # 1928 Department of Labor Ruling - # 2239 Status of ROW, w/ attachments - # 2382 DBE Forms, Participation and Payment - # 2596 Use of Precast Drainage Units - # 2774 Non-Quality Control / Quality Assurance Concrete - # 2818 Petroleum Products Base Price - # 2858 Storm Water Discharge Associated w/ Construction Activities (>5 Acres) - #
		Storm Water Discharge Associated w/ Construction Activities (≥5 Acres) - # 2905
		Reduced Speed Limit Signs - # 2937
		Additional Erosion Control Requirements - # 2976
		Alternate Asphalt Mixture Bid Items - # 3039
		Temporary Traffic Paint - # 3131
		Warm Mix Asphalt - # 3242
		DUNS Requirement for Federal Projects - # 3271
		Contract Time - # 3310
		Specialty Items - # 3311 Pleasant of Fill Material in Fadorally Descripted Arrow #2212
		Placement of Fill Material in Federally Regulated Areas - #3312 Cooperation Between Contractors - #3313
		Special Requirements for Manufactured Class B9 Borrow Excavation - #3314
		Project Number Change - #3324
		Shoulder Wedge - #3367
		Box Culverts - #3375
906- :	FHWA 1273,	with Supplement, Executive Order, & Wage Rates
907-101-4:	Definitions	
007 102 4	Ridding Requ	urements and Conditions W/Supplement

- Bidding Requirements and Conditions, W/Supplement 907-102-4:
- 907-103-8: Award and Execution of Contract
- 907-104-1: Partnering Process
- 907-105-3:
- Cooperation By Contractors, <u>W/Supplement</u> Legal Relations and Responsibility to Public, <u>W/Supplement</u> 907-107-7:
- Contractor's Erosion Control Plan 907-107-8:

#### - CONTINUED ON NEXT PAGE -

## Page 2 - PROJECT: NH-0002-04(039) / 100094301 – Lowndes County STP-0002-03(047) / 100487301 -- Noxubee County

- 907-108-18: Prosecution and Progress, W/Supplement Measurement and Payment, W/Supplement 907-109-4: Wage Rates 907-110-2: 907-225-2: Grassing 907-226-1: Temporary Grassing 907-227-8: Hydroseeding Siltation Barriers 907-234-4: 907-237-3: Wattles 907-245-2: Triangular Silt Dikes Sandbags 907-246-2: Temporary Stream Diversion 907-247-1: Granular Courses 907-304-12: 907-307-3: Lime Treated Courses 907-308-3: **Cement Treated Courses** 907-311-2: Lime-Fly Ash Treated Courses 907-401-2: Hot Mix Asphalt (HMA), W/Supplement Warm Mix Asphalt (WMA), W/Supplement 907-401-4: 907-403-4: Hot Mix Asphalt (HMA), W/Supplement Warm Mix Asphalt (WMA), W/Supplement 907-403-9: 907-407-1: Tack Coat 907-601-1: Structural Concrete Culverts & Storm Drains 907-603-8: Placement of Temporary Traffic Stripe 907-618-4: Thermoplastic Traffic Markings 907-626-15: 907-701-3: Hydraulic Cement, w/ Supplement Aggregates, w/ Supplement 907-703-8: Non Metal Drainage Structures 907-708-5: 907-709-1: Metal Pipe 907-710-1: Fast Dry Solvent Traffic Paint 907-711-4: Synthetic Structural Fiber Reinforcement. Admixtures for Concrete, W/Supplement 907-713-1: 907-714-5: Miscellaneous Materials, W/ Supplement **Roadside Development Materials** 907-715-3: **Pavement Marking Materials** 907-720-1:
- 907-804-8: Concrete Bridges and Structures, <u>w/ Supplement</u>
- 906-3: MDOT On-the-Job Training Program
- 906-6: MDOT On-the-Job Training Program Alternate Program

SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS

COMBINATION BID PROPOSAL,

CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION, SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM. PILE DRIVING FORM FORM -- OCR-485

# (REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

#### **SECTION 904 - NOTICE TO BIDDERS NO. 3367**

CODE: (SP)

DATE: 01/14/2011

**SUBJECT:** Shoulder Wedge

PROJECT: NH-0002-04(039) / 100094301 – Lowndes County STP-0002-03(047) / 100487301 -- Noxubee County

Bidders are hereby advised that the Shoulder Wedge specified in the Supplement to Special Provision 907-401-2 shall only apply to the top two (2) lifts of asphalt.

#### **SECTION 904 - NOTICE TO BIDDERS NO. 3375**

CODE: (SP)

DATE: 01/18/2011

## **SUBJECT:** Box Culverts

## PROJECT: NH-0002-04(039) / 100094301 – Lowndes County STP-0002-03(047) / 100487301 -- Noxubee County

Bidders are advised that the correct quantity for 202-B, Removal of Box Culvert Headwalls is **3** each, instead of 5 each which is shown on the summary of quantities sheet in the plan. Bidders are also advised that a pay item for removal of box culverts was inadvertently omitted from the summary of quantities sheet on the plans. The pay item and quantity for removal of box culverts is 202-B, Removal of Box Culverts, 5 each. The correct pay items and quantities are shown on the bid sheet.

## SUPPLEMENT TO SPECIAL PROVISION NO. 907-401-2

DATE: 01/13/2011

## **SUBJECT:** Hot Mix Asphalt (HMA)

Add the following before 907-401.02.6.2 on page 1.

<u>**907-401.02.4--Substitution of Mixture.</u>** Delete the table in Subsection 401.02.4 on page 242, and substitute the following:</u>

	Single Lift Laying Thickness Inches					
Mixture	Minimum	Maximum				
25 mm	3	4				
19 mm	2 1/4	3 1/2				
12.5 mm	1 1/2	2 1/2				
9.5 mm	1	1 1/2				
4.75 mm	1/2	3⁄4				

After Subsection 907-401-02.6.2 on page 2, add the following:

<u>907-401.02.6.4.1--Roadway Density.</u> Delete subparagraphs 1., 2., & 3. on page 251 and substitute the following:

- 1. For all leveling lifts, when full lane width and with a thickness as specified in the table in Subsection 401.02.4, the required lot density shall be 92.0 percent of maximum density.
- 2. For all single lift overlays, with or without leveling and/or milling, the required lot density shall be 92.0 percent of maximum density.
- 3. For all multiple lift overlays of two (2) or more lifts excluding leveling lifts, the required lot density of the bottom lift shall be 92. 0 percent of maximum density. The required lot density for all subsequent lifts shall be 93.0 percent of maximum density.
- 4. For all pavements on new construction, the required lot density for all lifts shall be 93.0 percent of maximum density.

<u>907-401.03.1.2--Tack Coat.</u> Delete the three sentences of Subsection 401.03.1.2 on page 259, and substitute the following:

Tack coat shall be applied to previously placed HMA and between lifts, unless otherwise directed by the Engineer. Tack coat shall be applied with a distributor spray bar. A hand wand

will only be allowed for applying tack coat on ramp pads, irregular shoulder areas, median crossovers, turnouts, or other irregular areas. Bituminous materials and application rates for tack coat shall be as specified in Table 410-A on page 293. Construction requirements shall be in accordance with Subsection 407.03 of the Standard Specifications.

<u>**907-401.03.1.4--Density</u>**. Delete the first sentence of the first paragraph of Subsection 401.03.1.4 on page 259 and substitute the following:</u>

The lot density for all dense graded pavement lifts, except as provided below for preleveling, wedging [less than fifty percent (50%) of width greater than minimum lift thickness], ramp pads, irregular shoulder areas, median crossovers, turnouts, or other areas where the established rolling pattern cannot be performed, shall not be less than the specified percent (92.0% or 93.0%) of the maximum density based on AASHTO Designation: T 209 for the day's production. For all leveling lifts, when full lane width and with a thickness as specified in the table in Subsection 401.02.4, the required lot density shall be 92.0 percent of maximum density.

<u>907-401.03.9--Material Transfer Equipment</u>. Delete the paragraph in Subsection 401.03.9 on page 264 and substitute the following:

Excluding the areas mentioned below, the material transferred from the hauling unit when placing the top lift, or the top two (2) lifts of a multi-lift HMA pavement with density requirements, shall be remixed prior to being placed in the paver hopper or insert by using an approved Materials Transfer Device. Information on approved devices can be obtained from the State Construction Engineer. Areas excluded from this requirement include: leveling courses, temporary work of short duration, detours, bridge replacement projects having less than 1,000 feet of pavement on each side of the structure, acceleration and deceleration lanes less than 1,000 feet in length, tapered sections, transition sections for width, shoulders less than 10 feet in width, crossovers, ramps, side street returns and other areas designated by the Engineer.

After Subsection 401.03.13 on page 266, add the following:

<u>907-401.03.14--Shoulder Wedge</u>. The Contractor shall attach a device to the screed of the paver that confines the material at the end gate and extrudes the asphalt material in such a way that results in a compacted wedge shape pavement edge of approximately 30 degrees, but not steeper than 35 degrees. The device shall maintain contact between itself and the road shoulder surface and allow for automatic transition to cross roads, driveways, and obstructions. The device shall be used to constrain the asphalt head reducing the area by 10% to 15% increasing the density of the extruded profile. Conventional single plate strike off shall not be used.

The device shall be TransTech Shoulder Wedge Maker, the Advant-Edge, or a similar approved equal device that produces the same wedge consolidation results. Contact information for these wedge shape compaction devices is the following:

1. TransTech Systems, Inc. 1594 State Street Schenectady, NY 12304 800-724-6306 www.transtechsys.com 2. Advant-Edge Paving Equipment, LLC P.O. Box 9163 Niskayuna, NY 12309-0163 518-280-6090 Contact; Gary D. Antonelli Cell: 518-368-5699 email: <u>garya@nycap.rr.com</u> Website: <u>www.advantedgepaving.com</u>

Before using a similar device, the Contractor shall provide proof that the device has been used on previous projects with acceptable results, or construct a test section prior to the beginning of work and demonstrate wedge compaction to the satisfaction of the Engineer. Short sections of handwork will be allowed when necessary for transitions and turnouts, or otherwise authorized by the Engineer.

Section 905 Proposal (Sheet 2 - 1)

Grade, Drain, Bridge, and Pave of US Highwy 45 from Brooksville to Carson Road, known as State Project No. NH-0002-04(039) / 100094301 & STP-0002-03(047) / 100487301, in the Counties of Lowndes and Noxubee, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

#### \*\*\* SPECIAL NOTICE TO BIDDERS \*\*\* BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED \*\*\*BID SCHEDULE\*\*\*

Line	Item Code	Adj	Quantity	Units	Description	Unit Price	:	Item Amount	
No.		Code				Dollar	Ct	Dollar	Ct
					Roadway Items				
0010	201-A001		1	Lump Sur	n Clearing and Grubbing	XXXXXXXX	XXX		
0020	201-B001		3	Acre	Clearing and Grubbing				
0030	202-B005		10,612	Square Yard	Removal of Asphalt Pavement, All Depths				
0035 Addeo	202-B008 d 01/18/2011		5	Each	Removal of Box Culvert				
0040	202-B009		1	Each	Removal of Bridge				
0050	202-B038		150	Linear Feet	Removal of Curb, All Types				
0060	202-B064		495	Linear Feet	Removal of Pipe, 8" And Above				
0070	202-B076		4,100	Linear Feet	Removal of Traffic Stripe				

Section 905
Proposal (Sheet 2 - 2)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	2	Bid Amount	t
0080	202-B079		10	Each	Removal of Headwall				
0090 Chang	202-B088 ged 01/18/2011		3	Each	Removal of Box Culvert Headwall, All Sizes				
0100	202-B097		18,990	Square Yard	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths				
0110	202-В102		300	Linear Feet	Removal of Guard Rail				
0120	202-B111		10	Each	Removal of Bridge Piling				
0130	202-B276		1,000	Cubic Yard	Remove and Reset Riprap				
0140	203-A003	(E )	222,559	Cubic Yard	Unclassified Excavation, FM, AH				
0150	203-EX017	(E )	134,647	Cubic Yard	Borrow Excavation, AH, FME, Class B9				
0160	203-G003	(E )	14,970	Cubic Yard	Excess Excavation, FM, AH				
0170	206-A001	(S )	4,679	Cubic Yard	Structure Excavation				
0180	206-B001	(E )	288	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM				
0190	209-A004		267	Square Yard	Geotextile Stabilization, Type V, Non-Woven				

Section 905
Proposal (Sheet 2 - 3)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amour	nt
0200	211-B001	(E )	7,956	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished				
0210	213-C001		102	Ton	Superphosphate				
0220	215-A001		503	Ton	Vegetative Materials for Mulch				
0230	216-A001		4,057	Square Yard	Solid Sodding				
0240	217-A001		23,931	Square Yard	Ditch Liner				
0250	219-A001		82	Thousand Gallon	Watering	20.	00	1,640.	00
0260	220-A001		102	Acre	Insect Pest Control	30.	00	3,060.	00
0270	221-A001	(S)	1,335	Cubic Yard	Portland Cement Concrete Paved Ditch				
0280	223-A001		205	Acre	Mowing	40.	00	8,200.	00
0290	224-A001		37,825	Square Yard	Soil Reinforcing Mat				
0300	234-A001		12,503	Linear Feet	Temporary Silt Fence				
0310	235-A001		3,624	Bale	Temporary Erosion Checks				

Section 905
Proposal (Sheet 2 - 4)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0320	236-A004		29	Each	Silt Basin, Type D		
0330	239-A001		3,090	Linear Feet	Temporary Slope Drains		
0340	406-A003		500	Ton	Cold Milling of Bituminous Pavement, All Depths		
0350	423-A001		25	Mile	Rumble Strips, Ground In		
0360	501-E001		181	Linear Feet	Expansion Joints, Without Dowels		
0370	501-K001		365	Square Yard	Transverse Grooving		
0380	502-A001	(C )	365	Square Yard	Reinforced Cement Concrete Bridge End Pavement		
0390	602-A001	(S )	159,680	Pounds	Reinforcing Steel		
0400	603-CA002	(S )	2,384	Linear Feet	18" Reinforced Concrete Pipe, Class III		
0410	603-CA004	(S )	576	Linear Feet	30" Reinforced Concrete Pipe, Class III		
0420	603-CB001	(S )	37	Each	18" Reinforced Concrete End Section		
0430	603-CB002	(S )	4	Each	24" Reinforced Concrete End Section		

Section 905
Proposal (Sheet 2 - 5)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0440	603-CB003	(S )	10	Each	30" Reinforced Concrete End Section		
0450	603-CE004	(S)	336	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III		
0460	603-CE005	(S )	180	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III		
0470	603-CE006	(S )	336	Linear Feet	58" x 36" Concrete Arch Pipe, Class A III		
0480	603-CF004	(S)	4	Each	44" x 27" Concrete Arch Pipe End Section		
0490	603-CF005	(S )	2	Each	51" x 31" Concrete Arch Pipe End Section		
0500	603-CF006	(S )	4	Each	58" x 36" Concrete Arch Pipe End Section		
0510	603-SB044	(S)	9	Each	18" Branch Connections, Stub into Existing Box Culvert		
0520	604-B001		14,500	Pounds	Gratings		
0530	606-B001		700	Linear Feet	Guard Rail, Class A, Type 1		
0540	606-D012		4	Each	Guard Rail, Bridge End Section, Type I		
0550	606-E001		4	Each	Guard Rail, Terminal End Section		

Section 905
Proposal (Sheet 2 - 6)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0560	609-D002	(S )	1,949	Linear Feet	Combination Concrete Curb and Gutter Type 2				
0570	616-A001	(S )	296	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0580	616-A003	(S )	86	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0590	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	xxx		
0600	619-A1002		28	Mile	Temporary Traffic Stripe, Continuous White				
0610	619-A2002		17	Mile	Temporary Traffic Stripe, Continuous Yellow				
0620	619-A3006		8	Mile	Temporary Traffic Stripe, Skip White				
0630	619-A4006		4	Mile	Temporary Traffic Stripe, Skip Yellow				
0640	619-A5001		25,500	Linear Feet	Temporary Traffic Stripe, Detail				
0650	619-A6001		1,300	Linear Feet	Temporary Traffic Stripe, Legend				
0660	619-D1001		674	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0670	619-D2001		2,722	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				

Section 905
Proposal (Sheet 2 - 7)

Line No.			Quantity	Units	Description	Unit Price		Bid Amount	
0680	619-E1001		2	Each	Flashing Arrow Panel, Type C				
0690	619-F3004		4	Each	Delineators, Guard Rail, White				
0700	619-G4001		2,820	Linear Feet	Barricades, Type III, Single Faced				
0710	619-G4005		48	Linear Feet	Barricades, Type III, Double Faced				
0720	619-G5001		550	Each	Free Standing Plastic Drums				
0730	619-G7001		4	Each	Warning Lights, Type "B"				
0740	619-K1001		225	Linear Feet	Installation and Removal of Guard Rail, Type I, Class A				
0750	619-K2002		2	Each	Installation and Removal of Guard Rail, Type I Bridge End Section				
0760	619-K4001		2	Each	Installation and Removal of Guardrail, Terminal End Section				
0770	620-A001		1	Lump Sum	Mobilization	xxxxxxxx	xxx		
0780	621-A001		1	Each	Field Laboratory				
0790	627-K001		1,848	Each	Red-Clear Reflective High Performance Raised Markers				

Section 905
Proposal (Sheet 2 - 8)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0800	627-L001		924	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0810	630-F001		14	Each	Delineators, Guard Rail, White				
0820	630-F002		14	Each	Delineators, Guard Rail, Yellow				
0830	630-F003		30	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Green				
0840	630-F004		30	Each	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow				
0850	630-G002		8	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				
0860	699-A001		1	Lump Sun	n Roadway Construction Stakes	XXXXXXXX	xxx		
0870	813-A002	(S)	40	Linear Feet	Concrete Railing, 32"				
0880	815-A006	(S )	1,290	Ton	Loose Riprap, Size 100				
0890	815-A009	(S )	2,252	Ton	Loose Riprap, Size 300				
0900	815-E001	(S )	3,753	Square Yard	Geotextile under Riprap				
0910	815-F002	(S)	177	Ton	Sediment Control Stone				

Section 905	
Proposal (Sheet 2 - 9)	

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0920	907-225-A001		204	Acre	Grassing		
0930	907-225-B001		306	Ton	Agricultural Limestone		
0940	907-226-A001		102	Acre	Temporary Grassing		
0950	907-234-D001		29	Each	Inlet Siltation Guard		
0960	907-237-A002		1,350	Linear Feet	Wattles, 12"		
0970	907-237-A003		2,580	Linear Feet	Wattles, 20"		
0980	907-245-A001		2,580	Linear Feet	Triangular Silt Dike		
0990	907-246-A001		2,580	Linear Feet	Sandbags		
1000	907-247-A001		5	Each	Temporary Stream Diversion		
1010	907-304-A005	(GY )	86,357	Cubic Yard	Granular Material, LVM, Class 9, Group C		
1020	907-304-A008	(GY )	37,828	Cubic Yard	Granular Material, LVM, Class 3, Group C		
1030	907-304-H002	(GY )	9,494	Cubic Yard	3/4" and Down Crushed Stone Base, LVM		

Section 905	
Proposal (Sheet 2 - 10)	

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1040 Chang	907-307-A007 ged 01/18/2011	(M )	131,270	Square Yard	14" Soil-Lime-Water Mixing, Class A		
1050 Chang	907-307-D001 ged 01/18/2011		9,639	Ton	Lime		
1060	907-407-A001	(A2)	17,260	Gallon	Asphalt for Tack Coat		
1070	907-601-A001	(S )	945	Cubic Yard	Class "B" Structural Concrete		
1080	907-601-B003	(S )	45	Cubic Yard	Class "B" Structural Concrete, Minor Structures		
1090	907-603-ALT0	(S)	3,408	Linear Feet	18" Type A Alternate Pipe		
1100	907-603-ALT02	2 (S)	216	Linear Feet	24" Type A Alternate Pipe		
1110	907-626-A003		8	Mile	6" Thermoplastic Traffic Stripe, Skip White		
1120	907-626-B004		14	Mile	6" Thermoplastic Traffic Stripe, Continuous White		
1130	907-626-E004		11	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow		
1140	907-626-G004		9,000	Linear Feet	Thermoplastic Detail Stripe, White		
1150	907-626-G005		13,600	Linear Feet	Thermoplastic Detail Stripe, Yellow		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1160	907-626-H004		1,300	Linear Feet	Thermoplastic Legend, White		
					ALTERNATE GROUP AA NUMBER 1		1
1170	907-308-A001		1,112	Ton	Portland Cement		
1180	907-308-B001	(M )	131,270	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base		
					ALTERNATE GROUP AA NUMBER 2		II
1190	907-311-A003	(M )	131,270	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick		
1200	907-311-B001		1,011	Ton	Lime		
1210	907-311-C002		4,041	Ton	Fly Ash, Class C or F		
					ALTERNATE GROUP BB NUMBER 1		
1215 Added	907-403-A002 1 01/18/2011	(BA1)	2,954	Ton	Hot Mix Asphalt, HT, 19-mm mixture		
1220	907-403-A013	(BA1)	23,666	Ton	Hot Mix Asphalt, ST, 25-mm mixture		
1230	907-403-D001	(BA1)	17,122	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified		
1240 Chang	907-403-D002 ged 01/18/2011	(BA1)	35,407	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified		

Section 905
Proposal (Sheet 2 - 12)

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
1250	907-403-D004	(BA1)	20,713	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified			
					ALTERNATE GROUP BB NUMBER 2		11	
1255 Addeo	907-403-M011 1 01/18/2011	(BA1)	2,954	Ton	Warm Mix Asphalt, HT, 19-mm mixture			
1260	907-403-M005	(BA1)	23,666	Ton	Warm Mix Asphalt, ST, 25-mm mixture			
1270	907-403-P001	(BA1)	20,713	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified			
1280	907-403-P002	(BA1)	17,122	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified			
1290 Chang	907-403-P003 ged 01/18/2011	(BA1)	35,407	Ton	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified			
					ALTERNATE GROUP CC NUMBER 1		11	
1300	603-CA003	(S )	300	Linear Feet	24" Reinforced Concrete Pipe, Class III			
					ALTERNATE GROUP CC NUMBER 2	I	ĮĮ	
1310	907-603-PE206	5 (S)	300	Linear Feet	24" Corrugated Polyethylene Pipe			
					ALTERNATE GROUP DD NUMBER 1	I	<u> </u>	
1320	628-I002		300	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White			
1330	628-J002		600	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1340	628-M002		600	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
					ALTERNATE GROUP DD NUMBER 2				
1350	907-626-I003		300	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White				
1360	907-626-J003		600	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White				
1370	907-626-L001		600	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow				
					Bridge Items		<u>I I</u>		
1380	501-K001		1,134	Square Yard	Transverse Grooving				
1390	803-B002	(S)	4	Each	Conventional Static Pile Load Test	5,000.	00	20,000.	00
1400	803-D002	(S)	1,170	Linear Feet	HP 12 x 53 Steel Piling				
1410	803-D003	(S)	1,645	Linear Feet	HP 14 x 73 Steel Piling				
1420	803-F009	(S)	595	Linear Feet	20" Pre-Formed Pile Hole				
1430	803-I001	(S)	2	Each	PDA Test Pile				
1440	803-J001	(S )	4	Each	Pile Restrike				

Section 905	
Proposal (Sheet 2 - 14)	

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
1450	805-A001	(S)	77,242	Pounds	Reinforcement			
1460	813-A001	(S )	567	Linear Feet	Concrete Railing			
1470	815-A004	(S )	1,188	Square Yard	Loose Riprap, Size 300			
1480	815-E001	(S)	711	Square Yard	Geotextile under Riprap			
1490	907-804-A001	(S)	563	Cubic Yard	Bridge Concrete, Class AA			
1500	907-804-C016	(S )	954	Linear Feet	40' Prestressed Concrete Beam, Type I+2			
1510	907-804-C019	(S )	717	Linear Feet	60' Prestressed Concrete Beam, Type II+2			

Section 905 Proposal (Sheet 2 - 15)

\*\*\* BID CERTIFICATION \*\*\*

TOTAL BID......

#### \*\*\* SIGNATURE STATEMENT \*\*\*

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER