

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   1/14/2011      ADDENDUM NO.            DATED             
 ADDENDUM NO.   2   DATED   2/14/2011      ADDENDUM NO.            DATED           

Number	Description
1	Revised Table of Contents, Added NTB 3345 & NTB 3367, Revised Supplement to Special Provision 907-401-2; Amendment EBS Download Required.
2	Revised Table of Contents, Added NTB 3369, NTB 3401, NTB 3405, & NTB 3410, Revised Bid Sheets, Revised Plan Sheets 2, 4, 9, 10, 13, & 495; Amendment EBS Download Required.

TOTAL ADDENDA:   2    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

**PROJECT: BR-0198-00(001) / 102488301 – George County**

901--Advertisement

904--Notice to Bidders:

- Governing Specs. - # 1
- Gopher Tortoises - # 151
- Fiber Reinforced Concrete - # 640
- Disadvantaged Business Enterprise w/ supplement - # 696
- On-The-Job Training Program - # 777
- Payroll Requirements - # 883
- Rumble Stripe - # 1312
- Non-Use of Precast Drainage Units - # 1322
- Errata & Modifications to 2004 Standard Specifications - #1405
- Safety Apparel - # 1808
- Federal Bridge Formula - # 1928
- Department of Labor Ruling - # 2239
- Status of ROW, w/ attachments - # 2382
- DBE Forms, Participation and Payment - # 2596
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Petroleum Products Base Price - # 2858
- Storm Water Discharge Associated w/ Construction Activities (≥5 Acres) - # 2905
- Reduced Speed Limit Signs - # 2937
- Additional Erosion Control Requirements - # 2976
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt - # 3242
- DUNS Requirement for Federal Projects - # 3271
- Contract Time - # 3321
- Specialty Items - # 3322
- Placement of Fill Material in Federally Regulated Areas - #3323
- Pre-Bid Meeting - #3344
- Shoulder Wedge - #3367
- Bridge Deck Concrete - #3369
- Pre-Bid Meeting Minutes - #3401

906- : FHWA 1273, with Supplement, Executive Order, & Wage Rates

907-101-4: Definitions

907-102-4: Bidding Requirements and Conditions, W/Supplement

907-103-8: Award and Execution of Contract

907-104-1: Partnering Process

907-105-3: Cooperation By Contractors, W/Supplement

907-107-7: Legal Relations and Responsibility to Public, W/Supplement

907-107-8: Contractor's Erosion Control Plan

- CONTINUED ON NEXT PAGE -

- 907-108-18: Prosecution and Progress, W/Supplement
- 907-109-4: Measurement and Payment, W/Supplement
- 907-110-2: Wage Rates
- 907-225-2: Grassing
- 907-226-1: Temporary Grassing
- 907-227-8: Hydroseeding
- 907-237-3: Wattles
- 907-247-1: Temporary Stream Diversion
- 907-304-12: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), W/Supplement
- 907-401-4: Warm Mix Asphalt (WMA), W/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), W/Supplement
- 907-403-9: Warm Mix Asphalt (WMA), W/Supplement
- 907-407-1: Tack Coat
- 907-413-2: Sawing & Sealing Transverse Joints in Asphalt Pavement
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-617-2: Right-Of-Way Markers
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-626-15: Thermoplastic Traffic Markings
- 907-626-22: Double Drop Thermoplastic Markings
- 907-701-3: Hydraulic Cement, w/ Supplement
- 907-703-8: Aggregates, w/ Supplement
- 907-708-5: Non Metal Drainage Structures
- 907-709-1: Metal Pipe
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement.
- 907-713-1: Admixtures for Concrete, W/Supplement
- 907-714-5: Miscellaneous Materials, W/ Supplement
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-8: Concrete Bridges and Structures, w/ Supplement
- 907-804-12: Concrete Bridge Decks
  
- 906-3: MDOT On-the-Job Training Program
- 906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS  
COMBINATION BID PROPOSAL,  
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,  
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM.  
PILE DRIVING FORM  
FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

## **MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 3369**

**CODE: (SP)**

**DATE: 01/14/2011**

**SUBJECT: Bridge Deck Concrete**

**PROJECT: BR-0198-00(001) / 102488301 – George County**

Bidders are advised that this project has two special provisions for concrete structures. Special Provision No. 907-804-12 will be the governing specifications for all bridge deck concrete. All other concrete on the project must meet the requirements of Special Provision No. 907-804-8.

Bidders are also advised that MDOT will perform tests on the bridge deck concrete. MDOT will install maturity meters in the bridge deck prior to concrete placement by attaching each device to the deck reinforcing steel in the areas under the bridge rail. MDOT will also install internal humidity meters in the same area after concrete placement. Installing the devices should not interfere with any of the Contractor's operations. The devices shall not be disturbed by the Contractor for at least a month after placement. Additionally, the Department will need access to the devices during that time. For each maturity meter, only the wires will be visible and accessible after the concrete is placed. For each humidity meter, a PVC pipe, about 1½ inches OD will stick out of the deck surface about 1½ inches. Neither the maturity meters nor the PVC pipes will be removed. The bridge rail will cover up the devices once MDOT has completed taking measurements.

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

**SECTION 904 - NOTICE TO BIDDERS NO. 3401**

**CODE: (SP)**

**DATE: 2/3/2011**

**SUBJECT: Pre-Bid Meeting Minutes**

**PROJECT: BR-0198-00(001) / 102488301 – George County**

A pre-bid meeting was held on Wednesday February 3, 2011 in the first floor Auditorium of the Mississippi Department of Transportation Administration Building. Adam Browne conducted a brief overview of the Class BD concrete specifications including synopsis of changes in mixture, construction and curing requirements. The following is a list of those in attendance as well as discussion questions covered in the meeting.

<u>Attendees:</u>	<u>Agency / Company:</u>
James R. Shannon	MDOT – D5
Neil Patterson	MDOT – D5
Tommy Cramer	Tanner Construction
Heath Patterson	MDOT – Construction
Alan Kegley	MDOT – Materials
Andrew Lester	MMC Materials
Mark McCormick	MMC Materials
Greg Grondin	MDOT – Construction
Richard Chisolm	MDOT – Construction
James Williams	MDOT – Materials
Wilson Ruff	MDOT – D6 Materials
Brad Hieser	J. Levens Builders, Inc.
Jimmy Gray	N.L. Carson Construction
Steven McGee	N.L. Carson Construction
Eric Jackson	MDOT – D6
Randall Copeland	MDOT – D5

Discussion Question / Answers:

- Will BD Concrete need to be submitted onto Concrete Mixture e-form?
  - No, it will be evaluated via individual spreadsheets
- How will the curing compound need to be “protected”?
  - Make sure it does not get scrubbed off. If it does it should be replaced with a hand sprayed application.
- Should form removal areas be sprayed with curing compound?
  - Special provision covers form removal and states it should be remove 2 to 4 weeks after initial curing period of 10 days.
- Are the districts going to start maturity meter monitoring?
  - Not at this time, it will be handled Materials until in the future.

Replacement of Bridge No. 206.9 on SR 198 over Big Creek, known as State Project No. BR-0198-00(001) / 102488301, in the County of George, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

\*\*\* SPECIAL NOTICE TO BIDDERS \*\*\*

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.  
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

\*\*\*BID SCHEDULE\*\*\*

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
<b>Roadway Items</b>									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXXXX	XXX		
0020	202-B005		6,718	Square Yard	Removal of Asphalt Pavement, All Depths				
0030	202-B009		1	Each	Removal of Bridge				
0040	202-B019		2	Each	Removal of Concrete Headwall				
0050	202-B053		1,000	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware				
0060	202-B064		40	Linear Feet	Removal of Pipe, 8" And Above				
0070	203-A003	(E)	2,631	Cubic Yard	Unclassified Excavation, FM, AH				
0080	203-EX014	(E)	53,030	Cubic Yard	Borrow Excavation, AH, L VM, Class B7				

Section 905  
 Proposal (Sheet 2 - 2)

BR-0198-00(001) / 102488301 -  
 George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0090	203-G004	(E)	7,152	Cubic Yard	Excess Excavation, LVM, AH		
0100	206-A001	(S)	138	Cubic Yard	Structure Excavation		
0110	206-B001	(E)	31	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM		
0120	209-A004 Changed 02/14/2011		7,769	Square Yard	Geotextile Stabilization, Type V, Non-Woven		
0130	211-A001		18,393	Square Yard	Topsoil for Slope Treatment, From Right-of-Way		
0140	213-C001		4	Ton	Superphosphate		
0150	215-A001		16	Ton	Vegetative Materials for Mulch		
0160	216-A001		9,196	Square Yard	Solid Sodding		
0170	217-A001		4,500	Square Yard	Ditch Liner		
0180	219-A001		736	Thousand Gallon	Watering	20.00	14,720.00
0190	220-A001		4	Acre	Insect Pest Control	30.00	120.00
0200	234-A001		4,300	Linear Feet	Temporary Silt Fence		

Section 905  
 Proposal (Sheet 2 - 3)

BR-0198-00(001) / 102488301 -  
 George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0210	235-A001		564	Bale	Temporary Erosion Checks		
0220	406-A001		1,973	Square Yard	Cold Milling of Bituminous Pavement, All Depths		
0230	423-A001		2	Mile	Rumble Strips, Ground In		
0240	423-B001		1	Mile	Rumble Strips, Ground In, Concrete		
0250	501-E001		109	Linear Feet	Expansion Joints, Without Dowels		
0260	502-A001	(C)	241	Square Yard	Reinforced Cement Concrete Bridge End Pavement		
0270	602-A001	(S)	19,537	Pounds	Reinforcing Steel		
0280	603-CA089	(S)	48	Linear Feet	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets		
0285	603-CA122 Added 02/14/2011	(S)	84	Linear Feet	42" Reinforced Concrete Pipe, Class V, Jacked or Bored		
0290	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section		
0295	603-CB005 Added 02/14/2011	(S)	2	Each	42" Reinforced Concrete End Section		
0300	606-B001		400	Linear Feet	Guard Rail, Class A, Type 1		



Section 905  
 Proposal (Sheet 2 - 4)

BR-0198-00(001) / 102488301 -  
 George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0310	606-D012		4	Each	Guard Rail, Bridge End Section, Type I		
0320	606-E001		4	Each	Guard Rail, Terminal End Section		
0330	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXXX	XXX
0340	619-A1002		2	Mile	Temporary Traffic Stripe, Continuous White		
0350	619-A2001		440	Linear Feet	Temporary Traffic Stripe, Continuous Yellow		
0360	619-A4006		1	Mile	Temporary Traffic Stripe, Skip Yellow		
0370	619-A5001		101	Linear Feet	Temporary Traffic Stripe, Detail		
0380	619-A6001		80	Linear Feet	Temporary Traffic Stripe, Legend		
0390	619-D1001		16	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet		
0400	619-D2001		312	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More		
0410	619-F3004		22	Each	Delineators, Guard Rail, White		
0420	619-G4001		144	Linear Feet	Barricades, Type III, Single Faced		

Section 905  
 Proposal (Sheet 2 - 5)

BR-0198-00(001) / 102488301 -  
 George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0430	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced		
0440	619-G5001		70	Each	Free Standing Plastic Drums		
0450	620-A001		1	Lump Sum	Mobilization	XXXXXXXXXX	XXX
0460	621-A001		1	Each	Field Laboratory		
0470	627-J001		26	Each	Two-Way Clear Reflective High Performance Raised Markers		
0480	627-L001		89	Each	Two-Way Yellow Reflective High Performance Raised Markers		
0490	630-A001		7	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness		
0500	630-A002		27	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness		
0510	630-C004		56	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft		
0520	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXXXX	XXX
0530	815-A006	(S)	129	Ton	Loose Riprap, Size 100		
0540	815-A009	(S)	96	Ton	Loose Riprap, Size 300		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0550	815-E001	(S)	232	Square Yard	Geotextile under Riprap		
0560	907-225-A001		8	Acre	Grassing		
0570	907-225-B001		24	Ton	Agricultural Limestone		
0580	907-226-A001		4	Acre	Temporary Grassing		
0590	907-237-A003		300	Linear Feet	Wattles, 20"		
0600	907-247-A001		1	Each	Temporary Stream Diversion		
0610	907-304-A005 Changed 02/14/2011	(GY)	4,362	Cubic Yard	Granular Material, LVM, Class 9, Group C		
0620	907-304-F001 Changed 02/14/2011	(GT)	3,278	Ton	Size 825 Crushed Stone Base		
0630	907-407-A001	(A2)	1,973	Gallon	Asphalt for Tack Coat		
0640	907-413-E001		90	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement		
0650	907-601-A001	(S)	101	Cubic Yard	Class "B" Structural Concrete		
0660	907-601-B003	(S)	44	Cubic Yard	Class "B" Structural Concrete, Minor Structures		

Section 905  
 Proposal (Sheet 2 - 7)

BR-0198-00(001) / 102488301 -  
 George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0670	907-603-ALT01	(S)	104	Linear Feet	18" Type A Alternate Pipe		
0680	907-617-A001		13	Each	Right-of-Way Marker		
0690	907-626-C006		2	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 min		
0700	907-626-D003		1	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow		
0710	907-626-E004		1	Mile	6" Thermoplastic Traffic Stripe, Continuous Yellow		
0720	907-626-G004		105	Linear Feet	Thermoplastic Detail Stripe, White		
0730	907-626-H004		80	Linear Feet	Thermoplastic Legend, White		
<b>ALTERNATE GROUP AA NUMBER 1</b>							
0740	907-403-A011	(BA1)	791	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture		
Changed 02/14/2011							
0750	907-403-A012	(BA1)	1,175	Ton	Hot Mix Asphalt, ST, 19-mm mixture		
Changed 02/14/2011							
0760	907-403-A015	(BA1)	1,071	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture		
Changed 02/14/2011							
<b>ALTERNATE GROUP AA NUMBER 2</b>							
0770	907-403-M001	(BA1)	1,071	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture		
Changed 02/14/2011							

Section 905  
Proposal (Sheet 2 - 8)

BR-0198-00(001) / 102488301 -  
George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0780	907-403-M003 Changed 02/14/2011	(BA1)	791	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture		
0790	907-403-M004 Changed 02/14/2011	(BA1)	1,175	Ton	Warm Mix Asphalt, ST, 19-mm mixture		
<b>Bridge Items</b>							
0800	501-K001		1,608	Square Yard	Transverse Grooving		
0810	803-B002	(S)	2	Each	Conventional Static Pile Load Test	5,000.00	10,000.00
0820	803-D002	(S)	4,110	Linear Feet	HP 12 x 53 Steel Piling		
0830	803-D003	(S)	1,995	Linear Feet	HP 14 x 73 Steel Piling		
0840	803-I001	(S)	3	Each	PDA Test Pile		
0850	803-J001	(S)	2	Each	Pile Restrike		
0860	805-A001	(S)	120,384	Pounds	Reinforcement		
0870	813-A001	(S)	724	Linear Feet	Concrete Railing		
0880	815-A009	(S)	460	Ton	Loose Riprap, Size 300		

Section 905  
 Proposal (Sheet 2 - 9)

BR-0198-00(001) / 102488301 -  
 George County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0890	815-E001	(S)	443	Square Yard	Geotextile under Riprap		
0900	907-804-A001	(S)	326	Cubic Yard	Bridge Concrete, Class AA		
0910	907-804-A012	(S)	483	Cubic Yard	Bridge Concrete, Class BD		
0920	907-804-C016	(S)	477	Linear Feet	40' Prestressed Concrete Beam, Type I+2		
0930	907-804-C019	(S)	1,076	Linear Feet	60' Prestressed Concrete Beam, Type II+2		
0940	907-804-C171	(S)	599	Linear Feet	100' Prestressed Concrete Beam, Type IV		

\*\*\* BID CERTIFICATION \*\*\*

TOTAL BID ..... \$

\*\*\* SIGNATURE STATEMENT \*\*\*

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

\_\_\_\_\_

BIDDER'S SIGNATURE

\_\_\_\_\_

BIDDER'S COMPANY

\_\_\_\_\_

BIDDER'S FEDERAL TAX ID NUMBER