

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/14/2011 ADDENDUM NO. 3 DATED 2/16/2011
 ADDENDUM NO. 2 DATED 2/14/2011 ADDENDUM NO. DATED

- | Number | Description |
|--------|---|
| 1 | Revised Table of Contents, Added NTB 3345 & NTB 3367, Revised Supplement to Special Provision 907-401-2; Amendment EBS Download Required. |
| 2 | Revised Table of Contents, Added NTB 3369, NTB 3401, NTB 3405, & NTB 3410, Revised Bid Sheets, Revised Plan Sheets 2, 4, 9, 10, 13, & 495; Amendment EBS Download Required. |
| 3 | Revised Table of Contents, Added NTB 3369, NTB 3401, NTB 3405, NTB 3410, & NTB 3413, Revised Bid Sheets; Amendment EBS Download Required. |

TOTAL ADDENDA: 3
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: BR-0024-03(014) / 100490302 – Leake County

901--Advertisement

904--Notice to Bidders:

- Governing Specs. - # 1
- Final Cleanup - # 3
- Fiber Reinforced Concrete - # 640
- Disadvantaged Business Enterprise w/ supplement - # 696
- On-The-Job Training Program - # 777
- Payroll Requirements - # 883
- Rumble Stripe - #1312
- Errata & Modifications to 2004 Standard Specifications - #1405
- Safety Apparel - # 1808
- Federal Bridge Formula - # 1928
- Department of Labor Ruling - # 2239
- Exposure to Severe Sulfate Areas Below Ground Level - # 2366
- Status of ROW, w/ attachments - # 2382
- DBE Forms, Participation and Payment - # 2596
- Use of Precast Drainage Units - # 2774
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Petroleum Products Base Price - # 2858
- Storm Water Discharge Associated w/ Construction Activities (≥ 5 Acres) - # 2905
- Reduced Speed Limit Signs - # 2937
- Additional Erosion Control Requirements - # 2976
- Alternate Asphalt Mixture Bid Items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- DUNS Requirement for Federal Projects - # 3271
- Contract Time - # 3328
- Specialty Items - # 3329
- Placement of Fill Material in Federally Regulated Areas - #3330
- Pre-Bid Meeting - #3345
- Shoulder Wedge - #3367
- Bridge Deck Concrete - #3369
- Pre-Bid Meeting Minutes- #3401
- Trench Widening - #3405
- Detour Bridges - #3410
- Asphalt Quantities - #3413

906- : FHWA 1273, with Supplement, Executive Order, & Wage Rates

907-101-4: Definitions

907-102-4: Bidding Requirements and Conditions, W/Supplement

907-103-8: Award and Execution of Contract

907-104-1: Partnering Process

907-105-3: Cooperation By Contractors, W/Supplement

907-107-7: Legal Relations and Responsibility to Public, W/Supplement

907-107-8: Contractor's Erosion Control Plan

907-108-18: Prosecution and Progress, W/Supplement

- 907-109-4: Measurement and Payment, W/Supplement
- 907-110-2: Wage Rates
- 907-225-2: Grassing
- 907-226-1: Temporary Grassing
- 907-227-8: Hydroseeding
- 907-237-3: Wattles
- 907-245-2: Triangular Silt Dikes
- 907-246-2: Sandbags
- 907-304-12: Granular Courses
- 907-307-3: Lime Treated Courses
- 907-308-3: Cement Treated Courses
- 907-311-2: Lime-Fly Ash Treated Courses
- 907-401-2: Hot Mix Asphalt (HMA), W/Supplement
- 907-401-4: Warm Mix Asphalt (WMA), W/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), W/Supplement
- 907-403-9: Warm Mix Asphalt (WMA), W/Supplement
- 907-407-1: Tack Coat
- 907-413-2: Sawing & Sealing Transverse Joints in Asphalt Pavement
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-617-2: Right-Of-Way Markers
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-618-5: Construction and Removal of Detour Road
- 907-626-15: Thermoplastic Traffic Markings
- 907-626-22: Double Drop Thermoplastic Markings
- 907-701-3: Hydraulic Cement, w/ Supplement
- 907-703-8: Aggregates, w/ Supplement
- 907-707-2: Joint Material
- 907-708-5: Non Metal Drainage Structures
- 907-709-1: Metal Pipe
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement.
- 907-713-1: Admixtures for Concrete, W/Supplement
- 907-714-5: Miscellaneous Materials, W/ Supplement
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-8: Concrete Bridges and Structures, w/ Supplement
- 907-804-12: Concrete Bridges Decks

- 906-3: MDOT On-the-Job Training Program
- 906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM.
PILE DRIVING FORM
FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3369

CODE: (SP)

DATE: 01/14/2011

SUBJECT: Bridge Deck Concrete

PROJECT: BR-0024-03(014) / 100490302 – Leake County

Bidders are advised that this project has two special provisions for concrete structures. Special Provision No. 907-804-12 will be the governing specifications for all bridge deck concrete. All other concrete on the project must meet the requirements of Special Provision No. 907-804-8.

Bidders are also advised that MDOT will perform tests on the bridge deck concrete. MDOT will install maturity meters in the bridge deck prior to concrete placement by attaching each device to the deck reinforcing steel in the areas under the bridge rail. MDOT will also install internal humidity meters in the same area after concrete placement. Installing the devices should not interfere with any of the Contractor's operations. The devices shall not be disturbed by the Contractor for at least a month after placement. Additionally, the Department will need access to the devices during that time. For each maturity meter, only the wires will be visible and accessible after the concrete is placed. For each humidity meter, a PVC pipe, about 1½ inches OD will stick out of the deck surface about 1½ inches. Neither the maturity meters nor the PVC pipes will be removed. The bridge rail will cover up the devices once MDOT has completed taking measurements.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3401

CODE: (SP)

DATE: 2/3/2011

SUBJECT: Pre-Bid Meeting Minutes

PROJECT: BR-0024-03(014) / 100490302 – Leake County

A pre-bid meeting was held on Wednesday February 3, 2011 in the first floor Auditorium of the Mississippi Department of Transportation Administration Building. Adam Browne conducted a brief overview of the Class BD concrete specifications including synopsis of changes in mixture, construction and curing requirements. The following is a list of those in attendance as well as discussion questions covered in the meeting.

<u>Attendees:</u>	<u>Agency / Company:</u>
James R. Shannon	MDOT – D5
Neil Patterson	MDOT – D5
Tommy Cramer	Tanner Construction
Heath Patterson	MDOT – Construction
Alan Kegley	MDOT – Materials
Andrew Lester	MMC Materials
Mark McCormick	MMC Materials
Greg Grondin	MDOT – Construction
Richard Chisolm	MDOT – Construction
James Williams	MDOT – Materials
Wilson Ruff	MDOT – D6 Materials
Brad Hieser	J. Levens Builders, Inc.
Jimmy Gray	N.L. Carson Construction
Steven McGee	N.L. Carson Construction
Eric Jackson	MDOT – D6
Randall Copeland	MDOT – D5

Discussion Question / Answers:

- Will BD Concrete need to be submitted onto Concrete Mixture e-form?
 - No, it will be evaluated via individual spreadsheets
- How will the curing compound need to be “protected”?
 - Make sure it does not get scrubbed off. If it does it should be replaced with a hand sprayed application.
- Should form removal areas be sprayed with curing compound?
 - Special provision covers form removal and states it should be remove 2 to 4 weeks after initial curing period of 10 days.
- Are the districts going to start maturity meter monitoring?
 - Not at this time, it will be handled Materials until in the future.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3405

CODE: (SP)

DATE: 2/11/2011

SUBJECT: Trench Widening

PROJECT: BR-0024-03(014) / 100490302 – Leake County

Bidders are hereby advised that 4 ½” 19mm MT Trench Widening will be allowed to be placed in a single lift. Widths may vary throughout the project to obtain final the 14’ roadway width.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 3410

CODE: (SP)

DATE: 2/14/2011

SUBJECT: Detour Bridges

PROJECT: BR-0024-03(014) / 100490302 – Leake County

If the Contractor elects to utilize the LRFD designed 19ft or 31ft Precast Concrete Bridge Span Unit Standards as published by the Office of State Aid Road Construction, only the Solid Type Barrier Rail (New Jersey Shape) with the appropriate adjacent connecting exterior span unit is acceptable for use on MDOT detour bridges. Other railing types published by the Office of State Aid Road Construction are not acceptable for use on MDOT detour bridges.

Bridge railing for use on other type detour bridge designs shall have a minimum LRFD rating of Test Level Two (TL-2) and shall be crash tested to meet the requirements of NCHRP Report 350. Official certification that the railing meets these requirements shall be included in the detour bridge submittal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3413

CODE: (SP)

DATE: 2/14/2011

SUBJECT: Asphalt Quantities

PROJECT: BR-0024-03(014) / 100490302 – Leake County

Bidders are hereby advised quantities for asphalt items are correct on the bidsheets as opposed to the summary of quantities in the plans and should be bid according to these numbers.

Replacement of Bridges No. 98.7, No. 101.0 and No. 101.5 on SR 16 between the Madison County Line and SR 25, known as State Project No. BR-0024-03(014) / 100490302, in the County of Leake, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	201-B001		1	Acre	Clearing and Grubbing				
0030	202-A001		1	Lump Sum	Removal of Obstructions	XXXXXXXX	XXX		
0040	202-B005 Changed 02/14/2011		4,317	Square Yard	Removal of Asphalt Pavement, All Depths				
0050	202-B064 Changed 02/14/2011		21	Linear Feet	Removal of Pipe, 8" And Above				
0060	202-B076		3,900	Linear Feet	Removal of Traffic Stripe				
0070	202-B102		2,092	Linear Feet	Removal of Guard Rail				
0080	202-B130		20	Each	Removal of Piling				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	203-EX027	(E)	69,036	Cubic Yard	Borrow Excavation, AH, FME, Class B14				
0100	211-B001	(E)	14,616	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished				
0110	213-C001		18	Ton	Superphosphate				
0120	215-A001		103	Ton	Vegetative Materials for Mulch				
0130	217-A001		488	Square Yard	Ditch Liner				
0140	220-A001		18	Acre	Insect Pest Control	30.	00	540.	00
0150	221-A001	(S)	55	Cubic Yard	Portland Cement Concrete Paved Ditch				
0160	223-A001		1	Acre	Mowing	40.	00	40.	00
0170	224-A001		267	Square Yard	Soil Reinforcing Mat				
0180	234-A001		25,000	Linear Feet	Temporary Silt Fence				
0190	235-A001		1,122	Bale	Temporary Erosion Checks				
0200	239-A001		143	Linear Feet	Temporary Slope Drains				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	406-A001		1,067	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0220	501-E001		291	Linear Feet	Expansion Joints, Without Dowels				
0230	501-K001		603	Square Yard	Transverse Grooving				
0240	502-A001 Changed 02/14/2011	(C)	621	Square Yard	Reinforced Cement Concrete Bridge End Pavement				
0250	603-CA002 Deleted 02/14/2011	(S)				XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0260	603-CB005	(S)	2	Each	42" Reinforced Concrete End Section				
0270	606-B001		1,275	Linear Feet	Guard Rail, Class A, Type 1				
0280	606-D012		12	Each	Guard Rail, Bridge End Section, Type I				
0290	606-E002		12	Each	Guard Rail, Terminal End Section, Flared				
0300	615-A018	(S)	120	Linear Feet	Concrete Bridge End Barrier, 33.5"				
0310	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXXX	XXX		
0320	619-A1001		11,966	Linear Feet	Temporary Traffic Stripe, Continuous White				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	619-A2001		11,966	Linear Feet	Temporary Traffic Stripe, Continuous Yellow				
0340	619-A2005		3,900	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape				
0350	619-A5003		4,769	Linear Feet	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape				
0360	619-C7001		139	Each	Two-Way Yellow Reflective High Performance Raised Marker				
0370	619-D1001		116	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0380	619-D2001		714	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0390	619-F3004		36	Each	Delineators, Guard Rail, White				
0400	619-G4001		98	Linear Feet	Barricades, Type III, Single Faced				
0410	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced				
0420	619-G5001		42	Each	Free Standing Plastic Drums				
0430	619-G7001		4	Each	Warning Lights, Type "B"				
0440	620-A001		1	Lump Sum	Mobilization	XXXXXXXXX	XXX		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	627-L001		180	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0460	628-J002		2,624	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
0470	628-M002		2,624	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
0480	630-F001		66	Each	Delineators, Guard Rail, White				
0490	630-G002		12	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted				
0500	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXXXX	XXX		
0510	815-A006	(S)	1,000	Ton	Loose Riprap, Size 100				
0520	815-A009	(S)	1,721	Ton	Loose Riprap, Size 300				
0530	815-E001	(S)	1,384	Square Yard	Geotextile under Riprap				
0540	815-F002	(S)	1,000	Ton	Sediment Control Stone				
0550	907-225-A001		75	Acre	Grassing				
0560	907-225-B001		109	Ton	Agricultural Limestone				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0570	907-226-A001		27	Acre	Temporary Grassing				
0580	907-237-A003		1,000	Linear Feet	Wattles, 20"				
0590	907-245-A001		500	Linear Feet	Triangular Silt Dike				
0600	907-246-A001		500	Linear Feet	Sandbags				
0610	907-304-B001	(GT)	8,652	Ton	Granular Material, Class 5, Group C				
0620	907-304-B005	(GT)	22,830	Ton	Granular Material, Class 9, Group C				
0630	907-307-C003	(M)	24,399	Square Yard	6" Soil-Lime-Water Mixing, Class C				
0640	907-307-D001		78	Ton	Lime				
0650	907-407-A001	(A2)	3,743	Gallon	Asphalt for Tack Coat				
0660	907-413-E001		291	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement				
0670	907-601-B003	(S)	1	Cubic Yard	Class "B" Structural Concrete, Minor Structures				
0680	907-603-ALT01	(S)	52	Linear Feet	18" Type A Alternate Pipe				
	Changed 02/14/2011								

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0690	907-603-ALT05	(S)	48	Linear Feet	42" Type A Alternate Pipe				
0700	907-617-A001		25	Each	Right-of-Way Marker				
0710	907-618-D001		1	Lump Sum	Construction and Removal of Detour Road	XXXXXXXX	XXX		
0720	907-626-C007		11,780	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White				
0730	907-626-D005		4,250	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow				
0740	907-626-E005		3,360	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow				
ALTERNATE GROUP AA NUMBER 1									
0750	907-308-A001		413	Ton	Portland Cement				
0760	907-308-B002	(M)	48,798	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil				
ALTERNATE GROUP AA NUMBER 2									
0770	907-311-A003	(M)	48,798	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick				
0780	907-311-B001		293	Ton	Lime				
0790	907-311-C002		1,161	Ton	Fly Ash, Class C or F				
ALTERNATE GROUP BB NUMBER 1									

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0800	907-403-A006	(BA1)	2,055	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture Changed 02/16/2011				
0810	907-403-A007	(BA1)	1,206	Ton	Hot Mix Asphalt, MT, 19-mm mixture Changed 02/16/2011				
0820	907-403-C003	(BA1)	489	Ton	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening				
ALTERNATE GROUP BB NUMBER 2									
0830	907-403-M002	(BA1)	2,055	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture Changed 02/16/2011				
0840	907-403-M007	(BA1)	1,206	Ton	Warm Mix Asphalt, MT, 19-mm mixture Changed 02/16/2011				
0850	907-403-O003	(BA1)	489	Ton	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening				
Bridge Items									
0860	501-K001		5,311	Square Yard	Transverse Grooving				
0870	803-B002	(S)	6	Each	Conventional Static Pile Load Test	5,000.	00	30,000.	00
0880	803-C002	(S)	2,375	Linear Feet	14" x 14" Prestressed Concrete Piling				
0890	803-C003	(S)	4,425	Linear Feet	16" x 16" Prestressed Concrete Piling				
0900	803-D003	(S)	2,280	Linear Feet	HP 14 x 73 Steel Piling				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0910	803-D007	(S)	1,755	Linear Feet	HP 14 x 89 Steel Piling				
0920	803-I001	(S)	13	Each	PDA Test Pile				
0930	803-J001	(S)	6	Each	Pile Restrike				
0940	805-A001	(S)	513,883	Pounds	Reinforcement				
0950	813-A001	(S)	2,390	Linear Feet	Concrete Railing				
0960	815-A009	(S)	1,170	Ton	Loose Riprap, Size 300				
0970	815-E001	(S)	1,108	Square Yard	Geotextile under Riprap				
0980	907-804-A001	(S)	756	Cubic Yard	Bridge Concrete, Class AA				
0990	907-804-A012	(S)	1,568	Cubic Yard	Bridge Concrete, Class BD				
1000	907-804-C016	(S)	4,956	Linear Feet	40' Prestressed Concrete Beam, Type I+2				
1010	907-804-C030	(S)	1,436	Linear Feet	80' Prestressed Concrete Beam, Type III				
1020	907-804-C150	(S)	768	Linear Feet	110' Prestressed Concrete Beam, Type IV				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER