

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/14/2011 ADDENDUM NO. DATED
 ADDENDUM NO. 2 DATED 2/11/2011 ADDENDUM NO. DATED

Number	Description
1	Revised Table of Contents, replace same; Add NTB Nos. 3367 & 3371; Revised Supplement to SP 907-401-2, replaces same; Bidsheets, replace same; Revised or Added Plan Sht. Nos. 2, 3, 10, 11, 22, 23, 24, 25, 26, 27, & 28; Amendment EBS Download Required.
2	Revised Table of Contents, replace same; Revised Advertisement, replaces same; Revised NTB Nos. 2711 & 2712, replaces same; Add NTB Nos. 3406, 3407, & 3408; Revised Wage Rates; Bidsheets, replace same; Revised or Added Plan Sht. Nos. 2, 3, 10, 11, 12, 28, 31, 63, 64, 71, 72, 73, 73.1, & 74-96; Amendment EBS Download Required.

TOTAL ADDENDA: 2
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: SP-7338-00(005) / 105297301 -- Rankin County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
 Final Cleanup - # 3
 Fiber Reinforced Concrete - # 640
 On-The-Job Training Program - # 777
 Payroll Requirements - # 883
 Rumble Stripes _ # 1312
 Non-Use of Precast Drainage Units - # 1322
 Errata & Modifications to 2004 Standard Specifications - # 1405
 Safety Apparel - # 1808
 Federal Bridge Formula - # 1928
 Exposure to Severe Sulfate Areas Below Ground Level - # 2366
 Status of ROW, W/Attachments - # 2382
 Contract Time - # 2711
 Specialty Items - # 2712
 Placement of Fill Material in Federally Regulated Areas - # 2713
 Federal Aviation Administration Requirements - # 2716
 Non-Quality Control/Quality Assurance Concrete - # 2818
 Petroleum Products Base Price - # 2858
 Storm Water Discharge Associated with Construction Activities (≥ 5 Acres) -
 # 2905
 Reduced Speed Limit Signs - # 2937
 Additional Erosion Control Requirements - # 2976
 Alternate Asphalt Mixture Bid items - # 3039
 Temporary Traffic Paint - # 3131
 Warm Mix Asphalt (WMA) - # 3242
 Shoulder Wedge - # 3367
 Clearing and Grubbing - # 3371
 Lane Closure Restrictions - # 3406
 Vehicle Loop Assemblies - # 3407
 Traffic Control - # 3408

906: Wage Rates

907-101-4: Definitions
907-102-4: Bidding Requirements and Conditions, W/ Supplement
907-103-8: Award and Execution of Contract
907-105-3: Cooperation By Contractors, W/ Supplement
907-107-7: Legal Relations & Responsibility to Public, W/ Supplement
907-107-8: Contractor's Erosion Control Plan
907-108-18: Prosecution and Progress, W/ Supplement
907-109-4: Measurement and Payment, W/ Supplement
907-225-2: Grassing

-- CONTINUED ON NEXT PAGE --

PAGE 2 - PROJECT: SP-7338-00(005) / 105297301 -- Rankin County

- 907-226-1: Temporary Grassing
- 907-234-4: Siltation Barriers
- 907-237-3: Wattles
- 907-245-2: Triangular Silt Dikes
- 907-246-2: Sandbags
- 907-304-12: Granular Courses
- 907-307-3: Lime Treated Courses
- 907-308-3: Cement Treated Courses
- 907-311-2: Lime-Fly Ash Treated Courses
- 907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
- 907-401-4: Warm Mix Asphalt (WMA), W/ Supplement
- 907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
- 907-403-9: Warm Mix Asphalt (WMA), W/Supplement
- 907-407-1: Tack Coat
- 907-413-2: Sawing & Sealing Transverse Joints in Asphalt Pavement
- 907-501-3: Price Adjustment for Thickness
- 907-512-1: Grout Mixture
- 907-601-1: Structural Concrete
- 907-617-2: Right-Of-Way Markers
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-626-15: Thermoplastic Traffic Marking
- 907-626-22: Double Drop Thermoplastic Marking
- 907-701-3: Hydraulic Cement, W/ Supplement
- 907-703-8: Aggregates, W/Supplement
- 907-707-2: Joint Material
- 907-710-1: Fast Dry Solvent Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-1: Admixtures for Concrete, W/Supplement
- 907-714-5: Miscellaneous Materials, W/ Supplement
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-8: Concrete Bridges and Structures, W/ Supplement

- 906-3: MDOT On-the-Job Training Program
- 906-6: MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,
PROPOSAL SHEETS,
COMBINATION BID PROPOSAL,
STATE BOARD OF CONTRACTORS REQUIREMENTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,
PILE DRIVING FORM.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 901 - ADVERTISEMENT

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, Room 1013, Mississippi Department of Transportation Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday February 22, 2011, and shortly thereafter publicly opened on the Sixth Floor for:

Construction necessary to build an interchange on SR 475 at Old Brandon Road, known as State Project No. SP-7338-00(005) / 105297301, in the County of Rankin, State of Mississippi.

The attention of bidders is directed to the predetermined minimum wage rate set by the U. S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, disability, religion or national origin in consideration for an award.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid proposals must be acquired from the MDOT Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Specimen proposals are also available at the MDOT Contract Administration Division at a cost of Ten Dollars (\$10.00) per proposal, or can be viewed or downloaded at no cost at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone (601) 359-7460 or e-mail at plans@mdot.state.ms.us or FAX (601) 359-7461. Plans will be shipped upon receipt of payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2711

CODE: (SP)

DATE: 02/11/2010

SUBJECT: Contract Time

PROJECT: SP-7338-00(005) / 105297301 -- Rankin County

The calendar date for completion of work to be performed by the Contractor for this project shall be **September 21, 2012** which date or extended date as provided in Subsection 108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued no later than **March 8, 2011** and the effective date of the Notice to Proceed / Beginning of Contract Time will be **April 7, 2011**.

Should the Contractor request a Notice to Proceed earlier than **April 7, 2011** and it is agreeable with the Department for an early Notice to Proceed, the requested date will become the new Notice to Proceed / Beginning of Contract Time date.

A progress schedule as referenced to in Subsection 108.03 will not be required for this contract.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 2712

DATE: 02/11/2011

SUBJECT: Specialty Items

PROJECT: SP-7338-00(005) / 105297301 - Rankin County

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

CATEGORY: EROSION CONTROL

Line No	Pay Item	Description
0110	213-C001	Superphosphate
0115	215-A001	Vegetative Materials for Mulch
0120	216-A001	Solid Sodding
0130	217-A001	Ditch Liner
0140	219-A001	Watering
0150	220-A001	Insect Pest Control
0160	221-A001	Portland Cement Concrete Paved Ditch
0170	223-A001	Mowing
0171	234-A001	Temporary Silt Fence
0175	236-A004	Silt Basin, Type D
0180	239-A001	Temporary Slope Drains
0770	907-225-A001	Grassing
0780	907-225-B001	Agricultural Limestone
0790	907-226-A001	Temporary Grassing
0800	907-234-D001	Inlet Siltation Guard

CATEGORY: PAVEMENT STRIPING AND MARKING

Line No	Pay Item	Description
0590	627-K001	Red-Clear Reflective High Performance Raised Markers
0600	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
0920	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
0930	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
0940	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
0950	907-626-G004	Thermoplastic Detail Stripe, White
0960	907-626-G005	Thermoplastic Detail Stripe, Yellow
0970	907-626-H004	Thermoplastic Legend, White
0980	907-626-H005	Thermoplastic Legend, White
1220	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1230	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1240	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
1250	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1260	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1270	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CATEGORY: SURVEY AND STAKING

Line No	Pay Item	Description
0740	699-A001	Roadway Construction Stakes

CATEGORY: TRAFFIC CONTROL - PERMANENT

Line No	Pay Item	Description
0610	629-A001	Vehicular Impact Attenuator, 50 MPH
0620	629-B001	Median Barrier End Section
0630	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0640	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0650	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
0660	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
0670	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0680	630-F001	Delineators, Guard Rail, White
0690	630-F002	Delineators, Guard Rail, Yellow
0700	630-K001	Welded & Seamless Steel Pipe Posts, 3"
0710	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
0720	630-K003	Welded & Seamless Steel Pipe Posts, 4"
0721	635-A001	Vehicle Loop Assemblies
0722	636-A002	Shielded Cable
0723	647-A005	Pullbox, Type 2
0724	668-A007	Traffic Signal Conduit, Underground, Type 1, 2"

CATEGORY: TRAFFIC CONTROL - TEMPORARY

Line No	Pay Item	Description
0440	619-A1001	Temporary Traffic Stripe, Continuous White
0450	619-A2001	Temporary Traffic Stripe, Continuous Yellow
0460	619-A3001	Temporary Traffic Stripe, Skip White
0470	619-A6001	Temporary Traffic Stripe, Legend
0480	619-A6002	Temporary Traffic Stripe, Legend
0490	619-C6001	Red-Clear Reflective High Performance Raised Marker
0500	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
0510	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
0520	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
0530	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
0540	619-F1001	Concrete Median Barrier, Precast
0550	619-G4005	Barricades, Type III, Double Faced
0560	619-G5001	Free Standing Plastic Drums
0570	619-G7001	Warning Lights, Type "B"
0571	619-H1001	Traffic Signals
0575	619-J1005	Impact Attenuator, 45 MPH

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3406

CODE: (SP)

DATE: 02/11/2011

SUBJECT: Lane Closure Restrictions

PROJECT: SP-7338-00(005) / 105297301 – Rankin County

Bidders are hereby advised that lane closure restrictions on the above captioned project shall be as follows:

Monday through Friday: -- Lane closures will **NOT** be allowed between the hours of 6:00 AM and 8:00 AM, or between the hours of 3:30 PM and 6:00 PM anywhere within the project limits. Lane closures will **NOT** be allowed between the hours of 6:00 AM and 6:00 PM on US 80.

Weekends -- Lane closures shall be allowed on Saturday. No work is to be allowed on Sunday.

No exceptions to the above requirements will be allowed unless specifically approved by the Project Engineer.

The Contractor shall notify the Engineer a minimum of 12 hours before implementation of any traffic shift or installation of any lane or shoulder closure.

No lane closures will be permitted on the following holidays or the day preceding them: New Year's Day, Independence Day, Labor Day, Thanksgiving Day or Christmas Day. In the event that one of the above mentioned holidays falls during the weekend or on a Monday, no lane closures will be allowed during that weekend or the Friday immediately preceding that holiday.

If the lane closure restriction listed above is violated, no excuses will be accepted by the Department and the Contractor will be charged a fee of \$500.00 for each full or partial five minute period until the roadway is back in compliance with the lane closure restriction requirement.

For the purposes of this contract, official time shall be the announced time available at the Jackson area telephone number (601) 355-9311.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3407

CODE: (SP)

DATE: 02/11/2011

SUBJECT: Vehicle Loop Assemblies

Bidders are hereby advised that the quantity shown for the Vehicle Loop Assembly pay item is an estimated quantity. All vehicle detection loops shall be tested to ensure proper operation. It is to be understood that if the wiring in place is at a depth such that it is not disturbed during the milling operations and/or if the loop is functioning properly, then do not replace.

Vehicle loop assemblies that are non-functioning or damaged will be replaced to the nearest pull box as directed by the Engineer. Cost associated with replacement of vehicle loop assemblies will be measured and paid in accordance with Section 635 of the Standard Specifications.

No sooner than 24 hours prior to beginning milling operations on intersections with Vehicle Loop Assemblies, the Contractor shall set the traffic signals on a timer frequency as specified by the MDOT Traffic Engineering Division. If the vehicle loop assembly is not functioning properly or is damaged, the Contractor shall be required to replace the vehicle loop assembly and return the traffic signals to normal operation within 72 hours after the top lift of HMA is placed at each intersection. If the vehicle loop assembly is undamaged by the milling operation, the traffic signals shall be restored to normal operation within 24 hours of the completing the milling operation for each intersection.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3408

CODE: (SP)

DATE: 02/11/2011

SUBJECT: Traffic Control

PROJECT: SP-7338-00(005) / 105297301 – Rankin County

Bidders are hereby advised that construction traffic will be allowed to cross Old Brandon Rd. during excavation operations using intermittent flagging closures. Should the contractor choose to use this or any other traffic control method which would impede flow throughout the project, the contractor shall furnish the Engineer with a Traffic Control Plan which will then be reviewed and/or approved prior to commencing operations. The plan should include an outline of methods to ensure safe crossing with little impact to traffic such as sign placement, personnel, construction entrance layout, etc and shall adhere to the restrictions set forth in the Notice to bidders for Lane Closure Restrictions. The roadway must be maintained and clean of debris at all times, and use and/or regulation of this traffic control method can be discontinued at the direction of the Engineer at any time should problems arise. Temporary traffic control procedures and devices shall adhere to the latest version of the MUTCD for flagging operations, and compensation for all work will be made under pay item 618-A001 Maintenance of Traffic. Operations that will exceed the acceptable intermittent stoppage time shall be performed as night or weekend work.

General Decision Number: MS100223 01/21/2011 MS223

Superseded General Decision Number: MS20080223

State: Mississippi

Construction Type: Highway

Counties: Copiah, Hinds and Rankin Counties in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number	Publication Date
0	03/12/2010
1	07/02/2010
2	01/21/2011

* ELEC0480-007 01/01/2011

	Rates	Fringes
ELECTRICIAN.....	\$ 23.10	8.12

 SUMS2008-141 09/04/2008

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER...	\$ 12.85	0.39
LABORER: Common or General.....	\$ 8.25	0.00
LABORER: Pipelayer.....	\$ 10.17	0.00
OPERATOR: Backhoe.....	\$ 13.38	0.00
OPERATOR: Broom.....	\$ 8.00	0.00
OPERATOR: Bulldozer.....	\$ 9.00	0.00
OPERATOR: Grader/Blade.....	\$ 11.67	0.00
OPERATOR: Mechanic.....	\$ 13.00	0.00
OPERATOR: Piledriver.....	\$ 12.50	1.23
OPERATOR: Roller.....	\$ 10.00	0.00
OPERATOR: Scraper.....	\$ 10.00	0.00
TRUCK DRIVER.....	\$ 10.00	0.00

 WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
 Unlisted classifications needed for work not included within
 the scope of the
 classifications listed may be added after award only as
 provided in the labor
 standards contract clauses (29 CFR 5.5(a)(1)(ii)).

 --
 In the listing above, the "SU" designation means that rates
 listed under the
 identifier do not reflect collectively bargained wage and
 fringe benefit
 rates. Other designations indicate unions whose rates have
 been determined
 to be prevailing.

 --
 WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can
 be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on
 a wage
 determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests
 for summaries
 of surveys, should be with the Wage and Hour Regional Office
 for the area in
 which the survey was conducted because those Regional Offices
 have
 responsibility for the Davis-Bacon survey program. If the
 response from this
 initial contact is not satisfactory, then the process described
 in 2.) and
 3.) should be followed.

With regard to any other matter not yet ripe for the formal
 process
 described here, initial contact should be with the Branch of
 Construction
 Wage Determinations. Write to:

Branch of Construction Wage Determinations
 Wage and Hour Division
 U.S. Department of Labor
 200 Constitution Avenue, N.W.
 Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an

interested party
(those affected by the action) can request review and
reconsideration from
the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR
Part 7).
Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the
interested
party's position and by any information (wage payment data,
project
description, area practice material, etc.) that the requestor
considers
relevant to the issue.

3.) If the decision of the Administrator is not favorable, an
interested
party may appeal directly to the Administrative Review Board
(formerly the
Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

Construction necessary to build an interchange on SR 475 at Old Brandon Road, known as State Project No. SP-7338-00(005) / 105297301, in the County of Rankin, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-B005		21,340	Square Yard	Removal of Asphalt Pavement, All Depths				
0030	202-B024		561	Square Yard	Removal of Concrete Median & Island Pavement, All Depths				
0040	202-B076		3,800	Linear Feet	Removal of Traffic Stripe				
0050	202-B106		973	Linear Feet	Removal of Pipe, All Sizes				
0055	202-B125 Added 02/11/2011		1	Each	Removal of Signal Pole Including Hardware and Wiring				
0060	203-A003	(E)	285,611	Cubic Yard	Unclassified Excavation, FM, AH				
0070	203-D002	(E)	6,709	Cubic Yard	Muck Excavation, LVM				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0080	203-EX041 Changed 01/17/2011	(E)	5,057	Cubic Yard	Borrow Excavation, AH, LVM, Class B14-6				
0090	203-G004	(E)	256	Cubic Yard	Excess Excavation, LVM, AH				
0100	206-A001	(S)	1,857	Cubic Yard	Structure Excavation				
0110	213-C001		16	Ton	Superphosphate				
0115	215-A001 Added 02/11/2011		78	Ton	Vegetative Materials for Mulch				
0120	216-A001		9,553	Square Yard	Solid Sodding				
0130	217-A001		100	Square Yard	Ditch Liner				
0140	219-A001		1,000	Thousand Gallon	Watering	20.	00	20,000.	00
0150	220-A001		16	Acre	Insect Pest Control	30.	00	480.	00
0160	221-A001	(S)	200	Cubic Yard	Portland Cement Concrete Paved Ditch				
0170	223-A001		1	Acre	Mowing	40.	00	40.	00
0171	234-A001 Added 02/11/2011		9,424	Linear Feet	Temporary Silt Fence				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0175	236-A004		4	Each	Silt Basin, Type D				
	Added 02/11/2011								
0180	239-A001		30	Linear Feet	Temporary Slope Drains				
0190	406-A001		2,000	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0200	501-E001		200	Linear Feet	Expansion Joints, Without Dowels				
0210	501-K001		394	Square Yard	Transverse Grooving				
0220	502-A001	(C)	406	Square Yard	Reinforced Cement Concrete Bridge End Pavement				
0225	503-C007		1,800	Linear Feet	Saw Cut, Full Depth				
	Added 02/11/2011								
0230	602-A001	(S)	656	Pounds	Reinforcing Steel				
0240	603-CA003	(S)	560	Linear Feet	24" Reinforced Concrete Pipe, Class III				
0250	603-CA005	(S)	480	Linear Feet	36" Reinforced Concrete Pipe, Class III				
0260	603-CA006	(S)	312	Linear Feet	42" Reinforced Concrete Pipe, Class III				
0270	603-CA009	(S)	160	Linear Feet	60" Reinforced Concrete Pipe, Class III				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0280	603-CA107	(S)	80	Linear Feet	24" Reinforced Concrete Pipe, Class V, Jacked or Bored				
0290	603-CB002	(S)	8	Each	24" Reinforced Concrete End Section				
0300	603-CB004	(S)	2	Each	36" Reinforced Concrete End Section				
0310	603-CB005	(S)	2	Each	42" Reinforced Concrete End Section				
0320	603-CB008	(S)	2	Each	60" Reinforced Concrete End Section				
0330	604-B001		250	Pounds	Gratings				
0340	606-B001		713	Linear Feet	Guard Rail, Class A, Type 1				
0350	606-D012		4	Each	Guard Rail, Bridge End Section, Type I				
0360	606-E002		3	Each	Guard Rail, Terminal End Section, Flared				
0370	606-E003		1	Each	Guard Rail, Terminal End Section, Non-Flared				
0380	609-D002	(S)	1,322	Linear Feet	Combination Concrete Curb and Gutter Type 2				
0390	615-A001	(S)	442	Linear Feet	Concrete Type I Cast-in-Place Median Barrier				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0400	615-A018	(S)	80	Linear Feet	Concrete Bridge End Barrier, 33.5"				
0410	616-A001	(S)	581	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0420	616-A003	(S)	59	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0430	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXX	XXX		
0440	619-A1001		1,510	Linear Feet	Temporary Traffic Stripe, Continuous White				
0450	619-A2001		2,000	Linear Feet	Temporary Traffic Stripe, Continuous Yellow				
0460	619-A3001		2,125	Linear Feet	Temporary Traffic Stripe, Skip White				
0470	619-A6001		135	Linear Feet	Temporary Traffic Stripe, Legend				
0480	619-A6002		177	Square Feet	Temporary Traffic Stripe, Legend				
0490	619-C6001		54	Each	Red-Clear Reflective High Performance Raised Marker				
0500	619-C7001		26	Each	Two-Way Yellow Reflective High Performance Raised Marker				
0510	619-C9001		41	Each	One-Way Yellow Reflective High Performance Raised Marker				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0520	619-D1001		48	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0530	619-D2001		558	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0540	619-F1001		1,320	Linear Feet	Concrete Median Barrier, Precast				
0550	619-G4005		486	Linear Feet	Barricades, Type III, Double Faced				
0560	619-G5001		169	Each	Free Standing Plastic Drums				
0570	619-G7001		8	Each	Warning Lights, Type "B"				
0571	619-H1001 Added 02/11/2011		1	Lump Sum	Traffic Signals	XXXXXXXXXX	XXX		
0575	619-J1005 Added 02/11/2011		2	Unit	Impact Attenuator, 45 MPH				
0580	620-A001		1	Lump Sum	Mobilization	XXXXXXXXXX	XXX		
0590	627-K001		616	Each	Red-Clear Reflective High Performance Raised Markers				
0600	627-L001		172	Each	Two-Way Yellow Reflective High Performance Raised Markers				
0610	629-A001		2	Each	Vehicular Impact Attenuator, 50 MPH				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0620	629-B001		2	Each	Median Barrier End Section				
0630	630-A001		378	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness				
0640	630-A002		651	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness				
0650	630-C002		41	Linear Feet	Steel U-Section Posts, 2.0 to 2.5 lb/ft				
0660	630-C004		507	Linear Feet	Steel U-Section Posts, 3.0 to 3.5 lb/ft				
0670	630-E004		345	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar				
0680	630-F001		14	Each	Delineators, Guard Rail, White				
0690	630-F002		17	Each	Delineators, Guard Rail, Yellow				
0700	630-K001		214	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"				
0710	630-K002		100	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"				
0720	630-K003		326	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"				
0721	635-A001 Added 02/11/2011		386	Linear Feet	Vehicle Loop Assemblies				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0722	636-A002 Added 02/11/2011		10	Linear Feet	Shielded Cable				
0723	647-A005 Added 02/11/2011		1	Each	Pullbox, Type 2				
0724	668-A007 Added 02/11/2011		10	Linear Feet	Traffic Signal Conduit, Underground, Type 1, 2"				
0730	682-E001 Deleted 02/11/2011					XXXXXXXXXX	XXX	XXXXXXXXXX	XXX
0740	699-A001		1	Lump Sum	Roadway Construction Stakes	XXXXXXXXXX	XXX		
0750	815-A006	(S)	200	Ton	Loose Riprap, Size 100				
0755	815-A009 Added 02/11/2011	(S)	1,000	Ton	Loose Riprap, Size 300				
0760	815-B001	(S)	2,768	Square Yard	Grouted Riprap				
0765	815-F002 Added 02/11/2011	(S)	200	Ton	Sediment Control Stone				
0770	907-225-A001		31	Acre	Grassing				
0780	907-225-B001		94	Ton	Agricultural Limestone				
0790	907-226-A001		16	Acre	Temporary Grassing				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0800	907-234-D001		2	Each	Inlet Siltation Guard				
0810	907-237-A003		420	Linear Feet	Wattles, 20"				
0820	907-245-A001		400	Linear Feet	Triangular Silt Dike				
0830	907-246-A001		180	Linear Feet	Sandbags				
0840	907-304-B001	(GT)	14,755	Ton	Granular Material, Class 5, Group C				
0850	907-304-B005	(GT)	22,513	Ton	Granular Material, Class 9, Group C				
0860	907-304-F003	(GT)	1,510	Ton	3/4" and Down Crushed Stone Base				
0870	907-307-C003	(M)	25,039	Square Yard	6" Soil-Lime-Water Mixing, Class C				
0880	907-307-D001		338	Ton	Lime				
0890	907-407-A001	(A2)	13,300	Gallon	Asphalt for Tack Coat				
0900	907-413-E001		180	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement				
0910	907-601-B003	(S)	8	Cubic Yard	Class "B" Structural Concrete, Minor Structures				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0920	907-626-A004		14,268	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White				
0930	907-626-C008		14,164	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White				
0940	907-626-F008		14,011	Linear Feet	6" Thermoplastic Edge Stripe, Continuous Yellow				
0950	907-626-G004		10,998	Linear Feet	Thermoplastic Detail Stripe, White				
0960	907-626-G005		6,934	Linear Feet	Thermoplastic Detail Stripe, Yellow				
0970	907-626-H004		84	Linear Feet	Thermoplastic Legend, White				
0980	907-626-H005		397	Square Feet	Thermoplastic Legend, White				
ALTERNATE GROUP AA NUMBER 1									
0990	907-308-A001		507	Ton	Portland Cement				
1000	907-308-B001	(M)	46,501	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base				
ALTERNATE GROUP AA NUMBER 2									
1010	907-311-A003	(M)	46,501	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick				
1020	907-311-B001		314	Ton	Lime				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
1030	907-311-C002		1,256	Ton	Fly Ash, Class C or F			
ALTERNATE GROUP BB NUMBER 1								
1040	907-403-A001 (BA1)		945	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture			
1050	907-403-A002 (BA1)		4,376	Ton	Hot Mix Asphalt, HT, 19-mm mixture			
1060	907-403-A005 (BA1)		2,140	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture			
1070	907-403-A011 (BA1) Changed 01/17/2011		3,806	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture			
1080	907-403-A012 (BA1)		5,705	Ton	Hot Mix Asphalt, ST, 19-mm mixture			
1090	907-403-A015 (BA1)		271	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture			
1100	907-403-B001 (BA1) Changed 01/17/2011		500	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling			
1110	907-403-D001 (BA1) Changed 01/17/2011		3,139	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified			
1120	907-403-D004 (BA1)		2,965	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified			
ALTERNATE GROUP BB NUMBER 2								
1130	907-403-M001 (BA1)		271	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1140	907-403-M003	(BA1)	3,806	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture Changed 01/17/2011				
1150	907-403-M004	(BA1)	5,705	Ton	Warm Mix Asphalt, ST, 19-mm mixture				
1160	907-403-M009	(BA1)	2,140	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture				
1170	907-403-M010	(BA1)	945	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture				
1180	907-403-M011	(BA1)	4,376	Ton	Warm Mix Asphalt, HT, 19-mm mixture				
1190	907-403-N009	(BA1)	500	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling Changed 01/17/2011				
1200	907-403-P001	(BA1)	2,965	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
1210	907-403-P002	(BA1)	3,139	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified Changed 01/17/2011				
ALTERNATE GROUP CC NUMBER 1									
1220	907-626-I003		640	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White				
1230	907-626-J003		640	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White				
1240	907-626-L001		640	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow				
ALTERNATE GROUP CC NUMBER 2									

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1250	628-I002		640	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White				
1260	628-J002		640	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White				
1270	628-M002		640	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow				
Bridge Items									
1280	501-K001		2,728	Square Yard	Transverse Grooving				
1290	801-A001	(S)	683	Cubic Yard	Foundation Excavation for Bridges				
1300	803-B002	(S)	4	Each	Conventional Static Pile Load Test	5,000.	00	20,000.	00
1310	803-C002	(S)	5,040	Linear Feet	14" x 14" Prestressed Concrete Piling				
1320	803-C003	(S)	9,600	Linear Feet	16" x 16" Prestressed Concrete Piling				
1330	803-I001	(S)	4	Each	PDA Test Pile				
1340	805-A001	(S)	368,800	Pounds	Reinforcement				
1350	813-A001	(S)	1,302	Linear Feet	Concrete Railing				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1360	815-D001	(S)	264	Cubic Yard	Concrete Slope Paving				
1370	907-804-A001	(S)	1,836	Cubic Yard	Bridge Concrete, Class AA				
1380	907-804-C148	(S)	898	Linear Feet	75' Prestressed Concrete Beam, Type IV				
1390	907-804-C176	(S)	435	Linear Feet	72' Prestressed Concrete Beam, Type IV				
1400	907-804-C178	(S)	437	Linear Feet	73' Prestressed Concrete Beam, Type IV				
1410	907-804-C179	(S)	473	Linear Feet	79' Prestressed Concrete Beam, Type IV				
1420	907-804-C180	(S)	1,065	Linear Feet	89' Prestressed Concrete Beam, Type IV				
1430	907-804-C181	(S)	561	Linear Feet	93' Prestressed Concrete Beam, Type IV				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER