


[Proposal & Plan Sales Will Begin on January 31, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 22, 2011



Two Month Projects
Have An (*)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 22, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 31, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
-15	SP-7338-00(005) / 105297301	Rankin
01	BR-0024-03(014) / 100490302	Leake
02	BR-0198-00(001) / 102488301	George
03	IM-0010-01(125) / 104522301	Harrison
04	NH-0002-05(071) / 106084301	Monroe
* 05	NH-0008-01(123) / 106085301	Harrison
06	NH-0011-03(077) / 106082301	Oktibbeha
* 07	STP-0039-02(046) / 105895301	Rankin
* 08	STP-6928-00(010) / 105896301	Madison
09	BR-0018-02(045) / 103325302	Attala
10	BR-0022-01(049) / 102456301	Perry
* 11	MP-6084-34(009) / 304065301	Jones
12	BWO-2001-54(009) / 502260301, BWO-2200-54(002) / 502260302, BWO-2050-54(005) / 502260303, & BWO-2090-54(002) / 502260304	Panola
13	BWO-2204-04(001) / 502317301, BWO-2205-04(001) / 502317302, & BWO-2089-04(002) / 502317303	Attala

Construction necessary to build an interchange on SR 475 at Old Brandon Road, known as State Project No. SP-7338-00(005) / 105297301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: August 17, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
21,340 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
561 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
3,800 Linear Feet	202-B076	Removal of Traffic Stripe
973 Linear Feet	202-B106	Removal of Pipe, All Sizes
285,611 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
6,709 Cubic Yard	203-D002	Muck Excavation, LVM
5,057 Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B14-6
256 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,857 Cubic Yard	206-A001	Structure Excavation
16 Ton	213-C001	Superphosphate
9,553 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
1,000 Thousand Gallon	219-A001	Watering
16 Acre	220-A001	Insect Pest Control
200 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
30 Linear Feet	239-A001	Temporary Slope Drains
2,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
200 Linear Feet	501-E001	Expansion Joints, Without Dowels
394 Square Yard	501-K001	Transverse Grooving
406 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
656 Pounds	602-A001	Reinforcing Steel
560 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
480 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
312 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
160 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
8 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
2 Each	603-CB005	42" Reinforced Concrete End Section
2 Each	603-CB008	60" Reinforced Concrete End Section
250 Pounds	604-B001	Gratings
713 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
3 Each	606-E002	Guard Rail, Terminal End Section, Flared
1 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,322 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
442 Linear Feet	615-A001	Concrete Type I Cast-in-Place Median Barrier
80 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"

Call No. -15 for the February 22, 2011 Letting

581	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
59	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,510	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,125	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
135	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
177	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
54	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
26	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
41	Each	619-C9001	One-Way Yellow Reflective High Performance Raised Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
558	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,320	Linear Feet	619-F1001	Concrete Median Barrier, Precast
486	Linear Feet	619-G4005	Barricades, Type III, Double Faced
169	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
616	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
172	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A001	Vehicular Impact Attenuator, 50 MPH
2	Each	629-B001	Median Barrier End Section
378	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
651	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
41	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
507	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
345	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
17	Each	630-F002	Delineators, Guard Rail, Yellow
214	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
100	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
326	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Each	682-E001	Underground Junction Box
	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-A006	Loose Riprap, Size 100
2,768	Square Yard	815-B001	Grouted Riprap
31	Acre	907-225-A001	Grassing
94	Ton	907-225-B001	Agricultural Limestone
16	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
420	Linear Feet	907-237-A003	Wattles, 20"
400	Linear Feet	907-245-A001	Triangular Silt Dike
180	Linear Feet	907-246-A001	Sandbags
14,755	Ton	907-304-B001	Granular Material, Class 5, Group C
22,513	Ton	907-304-B005	Granular Material, Class 9, Group C
1,510	Ton	907-304-F003	3/4" and Down Crushed Stone Base

Call No. -15 for the February 22, 2011 Letting

25,039	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
338	Ton	907-307-D001	Lime
13,300	Gallon	907-407-A001	Asphalt for Tack Coat
180	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
14,268	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
14,164	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
14,011	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
10,998	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,934	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
84	Linear Feet	907-626-H004	Thermoplastic Legend, White
397	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
507	Ton	907-308-A001	Portland Cement
46,501	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
46,501	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
314	Ton	907-311-B001	Lime
1,256	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
945	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
4,376	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,140	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
3,806	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
5,705	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
271	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
500	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
3,139	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
2,965	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
271	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
3,806	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
5,705	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
2,140	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
945	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
4,376	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
500	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling
2,965	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
3,139	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP CC NO. 1			
640	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
640	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
640	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP CC NO. 2			
640	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
640	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White

640	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
Bridge Items			
2,728	Square Yard	501-K001	Transverse Grooving
683	Cubic Yard	801-A001	Foundation Excavation for Bridges
4	Each	803-B002	Conventional Static Pile Load Test
5,040	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
9,600	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I001	PDA Test Pile
368,800	Pounds	805-A001	Reinforcement
1,302	Linear Feet	813-A001	Concrete Railing
264	Cubic Yard	815-D001	Concrete Slope Paving
1,836	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
898	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
435	Linear Feet	907-804-C176	72' Prestressed Concrete Beam, Type IV
437	Linear Feet	907-804-C178	73' Prestressed Concrete Beam, Type IV
473	Linear Feet	907-804-C179	79' Prestressed Concrete Beam, Type IV
1,065	Linear Feet	907-804-C180	89' Prestressed Concrete Beam, Type IV
561	Linear Feet	907-804-C181	93' Prestressed Concrete Beam, Type IV

Replacement of Bridges No. 98.7, No. 101.0 and No. 101.5 on SR 16 between the Madison County Line and SR 25, known as State Project No. BR-0024-03(014) / 100490302, in the County of Leake, State of Mississippi.

PROJECT COMPLETION: November 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
21,301	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
504	Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,900	Linear Feet	202-B076	Removal of Traffic Stripe
2,092	Linear Feet	202-B102	Removal of Guard Rail
20	Each	202-B130	Removal of Piling
69,036	Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
14,616	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
18	Ton	213-C001	Superphosphate
103	Ton	215-A001	Vegetative Materials for Mulch
488	Square Yard	217-A001	Ditch Liner
18	Acre	220-A001	Insect Pest Control
55	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
267	Square Yard	224-A001	Soil Reinforcing Mat
25,000	Linear Feet	234-A001	Temporary Silt Fence
1,122	Bale	235-A001	Temporary Erosion Checks
143	Linear Feet	239-A001	Temporary Slope Drains
1,067	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
291	Linear Feet	501-E001	Expansion Joints, Without Dowels
603	Square Yard	501-K001	Transverse Grooving
321	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
300	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB005	42" Reinforced Concrete End Section
1,275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
120	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
11,966	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,966	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3,900	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
4,769	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 or 2 Tape
139	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
714	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Each	619-F3004	Delineators, Guard Rail, White
98	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced

Call No. 01 for the February 22, 2011 Letting

42	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
180	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,624	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,624	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
66	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Ton	815-A006	Loose Riprap, Size 100
1,721	Ton	815-A009	Loose Riprap, Size 300
1,384	Square Yard	815-E001	Geotextile under Riprap
1,000	Ton	815-F002	Sediment Control Stone
75	Acre	907-225-A001	Grassing
109	Ton	907-225-B001	Agricultural Limestone
27	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A003	Wattles, 20"
500	Linear Feet	907-245-A001	Triangular Silt Dike
500	Linear Feet	907-246-A001	Sandbags
8,652	Ton	907-304-B001	Granular Material, Class 5, Group C
22,830	Ton	907-304-B005	Granular Material, Class 9, Group C
24,399	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
78	Ton	907-307-D001	Lime
3,743	Gallon	907-407-A001	Asphalt for Tack Coat
291	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
256	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT05	42" Type A Alternate Pipe
25	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-D001	Construction and Removal of Detour Road
11,780	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,250	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,360	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP AA NO. 1
413	Ton	907-308-A001	Portland Cement
48,798	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
			ALTERNATE GROUP AA NO. 2
48,798	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
293	Ton	907-311-B001	Lime
1,161	Ton	907-311-C002	Fly Ash, Class C or F
			ALTERNATE GROUP BB NO. 1
3,884	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
4,332	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
489	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
			ALTERNATE GROUP BB NO. 2
3,884	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture

Call No. 01 for the February 22, 2011 Letting

4,332	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
489	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Bridge Items

5,311	Square Yard	501-K001	Transverse Grooving
6	Each	803-B002	Conventional Static Pile Load Test
2,375	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
4,425	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2,280	Linear Feet	803-D003	HP 14 x 73 Steel Piling
1,755	Linear Feet	803-D007	HP 14 x 89 Steel Piling
13	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
513,883	Pounds	805-A001	Reinforcement
2,390	Linear Feet	813-A001	Concrete Railing
1,170	Ton	815-A009	Loose Riprap, Size 300
1,108	Square Yard	815-E001	Geotextile under Riprap
756	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,568	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
4,956	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,436	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
768	Linear Feet	907-804-C150	110' Prestressed Concrete Beam, Type IV

Replacement of Bridge No. 206.9 on SR 198 over Big Creek, known as State Project No. BR-0198-00(001) / 102488301, in the County of George, State of Mississippi.

PROJECT COMPLETION: March 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
6,718 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge
2 Each	202-B019	Removal of Concrete Headwall
1,000 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
40 Linear Feet	202-B064	Removal of Pipe, 8" And Above
2,631 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
53,030 Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
7,152 Cubic Yard	203-G004	Excess Excavation, LVM, AH
138 Cubic Yard	206-A001	Structure Excavation
31 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,289 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
18,393 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
4 Ton	213-C001	Superphosphate
16 Ton	215-A001	Vegetative Materials for Mulch
9,196 Square Yard	216-A001	Solid Sodding
4,500 Square Yard	217-A001	Ditch Liner
736 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
4,300 Linear Feet	234-A001	Temporary Silt Fence
564 Bale	235-A001	Temporary Erosion Checks
1,973 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In
1 Mile	423-B001	Rumble Strips, Ground In, Concrete
109 Linear Feet	501-E001	Expansion Joints, Without Dowels
241 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
19,537 Pounds	602-A001	Reinforcing Steel
48 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2 Each	603-CB002	24" Reinforced Concrete End Section
400 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E001	Guard Rail, Terminal End Section
Lump Sum	618-A001	Maintenance of Traffic
2 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
440 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
101 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
312 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 02 for the February 22, 2011 Letting

22	Each	619-F3004	Delineators, Guard Rail, White
144	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
70	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
26	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
89	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
	Lump Sum	699-A001	Roadway Construction Stakes
129	Ton	815-A006	Loose Riprap, Size 100
96	Ton	815-A009	Loose Riprap, Size 300
232	Square Yard	815-E001	Geotextile under Riprap
8	Acre	907-225-A001	Grassing
24	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
300	Linear Feet	907-237-A003	Wattles, 20"
1	Each	907-247-A001	Temporary Stream Diversion
4,363	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
3,077	Ton	907-304-F001	Size 825 Crushed Stone Base
1,973	Gallon	907-407-A001	Asphalt for Tack Coat
90	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
101	Cubic Yard	907-601-A001	Class "B" Structural Concrete
44	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
104	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
13	Each	907-617-A001	Right-of-Way Marker
2	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
105	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
80	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
828	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,217	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,049	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
1,049	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
828	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
1,217	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
Bridge Items			
1,608	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
4,110	Linear Feet	803-D002	HP 12 x 53 Steel Piling
1,995	Linear Feet	803-D003	HP 14 x 73 Steel Piling

Call No. 02 for the February 22, 2011 Letting

3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
120,384	Pounds	805-A001	Reinforcement
724	Linear Feet	813-A001	Concrete Railing
460	Ton	815-A009	Loose Riprap, Size 300
443	Square Yard	815-E001	Geotextile under Riprap
326	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
483	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
477	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,076	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
599	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Milling and Overlaying approximately fourteen miles of I-10 Between Wolf River and Shorecrest Road, known as Federal Aid Project No. IM-0010-01(125) / 104522301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: September 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
11 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
70 Square Yard	202-B013	Removal of Cement Treated Base, All Depths
11 Square Yard	202-B081	Removal of Continuously Reinforced Concrete Pavement, 8-inchDepth
9,950 Linear Feet	202-B102	Removal of Guard Rail
14 Mile	202-B149	Removal of Traffic Stripe
339 Square Yard	202-B262	Removal of Reinforced Concrete Pavement, 8" Depth
1 Acre	223-A001	Mowing
5,000 Linear Feet	234-A001	Temporary Silt Fence
561,719 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6,934 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
1,704 Linear Feet	413-B001	Cleaning and Sealing Joints
4,464 Linear Feet	413-D001	Cleaning and Filling Joints
47 Mile	423-A001	Rumble Strips, Ground In
132 Linear Feet	501-D001	Expansion Joints, With Dowels
132 Each	501-G001	Dowels, Drilled and Installed
339 Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
11 Square Yard	503-A005	8" and Variable Reinforced Concrete Pavement
224 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
24 Linear Feet	503-C002	Saw Cut, 3-inch
156 Linear Feet	503-C005	Saw Cut, 8-inch
29 Cubic Yard	503-D001	Concrete for Base Repair
112 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
6,713 Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
75 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
4 Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
16 Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
32 Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
7 Each	606-D012	Guard Rail, Bridge End Section, Type I
43 Each	606-E002	Guard Rail, Terminal End Section, Flared
12 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
Lump Sum	618-A001	Maintenance of Traffic
47 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
48 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
92 Mile	619-A3006	Temporary Traffic Stripe, Skip White
14,536 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
456 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
1 Each	622-A002	Engineer's Field Office Building, Type 2

Call No. 03 for the February 22, 2011 Letting

7,125	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
76	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
277	Each	630-F001	Delineators, Guard Rail, White
85	Each	630-F002	Delineators, Guard Rail, Yellow
38	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
278	Linear Feet	808-A001	Joint Preparation
1,000	Linear Feet	907-237-A003	Wattles, 20"
4,669	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
44,376	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
43,425	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
92	Mile	907-403-S002	Joint Sealant for HMA
161,869	Gallon	907-407-A001	Asphalt for Tack Coat
4,464	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
46	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
576	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
30	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
6,000	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
29	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
22,617	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
370	Linear Feet	907-626-H004	Thermoplastic Legend, White
234	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-687-A018	Traffic Recorder Classification Permanent System
1	Each	907-687-B007	Traffic Recorder Classification Short Term Permanent System
278	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
278	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
2,801	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
11,368	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
ALTERNATE GROUP AA NO. 1			
24,253	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
27,292	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
27,292	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
24,253	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture

Overlaying US Highway 45 from SR 25 to the Aberdeen city limits, known as Federal Aid Project No. NH-0002-05(071) / 106084301, in the County of Monroe, State of Mississippi.

PROJECT COMPLETION: June 24, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,458	Linear Feet	202-B076	Removal of Traffic Stripe
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
167,909	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
31,316	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
208	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,640	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
40	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
16,791	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
20,300	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
11,016	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
208	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
20,000	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
20,000	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
648	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
648	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
648	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
648	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
648	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
648	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Overlay U.S. Hwy. 49, North and South Bound Lanes from the South Bridge Abutment of the Little Biloxi River Bridge, North 8.7 Miles, known as Federal Aid Project NH-0008-01(123) / 106085301, in the County of Harrison, State of Mississippi.

PROJECT COMPLETION: July 26, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

160	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
1,546	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
22	Mile	202-B149	Removal of Traffic Stripe
325	Linear Feet	234-A001	Temporary Silt Fence
32	Bale	235-A001	Temporary Erosion Checks
48,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
34	Mile	423-A001	Rumble Strips, Ground In
60	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
288	Linear Feet	503-C007	Saw Cut, Full Depth
1,046	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-D002	Guard Rail, Bridge End Section, Type C
8	Each	606-E001	Guard Rail, Terminal End Section
347	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
64	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
8	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3006	Temporary Traffic Stripe, Skip White
12,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
26	Each	619-F3003	Delineators, Guard Rail, Yellow
24	Each	619-F3004	Delineators, Guard Rail, White
250	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
8,000	Ton	907-304-F001	Size 825 Crushed Stone Base
22,500	Gallon	907-407-A001	Asphalt for Tack Coat
32,300	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
18	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
18	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
150	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

65	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
9,645	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
11,400	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling

Call No. 05 for the February 22, 2011 Letting

15,900 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
	ALTERNATE GROUP AA NO. 2	
9,645 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
65 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
11,400 Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
15,900 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Overlay of Highway 82 from the Choctaw County Line to 2.7 Miles West of Adaton, known as Federal Aid Project No. NH-0011-03(077) / 106082301, in the County of Oktibbeha, State of Mississippi.

PROJECT COMPLETION: July 29, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
19,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
31	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
23	Mile	619-A3006	Temporary Traffic Stripe, Skip White
24,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10,500	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
39,900	Gallon	907-407-A001	Asphalt for Tack Coat
15	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
16,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,800	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
840	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
31,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
31,500	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
840	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Mill and Overlay SR 18 from Brandon to Rock Hill, known as Federal Aid Project No. STP-0039-02(046) / 105895301, in the County of Rankin, State of Mississippi.

PROJECT COMPLETION: June 24, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

250	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
750	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,000	Linear Feet	202-B076	Removal of Traffic Stripe
104,275	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
750	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
6	Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
3	Each	606-D001	Guard Rail, Bridge End Section, Type A
3	Each	606-D004	Guard Rail, Bridge End Section, Type E
200	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
15	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
980	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
321	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
228	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
264	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
980	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
33	Each	630-F001	Delineators, Guard Rail, White
67	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,000	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
12,640	Gallon	907-407-A001	Asphalt for Tack Coat
1,000	Linear Feet	907-626-B005	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
22,680	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,500	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,000	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
19,180	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
300	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
19,180	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
300	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Milling and overlaying approximately 9 miles of US 51 beginning approximately 2 miles north of SR 463, known as Federal Aid Project No. STP-6928-00(010) / 105896301, in the County of Madison, State of Mississippi.

PROJECT COMPLETION: July 15, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,800 Linear Feet	202-B076	Removal of Traffic Stripe
1,065 Linear Feet	202-B102	Removal of Guard Rail
20 Each	202-B136	Removal of Guard Rail Terminal End Section
100 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
160,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17 Mile	423-A001	Rumble Strips, Ground In
1,065 Linear Feet	606-B001	Guard Rail, Class A, Type 1
20 Each	606-E001	Guard Rail, Terminal End Section
4 Each	613-D010	Adjustment of Manhole Cover and Water Valve
Lump Sum	618-A001	Maintenance of Traffic
35 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A3006	Temporary Traffic Stripe, Skip White
10 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,200 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
200 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
762 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
452 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
480 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
600 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,000 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
168 Each	630-F001	Delineators, Guard Rail, White
696 Linear Feet	635-A001	Vehicle Loop Assemblies
8,027 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
16,000 Gallon	907-407-A001	Asphalt for Tack Coat
25,472 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
18 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
10 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,000 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,700 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,200 Linear Feet	907-626-H004	Thermoplastic Legend, White
400 Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
22,000 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
355 Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2		

Call No. 08 for the February 22, 2011 Letting

22,000 Ton

907-403-M002 Warm Mix Asphalt, MT, 12.5-mm mixture

355 Ton

907-403-N006 Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Bridge Replacements on SR 12 from Kosciusko to the Choctaw County Line, known as State Project No. BR-0018-02(045) / 103325302, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: June 17, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
24	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
68,860	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
500	Linear Feet	202-B064	Removal of Pipe, 8" And Above
14,385	Linear Feet	202-B076	Removal of Traffic Stripe
2	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
1,200	Linear Feet	202-B102	Removal of Guard Rail
6	Each	202-B105	Removal of Pipe Headwall, All Sizes
71,633	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
447,667	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
10,528	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,012	Cubic Yard	206-A001	Structure Excavation
268	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
34,367	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
53	Ton	213-C001	Superphosphate
252	Square Yard	216-A001	Solid Sodding
11,684	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
53	Acre	220-A001	Insect Pest Control
148	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
107	Acre	223-A001	Mowing
3,597	Square Yard	224-A001	Soil Reinforcing Mat
13,302	Linear Feet	234-A001	Temporary Silt Fence
44	Bale	235-A001	Temporary Erosion Checks
24	Each	236-A004	Silt Basin, Type D
24	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
340	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
4,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17,497	Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
8	Mile	423-A001	Rumble Strips, Ground In
1,092	Linear Feet	501-E001	Expansion Joints, Without Dowels
2,364	Square Yard	501-K001	Transverse Grooving
2,400	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
133,198	Pounds	602-A001	Reinforcing Steel
32	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
96	Each	603-CB001	18" Reinforced Concrete End Section
60	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
80	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
1	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section

Call No. 09 for the February 22, 2011 Letting

2	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
8	Each	603-SB035	18" Branch Connections, Stub into Box Bridge
3,250	Linear Feet	606-B001	Guard Rail, Class A, Type 1
40	Each	606-D012	Guard Rail, Bridge End Section, Type I
40	Each	606-E001	Guard Rail, Terminal End Section
140	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
480	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19,500	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
17,454	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
544	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
297	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
948	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
68	Linear Feet	619-F1001	Concrete Median Barrier, Precast
68	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
88	Each	619-F3004	Delineators, Guard Rail, White
552	Linear Feet	619-G4001	Barricades, Type III, Single Faced
182	Each	619-G5001	Free Standing Plastic Drums
40	Each	619-G7001	Warning Lights, Type "B"
1,100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
44	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1,118	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
260	Each	630-F001	Delineators, Guard Rail, White
44	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
1,920	Ton	815-A006	Loose Riprap, Size 100
11,300	Ton	815-A009	Loose Riprap, Size 300
8,025	Square Yard	815-E001	Geotextile under Riprap
1,200	Ton	815-F002	Sediment Control Stone
107	Acre	907-225-A001	Grassing
320	Ton	907-225-B001	Agricultural Limestone
107	Acre	907-226-A001	Temporary Grassing
27	Acre	907-227-A001	Hydroseeding
960	Linear Feet	907-237-A003	Wattles, 20"
144	Linear Feet	907-245-A001	Triangular Silt Dike
6,962	Linear Feet	907-246-A001	Sandbags
2	Each	907-247-A001	Temporary Stream Diversion
67,550	Ton	907-304-B009	Granular Material, Class 3, Group D
7,162	Ton	907-304-F002	Size 610 Crushed Stone Base
52,491	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
460	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe

Call No. 09 for the February 22, 2011 Letting

140	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
128	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
48	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
91	Each	907-617-A001	Right-of-Way Marker
21,276	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
40,833	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
2,990	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,640	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
540	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,380	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
ALTERNATE GROUP AA NO. 1			
10,100	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
13,942	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
7,576	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
10,100	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
7,576	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
13,942	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
3,960	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,980	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,960	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
3,960	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,980	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
3,960	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
Bridge Items			
7,367	Square Yard	501-K001	Transverse Grooving
20	Each	803-B002	Conventional Static Pile Load Test
12,920	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
5,000	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,412	Linear Feet	803-F009	20" Pre-Formed Pile Hole
22	Each	803-I001	PDA Test Pile
20	Each	803-J001	Pile Restrike
538,390	Pounds	805-A001	Reinforcement
3,315	Linear Feet	813-A001	Concrete Railing
4,742	Ton	815-A009	Loose Riprap, Size 300
3,523	Square Yard	815-E001	Geotextile under Riprap
3,098	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
7,808	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,787	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2

Construction necessary to replace 4 bridges on SR 15 between Beaumont and Richton, known as State Project No. BR-0022-01(049) / 102456301, in the County of Perry, State of Mississippi.

PROJECT COMPLETION: September 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
74 Linear Feet	202-B038	Removal of Curb, All Types
1,600 Linear Feet	202-B076	Removal of Traffic Stripe
15,614 Square Yard	202-B078	Removal of Pavement, All Types and Depths
800 Linear Feet	202-B102	Removal of Guard Rail
261 Linear Feet	202-B106	Removal of Pipe, All Sizes
11,244 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
79,753 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
20,254 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,883 Cubic Yard	206-A001	Structure Excavation
109 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,534 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
7 Ton	213-C001	Superphosphate
35 Ton	215-A001	Vegetative Materials for Mulch
170 Square Yard	216-A001	Solid Sodding
727 Square Yard	217-A001	Ditch Liner
3 Thousand Gallon	219-A001	Watering
7 Acre	220-A001	Insect Pest Control
24 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
11,084 Linear Feet	234-A001	Temporary Silt Fence
500 Bale	235-A001	Temporary Erosion Checks
6 Each	236-A004	Silt Basin, Type D
644 Linear Feet	239-A001	Temporary Slope Drains
2,933 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,704 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3 Mile	423-A001	Rumble Strips, Ground In
291 Linear Feet	501-E001	Expansion Joints, Without Dowels
594 Square Yard	501-K001	Transverse Grooving
613 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
73,949 Pounds	602-A001	Reinforcing Steel
2 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB006	48" Reinforced Concrete End Section
1,275 Linear Feet	606-B001	Guard Rail, Class A, Type 1
12 Each	606-D012	Guard Rail, Bridge End Section, Type I
12 Each	606-E002	Guard Rail, Terminal End Section, Flared
801 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
120 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"

Call No. 10 for the February 22, 2011 Letting

110	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
36	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
164	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
22,124	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
46	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
268	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,070	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Each	619-F3004	Delineators, Guard Rail, White
360	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
250	Each	619-G5001	Free Standing Plastic Drums
19	Each	619-G7001	Warning Lights, Type "B"
300	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
36	Each	627-B001	Two-Way Clear Reflective Raised Markers
159	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,562	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
816	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
86	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
72	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
161	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
387	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
38	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
66	Each	630-F001	Delineators, Guard Rail, White
30	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
18	Acre	907-225-A001	Grassing
42	Ton	907-225-B001	Agricultural Limestone
7	Acre	907-226-A001	Temporary Grassing
4,112	Linear Feet	907-237-A003	Wattles, 20"
300	Linear Feet	907-245-A001	Triangular Silt Dike
260	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
16,409	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
10,083	Gallon	907-407-A001	Asphalt for Tack Coat
550	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
447	Cubic Yard	907-601-A001	Class "B" Structural Concrete
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
264	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
72	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
72	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe

Call No. 10 for the February 22, 2011 Letting

168	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
67	Each	907-617-A001	Right-of-Way Marker
1	Each	907-622-A001	Engineer's Field Office Building, Type 2
3	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,003	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
202	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
153	Ton	907-308-A001	Portland Cement
13,140	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
13,140	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
102	Ton	907-311-B001	Lime
405	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
3,633	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
6,504	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,439	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
426	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
3,633	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
3,439	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
6,504	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
426	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
Bridge Items			
3,044	Square Yard	501-K001	Transverse Grooving
6	Each	803-B002	Conventional Static Pile Load Test
4,000	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
1,020	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,105	Linear Feet	803-D002	HP 12 x 53 Steel Piling
6	Each	803-I001	PDA Test Pile
6	Each	803-J001	Pile Restrike
211,320	Pounds	805-A001	Reinforcement
1,370	Linear Feet	813-A001	Concrete Railing
340	Ton	815-A006	Loose Riprap, Size 100
2,087	Ton	815-A009	Loose Riprap, Size 300
1,721	Square Yard	815-E001	Geotextile under Riprap
23	Ton	815-F002	Sediment Control Stone
1,243	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
4,009	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Overlaying approximately 4 miles of U.S. 84 from east of Dykes Road to east of SR 28, known as State Project No. MP-6084-34(009) / 304065301, in the County of Jones, State of Mississippi.

PROJECT COMPLETION: June 21, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,200	Linear Feet	202-B076	Removal of Traffic Stripe
1,920	Square Yard	202-B078	Removal of Pavement, All Types and Depths
13,415	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
168	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
32	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
5	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3006	Temporary Traffic Stripe, Skip White
7,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
230	Each	627-B001	Two-Way Clear Reflective Raised Markers
957	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
128	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
366	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
366	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
366	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
810	Linear Feet	635-A001	Vehicle Loop Assemblies
4,200	Ton	907-304-F001	Size 825 Crushed Stone Base
15,000	Gallon	907-407-A001	Asphalt for Tack Coat
9	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3,450	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
21,222	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
17,005	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,754	Linear Feet	907-626-H004	Thermoplastic Legend, White
550	Square Feet	907-626-H005	Thermoplastic Legend, White
128	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
384	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
ALTERNATE GROUP AA NO. 1			
375	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
16,700	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
9,600	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
16,700	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture

Call No. 11 for the February 22, 2011 Letting

375 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
9,600 Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Call No. 12 for the February 22, 2011 Letting

Installation of Security System at the District Headquarters, Training Center, Project Office, and Lab, known as State Project Nos. BWO-2001-54(009) 502260301, BWO-2200-54(002) 502260302, BWO-2050-54(005) 502260303, & BWO-2090-54(002) 502260304, in the County of Panola, State of Mississippi.

PROJECT COMPLETION: September 30, 2011

Advance Information Only - Items and Quantities Subject to Change

Building Items

Lump Sum	1520-A001	Installation of Security System - District 2 Lab
Lump Sum	1520-A001	Installation of Security System - District Headquarters
Lump Sum	1520-A001	Installation of Security System - Project Office
Lump Sum	1520-A001	Installation of Security System-Training Center Complex

Call No. 13 for the February 22, 2011 Letting

Construction of a Maintenance Area Headquarters Building, an Equipment Shed, and the Renovation of an Existing Equipment Shed, known as State Project Nos. BWO-2204-01(001) / 502317301, BWO-2205-04(001) / 502317302, & BWO-2089-04(002) / 502317303, in the County of Attala, State of Mississippi.

PROJECT COMPLETION: February 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	907-242-A006	Construction of Maintenance Area Headquarters Building
500 Square Yard	216-B004	Solid Sodding, Bermuda
200 Linear Feet	234-A001	Temporary Silt Fence
150 Linear Feet	607-B041	72" Type I Chain Link Fence, Class I, With Top Guard
1 Each	607-G124	Gate, 6' x 6' Chain Link with Top Guard
11 Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
1 Each	607-P2020	Brace Post, 11' 6" x 2 1/2" Galvanized Steel
5 Each	607-P2021	Brace Post, 9' 6" x 2 1/2" Galvanized Steel
2 Each	607-P3004	Gate Post, 9' x 2 1/2" Galvanized Steel
2 Each	607-P3020	Gate Post, 11' x 3 1/2" Galvanized Steel
200 Linear Feet	907-237-A002	Wattles, 12"
1 Each	907-607-G001	Gate, 24' Chain Link, Cantilever, With Top Guard, Per Plans

Roadway Items

Lump Sum	907-242-A006	Construction of Equipment Shed with enclosed storage bay
----------	--------------	--

Roadway Items

Lump Sum	907-242-A015	Renovation of Renovation of Existing Shed
----------	--------------	---

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

LARRY L. "BUTCH" BROWN
EXECUTIVE DIRECTOR