


[Proposal & Plan Sales Will Begin on May 2, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for May – May 24, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Tuesday, May 24, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 02, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	NH-0006-01(086) / 105510303	Marshall
* 02	STP-0013-02(028) / 106198301	Copiah
03	STP-0014-01(059) / 106203301	Pike
04	HSIP-0014-02(062) / 105413301	Lamar
* 05	STP-0018-02(051) / 106199301	Holmes
* 06	STP-0023-02(055) / 106206301	Leake
07	STP-0182-00(034) / 106201301	Lincoln
08	STP-0212-00(012) / 106202301	Covington
09	STP-0213-00(026) / 102965301	Jones
10	MP-1030-73(006) / 304131301	Union
11	MP-1389-00(053) / 304135301 & MP-1389-00(053) / 304135302	Oktibbeha & Clay
12	MP-1795-44(001) / 304136301	Lowndes
* 13	MP-7000-00(109) / 304084301	District 7
14	BWO-9718-25(001) / 502350301 & LWO-9023-25(002) / 502350302	Hinds

Rehabilitation of US 78 from the West Holly Springs Exit to the Benton County Line, known as Federal Aid Project No. NH-0006-01(086) / 105510303, in Marshall County.

PROJECT COMPLETION: November 13, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

10 Acre	201-B001	Clearing and Grubbing
43,598 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,890 Square Yard	202-B025	Removal of Concrete Paved Ditch
400 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
200 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
9 Each	202-B042	Removal of Flared End Section, All Sizes
7 Each	202-B057	Removal of Inlets, All Sizes
6 Each	202-B061	Removal of Low Mast Lighting Foundation
212 Linear Feet	202-B064	Removal of Pipe, 8" And Above
31 Each	202-B070	Removal of Sign Including Post & Footing
24,640 Linear Feet	202-B076	Removal of Traffic Stripe
379 Each	202-B086	Removal of Guard Post
5,380 Square Yard	202-B138	Removal of Riprap
1 Each	202-B142	Removal of Junction Box
1 Each	202-B247	Removal of Pull Box
5,200 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
9,600 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
500 Cubic Yard	203-G003	Excess Excavation, FM, AH
320 Cubic Yard	206-A001	Structure Excavation
135 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
40 Ton	213-C001	Superphosphate
135 Square Yard	216-A001	Solid Sodding
3 Thousand Gallon	219-A001	Watering
15 Acre	220-A001	Insect Pest Control
460 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
15 Acre	223-A001	Mowing
2,700 Square Yard	224-A001	Soil Reinforcing Mat
10,000 Linear Feet	234-A001	Temporary Silt Fence
940,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,400 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
70 Mile	423-A001	Rumble Strips, Ground In
600 Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
350 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
450 Linear Feet	503-C002	Saw Cut, 3-inch
900 Linear Feet	503-C007	Saw Cut, Full Depth
325 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
20 Each	512-A001	Holes
750 Pounds	512-C002	Calcium Chloride
1,836 Pounds	602-A001	Reinforcing Steel

Call No. 01 for the May 24, 2011 Letting

96	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
24	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
6	Each	603-CB001	18" Reinforced Concrete End Section
1	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
1	Each	603-CB005	42" Reinforced Concrete End Section
1,400	Pounds	604-B001	Gratings
456	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
40	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
84	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
490	Each	606-A001	Guard Posts
9,878	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
23,318	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
500	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
2	Each	607-G107	Gate, 12' x 5' Chain Link
2	Each	607-G115	Gate, 12' x 5' Aluminum
1,160	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
807	Each	607-P1013	Line Post, 7' Tee Post Steel
161	Each	607-P1014	Line Post, 9' Tee Post Steel
40	Each	607-P1015	Line Post, 10' Tee Post Steel
232	Each	607-P1025	Line Post, 10' x 1 1/2" Galvanized Steel
155	Each	607-P1026	Line Post, 9' x 1 1/2" Galvanized Steel
41	Each	607-P2001	Brace Post, 8' x 6" Timber
3	Each	607-P2002	Brace Post, 10' x 6" Timber
5	Each	607-P2003	Brace Post, 12' x 6" Timber
60	Each	607-P2019	Brace Post, 10' x 2" Galvanized Steel
40	Each	607-P2022	Brace Post, 12' x 2" Galvanized Steel
298	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
2	Each	607-P3001	Gate Post, 8' x 6" Timber
2	Each	607-P3019	Gate Post, 8' x 3 1/2" Galvanized Steel
5	Each	607-Z001	Concrete Anchors
	Lump Sum	618-A001	Maintenance of Traffic
118	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
114	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
105	Mile	619-A3006	Temporary Traffic Stripe, Skip White
109,650	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,288	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
100	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
760	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced

Call No. 01 for the May 24, 2011 Letting

72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
50	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
4,600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
45	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
471	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
180	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
42	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
379	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
128	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
15	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
72	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
133	Linear Feet	630-D008	Structural Steel Beams, W10 x 22
166	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
82	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
107	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
629	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
84	Each	630-F006	Delineators, Post Mounted, Single White
32	Each	630-F007	Delineators, Post Mounted, Single Yellow
168	Each	630-F008	Delineators, Post Mounted, Double White
40	Each	630-F009	Delineators, Post Mounted, Double Yellow
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
485	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
20	Cubic Yard	631-A001	Flowable Fill
2,100	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
56	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1	Each	682-D001	Underground Pull Box
5	Each	683-B053	Lighting Assembly, Low Mast, Type 40-1-12-400
10	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
5	Each	686-A001	Relocation of Existing Lighting Assemblies
	Lump Sum	699-A001	Roadway Construction Stakes
3,507	Linear Feet	808-A001	Joint Preparation
4,344	Ton	815-A009	Loose Riprap, Size 300
5,400	Square Yard	815-E001	Geotextile under Riprap
222	Each	907-203-I002	Site Grading
15	Acre	907-225-A001	Grassing
45	Ton	907-225-B001	Agricultural Limestone
15	Acre	907-226-A001	Temporary Grassing
222	Each	907-234-D001	Inlet Siltation Guard
500	Linear Feet	907-237-A002	Wattles, 12"
1,000	Linear Feet	907-237-A003	Wattles, 20"

Call No. 01 for the May 24, 2011 Letting

57,008	Ton	907-304-B009	Granular Material, Class 3, Group D
48,436	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
66,500	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
67	Mile	907-403-S002	Joint Sealant for HMA
265,000	Gallon	907-407-A001	Asphalt for Tack Coat
25,000	Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
23	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
600	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
50	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
20	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
36	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
43	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
38	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
44,726	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,231	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,158	Linear Feet	907-626-H004	Thermoplastic Legend, White
98	Square Feet	907-626-H005	Thermoplastic Legend, White
76	Each	907-630-O003	Remove and Reset Sign, All Sizes
2,100	Linear Feet	907-682-A1011	Branch Circuit Wire, AWG #6, 3 Conductor
352	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
352	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
270	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
1,753	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
14	Each	907-824-PP095	Bridge Repair,
ALTERNATE GROUP AA NO. 1			
1,433	Ton	907-308-A001	Portland Cement
123,176	Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
ALTERNATE GROUP AA NO. 2			
123,176	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,150	Ton	907-311-B001	Lime
8,674	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
7,588	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
2,591	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
2,763	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
26,420	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,540	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
28,509	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
8,008	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
28,509	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
26,420	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
1,540	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
2,763	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Call No. 01 for the May 24, 2011 Letting

7,588	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
2,591	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
8,008	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

ALTERNATE GROUP CC NO. 1

3,000	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6,832	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
10,715	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
9,217	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP CC NO. 2

6,832	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
10,715	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
9,217	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
3,000	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow

Widen and Overlay approximately 12 miles of SR 28 beginning at the Simpson County Line, known as Federal Aid Project No. STP-0013-02(028) / 106198301, in Copiah County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
700	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
22	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
8	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
13	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
5,100	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
2,000	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
92	Each	630-F001	Delineators, Guard Rail, White
8,500	Ton	907-304-B002	Granular Material, Class 5, Group D
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
13,000	Gallon	907-407-A001	Asphalt for Tack Coat
25	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
12	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
25,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
25,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
500	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 1			
1,800	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
900	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
800	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
1,800	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
900	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
800	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Mill and Overlay approximately 2 miles of SR 24 between I-55 and Presley Blvd., known as Federal Aid Project No. STP-0014-01(059) / 106203301, in Pike County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

122,392	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,102	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,359	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,244	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
250	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,662	Linear Feet	635-A001	Vehicle Loop Assemblies
9,179	Gallon	907-407-A001	Asphalt for Tack Coat
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
10,669	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,433	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,359	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,943	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
10,097	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
10,097	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Interchange Improvements on US 98 at Westover Drive in Hattiesburg, known as Federal Aid Project No. HSIP-0014-02(062) / 105413301, in Lamar County.

PROJECT COMPLETION: June 29, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
341 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2,534 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
4 Each	202-B042	Removal of Flared End Section, All Sizes
5 Each	202-B057	Removal of Inlets, All Sizes
200 Linear Feet	202-B058	Removal of Legend, All Types
2 Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
40 Each	202-B070	Removal of Sign Including Post & Footing
2,500 Linear Feet	202-B076	Removal of Traffic Stripe
735 Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,200 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
4 Linear Feet	202-B106	Removal of Pipe, All Sizes
3 Each	202-B218	Removal of Inlet Tops
1 Each	202-B247	Removal of Pull Box
6,625 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
5,299 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
7,393 Cubic Yard	203-G004	Excess Excavation, LVM, AH
109 Cubic Yard	206-A001	Structure Excavation
250 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
10,610 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,538 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
9,378 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
1 Ton	213-C001	Superphosphate
4 Ton	215-A001	Vegetative Materials for Mulch
9,378 Square Yard	216-A001	Solid Sodding
10,538 Square Yard	217-A001	Ditch Liner
200 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
74 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2 Acre	223-A001	Mowing
2,500 Linear Feet	234-A001	Temporary Silt Fence
50 Bale	235-A001	Temporary Erosion Checks
500 Linear Feet	239-A001	Temporary Slope Drains
1,486 Linear Feet	503-C007	Saw Cut, Full Depth
3,799 Pounds	602-A001	Reinforcing Steel
334 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
16 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
24 Linear Feet	603-CA120	72" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
6 Each	603-CB001	18" Reinforced Concrete End Section

Call No. 04 for the May 24, 2011 Letting

2	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-CB010	72" Reinforced Concrete End Section
12	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
60	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
50	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
20	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
10	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
326	Linear Feet	609-B003	Concrete Curb, Special Design
286	Linear Feet	609-B003	Concrete Curb, Special Design ,Type 3 Slotted
3,285	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
2,184	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
20	Each	613-D007	Adjustment of Utility Appurtenance
289	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1,393	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
53	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
4,880	Linear Feet	619-A1009	Temporary Traffic Stripe, Continuous White, Type 2 Tape
829	Linear Feet	619-A2009	Temporary Traffic Stripe, Continuous Yellow, Type 2 Tape
9,336	Linear Feet	619-A5005	Temporary Traffic Stripe, Detail, Type 2 Tape
443	Linear Feet	619-A6009	Temporary Traffic Stripe, Legend, Type 2 Tape
387	Square Feet	619-A6010	Temporary Traffic Stripe, Legend, Type 2 Tape
52	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
80	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
	Lump Sum	619-D5001	Directional Signs, Overhead
30	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
467	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	619-H1001	Traffic Signals ,U S Hwy 98 At Westover Drive
	Lump Sum	620-A001	Mobilization
496	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
52	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
311	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
20	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
2,856	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
13	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
406	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
31	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
37	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
9	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
16	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
240	Linear Feet	635-A001	Vehicle Loop Assemblies
3	Each	635-B001	Probe Point Detection Units, Paired
3,866	Linear Feet	636-A003	Shielded Cable, 4 Conductor

Call No. 04 for the May 24, 2011 Letting

4	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
15	Each	640-A016	Traffic Signal Heads, Type 1 LED
8	Each	640-A017	Traffic Signal Heads, Type 2 LED ,Left
4	Each	640-A017	Traffic Signal Heads, Type 2 LED ,Right
1	Each	640-A045	Traffic Signal Heads, Type 3L, LED
7	Each	644-A001	Optical Detector
1,542	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
3	Each	647-A001	Pullbox, Type 1
2	Each	647-A003	Pullbox, Type 4
2	Each	647-A004	Pullbox, Type 5
12	Each	647-A005	Pullbox, Type 2
1,116	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
1,114	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
390	Linear Feet	666-B027	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
380	Linear Feet	666-B032	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
428	Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
198	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
225	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
46	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
190	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
2,246	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
218	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
	Lump Sum	699-A001	Roadway Construction Stakes
2	Acre	907-225-A001	Grassing
11	Ton	907-225-B001	Agricultural Limestone
500	Linear Feet	907-237-A003	Wattles, 20"
5,015	Ton	907-304-B005	Granular Material, Class 9, Group C
3,755	Ton	907-304-F001	Size 825 Crushed Stone Base
2,917	Gallon	907-407-A001	Asphalt for Tack Coat
37	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
8	Each	907-604-PP003	Modify Existing Inlet, Per Plans
100	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
2	Each	907-619-E3001	Changeable Message Sign
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
5,185	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,451	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
8,076	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,410	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,567	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,094	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-626-H007	Thermoplastic Legend, Interstate Shield

Call No. 04 for the May 24, 2011 Letting

Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
1 Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
1 Each	907-639-A021	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' Arm
2 Each	907-639-A029	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm
1 Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
1 Each	907-639-A063	Traffic Signal Equipment Pole, Type 1, 30' Shaft
2 Each	907-639-A080	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 80' Arm
31 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
2 Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M
6 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
580 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM
2 Each	907-658-A001	Hardened Network Switch, Type A
ALTERNATE GROUP AA NO. 1		
2,646 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
293 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,311 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
220 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
944 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
707 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2		
220 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
293 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
1,311 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
2,646 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
707 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
944 Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Widen and Overlay approximately 10 miles of SR 12 between Black Creek and Lexington, known as Federal Aid Project No. STP-0018-02(051) / 106199301, in Holmes County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

400 Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
19 Mile	423-A001	Rumble Strips, Ground In
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
19 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
11 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
6 Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,000 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
850 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
416 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
975 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
9,250 Ton	907-304-B002	Granular Material, Class 5, Group D
11,000 Gallon	907-407-A001	Asphalt for Tack Coat
19 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
11 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,300 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,150 Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
18,500 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2		
18,500 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill & Overlay approximately 10 miles of SR 35 from just north of SR 25 to the Attala County Line, known as Federal Aid Project No. STP-0023-02(055) / 106206301, in Leake County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,896	Linear Feet	202-B038	Removal of Curb, All Types
1,380	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
185,315	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
21	Mile	423-A001	Rumble Strips, Ground In
930	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
42	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
17,212	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,344	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
77	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
606	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
508	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
42	Each	619-F3004	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
737	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,030	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,782	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
18,000	Gallon	907-407-A001	Asphalt for Tack Coat
21	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,517	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,875	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,420	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
77	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
25,849	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
2,136	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
25,849	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
2,136	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Widen and Overlay of approximately 8 miles of SR 583 Between Ruth and Enterprise School, known as Federal Aid Project No. STP-0182-00(034) / 106201301, in Lincoln County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

600	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
650	Linear Feet	202-B076	Removal of Traffic Stripe
2,250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
23	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,650	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,350	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
550	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L
6,000	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
17,100	Gallon	907-407-A001	Asphalt for Tack Coat
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
14	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,650	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,350	Linear Feet	907-626-H004	Thermoplastic Legend, White
71	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
13,200	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
2,100	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
13,200	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
2,100	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Widen and Overlay approximately 9 miles of SR 588 between US 84 and the Jones County Line, known as Federal Aid Project No. STP-0212-00(012) / 106202301, in Covington County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

989	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,735	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,692	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
461	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
968	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,333	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
15,200	Gallon	907-407-A001	Asphalt for Tack Coat
19	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,755	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,980	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,772	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
18,414	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,761	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
18,414	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,761	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Grade, Bridge, and Pave SR 590 from US 11 to SR 29, known as Federal Aid Project No. STP-0213-00(026) / 102965301, in Jones County.

PROJECT COMPLETION: July 31, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
526 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,280 Linear Feet	202-B076	Removal of Traffic Stripe
11,752 Square Yard	202-B078	Removal of Pavement, All Types and Depths
153,810 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,115 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
62,159 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
38,532 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
287,432 Cubic Yard	203-G003	Excess Excavation, FM, AH
4,215 Cubic Yard	206-A001	Structure Excavation
89 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
17,526 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
22 Ton	213-C001	Superphosphate
91 Ton	215-A001	Vegetative Materials for Mulch
1,261 Square Yard	216-A001	Solid Sodding
4,597 Square Yard	217-A001	Ditch Liner
6,919 Square Yard	217-A001	Ditch Liner Excelsior Blanket
5,131 Thousand Gallon	219-A001	Watering
18 Acre	220-A001	Insect Pest Control
20 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
36 Acre	223-A001	Mowing
3,872 Square Yard	224-A001	Soil Reinforcing Mat
7,500 Linear Feet	234-A001	Temporary Silt Fence
2,537 Bale	235-A001	Temporary Erosion Checks
27 Each	236-A004	Silt Basin, Type D
1,645 Linear Feet	239-A001	Temporary Slope Drains
5,067 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9,919 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5 Mile	423-A001	Rumble Strips, Ground In
86 Linear Feet	501-E001	Expansion Joints, Without Dowels
180 Square Yard	501-K001	Transverse Grooving
187 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
45,665 Pounds	602-A001	Reinforcing Steel
296 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
44 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
68 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
172 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
120 Linear Feet	603-CA093	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
132 Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
108 Linear Feet	603-CA120	72" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets

Call No. 09 for the May 24, 2011 Letting

6	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
5	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
2	Each	603-CB010	72" Reinforced Concrete End Section
264	Linear Feet	603-CE037	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
64	Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
140	Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
88	Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
3,371	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
2,148	Linear Feet	609-D016	Combination Concrete Curb and Gutter Type 3 Modified
40	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
3,338	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
146	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,288	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,600	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,288	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,600	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
125	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
76	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
75	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
789	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
480	Linear Feet	619-G4001	Barricades, Type III, Single Faced
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
253	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
39	Each	619-G8001	Warning Lights, Type "C"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
47	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
239	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,596	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
565	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
345	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
80	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
787	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft

Call No. 09 for the May 24, 2011 Letting

602 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22 Each	630-F001	Delineators, Guard Rail, White
2 Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2 Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
138 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
319 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
Lump Sum	699-A001	Roadway Construction Stakes
500 Ton	815-A006	Loose Riprap, Size 100
2,037 Ton	815-A009	Loose Riprap, Size 300
338 Ton	815-F002	Sediment Control Stone
46 Acre	907-225-A001	Grassing
130 Ton	907-225-B001	Agricultural Limestone
22 Acre	907-226-A001	Temporary Grassing
17 Acre	907-227-A002	Hydroseeding, Temporary Grassing
1,020 Linear Feet	907-237-A003	Wattles, 20"
480 Linear Feet	907-245-A001	Triangular Silt Dike
440 Linear Feet	907-246-A001	Sandbags
1 Each	907-247-A001	Temporary Stream Diversion
37,613 Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
10,912 Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
147 Ton	907-307-D001	Lime
23,969 Gallon	907-407-A001	Asphalt for Tack Coat
86 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
297 Cubic Yard	907-601-A001	Class "B" Structural Concrete
27 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
616 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
98 Each	907-617-A001	Right-of-Way Marker
1,869 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,180 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
34,500 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,700 Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
35,421 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,180 Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,350 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,024 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
551 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,143 Square Feet	907-626-H005	Thermoplastic Legend, White
Lump Sum	907-899-A001	Railway-Highway Provisions Railway Flagger
ALTERNATE GROUP AA NO. 1		
810 Ton	907-308-A001	Portland Cement
79,975 Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2		
90,887 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
558 Ton	907-311-B001	Lime
2,136 Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1		

Call No. 09 for the May 24, 2011 Letting

7,583 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
11,374 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
5,895 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2		
5,895 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
7,583 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
11,374 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture

Bridge Items

7,792 Square Yard	501-K001	Transverse Grooving
2 Each	803-B002	Conventional Static Pile Load Test
1,255 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
10,550 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
7 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
15 Linear Feet	803-N001	Exploration
180 Linear Feet	803-O010	Temporary Casing, 60" Diameter
492,214 Pounds	805-A001	Reinforcement
3,896 Linear Feet	813-A001	Concrete Railing
2,044 Ton	815-A009	Loose Riprap, Size 300
850 Square Yard	815-E001	Geotextile under Riprap
364 Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
60 Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
3,205 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,431 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,915 Linear Feet	907-804-C028	137' Prestressed Concrete Beam, Type BT-72
1,198 Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
7,377 Linear Feet	907-804-C182	112' Prestressed Concrete Beam, Type BT-63

Call No. 10 for the May 24, 2011 Letting

Mill and Overlay approximately 6 miles of SR 30 from SR 370 to Prentiss County Line, known as State Project No. MP-1030-73(006) / 304131301, in Union County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,566	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,566	Cubic Yard	203-G003	Excess Excavation, FM, AH
85,848	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,285	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
948	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
559	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,193	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
1,566	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
13,736	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,285	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
682	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
948	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
12,203	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
12,203	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill and overlay approximately 15 miles of SR 389 between SR 182 and the Chickasaw County Line, known as State Project No. MP-1389-00(053) / 304135301 & 302, in Clay and Oktibbeha Counties.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

481	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
4,200	Linear Feet	202-B076	Removal of Traffic Stripe
1,788	Linear Feet	202-B102	Removal of Guard Rail
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
15,700	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
613	Linear Feet	606-B001	Guard Rail, Class A, Type 1
16	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
16	Each	606-D001	Guard Rail, Bridge End Section, Type A
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
6,750	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
360	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
11	Mile	625-B002	Traffic Stripe, Skip Yellow
26	Mile	625-C002	Traffic Stripe, Continuous White
11	Mile	625-D002	Traffic Stripe, Continuous Yellow
2,600	Linear Feet	625-E001	Detail Traffic Stripe
1,450	Linear Feet	625-F002	Legend
300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
62	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
22,500	Gallon	907-407-A001	Asphalt for Tack Coat
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
3	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,300	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,700	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,700	Linear Feet	907-626-H004	Thermoplastic Legend, White
450	Square Feet	907-626-H005	Thermoplastic Legend, White
70	Square Feet	907-628-P001	High Performance Cold Plastic Legend, White, 4" Equivalent Length
ALTERNATE GROUP AA NO. 1			
10,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
10,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Call No. 11 for the May 24, 2011 Letting

ALTERNATE GROUP BB NO. 1

2,400	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,550	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,400	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP BB NO. 2

2,400	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,550	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,400	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Mill and Overlay approximately 4 miles of SR 795 between the AKZO Plant and SR 69, known as State Project No. MP-1795-44(001) / 304136301, in Lowndes County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

140	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
450	Linear Feet	202-B102	Removal of Guard Rail
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,533	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
18,127	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,297	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
446	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,600	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
8,025	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,322	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,299	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,913	Linear Feet	907-626-H004	Thermoplastic Legend, White
532	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
7,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
7,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Call No. 13 for the May 24, 2011 Letting

Installing Raised Pavement Markers on various routes in District 7, known as State Project No. MP-7000-00(109) / 304084301, in District 7.

PROJECT COMPLETION: October 07, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
16,785 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
21,544 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
17,035 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Construction of a Shop Building for the Materials Laboratory in Jackson, known as State Project Nos. BWO-9718-25(001) / 502350301 & LWO-9023-25(002) / 502350302, in Hinds County.

PROJECT COMPLETION: September 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2	Acre	201-B001	Clearing and Grubbing
2,830	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths Shop Building
992	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
8	Square Yard	202-B035	Removal of Concrete Sidewalk
10	Each	202-B057	Removal of Inlets, All Sizes
10	Each	202-B070	Removal of Sign Including Post & Footing
42	Each	202-B086	Removal of Guard Post
308	Linear Feet	202-B106	Removal of Pipe, All Sizes
245	Linear Feet	202-B232	Removal of Gravity Sewer Line, All Sizes, All Types
1	Each	202-B233	Removal of Gravity Sewer Manhole, All Sizes, All Types
94	Linear Feet	202-B238	Removal of Water Line, All Sizes, All Types
2	Each	202-B259	Removal of Water Meters, All Sizes
14,415	Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
16,968	Cubic Yard	203-G004	Excess Excavation, LVM, AH
220	Cubic Yard	206-A001	Structure Excavation
40	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,399	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1,399	Square Yard	216-B004	Solid Sodding, Bermuda
40	Thousand Gallon	219-A001	Watering
6	Each	230-A017	Shrub Planting, Nellie R. Stevens Holly
34	Each	230-A054	Shrub Planting, Parsoni Juniper
4	Each	230-B012	Tree Planting, Sweetbay Magnolia
2	Ton	233-C002	Straw Mulch, Class II
1,250	Linear Feet	234-A001	Temporary Silt Fence
100	Bale	235-A001	Temporary Erosion Checks
187	Square Yard	503-A009	9" and Variable Reinforced Concrete Pavement, Broom Finish
106	Pounds	602-A001	Reinforcing Steel
78	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
87	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
258	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB002	24" Reinforced Concrete End Section
1	Each	603-SB039	24" Branch Connections, Stub into Inlet
187	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,017	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
175	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
	Lump Sum	699-A001	Roadway Construction Stakes
130	Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly

Call No. 14 for the May 24, 2011 Letting

12	Each	907-230-A033	Shrub Planting, Japanese Cleyera
66	Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
45	Each	907-230-B004	Tree Planting, Burkii Eastern Red Cedar
319	Each	907-230-F001	Shrub and Groundcover Planting, Big Blue Lily Grass Liriope
7	Each	907-234-D001	Inlet Siltation Guard
500	Linear Feet	907-237-A002	Wattles, 12"
	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
	Lump Sum	907-242-PP003	Construction of Shop Building
1,000	Linear Feet	907-246-A001	Sandbags
1,000	Linear Feet	907-246-B001	Rockbags
23	Each	907-258-PP016	Bollard
	Lump Sum	907-282-A019	Automatic Irrigation System
3,637	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
50	Ton	907-307-D001	Lime
902	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
7	Each	907-603-PP001	Grate Inlet
491	Linear Feet	907-607-B003	Barrier Fence, Chain Link Wire, Per Plans
1	Each	907-607-G006	Gate, Barrier Fence, Per Plans
50	Linear Feet	907-625-D001	Traffic Stripe, Continuous Yellow, 4" Width
1,251	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
197	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
180	Linear Feet	907-625-F002	Legend, 4" Equivalent Length
18	Square Feet	907-625-F003	Legend, Blue-ADA
ALTERNATE GROUP AA NO. 1			
1,296	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
348	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
348	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,296	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR