


[Proposal & Plan Sales Will Begin on June 6, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for June – June 28, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JUNE - Tuesday, June 28, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 06, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
-09	STP-0213-00(026) / 102965301	Jones
* 01	STP-0000-06(006) / 106231301	District 6
02	NH-0007-01(077) / 106218301	Alcorn
* 03	NH-0009-03(050) / 106189301	Bolivar
04	STP-0016-03(026) / 106210301	Chickasaw
05	STP-0040-02(032) / 106209301	Itawamba
06	NH-0040-02(033) / 106217301	Itawamba
07	STP-0054-01(053) / 106204301	Lawrence
* 08	STP-0063-03(010) / 106221301	Perry
09	STP-0079-01(031) / 106083301	Clay
* 10	STP-2902-00(013) / 106220301	Jones
* 11	STP-9999-01(007) / 106208301	District 1
* 12	STP-9999-06(012) / 106219301	District 6
* 13	STP-9999-07(005) / 106214301	District 7
14	BR-0037-04(054) / 104800301	Madison
15	MP-7149-16(002) / 304056301	Covington

Grade, Bridge, and Pave SR 590 from US 11 to SR 29, known as Federal Aid Project No. STP-0213-00(026) / 102965301, in Jones County.

PROJECT COMPLETION: July 31, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
526 Linear Feet	202-B064	Removal of Pipe, 8" And Above
5,280 Linear Feet	202-B076	Removal of Traffic Stripe
11,752 Square Yard	202-B078	Removal of Pavement, All Types and Depths
153,810 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
62,159 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
38,532 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
287,432 Cubic Yard	203-G003	Excess Excavation, FM, AH
4,215 Cubic Yard	206-A001	Structure Excavation
89 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
17,526 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
22 Ton	213-C001	Superphosphate
91 Ton	215-A001	Vegetative Materials for Mulch
1,261 Square Yard	216-A001	Solid Sodding
4,597 Square Yard	217-A001	Ditch Liner
6,919 Square Yard	217-A001	Ditch Liner Excelsior Blanket
25 Thousand Gallon	219-A001	Watering
18 Acre	220-A001	Insect Pest Control
20 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
36 Acre	223-A001	Mowing
3,872 Square Yard	224-A001	Soil Reinforcing Mat
7,500 Linear Feet	234-A001	Temporary Silt Fence
2,537 Bale	235-A001	Temporary Erosion Checks
27 Each	236-A004	Silt Basin, Type D
1,645 Linear Feet	239-A001	Temporary Slope Drains
5,067 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9,919 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
5 Mile	423-A001	Rumble Strips, Ground In
86 Linear Feet	501-E001	Expansion Joints, Without Dowels
180 Square Yard	501-K001	Transverse Grooving
187 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
45,665 Pounds	602-A001	Reinforcing Steel
296 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
44 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
68 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
172 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
120 Linear Feet	603-CA093	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
132 Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
108 Linear Feet	603-CA120	72" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
6 Each	603-CB001	18" Reinforced Concrete End Section

Call No. -09 for the June 28, 2011 Letting

2	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
5	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
2	Each	603-CB010	72" Reinforced Concrete End Section
264	Linear Feet	603-CE037	65" x 40" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
64	Linear Feet	603-CE040	51" x 31" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
140	Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
88	Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
2	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
3,371	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
2,148	Linear Feet	609-D016	Combination Concrete Curb and Gutter Type 3 Modified
40	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
3,338	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
146	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,288	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,600	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,288	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,600	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
125	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
76	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
75	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
789	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
480	Linear Feet	619-G4001	Barricades, Type III, Single Faced
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
253	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
39	Each	619-G8001	Warning Lights, Type "C"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
47	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
239	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,596	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
565	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
345	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
80	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
787	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
602	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

Call No. -09 for the June 28, 2011 Letting

22	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
138	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
319	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
	Lump Sum	699-A001	Roadway Construction Stakes
500	Ton	815-A006	Loose Riprap, Size 100
2,037	Ton	815-A009	Loose Riprap, Size 300
338	Ton	815-F002	Sediment Control Stone
46	Acre	907-225-A001	Grassing
130	Ton	907-225-B001	Agricultural Limestone
22	Acre	907-226-A001	Temporary Grassing
17	Acre	907-227-A002	Hydroseeding, Temporary Grassing
1,020	Linear Feet	907-237-A003	Wattles, 20"
480	Linear Feet	907-245-A001	Triangular Silt Dike
440	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
37,613	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
44,049	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
534	Ton	907-307-D001	Lime
23,969	Gallon	907-407-A001	Asphalt for Tack Coat
86	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
297	Cubic Yard	907-601-A001	Class "B" Structural Concrete
27	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
616	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
98	Each	907-617-A001	Right-of-Way Marker
1,869	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,180	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
34,500	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,700	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
35,421	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,180	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,350	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,024	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
551	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,143	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-899-A001	Railway-Highway Provisions Railway Flagger
ALTERNATE GROUP AA NO. 1			
810	Ton	907-308-A001	Portland Cement
90,887	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			
90,887	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
158	Ton	907-311-B001	Lime
2,136	Ton	907-311-C002	Fly Ash, Class C or F
ALTERNATE GROUP BB NO. 1			
7,583	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture

Call No. -09 for the June 28, 2011 Letting

11,374	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
5,895	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
5,895	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
7,583	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
11,374	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture

Bridge Items

7,792	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
1,255	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
10,550	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
7	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
15	Linear Feet	803-N001	Exploration
180	Linear Feet	803-O010	Temporary Casing, 60" Diameter
492,214	Pounds	805-A001	Reinforcement
3,896	Linear Feet	813-A001	Concrete Railing
2,044	Ton	815-A009	Loose Riprap, Size 300
850	Square Yard	815-E001	Geotextile under Riprap
364	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
60	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
3,205	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,431	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,915	Linear Feet	907-804-C028	137' Prestressed Concrete Beam, Type BT-72
1,198	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
7,377	Linear Feet	907-804-C182	112' Prestressed Concrete Beam, Type BT-63

Call No. 01 for the June 28, 2011 Letting

Installing Raised Pavement Markers on various routes throughout District 6, known as Federal Aid Project No. STP-0000-06(006) / 106231301, in District 6.

PROJECT COMPLETION: October 28, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
20,000 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
21,715 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
27,170 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Mill and Overlay approximately 3 miles of US 72 from End of 5 Lane Section to County Road 262, known as Federal Aid Project No. NH-0007-01(077) / 106218301, in Alcorn County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,725	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
7,008	Linear Feet	202-B076	Removal of Traffic Stripe
25	Linear Feet	202-B102	Removal of Guard Rail
4	Each	202-B136	Removal of Guard Rail Terminal End Section
500	Cubic Yard	203-G003	Excess Excavation, FM, AH
114,854	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
200	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,244	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
882	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
624	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
114	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-F002	Delineators, Guard Rail, Yellow
6	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
6	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
3,662	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
11,155	Gallon	907-407-A001	Asphalt for Tack Coat
128	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
200	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
4,580	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,606	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,017	Linear Feet	907-626-H004	Thermoplastic Legend, White
300	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
10,237	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP AA NO. 2	
10,237	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP BB NO. 1	
2,336	Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White

Call No. 02 for the June 28, 2011 Letting

2,336	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
2,336	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
2,336	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,336	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
2,336	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Widening & Overlaying approximately 3 miles of US 61 between SR 446 and Cleveland, known as Federal Aid Project No. NH-0009-03(050) / 106189301, in Bolivar County.

PROJECT COMPLETION: May 01, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

23,000	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
7,000	Cubic Yard	203-G004	Excess Excavation, LVM, AH
34,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
15	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
10	Mile	619-A3006	Temporary Traffic Stripe, Skip White
15	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
7,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
500	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
2,000	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
650	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
710	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,950	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,108	Linear Feet	635-A001	Vehicle Loop Assemblies
500	Cubic Yard	907-304-A002	Granular Material, LVM, Class 5, Group D
11,000	Ton	907-304-F003	3/4" and Down Crushed Stone Base
17,000	Gallon	907-407-A001	Asphalt for Tack Coat
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,900	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
996	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
18,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
15,800	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
12,000	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
12,000	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
18,000	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
15,800	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified

Widen and Overlay approximately 5 miles of SR 8 from the Calhoun County Line to SR 15, known as Federal Aid Project No. STP-0016-03(026) / 106210301, in Chickasaw County.

PROJECT COMPLETION: October 17, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
77,945	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
832	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
428	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
360	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,070	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
12,480	Gallon	907-407-A001	Asphalt for Tack Coat
11	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
622	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
210	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
428	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
11,356	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,025	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
11,356	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
2,025	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Milling and overlaying approximately 12 miles of SR 25 between Fairview and the Tishomingo County Line, known as Federal Aid Project No. STP-0040-02(032) / 106209301, in Itawamba County.

PROJECT COMPLETION: November 04, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
750	Cubic Yard	203-G003	Excess Excavation, FM, AH
196,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
960	Linear Feet	609-B001	Concrete Curb, Header
210	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
37	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,300	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
19,500	Gallon	907-407-A001	Asphalt for Tack Coat
26	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,700	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
19,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,500	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
19,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
4,500	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Mill and Overlay approximately 3 miles of US 78, known as Federal Aid Project No. NH-0040-02(033) / 106217301, in Itawamba County.

PROJECT COMPLETION: October 28, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,250	Linear Feet	202-B076	Removal of Traffic Stripe
850	Cubic Yard	203-G004	Excess Excavation, LVM, AH
158,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,900	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
170	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
75,177	Linear Feet	907-403-S003	Joint Sealant
18,500	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
ALTERNATE GROUP AA NO. 1			
550	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
550	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
550	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP AA NO. 2			
550	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
550	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
550	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP BB NO. 1			
300	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
19,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
300	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
19,000	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Widen and Overlay approximately 12 miles on SR 27 from the Walthall County Line to SR 184 at the Monticello Bypass, known as Federal Aid Project No. STP-0054-01(053) / 106204301, in Lawrence County.

PROJECT COMPLETION: November 11, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

125	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
375	Linear Feet	202-B076	Removal of Traffic Stripe
300	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,650	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
23	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
4	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
9,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,125	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
3,150	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
15,607	Gallon	907-407-A001	Asphalt for Tack Coat
24	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,550	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
22,408	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
600	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
22,408	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
600	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Widen and Overlay approximately 6 miles of SR 42 from the JCT of SR 15 East to the Perry/Greene County Line, known as Federal Aid Project No. STP-0063-03(010) / 106221301, in Perry County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2,760	Linear Feet	202-B076	Removal of Traffic Stripe
1,500	Square Yard	202-B078	Removal of Pavement, All Types and Depths
4,250	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
250	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
45	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
10	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,350	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
420	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
800	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
600	Linear Feet	635-A001	Vehicle Loop Assemblies
3,300	Cubic Yard	907-304-G001	Size 825B Crushed Stone Base, AEA
10,000	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
880	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,320	Linear Feet	907-626-H004	Thermoplastic Legend, White
40	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

800	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
8,200	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
10,200	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

8,200	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
800	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
10,200	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Mill and Overlay approximately 6 miles of US 45A from the Lowndes County Line to Church Hill Road, known as Federal Aid Project No.STP-0079-01(031) / 106083301, in Clay County.

PROJECT COMPLETION: October 21, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

750	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
7,803	Linear Feet	202-B076	Removal of Traffic Stripe
525	Linear Feet	202-B102	Removal of Guard Rail
250	Cubic Yard	203-G003	Excess Excavation, FM, AH
190,817	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
200	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Each	606-D008	Guard Rail, Bridge End Section, Type H
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
46,922	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,464	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
88	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
810	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
78	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
28	Each	630-F002	Delineators, Guard Rail, Yellow
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10,500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
19,082	Gallon	907-407-A001	Asphalt for Tack Coat
224	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
10,831	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,630	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
732	Linear Feet	907-626-H004	Thermoplastic Legend, White
66	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
17,500	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP AA NO. 2
17,500	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP BB NO. 1
3,468	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White

Call No. 09 for the June 28, 2011 Letting

3,468	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
3,468	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP BB NO. 2			
3,468	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,468	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
3,468	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Overlay approximately 8 miles of US 11 from 18th Street to Sandersville Heidelberg Road, known as Federal Aid Project No. STP-2902-00(013) / 106220301, in Jones County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4	Each	202-B043	Removal of Guard Rail Bridge End Section
708	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
3,004	Linear Feet	202-B076	Removal of Traffic Stripe
1,228	Square Yard	202-B078	Removal of Pavement, All Types and Depths
4	Each	202-B136	Removal of Guard Rail Terminal End Section
25,705	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12	Mile	423-A001	Rumble Strips, Ground In
708	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
360	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
8	Each	613-D004	Adjustment of Inlet
6	Each	613-D010	Adjustment of Manhole Cover and Water Valve
64	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
21	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,180	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,304	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
507	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,054	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
2	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
3,476	Ton	907-304-F001	Size 825 Crushed Stone Base
13,160	Gallon	907-407-A001	Asphalt for Tack Coat
42,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,848	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,754	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,352	Linear Feet	907-626-H004	Thermoplastic Legend, White
255	Square Feet	907-626-H005	Thermoplastic Legend, White
224	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
168	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
512	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans

Call No. 10 for the June 28, 2011 Letting

ALTERNATE GROUP AA NO. 1

122 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
12,992 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
9,783 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

12,992 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
122 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
9,783 Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Call No. 11 for the June 28, 2011 Letting

Installation of Raised Pavement Markers on various routes District Wide, known as Federal Aid Project No. STP-9999-01(007) / 106208301, in District 1.

PROJECT COMPLETION: June 10, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
39,413 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
65,988 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Chip Seal on various routes District Wide, known as Federal Aid Project No. STP-9999-06(012) / 106219301, in District 6.

PROJECT COMPLETION: October 14, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

337,101	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
9,413	Cubic Yard	410-C002	Seal Aggregate Cover Material, Size 89, Stone
2,807	Cubic Yard	410-C012	Seal Aggregate Cover Material, Size 7, Limestone
40	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
120	Each	619-F3004	Delineators, Guard Rail, White
9,976	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
9,976	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Chip seal on various routes District Wide, known as Federal Aid Project No. STP-9999-07(005) / 106214301, in District 7.

PROJECT COMPLETION: October 14, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,800	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1,970	Linear Feet	202-B076	Removal of Traffic Stripe
7	Each	202-B086	Removal of Guard Post
127,002	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,125	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D008	Guard Rail, Bridge End Section, Type H
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
35	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5	Mile	625-B002	Traffic Stripe, Skip Yellow
45	Mile	625-C002	Traffic Stripe, Continuous White
20	Mile	625-D002	Traffic Stripe, Continuous Yellow
6,997	Linear Feet	625-E001	Detail Traffic Stripe
3,644	Linear Feet	625-F002	Legend
1,971	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
990	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,971	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
124	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,098	Cubic Yard	410-C003	Seal Aggregate Cover Material, Size 7, Stone

Replacement of 2 Bridges on SR 43 at the Canton South Bypass, known as Federal Aid Project No. BR-0037-04(054) / 104800301, in Madison County.

PROJECT COMPLETION: August 24, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
9,387 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
62 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
65 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4,000 Linear Feet	202-B076	Removal of Traffic Stripe
840 Linear Feet	202-B102	Removal of Guard Rail
25,639 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
46,151 Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
11,873 Cubic Yard	203-G003	Excess Excavation, FM, AH
18 Cubic Yard	206-A001	Structure Excavation
1,828 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10 Ton	213-C001	Superphosphate
39 Ton	215-A001	Vegetative Materials for Mulch
69 Square Yard	216-A001	Solid Sodding
50 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
8 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
4,800 Linear Feet	234-A001	Temporary Silt Fence
250 Bale	235-A001	Temporary Erosion Checks
144 Linear Feet	239-A001	Temporary Slope Drains
400 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In
197 Linear Feet	501-E001	Expansion Joints, Without Dowels
414 Square Yard	501-K001	Transverse Grooving
426 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
20 Linear Feet	503-C007	Saw Cut, Full Depth
220 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2 Each	603-CB002	24" Reinforced Concrete End Section
800 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I
8 Each	606-E002	Guard Rail, Terminal End Section, Flared
924 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
75 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
80 Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
28 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
91 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch

Call No. 14 for the June 28, 2011 Letting

	Lump Sum	618-A001	Maintenance of Traffic
3,900	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,900	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
116	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
218	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
312	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
73	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
61	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
394	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
	Lump Sum	699-A001	Roadway Construction Stakes
300	Ton	815-A006	Loose Riprap, Size 100
1,547	Ton	815-A009	Loose Riprap, Size 300
2,300	Square Yard	815-E001	Geotextile under Riprap
700	Ton	815-F002	Sediment Control Stone
19	Acre	907-225-A001	Grassing
58	Ton	907-225-B001	Agricultural Limestone
10	Acre	907-226-A001	Temporary Grassing
4,800	Linear Feet	907-237-A003	Wattles, 20"
100	Ton	907-249-A001	Riprap for Erosion Control
50	Cubic Yard	907-249-B001	Remove and Reset Riprap
4,265	Ton	907-304-B001	Granular Material, Class 5, Group C
7,872	Ton	907-304-B005	Granular Material, Class 9, Group C
1,125	Ton	907-304-F003	3/4" and Down Crushed Stone Base
5,597	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
76	Ton	907-307-D001	Lime
1,263	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
280	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
21	Each	907-617-A001	Right-of-Way Marker
120	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
925	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,898	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,721	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
226	Linear Feet	907-626-H004	Thermoplastic Legend, White
154	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
357	Ton	907-308-A001	Portland Cement

Call No. 14 for the June 28, 2011 Letting

35,198	Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
			ALTERNATE GROUP AA NO. 2
35,198	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
267	Ton	907-311-B001	Lime
1,020	Ton	907-311-C002	Fly Ash, Class C or F
			ALTERNATE GROUP BB NO. 1
2,490	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
3,578	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
2,128	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
2,490	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
2,128	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
3,578	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
960	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
949	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
78	Linear Feet	628-O001	High Performance Cold Plastic Detail Stripe, White
398	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
38	Square Feet	628-P001	High Performance Cold Plastic Legend, White
			ALTERNATE GROUP CC NO. 2
38	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
960	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
949	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
78	Linear Feet	907-626-M001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
398	Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
			Bridge Items
2,061	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
5,955	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
156,205	Pounds	805-A001	Reinforcement
806	Linear Feet	813-A001	Concrete Railing
1,034	Ton	815-A009	Loose Riprap, Size 300
722	Square Yard	815-E001	Geotextile under Riprap
318	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
533	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
2,783	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2

Mill and Overlay approximately 3 miles of SR 149 North of the Intersection of US 49 & SR 149 to Mount Olive, known as State Project No. MP-7149-16(002) / 304056301, in Covington County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

13	Square Yard	202-B035	Removal of Concrete Sidewalk
240	Cubic Yard	203-G004	Excess Excavation, LVM, AH
19,710	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4	Mile	423-A001	Rumble Strips, Ground In
22	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,096	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,060	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
867	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
727	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,145	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
5,213	Gallon	907-407-A001	Asphalt for Tack Coat
24,291	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
720	Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
720	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
7,851	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,040	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
3,820	Linear Feet	907-626-H004	Thermoplastic Legend, White
126	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
6,563	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
309	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
6,563	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
309	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR