


[Proposal & Plan Sales Will Begin on July 4, 2011](#)



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date for July – July 26, 2011**



**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
**NOTICE TO CONTRACTORS**  
**LETTING DATE FOR JULY - Tuesday, July 26, 2011**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at [www.gomdot.com](http://www.gomdot.com)

**PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 04, 2011**

Proposals must be purchased from:

Contract Administration Engineer  
MDOT Administration Building  
401 North West Street  
Jackson, MS 39201

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7744  
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop  
MDOT Shop Complex, Building C, Room 114  
2567 North West Street  
Jackson, MS 39216

(or)

P.O. Box 1850  
Jackson, MS 39215-1850  
Telephone: (601) 359-7460  
or FAX: (601) 359-7461  
or e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR JULY**

CALL	CONTRACT	COUNTY
* 01	NH-0007-01(076) / 106159301	Marshall
* 02	STP-0022-02(051) / 106207301	Neshoba
03	HSIP-0064-01(028) / 105961301	Harrison
* 04	NH-0070-04(016) / 106160301	Lafayette
* 05	STP-2170-00(023) / 106222301	Forrest
* 06	STP-9324-00(001) / 106200301	Coahoma
07	BWO-9718-25(001) / 502350301 & LWO-9023-25(002) / 502350302	Hinds

Widen and Overlay approximately 12 miles of US 72 from beginning of 4-lane to Benton County line, known as Federal Aid Project No. NH-0007-01(076) / 106159301, in Marshall County.

PROJECT COMPLETION: June 08, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

1,944	Linear Feet	202-B076	Removal of Traffic Stripe
300	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
80,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
42	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
56	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
56	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
48	Mile	619-A3006	Temporary Traffic Stripe, Skip White
89,774	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,235	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
2,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
38,400	Ton	907-304-B009	Granular Material, Class 3, Group D
89,227	Gallon	907-407-A001	Asphalt for Tack Coat
24	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
28	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
703	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
16,364	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
24	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
28,846	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
30,464	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,235	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
6,630	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
8,050	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
34,900	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
10,800	Ton	907-403-E003	Hot Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified, Leveling
ALTERNATE GROUP AA NO. 2			
6,630	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
8,050	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
34,900	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
10,800	Ton	907-403-Q004	Warm Mix Asphalt, HT, 4.75-mm mixture, Polymer Modified, Levling
ALTERNATE GROUP BB NO. 1			
648	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
648	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
648	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
648	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

Call No. 01 for the July 26, 2011 Letting

648	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
648	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Call No. 02 for the July 26, 2011 Letting

Mill and Overlay approximately 13 miles of SR 15 from Newton County Line to beginning of 4-Lane at Philadelphia, known as Federal Aid Project No. STP-0022-02(051) / 106207301, in Neshoba County.

PROJECT COMPLETION: November 18, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

800	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,000	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
100	Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
231,407	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
36,300	Gallon	409-B001	Asphalt Cement for Fabric Underseal
26	Mile	423-A001	Rumble Strips, Ground In
900	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
20,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,064	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
292	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
600	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
21,000	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
38,300	Gallon	907-407-A001	Asphalt for Tack Coat
90,580	Square Yard	907-409-A001	Geotextile Fabric For Underseal
21,900	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
25	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
25,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
6,500	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,800	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
17,901	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
9,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
8,000	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
17,901	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
9,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
8,000	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Installing a traffic signal on SR 67 at Licksillet Rd., known as Federal Aid Project No. HSIP-0064-01(028) / 105961301, in Harrison County.

PROJECT COMPLETION: February 28, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
72	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
108	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1,068	Linear Feet	635-A001	Vehicle Loop Assemblies
3,243	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A045	Traffic Signal Heads, Type 3L, LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
4	Each	644-A001	Optical Detector
913	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
4	Each	647-A001	Pullbox, Type 1
1	Each	647-A002	Pullbox, Type 3
3	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1,840	Linear Feet	666-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4Conductor
969	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
247	Linear Feet	666-B032	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
1,500	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
361	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
381	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
340	Linear Feet	907-626-H004	Thermoplastic Legend, White
1	Each	907-637-A001	Equipment Cabinet, Type B
1	Each	907-639-A090	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' & 55'Arms
1	Each	907-639-A091	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' & 55'Arms
8	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
30	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
4	Each	907-645-B001	Be Prepared to Stop When Flashing Assembly
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type

Mill and Overlay approximately 10 miles of US 278 / SR 6 in Busbyville East of Denmark Road to the Pontotoc County Line, known as Federal Aid Project No. NH-0070-04(016) / 106160301, in Lafayette County.

PROJECT COMPLETION: June 29, 2012

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

3,696	Linear Feet	202-B076	Removal of Traffic Stripe
200	Square Yard	202-B078	Removal of Pavement, All Types and Depths
200	Cubic Yard	203-G003	Excess Excavation, FM, AH
600	Cubic Yard	203-G004	Excess Excavation, LVM, AH
323,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
38	Mile	423-A001	Rumble Strips, Ground In
165	Linear Feet	503-C007	Saw Cut, Full Depth
560	Each	606-B025	Guard Rail, Replace Metal Blockout
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
35	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
38	Mile	619-A3006	Temporary Traffic Stripe, Skip White
141,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
2,700	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
225	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
13	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
19,950	Ton	907-304-B009	Granular Material, Class 3, Group D
65,316	Gallon	907-407-A001	Asphalt for Tack Coat
19	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
33,650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
37,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,400	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
51,945	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
5,595	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
150	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
51,945	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
5,595	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
150	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 1			
1,250	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,250	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,250	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			

Call No. 04 for the July 26, 2011 Letting

1,250	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,250	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,250	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Mill and Overlay approximately 5 miles of US 11 from the Lamar County Line to Lincoln Road, known as Federal Aid Project No. STP-2170-00(023) / 106222301, in Forrest County.

PROJECT COMPLETION: November 30, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

556	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
13,000	Linear Feet	202-B076	Removal of Traffic Stripe
50	Square Yard	202-B078	Removal of Pavement, All Types and Depths
37,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,760	Linear Feet	413-B001	Cleaning and Sealing Joints
12	Mile	423-A001	Rumble Strips, Ground In
175	Linear Feet	501-D001	Expansion Joints, With Dowels
75	Linear Feet	501-I001	Joint Filler, Wooden Board
556	Square Yard	503-A009	9" and Variable Reinforced Concrete Pavement, Broom Finish
373	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
155	Linear Feet	503-C006	Saw Cut, 9-inch
88	Each	503-E001	Tie Bars, No. 4 Deformed Drilled and Epoxied or Grouted
183	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
55	Each	503-F001	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
110	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,200	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
350	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,165	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
950	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-F002	Delineators, Guard Rail, Yellow
10	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
10	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2,136	Linear Feet	635-A001	Vehicle Loop Assemblies
1,600	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
10,800	Gallon	907-407-A001	Asphalt for Tack Coat
5,910	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
25,946	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
25,825	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 05 for the July 26, 2011 Letting

3,810	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,280	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
120	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
14,040	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
7,400	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
14,040	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
120	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
7,400	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Mill and Overlay approximately 2 miles of US 161 from centerline of US 61 to the Sunflower River bridge, known as Federal Aid Project No. STP-9324-00(001) / 106200301, in Coahoma County.

PROJECT COMPLETION: November 11, 2011

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

50	Square Yard	202-B078	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G003	Excess Excavation, FM, AH
67,015	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
40	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,000	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
15,841	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
935	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
1,025	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
886	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,576	Linear Feet	635-A001	Vehicle Loop Assemblies
2,000	Ton	907-304-B009	Granular Material, Class 3, Group D
6,500	Gallon	907-407-A001	Asphalt for Tack Coat
2	Each	907-619-E3001	Changeable Message Sign
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4,000	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
10,421	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,420	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
935	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

2,920	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
7,433	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

ALTERNATE GROUP AA NO. 2

2,920	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
7,433	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Construction of a Shop Building for the Materials Laboratory in Jackson, known as State Project Nos. BWO-9718-25(001) / 502350301 & LWO-9023-25(002) / 502350302, in Hinds County.

PROJECT COMPLETION: January 31, 2013

**Advance Information Only - Items and Quantities Subject to Change**

**Roadway Items**

2 Acre	201-B001	Clearing and Grubbing
2,830 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths Shop Building
992 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
8 Square Yard	202-B035	Removal of Concrete Sidewalk
10 Each	202-B057	Removal of Inlets, All Sizes
10 Each	202-B070	Removal of Sign Including Post & Footing
42 Each	202-B086	Removal of Guard Post
308 Linear Feet	202-B106	Removal of Pipe, All Sizes
245 Linear Feet	202-B232	Removal of Gravity Sewer Line, All Sizes, All Types
1 Each	202-B233	Removal of Gravity Sewer Manhole, All Sizes, All Types
94 Linear Feet	202-B238	Removal of Water Line, All Sizes, All Types
2 Each	202-B259	Removal of Water Meters, All Sizes
14,415 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
16,968 Cubic Yard	203-G004	Excess Excavation, LVM, AH
220 Cubic Yard	206-A001	Structure Excavation
40 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,399 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
1,399 Square Yard	216-B004	Solid Sodding, Bermuda
40 Thousand Gallon	219-A001	Watering
2 Ton	233-C002	Straw Mulch, Class II
1,250 Linear Feet	234-A001	Temporary Silt Fence
100 Bale	235-A001	Temporary Erosion Checks
106 Pounds	602-A001	Reinforcing Steel
78 Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
87 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
258 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-SB039	24" Branch Connections, Stub into Inlet
187 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,017 Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
175 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	620-A001	Mobilization
130 Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
6 Each	907-230-A019	Shrub Planting, Nellie R. Stevens Holly
12 Each	907-230-A033	Shrub Planting, Japanese Cleystera
34 Each	907-230-A044	Shrub Planting, Parsons Juniper
66 Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
45 Each	907-230-B004	Tree Planting, Burkii Eastern Red Cedar

Call No. 07 for the July 26, 2011 Letting

4	Each	907-230-B032	Tree Planting, Sweetbay Magnolia
319	Each	907-230-F001	Shrub and Groundcover Planting, Big Blue Lily Grass Liriope
7	Each	907-234-D001	Inlet Siltation Guard
500	Linear Feet	907-237-A002	Wattles, 12"
	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
	Lump Sum	907-242-PP003	Construction of Shop Building
1,000	Linear Feet	907-246-A001	Sandbags
1,000	Linear Feet	907-246-B001	Rockbags
23	Each	907-258-PP016	Bollard
	Lump Sum	907-282-A019	Automatic Irrigation System
3,637	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
50	Ton	907-307-D001	Lime
902	Gallon	907-407-A001	Asphalt for Tack Coat
187	Square Yard	907-501-A003	9" Reinforced Cement Concrete Pavement, Broom Finish
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
7	Each	907-603-PP001	Grate Inlet
491	Linear Feet	907-607-B003	Barrier Fence, Chain Link Wire, Per Plans
1	Each	907-607-G006	Gate, Barrier Fence, Per Plans
50	Linear Feet	907-625-D001	Traffic Stripe, Continuous Yellow, 4" Width
1,251	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
197	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
180	Linear Feet	907-625-F002	Legend, 4" Equivalent Length
18	Square Feet	907-625-F003	Legend, Blue-ADA
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
1,296	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
348	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
348	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,296	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at [www.gomdot.com](http://www.gomdot.com).

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH  
INTERIM EXECUTIVE DIRECTOR