

[Proposal & Plan Sales Will Begin on August 1, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for August – August 23, 2011

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR AUGUST - Tuesday, August 23, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 01, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	IM-0020-01(195) / 105927301, IM-0020-01(195) / 105927302, & IM-0020-01(195) / 105927303	Rankin & Hinds
02	NH-0007-01(077) / 106218301	Alcorn
03	NH-0040-02(033) / 106217301	Itawamba
04	BR-0921-00(017) / 103317302	Marshall

Slide Repair of various locations on I-20, known as Federal Aid Project Nos. IM-0020-01(195) / 105927301, 302, & 303, in Hinds & Rankin Counties.

PROJECT COMPLETION: May 18, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,700	Square Yard	202-B036	Removal of Concrete Slope Paving
1	Each	202-B056	Removal of High Mast Lighting Foundation
7,940	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
5,550	Cubic Yard	203-G003	Excess Excavation, FM, AH
681	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
4	Ton	215-A001	Vegetative Materials for Mulch
487	Square Yard	216-A001	Solid Sodding
1,000	Square Yard	217-A001	Ditch Liner
10	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
7	Acre	223-A001	Mowing
1,000	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
87	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
528	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
96	Linear Feet	619-G4005	Barricades, Type III, Double Faced
26	Each	619-G5001	Free Standing Plastic Drums
2	Unit	619-J1004	Impact Attenuator, 70 MPH
	Lump Sum	620-A001	Mobilization
3,125	Square Feet	802-C002	Temporary Steel Sheet Piling
171	Cubic Yard	815-D001	Concrete Slope Paving
4	Acre	907-225-A001	Grassing
7	Ton	907-225-B001	Agricultural Limestone
3	Acre	907-226-A001	Temporary Grassing
1,000	Linear Feet	907-237-A003	Wattles, 20"
200	Each	907-246-B002	Rockbags
5,856	Linear Feet	907-803-PP001	Pipe Piling

Mill and Overlay approximately 3 miles of US 72 from End of 5 Lane Section to County Road 262, known as Federal Aid Project No. NH-0007-01(077) / 106218301, in Alcorn County.

PROJECT COMPLETION: March 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,725	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
7,008	Linear Feet	202-B076	Removal of Traffic Stripe
25	Linear Feet	202-B102	Removal of Guard Rail
4	Each	202-B136	Removal of Guard Rail Terminal End Section
500	Cubic Yard	203-G003	Excess Excavation, FM, AH
114,854	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3006	Temporary Traffic Stripe, Skip White
200	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,244	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
882	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
624	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
114	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F001	Delineators, Guard Rail, White
16	Each	630-F002	Delineators, Guard Rail, Yellow
6	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
6	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
8	Each	630-F005	Delineators, Flexible Post Mounted, Crossover, Type II
3,662	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
11,155	Gallon	907-407-A001	Asphalt for Tack Coat
128	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
200	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
4,580	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,606	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,017	Linear Feet	907-626-H004	Thermoplastic Legend, White
300	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
10,237	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP AA NO. 2	
10,237	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
		ALTERNATE GROUP BB NO. 1	
2,336	Linear Feet	628-A001	6" Cold Plastic Traffic Stripe, Skip White

Call No. 02 for the August 23, 2011 Letting

2,336	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
2,336	Linear Feet	628-E002	6" Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
2,336	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,336	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,336	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Mill and Overlay approximately 3 miles of US 78, known as Federal Aid Project No. NH-0040-02(033) / 106217301, in Itawamba County.

PROJECT COMPLETION: April 23, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,000	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,250	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Cubic Yard	203-G004	Excess Excavation, LVM, AH
158,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,900	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
170	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
75,177	Linear Feet	907-403-S003	Joint Sealant
18,500	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
ALTERNATE GROUP AA NO. 1			
550	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
550	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
550	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP AA NO. 2			
550	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
550	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
550	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 1			
300	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
19,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
300	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
19,000	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Replace Bridge No. 18.3 on SR 349 south of Potts Camp, known as Federal Aid Project No. BR-0921-00(017) / 103317302, in Marshall County.

PROJECT COMPLETION: October 12, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
6,194 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
161 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1 Mile	202-B149	Removal of Traffic Stripe
9,250 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
18,852 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
9,666 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,480 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
6 Ton	213-C001	Superphosphate
36 Square Yard	216-A001	Solid Sodding
588 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
4 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
544 Square Yard	224-A001	Soil Reinforcing Mat
3,800 Linear Feet	234-A001	Temporary Silt Fence
4 Each	236-A004	Silt Basin, Type D
180 Linear Feet	239-A001	Temporary Slope Drains
100 Ton	310-B003	Size I Stabilizer Aggregate, Coarse
800 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,867 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
1 Mile	423-A001	Rumble Strips, Ground In
94 Linear Feet	501-E001	Expansion Joints, Without Dowels
198 Square Yard	501-K001	Transverse Grooving
205 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
120 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
72 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
2 Each	603-CB006	48" Reinforced Concrete End Section
228 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
20 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
21 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
21 Ton	605-Y002	Impervious Material, Type D
425 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D012	Guard Rail, Bridge End Section, Type I
4 Each	606-E002	Guard Rail, Terminal End Section, Flared
40 Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
Lump Sum	618-A001	Maintenance of Traffic

Call No. 04 for the August 23, 2011 Letting

	Lump Sum	618-C001	Construction & Removal of Detour Bridge
13,376	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
13,708	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2,872	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
352	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
502	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
103	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
332	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
96	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
37	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-K2003	Installation and Removal of Guard Rail, Type "H" Bridge EndSection
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
35	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F001	Delineators, Guard Rail, White
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
84	Ton	815-A006	Loose Riprap, Size 100
13,950	Ton	815-A009	Loose Riprap, Size 300
16,843	Square Yard	815-E001	Geotextile under Riprap
100	Ton	815-F002	Sediment Control Stone
16	Acre	907-225-A001	Grassing
36	Ton	907-225-B001	Agricultural Limestone
16	Acre	907-226-A001	Temporary Grassing
400	Linear Feet	907-234-C002	Super Silt Fence
100	Linear Feet	907-234-F001	Turbidity Barrier
270	Linear Feet	907-237-A003	Wattles, 20"
12	Linear Feet	907-245-A001	Triangular Silt Dike
90	Linear Feet	907-246-A001	Sandbags
10,495	Ton	907-304-B009	Granular Material, Class 3, Group D
1,488	Ton	907-304-F002	Size 610 Crushed Stone Base
1,276	Gallon	907-407-A001	Asphalt for Tack Coat
88	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
96	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
150	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
150	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
12	Each	907-617-A001	Right-of-Way Marker
4,588	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,588	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
176	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
251	Linear Feet	907-626-H004	Thermoplastic Legend, White
63	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 04 for the August 23, 2011 Letting

Lump Sum	907-699-A002	Roadway Construction Stakes
		ALTERNATE GROUP AA NO. 1
1,433 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
437 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
1,091 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
70 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
		ALTERNATE GROUP AA NO. 2
1,091 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,433 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
437 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
70 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
		ALTERNATE GROUP BB NO. 1
760 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
760 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
		ALTERNATE GROUP BB NO. 2
760 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
760 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
		Bridge Items
1,689 Square Yard	501-K001	Transverse Grooving
1 Each	803-B002	Conventional Static Pile Load Test
5,490 Linear Feet	803-D003	HP 14 x 73 Steel Piling
4 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
134,906 Pounds	805-A001	Reinforcement
763 Linear Feet	813-A001	Concrete Railing
913 Ton	815-A009	Loose Riprap, Size 300
915 Square Yard	815-E001	Geotextile under Riprap
218 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
473 Cubic Yard	907-804-A012	Bridge Concrete, Class BD
1,652 Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
599 Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR