

## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

|                       |                         |                    |             |
|-----------------------|-------------------------|--------------------|-------------|
| ADDENDUM NO. <u>1</u> | DATED <u>10/18/2011</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. _____    | DATED _____             | ADDENDUM NO. _____ | DATED _____ |

| Number | Description                                                                                                                                                                        |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | Revised Table of Contents, replace same; Add NTB No. 3655, Add NTB 3666; Revise Bid Sheets, replace same; Revised or Added Plan Sheet Nos. 2, 10; Amendment EBS Download Required. |

TOTAL ADDENDA: 1  
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
Contractor

BY \_\_\_\_\_  
Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

|                    |                  |
|--------------------|------------------|
| _____<br>President | _____<br>Address |
| _____<br>Secretary | _____<br>Address |
| _____<br>Treasurer | _____<br>Address |

The following is my (our) itemized proposal.

Revised 09/21/2005

HSIP-0014-03(062) / 105941301

George County(ies)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

**PROJECT: HSIP-0014-03(062) / 105941301 – George County**

901--Advertisement

904--Notice to Bidders:      Governing Specifications - # 1  
                                         Gopher Tortoises - # 151  
                                         Fiber Reinforced Concrete - # 640  
                                         Disadvantaged Business Enterprise, w/ supplement - # 696  
                                         Payroll Requirements - # 883  
                                         Non-Use of Precast Drainage Units - # 1322  
                                         Errata & Modifications to 2004 Standard Specifications - # 1405  
                                         Safety Apparel - # 1808  
                                         Federal Bridge Formula - # 1928  
                                         Department of Labor Ruling - # 2239  
                                         Status of ROW w/ attachments - # 2382  
                                         DBE Forms, Participation and Payment - # 2596  
                                         Non-Quality Control / Quality Assurance Concrete - # 2818  
                                         Petroleum Products Base Price - # 2858  
                                         Reduced Speed Limit Signs - # 2937  
                                         Alternate Asphalt Mixture Bid Items - # 3039  
                                         Storm Water Discharge Associated w/Construction Activities  
                                              ( $\geq 1$  and  $\leq 5$  Acres) - # 3067  
                                         Temporary Traffic Paint - # 3131  
                                         Warm Mix Asphalt (WMA) - # 3242  
                                         DUNS Requirement for Federal Funded Projects - # 3414  
                                         Questions Regarding Bidding - # 3425  
                                         Safety Edge - # 3585  
                                         Additional Erosion Control Requirements - # 3612  
                                         Contract Time - # 3629  
                                         Specialty Items - # 3630  
                                         Type III Barricade Rails - # 3655  
                                         Plan Corrections - # 3666

906-            :    FHWA 1273, with Supplement, Executive Order, & Wage Rates

907-101-4:    Definitions  
907-102-8:    Bidding Requirements and Conditions  
907-103-8:    Award and Execution of Contract  
907-104-4:    Disposal of Materials  
907-105-6:    Control of Work, w/ supplement  
907-107-9:    Legal Relations & Responsibility to Public, w/ supplement  
907-107-10:   Contractor's Erosion Control Plan, w/supplement  
907-108-24:   Prosecution and Progress

- CONTINUED ON NEXT PAGE -

907-109-5: Measurement and Payment  
907-110-2: Wage Rates  
907-225-2: Grassing  
907-226-2: Temporary Grassing  
907-227-9: Hydroseeding  
907-237-3: Wattles  
907-249-1: Riprap for Erosion Control  
907-304-12: Granular Courses  
907-401-2: Hot Mix Asphalt (HMA) w/Supplement  
907-401-4: Warm Mix Asphalt (WMA) w/Supplement  
907-403-4: Hot Mix Asphalt (HMA) w/Supplement  
907-403-9: Warm Mix Asphalt (WMA) w/Supplement  
907-407-1: Tack Coat  
907-601-1: Structural Concrete  
907-618-4: Placement of Temporary Traffic Stripe  
907-626-15: Thermoplastic Traffic Markings  
907-626-22: Double Drop Thermoplastic Markings  
907-699-2: Construction Stakes  
907-701-4: Hydraulic Cement  
907-703-9: Aggregates, w/Supplement  
907-710-1: Fast Dry Solvent Traffic Paint  
907-711-4: Synthetic Structural Fiber reinforcement  
907-713-2: Admixtures for concrete  
907-714-6: Miscellaneous Materials  
907-715-3: Roadside Development Materials  
907-720-1: Pavement Marking Materials  
907-804-13: Concrete Bridges and Structures

**SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS**

**COMBINATION BID PROPOSAL**

**CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS**

**CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION**

**SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS  
FORM -- OCR-485**

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3655

CODE: (SP)

DATE: 10/04/2011

SUBJECT: Type III Barricade Rails

Bidders are advised that the use of 2-inch nominal thickness timber for rails on Type III barricades has not been approved by NCHRP as a crashworthy device. Therefore, the use of 2-inch nominal thickness timbers will not be allowed for rails on Type III Barricades. Timber rails for Type III Barricades shall be as follows.

- For barricades up to four feet (4') wide, the maximum thickness of timber rails shall be one inch (1") and the material shall be pine timber or ¾-inch ACX plywood.
- For barricades more than four feet (4') wide, timber rails shall be constructed of ¾-inch ACX plywood.

A list of crashworthy Type III Barricades can be found at the below FHWA website.

[http://safety.fhwa.dot.gov/roadway\\_dept/policy\\_guide/road\\_hardware/wzd/](http://safety.fhwa.dot.gov/roadway_dept/policy_guide/road_hardware/wzd/)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 3666**

**CODE: (SP)**

**DATE: 10/18/2011**

**SUBJECT: PLAN CORRECTIONS**

**PROJECT: HSIP-0014-03(062) / 105941301 -- George County**

Bidders are hereby advised that the summary of quantities listed in the plans is different than the ones in the bid schedules. The descriptions and quantities listed in the bid sheets are **CORRECT**. Bidders are advised to bid the pay item for Granular Material, Class 9, Group C, as LVM **not** AEA.

Intersection Improvements on US 98 East at MS 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.

I (We) agree to complete the entire project within the specified contract time.

\*\*\* SPECIAL NOTICE TO BIDDERS \*\*\*

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.  
BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

\*\*\*BID SCHEDULE\*\*\*

| Line No.      | Item Code | Adj Code | Quantity | Units       | Description                                              | Unit Price |     | Item Amount |    |
|---------------|-----------|----------|----------|-------------|----------------------------------------------------------|------------|-----|-------------|----|
|               |           |          |          |             |                                                          | Dollar     | Ct  | Dollar      | Ct |
| Roadway Items |           |          |          |             |                                                          |            |     |             |    |
| 0010          | 201-A001  |          | 1        | Lump Sum    | Clearing and Grubbing                                    | XXXXXXXXXX | XXX |             |    |
| 0020          | 202-B005  |          | 506      | Square Yard | Removal of Asphalt Pavement, All Depths                  |            |     |             |    |
| 0030          | 202-B024  |          | 20       | Square Yard | Removal of Concrete Median & Island Pavement, All Depths |            |     |             |    |
| 0040          | 202-B076  |          | 500      | Linear Feet | Removal of Traffic Stripe                                |            |     |             |    |
| 0050          | 202-B093  |          | 117      | Linear Feet | Removal of Curb & Gutter, All Types                      |            |     |             |    |
| 0060          | 203-A003  | (E )     | 300      | Cubic Yard  | Unclassified Excavation, FM, AH                          |            |     |             |    |
| 0070          | 203-EX013 | (E )     | 4,071    | Cubic Yard  | Borrow Excavation, AH, FME, Class B7                     |            |     |             |    |
| 0080          | 209-A004  |          | 2,150    | Square Yard | Geotextile Stabilization, Type V, Non-Woven              |            |     |             |    |

Section 905  
Proposal (Sheet 2 - 2)

HSIP-0014-03(062) / 105941301  
George County

| Line No. | Item Code                    | Adj Code | Quantity | Units       | Description                                     | Unit Price        | Bid Amount |
|----------|------------------------------|----------|----------|-------------|-------------------------------------------------|-------------------|------------|
| 0090     | 213-C001                     |          | 3        | Ton         | Superphosphate                                  |                   |            |
| 0100     | 215-A001                     |          | 12       | Ton         | Vegetative Materials for Mulch                  |                   |            |
| 0105     | 217-A001<br>Added 10/14/2011 |          | 2,000    | Square Yard | Ditch Liner                                     |                   |            |
| 0110     | 234-A001                     |          | 8,000    | Linear Feet | Temporary Silt Fence                            |                   |            |
| 0120     | 235-A001                     |          | 200      | Bale        | Temporary Erosion Checks                        |                   |            |
| 0130     | 406-A001                     |          | 100      | Square Yard | Cold Milling of Bituminous Pavement, All Depths |                   |            |
| 0140     | 503-C007                     |          | 336      | Linear Feet | Saw Cut, Full Depth                             |                   |            |
| 0150     | 602-A001                     | (S)      | 537      | Pounds      | Reinforcing Steel                               |                   |            |
| 0160     | 609-D002                     | (S)      | 540      | Linear Feet | Combination Concrete Curb and Gutter Type 2     |                   |            |
| 0170     | 616-A003                     | (S)      | 95       | Square Yard | Concrete Median and/or Island Pavement, 10-inch |                   |            |
| 0180     | 618-A001                     |          | 1        | Lump Sum    | Maintenance of Traffic                          | XXXXXXXXXX<br>XXX |            |
| 0190     | 619-A1002                    |          | 2        | Mile        | Temporary Traffic Stripe, Continuous White      |                   |            |

Section 905  
Proposal (Sheet 2 - 3)

HSIP-0014-03(062) / 105941301  
George County

| Line No. | Item Code | Adj Code | Quantity | Units       | Description                                                    | Unit Price | Bid Amount |
|----------|-----------|----------|----------|-------------|----------------------------------------------------------------|------------|------------|
| 0200     | 619-A2002 |          | 2        | Mile        | Temporary Traffic Stripe, Continuous Yellow                    |            |            |
| 0210     | 619-A3006 |          | 2        | Mile        | Temporary Traffic Stripe, Skip White                           |            |            |
| 0220     | 619-D1001 |          | 50       | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |            |            |
| 0230     | 619-D2001 |          | 68       | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More   |            |            |
| 0240     | 619-G4001 |          | 24       | Linear Feet | Barricades, Type III, Single Faced                             |            |            |
| 0250     | 620-A001  |          | 1        | Lump Sum    | Mobilization                                                   | XXXXXXXXXX | XXX        |
| 0260     | 627-J001  |          | 486      | Each        | Two-Way Clear Reflective High Performance Raised Markers       |            |            |
| 0270     | 627-K001  |          | 786      | Each        | Red-Clear Reflective High Performance Raised Markers           |            |            |
| 0280     | 627-L001  |          | 410      | Each        | Two-Way Yellow Reflective High Performance Raised Markers      |            |            |
| 0290     | 630-A001  |          | 220      | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |            |            |
| 0300     | 630-A002  |          | 681      | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |            |            |
| 0310     | 630-C003  |          | 372      | Linear Feet | Steel U-Section Posts, 3.0 lb/ft                               |            |            |

Section 905  
Proposal (Sheet 2 - 4)

HSIP-0014-03(062) / 105941301  
George County

| Line No.                   | Item Code    | Adj Code | Quantity | Units       | Description                                             | Unit Price     | Bid Amount     |
|----------------------------|--------------|----------|----------|-------------|---------------------------------------------------------|----------------|----------------|
| 0320                       | 630-D003     |          | 282      | Linear Feet | Structural Steel Beams, W6 x 9                          |                |                |
| 0330                       | 630-E001     |          | 192      | Pounds      | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles   |                |                |
| 0340                       | 630-E003     |          | 238      | Pounds      | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles  |                |                |
| 0350                       | 630-E004     |          | 54       | Pounds      | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |                |                |
| 0360                       | 630-K001     |          | 30       | Linear Feet | Welded & Seamless Steel Pipe Posts, 3"                  |                |                |
| 0370                       | 630-K003     |          | 32       | Linear Feet | Welded & Seamless Steel Pipe Posts, 4"                  |                |                |
| 0380                       | 646-A001     |          | 1        | Lump Sum    | Removal of Existing Traffic Signal Equipment            | XXXXXXXXXX XXX |                |
| 0390                       | 907-225-A001 |          | 1        | Acre        | Grassing                                                |                |                |
| 0400                       | 907-225-B001 |          | 2        | Ton         | Agricultural Limestone                                  |                |                |
| 0410                       | 907-226-A001 |          | 1        | Acre        | Temporary Grassing                                      |                |                |
| 0420<br>Deleted 10/14/2011 | 907-228-A001 |          |          |             |                                                         | XXXXXXXXXX XXX | XXXXXXXXXX XXX |
| 0430                       | 907-237-A002 |          | 200      | Linear Feet | Wattles, 12"                                            |                |                |

Section 905

Proposal (Sheet 2 - 5)

HSIP-0014-03(062) / 105941301  
George County

| Line No.                   | Item Code         | Adj Code | Quantity | Units       | Description                                                 | Unit Price | Bid Amount |
|----------------------------|-------------------|----------|----------|-------------|-------------------------------------------------------------|------------|------------|
| 0440                       | 907-237-A003      |          | 1,400    | Linear Feet | Wattles, 20"                                                |            |            |
| 0450                       | 907-249-A001      |          | 108      | Ton         | Riprap for Erosion Control                                  |            |            |
| 0460<br>Changed 10/14/2011 | 907-304-A005 (GY) |          | 3,340    | Cubic Yard  | Granular Material, LVM, Class 9, Group C                    |            |            |
| 0470                       | 907-304-F001 (GT) |          | 2,176    | Ton         | Size 825 Crushed Stone Base                                 |            |            |
| 0480                       | 907-402-B001 (A3) |          | 5,110    | Gallon      | Bituminous Tack Coat                                        |            |            |
| 0490                       | 907-601-B003 (S)  |          | 9        | Cubic Yard  | Class "B" Structural Concrete, Minor Structures             |            |            |
| 0500                       | 907-626-A004      |          | 8,240    | Linear Feet | 6" Thermoplastic Traffic Stripe, Skip White                 |            |            |
| 0510                       | 907-626-C007      |          | 7,747    | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous White  |            |            |
| 0520                       | 907-626-E003      |          | 960      | Linear Feet | 6" Thermoplastic Traffic Stripe, Continuous Yellow          |            |            |
| 0530                       | 907-626-F005      |          | 4,873    | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |            |            |
| 0540                       | 907-626-G004      |          | 10,900   | Linear Feet | Thermoplastic Detail Stripe, White                          |            |            |
| 0550                       | 907-626-G005      |          | 3,235    | Linear Feet | Thermoplastic Detail Stripe, Yellow                         |            |            |

Section 905  
Proposal (Sheet 2 - 6)

HSIP-0014-03(062) / 105941301  
George County

| Line No.                           | Item Code          | Adj Code | Quantity | Units       | Description                           | Unit Price | Bid Amount |
|------------------------------------|--------------------|----------|----------|-------------|---------------------------------------|------------|------------|
| 0560                               | 907-626-H005       |          | 363      | Square Feet | Thermoplastic Legend, White           |            |            |
| 0570                               | 907-699-A002       |          | 1        | Lump Sum    | Roadway Construction Stakes           | XXXXXXXXXX | XXX        |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |                    |          |          |             |                                       |            |            |
| 0580                               | 907-403-A006 (BA1) |          | 4,026    | Ton         | Hot Mix Asphalt, MT, 12.5-mm mixture  |            |            |
| 0590                               | 907-403-A007 (BA1) |          | 805      | Ton         | Hot Mix Asphalt, MT, 19-mm mixture    |            |            |
| 0600                               | 907-403-A010 (BA1) |          | 3,019    | Ton         | Hot Mix Asphalt, MT, 9.5-mm mixture   |            |            |
| 0610                               | 907-403-A011 (BA1) |          | 851      | Ton         | Hot Mix Asphalt, ST, 12.5-mm mixture  |            |            |
| 0620                               | 907-403-A015 (BA1) |          | 638      | Ton         | Hot Mix Asphalt, ST, 9.5-mm mixture   |            |            |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |                    |          |          |             |                                       |            |            |
| 0630                               | 907-403-M001 (BA1) |          | 638      | Ton         | Warm Mix Asphalt, ST, 9.5-mm mixture  |            |            |
| 0640                               | 907-403-M002 (BA1) |          | 4,026    | Ton         | Warm Mix Asphalt, MT, 12.5-mm mixture |            |            |
| 0650                               | 907-403-M003 (BA1) |          | 851      | Ton         | Warm Mix Asphalt, ST, 12.5-mm mixture |            |            |
| 0660                               | 907-403-M006 (BA1) |          | 3,019    | Ton         | Warm Mix Asphalt, MT, 9.5-mm mixture  |            |            |

Section 905  
Proposal (Sheet 2 - 7)

HSIP-0014-03(062) / 105941301  
George County

| Line No. | Item Code    | Adj Code | Quantity | Units | Description                         | Unit Price | Bid Amount |
|----------|--------------|----------|----------|-------|-------------------------------------|------------|------------|
| 0670     | 907-403-M007 | (BA1)    | 805      | Ton   | Warm Mix Asphalt, MT, 19-mm mixture |            |            |

\*\*\* BID CERTIFICATION \*\*\*

TOTAL BID .....\$

\*\*\* DBE/WBE SECTION \*\*\*

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

- 1. I/We agree that no less than \_\_\_\_\_ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
- 2. Classification of Bidder: Small Business (DBE) \_\_\_\_\_ Small Business (WBE) \_\_\_\_\_
- 3. A joint venture with a Small Business (DBE/WBE): \_\_\_\_\_

\*\*\* SIGNATURE STATEMENT \*\*\*

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

\_\_\_\_\_  
BIDDER'S SIGNATURE

\_\_\_\_\_  
BIDDER'S COMPANY

\_\_\_\_\_  
BIDDER'S FEDERAL TAX ID NUMBER