


[Proposal & Plan Sales Will Begin on October 31, 2011](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for November – November 22, 2011



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR NOVEMBER - Tuesday, November 22, 2011

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 31, 2011

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
* 01	HSIP-0000-02(027) / 106290301	District 2
* 02	STP-0000-02(029) / 104754305	District 2
03	DRTD-0055-04(094) / 106090301	Tate
04	STP-0068-01(018) / 106285301	Lowndes
* 05	BR-0349-00(027) / 100778302	Clarke
06	BR-1924-00(001) / 103361301	Tate
07	BWO-9718-25(001) / 502350301 & LWO-9023-25(002) / 502350302	Hinds

Installing Cable Barrier on various routes throughout the District, known as Federal Aid Project No. HSIP-0000-02(027) / 106290301 in District 2.

PROJECT COMPLETION: May 31, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

81	Square Yard	202-B025	Removal of Concrete Paved Ditch
250	Each	202-B086	Removal of Guard Post
6,072	Linear Feet	202-B289	Removal of Cable Rail
125	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
9,654	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
19,300	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Each	619-D3001	Remove and Reset Signs, All Sizes
	Lump Sum	620-A001	Mobilization
53	Each	907-203-I002	Site Grading
3	Acre	907-225-A001	Grassing
6	Ton	907-225-B001	Agricultural Limestone
10,470	Linear Feet	907-237-A003	Wattles, 20"
1,000	Each	907-246-A002	Sandbags
262,316	Linear Feet	907-606-G001	Cable Barrier
142	Each	907-606-H001	Cable Barrier Terminal Section
1,250	Each	907-606-I001	Cable Barrier Post Repair
	Lump Sum	907-699-A002	Roadway Construction Stakes

Call No. 02 for the November 22, 2011 Letting

Installation of Raised Pavement Markers on various routes Districtwide, known as Federal Aid Project No. STP-0000-02(029) / 104754305, in District 2 Counties.

PROJECT COMPLETION: October 22, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
61,906 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
97,453 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Lighting Installation on I-55 at the Senatobia Interchange, known as Federal Aid Project No. DRTD-0055-04(094) / 106090301, in Tate County.

PROJECT COMPLETION: December 20, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
50	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
11	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
100	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
1,100	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
835	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
3,375	Linear Feet	682-A021	Underground Branch Circuit, AWG 3, 3 Conductor
1,565	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
1,085	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
9,730	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
40	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
70	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
125	Linear Feet	682-B022	Underground Branch Circuit, Jacked or Bored, AWG 3, 3 Conductor
170	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
135	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1,160	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
15	Each	682-D001	Underground Pull Box
4	Each	682-F001	Secondary Power Controllers
2	Each	683-A051	Lighting Assembly, High Mast, Type 120-6-S
2	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
32	Each	683-B086	Lighting Assembly, Low Mast, Type 45-1-12-400
4	Each	683-B088	Lighting Assembly, Low Mast, Type 45-1-15-400
8	Each	683-B101	Lighting Assembly, Low Mast, Type 45-2-15-400
1	Each	683-D001	Portable Electric Power Units
61	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
50	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
12	Linear Feet	684-B003	Slip Casing, 24" Diameter
26	Linear Feet	684-B006	Slip Casing, 48" Diameter
100	Linear Feet	907-237-A003	Wattles, 20"
12	Each	907-682-E001	Underground Junction Box With Concrete Pad

Intersection Signalization Improvements on 19th Street & SR 182, known as Federal Aid Project No. STP-0068-01(018) / 106285301, in Lowndes County.

PROJECT COMPLETION: April 27, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2	Each	202-B070	Removal of Sign Including Post & Footing
112	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
972	Linear Feet	635-A001	Vehicle Loop Assemblies
341	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
6	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	644-A001	Optical Detector
425	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
3	Each	647-A005	Pullbox, Type 2
145	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
291	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
145	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
55	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
134	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
12	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
148	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-639-A036	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 40'Arms
1	Each	907-639-A097	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 35'Arms
8	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
4	Each	907-653-A001	Traffic Sign, Internally Illuminated Sign
90	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

Installation of Bird Netting on SR 512 over the Chickasawhay River, known as Federal Aid Project No. BR-0349-00(027) / 100778302, in Clarke County.

PROJECT COMPLETION: March 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Bridge Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
Lump Sum	907-255-A001	Bird Netting System
1 Square Yard	907-255-B001	Repair of Bird Netting System

Bridge Replacements on SR 4 at Arkabutla Creek, known as Federal Aid Project No. BR-1924-00(001) / 103361301, in Tate County.

PROJECT COMPLETION: June 21, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
24,743 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
268 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,546 Linear Feet	202-B076	Removal of Traffic Stripe
8,937 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
33,745 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
15,113 Cubic Yard	203-G003	Excess Excavation, FM, AH
802 Cubic Yard	206-A001	Structure Excavation
17,851 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
33,970 Square Yard	212-B001	Standard Ground Preparation
5 Ton	213-B001	Combination Fertilizer, 13-13-13
2 Ton	213-C001	Superphosphate
287 Square Yard	216-A001	Solid Sodding
733 Square Yard	217-A001	Ditch Liner
6 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
47 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
7 Acre	223-A001	Mowing
1,908 Square Yard	224-A001	Soil Reinforcing Mat
5,114 Linear Feet	234-A001	Temporary Silt Fence
4 Each	236-A004	Silt Basin, Type D
4 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
400 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,394 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
4 Mile	423-A001	Rumble Strips, Ground In
177 Linear Feet	501-E001	Expansion Joints, Without Dowels
360 Square Yard	501-K001	Transverse Grooving
373 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
97 Pounds	602-A001	Reinforcing Steel
180 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
316 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
2 Each	603-CB004	36" Reinforced Concrete End Section
4 Each	603-CB005	42" Reinforced Concrete End Section
121 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
10 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
15 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
750 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type I

Call No. 06 for the November 22, 2011 Letting

8	Each	606-E001	Guard Rail, Terminal End Section
151	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
18,529	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
21,260	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,092	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
77	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
94	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
331	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Each	619-F3004	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
26	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
8	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
81	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
44	Each	630-F001	Delineators, Guard Rail, White
8	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
632	Ton	815-A006	Loose Riprap, Size 100
4,783	Ton	815-A009	Loose Riprap, Size 300
5,977	Square Yard	815-E001	Geotextile under Riprap
108	Ton	815-F002	Sediment Control Stone
7	Acre	907-225-A001	Grassing
10	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
800	Linear Feet	907-234-C002	Super Silt Fence
400	Linear Feet	907-237-A003	Wattles, 20"
24	Linear Feet	907-245-A001	Triangular Silt Dike
13,669	Ton	907-304-B009	Granular Material, Class 3, Group D
5,320	Ton	907-304-F002	Size 610 Crushed Stone Base
100	Ton	907-310-B001	Size III Stabilizer Aggregate, Coarse
2,443	Gallon	907-407-A001	Asphalt for Tack Coat
172	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
6	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
88	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
56	Linear Feet	907-603-ALT06	48" Type A Alternate Pipe
160	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
160	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
31	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
1,856	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F001	Detour Bridge Test Pile

Call No. 06 for the November 22, 2011 Letting

9,180	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
4,590	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
540	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,003	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
159	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
3,020	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
5,300	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
513	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
3,020	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
5,300	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
513	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 1			
1,128	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
564	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP BB NO. 2			
1,128	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
564	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
Bridge Items			
1,920	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
2,165	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
144	Linear Feet	803-N001	Exploration
332	Linear Feet	803-O003	Permanent Casing, 48" Diameter
432	Linear Feet	803-O004	Permanent Casing, 60" Diameter
80	Linear Feet	803-O008	Temporary Casing, 48" Diameter
120	Linear Feet	803-O010	Temporary Casing, 60" Diameter
205,726	Pounds	805-A001	Reinforcement
1,128	Linear Feet	813-A002	Concrete Railing, 32"
1,548	Ton	815-A009	Loose Riprap, Size 300
1,855	Square Yard	815-E001	Geotextile under Riprap
332	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
432	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1	Each	907-803-L002	Test Shaft, 60" Diameter
63	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter
941	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
398	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,990	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Construction of a Shop Building for the Materials Laboratory in Jackson, known as State Project Nos. BWO-9718-25(001) / 502350301 & LWO-9023-25(002) / 502350302, in Hinds County.

PROJECT COMPLETION: May 31, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2 Acre	201-B001	Clearing and Grubbing
2,830 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths Shop Building
992 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
8 Square Yard	202-B035	Removal of Concrete Sidewalk
10 Each	202-B057	Removal of Inlets, All Sizes
10 Each	202-B070	Removal of Sign Including Post & Footing
42 Each	202-B086	Removal of Guard Post
308 Linear Feet	202-B106	Removal of Pipe, All Sizes
245 Linear Feet	202-B232	Removal of Gravity Sewer Line, All Sizes, All Types
1 Each	202-B233	Removal of Gravity Sewer Manhole, All Sizes, All Types
94 Linear Feet	202-B238	Removal of Water Line, All Sizes, All Types
2 Each	202-B259	Removal of Water Meters, All Sizes
14,415 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9-6
16,968 Cubic Yard	203-G004	Excess Excavation, LVM, AH
220 Cubic Yard	206-A001	Structure Excavation
40 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,399 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
1,399 Square Yard	216-B004	Solid Sodding, Bermuda
40 Thousand Gallon	219-A001	Watering
2 Ton	233-C002	Straw Mulch, Class II
1,250 Linear Feet	234-A001	Temporary Silt Fence
100 Bale	235-A001	Temporary Erosion Checks
106 Pounds	602-A001	Reinforcing Steel
78 Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
87 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
258 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-SB039	24" Branch Connections, Stub into Inlet
187 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1,017 Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
175 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
Lump Sum	618-A001	Maintenance of Traffic
Lump Sum	620-A001	Mobilization
130 Each	907-230-A011	Shrub Planting, Dwarf Yaupon Holly
6 Each	907-230-A019	Shrub Planting, Nellie R. Stevens Holly
12 Each	907-230-A033	Shrub Planting, Japanese Cleystera
34 Each	907-230-A044	Shrub Planting, Parsons Juniper
66 Each	907-230-A045	Shrub Planting, Clara Indian Hawthorn
45 Each	907-230-B004	Tree Planting, Burkii Eastern Red Cedar

Call No. 07 for the November 22, 2011 Letting

4	Each	907-230-B032	Tree Planting, Sweetbay Magnolia
319	Each	907-230-F001	Shrub and Groundcover Planting, Big Blue Lily Grass Liriope
7	Each	907-234-D001	Inlet Siltation Guard
500	Linear Feet	907-237-A002	Wattles, 12"
	Lump Sum	907-242-PP001	Water and Sewer Improvements, Per Plans
	Lump Sum	907-242-PP003	Construction of Shop Building
1,000	Linear Feet	907-246-A001	Sandbags
1,000	Linear Feet	907-246-B001	Rockbags
23	Each	907-258-PP016	Bollard
	Lump Sum	907-282-A019	Automatic Irrigation System
3,637	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
50	Ton	907-307-D001	Lime
902	Gallon	907-407-A001	Asphalt for Tack Coat
187	Square Yard	907-501-A003	9" Reinforced Cement Concrete Pavement, Broom Finish
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
7	Each	907-603-PP001	Grate Inlet
491	Linear Feet	907-607-B003	Barrier Fence, Chain Link Wire, Per Plans
1	Each	907-607-G006	Gate, Barrier Fence, Per Plans
50	Linear Feet	907-625-D001	Traffic Stripe, Continuous Yellow, 4" Width
1,251	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
197	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
180	Linear Feet	907-625-F002	Legend, 4" Equivalent Length
18	Square Feet	907-625-F003	Legend, Blue-ADA
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
1,296	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
348	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
348	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,296	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR