

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 1/13/2012 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revise Table of Contents, replace same; Add NTB No. 3776; Add Special Provision No. 907-603-2; Revise Wage Rates, replace same; Revise Bid Sheets, replace same; Add or Revised Plan Sheet Nos. 2, 17, replace same; Amendment EBS Download

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

NHS-0022-01(075) / 105281303 Harrison County(ies)

Revised 09/21/2005

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: NHS-0022-01(075) / 105281303 – Harrison County

901--Advertisement

904--Notice to Bidders:

- Governing Specifications - # 1
- Gopher Tortoises - # 151
- Fiber Reinforced Concrete - # 640
- Disadvantaged Business Enterprise, w/ supplement - # 696
- Payroll Requirements - # 883
- Rumble Stripe - # 1312
- Non-Use of Precast Drainage Units - # 1322
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Safety Apparel - # 1808
- Federal Bridge Formula - # 1928
- Department of Labor Ruling - # 2239
- Status of ROW w/ attachments - # 2382
- Clearing and/or Grubbing - # 2418
- DBE Forms, Participation and Payment - # 2596
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Petroleum Products Base Price - # 2858
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- DUNS Requirement for Federal Funded Projects - # 3414
- Questions Regarding Bidding - # 3425
- Storm Water Discharge Associated w/ Construction Activities
(≥ 5 Acres) - # 3581
- Safety Edge - # 3585
- Additional Erosion Control Requirements - # 3612
- Type III Barricade Rails - # 3655
- Contract Time - # 3679
- Specialty Items - # 3680
- Performance Period - # 3705
- Lane Closure Restrictions - # 3706
- Project Number Change - # 3713
- Plan Corrections - # 3776

906- : FHWA 1273, with Supplement, Executive Order, & Wage Rates

907-101-4: Definitions
907-102-8: Bidding Requirements and Conditions
907-103-8: Award and Execution of Contract

- CONTINUED ON NEXT PAGE -

Page 2 - PROJECT: NHS-0022-01(075) / 105281303 – Harrison County

- 907-104-1: Partnering Process
- 907-104-4: Disposal of Materials
- 907-105-6: Control of Work, w/Supplement
- 907-107-9: Legal Relations & Responsibility to Public, w/Supplement
- 907-107-10: Contractor's Erosion Control Plan
- 907-108-24: Prosecution and Progress
- 907-109-5: Measurement and Payment
- 907-110-2: Wage Rates
- 907-225-2: Grassing
- 907-226-2: Temporary Grassing
- 907-227-9: Hydroseeding
- 907-234-5: Siltation Barriers
- 907-237-3: Wattles
- 907-304-12: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), w/Supplement
- 907-401-4: Warm Mix Asphalt (WMA), w/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), w/Supplement
- 907-403-9: Warm Mix Asphalt (WMA), w/Supplement
- 907-407-1: Tack Coat
- 907-413-2: Sawing & Sealing Transverse Joints in Asphalt Pavement
- 907-601-1: Structural Concrete
- 907-603-2: Slotted Drain Pipe
- 907-617-2: Right-Of-Way Markers
- 907-619-4: Construction Safety Fence
- 907-619-5: Changeable Message Signs
- 907-626-15: Thermoplastic Traffic Markings
- 907-626-22: Double Drop Thermoplastic Markings
- 907-630-9: Contractor Designed Overhead Sign Supports
- 907-631-1: Flowable Fill
- 907-639-4: Traffic Signal Equipment Poles
- 907-649-3: Video Vehicle Detection System
- 907-699-2: Construction Stakes
- 907-701-4: Hydraulic Cement
- 907-703-9: Aggregates, w/Supplement
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-13: Concrete Bridges and Structures

SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS

COMBINATION BID PROPOSAL

CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS

CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION

SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS

PILE DRIVING FORM

FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3776

CODE: (SP)

DATE: 1/13/2012

SUBJECT: Plan Corrections

PROJECT: NHS-0022-01(075) / 105281303 – Harrison County

Bidders are hereby advised that the quantity shown on the Summary of Quantity sheets in the plans for Pay Item 608-A001, Concrete Sidewalk, Without Reinforcement, is incorrect. The correct quantity should be 410 square yards as indicated on the bidsheets.

Bidders are also advised that the pay item for the 12” Slotted Drain Pipe shown on Sheet No. 22 in the plans was inadvertently left off of the plans. The pay item will be 907-603-MK001, 12” Slotted Drain Pipe with a quantity of 73 linear feet. This is indicated on the bidsheets.

Bidders are further advised that note #4 on Sheet No. 14 in the plans is in error. The note should read as follows, “Includes payment for installation of temporary pipe only”. This pipe will be plugged and filled with flowable fill as indicated on Sheet No. 22 in the plans.

=====

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters, PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rate.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-603-2

CODE: (SP)

DATE: 07/20/2004

SUBJECT: Slotted Drain Pipe

Section 603, Culverts and Storm Drains, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction as modified by this special provision is applicable to slotted drain pipe ONLY:

907-603.01--Description. This work consists of the construction of a slotted drain system in accordance with these specifications and in reasonably close conformity with the details, lines and grades shown on the plans, or as established. This work shall also consist of furnishing all materials for the installation and backfill of the drain system, and joining the work to other conduit, catch basins, manholes, inlets, etc., as may be required to complete the work as designated.

907-603.02--Materials. The slotted drain pipe shall meet the applicable requirements of Section 709 of the Standard Specifications for corrugated metal pipe. Unless otherwise specified, the pipe shall be 14 gauge.

907-603.03--Construction Requirements. After the trench is prepared and any leveling course placed, the slotted drain pipe shall be placed, aligned and joined together. The joint connection shall produce a water/soil tight connection. Prior to backfilling, the Contractor shall make sure the slot in the top of the pipe is to grade and properly aligned. The drain pipe shall then be carefully backfilled in accordance to the details in the plans.

When the drain pipe begins or terminates without a connection to other pipe or structure, the pipe end shall be sealed or plugged with a suitable cap properly connected to provide a waterproof connection.

907-603.04--Method of Measurement. The lengths of slotted drain pipe will be measured per linear foot by multiplying the number of commercial lengths installed by the nominal length per section; except portions of commercial lengths extending more than four feet beyond the ends of conduit actually required or at the face of structures will not be measured for payment. Costs associated with backfilling the slotted drain pipe, including concrete when required, shall not be measured for separate payment. Such costs shall be included in the unit price bid for slotted drain pipe.

907-603.05--Basis of Payment. Accepted quantities of slotted drain pipe will be paid for at the contract unit price per linear foot, which price shall be full compensation for all equipment, materials, tools labor and incidentals necessary to complete the work, including backfilling.

Payment will be made under:

907-603-MK: ____” Slotted Drain Pipe

- per linear foot

Interchange Construction on SR 67 at the Sangani Boulevard Interchange, known as Federal Aid Project No. NHS-0022-01(075) / 105281303, in Harrison County.

I (We) agree to complete the entire project within the specified contract time.

***** SPECIAL NOTICE TO BIDDERS *****

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

*****BID SCHEDULE*****

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXX	XXX		
0020	202-B005		10,259	Square Yard	Removal of Asphalt Pavement, All Depths				
0030	202-B024		205	Square Yard	Removal of Concrete Median & Island Pavement, All Depths				
0040	202-B030		7,062	Square Yard	Removal of Concrete Pavement, All Depths				
0050	202-B057		17	Each	Removal of Inlets, All Sizes				
0060	202-B094		4,596	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types				
0070	202-B095		856	Square Yard	Removal of Concrete Sidewalks & Driveways, All Depths				
0080	202-B102		400	Linear Feet	Removal of Guard Rail				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0090	202-B106		678	Linear Feet	Removal of Pipe, All Sizes				
0100	202-B149		2	Mile	Removal of Traffic Stripe				
0110	202-B218		1	Each	Removal of Inlet Tops				
0120	203-A003	(E)	12,112	Cubic Yard	Unclassified Excavation, FM, AH				
0130	203-EX013	(E)	35,467	Cubic Yard	Borrow Excavation, AH, FME, Class B7				
0140	206-A001	(S)	1,184	Cubic Yard	Structure Excavation				
0150	209-A004		31,511	Square Yard	Geotextile Stabilization, Type V, Non-Woven				
0160	211-A001		71,286	Square Yard	Topsoil for Slope Treatment, From Right-of-Way				
0170	212-B001		2,898	Square Yard	Standard Ground Preparation				
0180	213-B001		8	Ton	Combination Fertilizer, 13-13-13				
0190	213-C001		8	Ton	Superphosphate				
0200	215-A001		32	Ton	Vegetative Materials for Mulch				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0210	216-A001		2,898	Square Yard	Solid Sodding				
0220	219-A001		58	Thousand Gallon	Watering	20.	00	1,160.	00
0230	220-A001		8	Acre	Insect Pest Control	30.	00	240.	00
0240	234-A001		6,499	Linear Feet	Temporary Silt Fence				
0250	236-A004		3	Each	Silt Basin, Type D				
0260	239-A001		220	Linear Feet	Temporary Slope Drains				
0270	305-B001	(GY)	4,750	Cubic Yard	Size I Stabilizer Aggregate, Coarse				
0280	406-A001		14,148	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0290	423-A001		1	Mile	Rumble Strips, Ground In				
0300	501-E001		154	Linear Feet	Expansion Joints, Without Dowels				
0310	502-A001	(C)	343	Square Yard	Reinforced Cement Concrete Bridge End Pavement				
0320	602-A001	(S)	10,743	Pounds	Reinforcing Steel				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0330	603-CA088	(S)	1,588	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0340	603-CA089	(S)	368	Linear Feet	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0350	603-CA090	(S)	72	Linear Feet	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0360	603-CA091	(S)	336	Linear Feet	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0370	603-CA129	(S)	280	Linear Feet	15" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets				
0380	603-CB001	(S)	4	Each	18" Reinforced Concrete End Section				
0390	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section				
0400	603-CB004	(S)	4	Each	36" Reinforced Concrete End Section				
0410	604-A001		3,982	Pounds	Castings				
0420	604-B001		1,500	Pounds	Gratings				
0430	606-B001		1,450	Linear Feet	Guard Rail, Class A, Type 1				
0440	606-C001		2	Each	Guard Rail, Cable Anchor Type 1, Wood Post				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0450	606-D008		6	Each	Guard Rail, Bridge End Section, Type H				
0460	606-D012		4	Each	Guard Rail, Bridge End Section, Type I				
0470	606-E001		10	Each	Guard Rail, Terminal End Section				
0480	608-A001 Changed 01/13/2012	(S)	410	Square Yard	Concrete Sidewalk, Without Reinforcement				
0490	609-B001	(S)	496	Linear Feet	Concrete Curb, Header				
0500	609-D002	(S)	129	Linear Feet	Combination Concrete Curb and Gutter Type 2				
0510	609-D006	(S)	4,288	Linear Feet	Combination Concrete Curb and Gutter Type 1 Modified				
0520	615-A003	(S)	475	Linear Feet	Concrete Type IV Cast-in-Place Median Barrier				
0530	616-A001	(S)	112	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0540	616-A003	(S)	31	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0550	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXX	XXX		
0560	619-A1003		6,838	Linear Feet	Temporary Traffic Stripe, Continuous White, Paint				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0570	619-A2003		4,806	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Paint				
0580	619-A3002		3,274	Linear Feet	Temporary Traffic Stripe, Skip White, Paint				
0590	619-A5001		3,702	Linear Feet	Temporary Traffic Stripe, Detail				
0600	619-A6004		842	Square Feet	Temporary Traffic Stripe, Legend, Paint				
0610	619-D1001		70	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet				
0620	619-D2001		506	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More				
0630	619-E1001		2	Each	Flashing Arrow Panel, Type C				
0640	619-F1002		300	Linear Feet	Portable Median Barrier				
0650	619-G4001		368	Linear Feet	Barricades, Type III, Single Faced				
0660	619-G4004		64	Linear Feet	Barricades, Type III, Single Faced, Permanent, Red/White				
0670	619-G5001		118	Each	Free Standing Plastic Drums				
0680	619-G7001		8	Each	Warning Lights, Type "B"				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0690	619-H1001		1	Lump Sum	Traffic Signals MS 67 @ Sangani Connector	XXXXXXXX	XXX		
0700	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX		
0710	627-C001		542	Each	Red-Clear Reflective Raised Markers				
0720	627-D001		248	Each	Two-Way Yellow Reflective Raised Markers				
0730	630-A001		201	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness				
0740	630-A002		144	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness				
0750	630-B001		123	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted				
0760	630-B002		1,380	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted				
0770	630-C001		56	Linear Feet	Steel U-Section Posts, 2.0 lb/ft				
0780	630-C003		154	Linear Feet	Steel U-Section Posts, 3.0 lb/ft				
0790	630-D003		106	Linear Feet	Structural Steel Beams, W6 x 9				
0800	630-E001		25	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0810	630-E004		209	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar				
0820	630-F001		43	Each	Delineators, Guard Rail, White				
0830	630-F002		14	Each	Delineators, Guard Rail, Yellow				
0840	630-K002		33	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"				
0850	630-K003		225	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"				
0860	640-A016		11	Each	Traffic Signal Heads, Type 1 LED				
0870	640-A034		4	Each	Traffic Signal Heads, Type 6 LED Countdown				
0880	640-A045		2	Each	Traffic Signal Heads, Type 3L, LED				
0890	640-A046		6	Each	Traffic Signal Heads, Type 7L, LED				
0900	640-A050		1	Each	Traffic Signal Heads, Type 2L LED				
0910	640-A051		2	Each	Traffic Signal Heads, Type 2R LED				
0920	642-A001		2	Each	Solid State Traffic Actuated Controllers, Type 8M				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
0930	643-A001		1	Each	Closed Loop On-Street Master System				
0940	644-A001		8	Each	Optical Detector				
0950	644-B001		1,103	Linear Feet	Optical Detector Cable				
0960	644-C002		2	Each	Phase Selector, 4 Channel				
0970	646-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment	XXXXXXXXX	XXX		
0980	647-A002		2	Each	Pullbox, Type 3				
0990	647-A005		6	Each	Pullbox, Type 2				
1000	648-A001		1	Each	Radio Interconnect, Installed in New Controller Cabinet				
1010	666-B004		192	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor				
1020	666-B015		564	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor				
1030	666-B016		825	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor				
1040	666-C002		24	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 12, 2 Conductor				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1050	666-C006		74	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor				
1060	666-C007		419	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor				
1070	668-A016		20	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"				
1080	668-A018		80	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"				
1090	668-A020		26	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"				
1100	668-B025		592	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"				
1110	809-A002	(S)	476	Square Feet	Modular Retaining Wall System				
1120	809-A003	(S)	5,615	Square Feet	Retaining Wall System				
1130	815-A006	(S)	40	Ton	Loose Riprap, Size 100				
1140	815-A009	(S)	1,146	Ton	Loose Riprap, Size 300				
1150	815-D001	(S)	3	Cubic Yard	Concrete Slope Paving				
1160	815-E001	(S)	128	Square Yard	Geotextile under Riprap				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1170	815-F002	(S)	2,763	Ton	Sediment Control Stone				
1180	907-225-A001		9	Acre	Grassing				
1190	907-225-B001		45	Ton	Agricultural Limestone				
1200	907-226-A001		5	Acre	Temporary Grassing				
1210	907-234-D001		9	Each	Inlet Siltation Guard				
1220	907-237-A003		1,335	Linear Feet	Wattles, 20"				
1230	907-304-C008	(GY)	3,849	Cubic Yard	Granular Material, AEA, Class 9, Group B				
1240	907-304-F001	(GT)	10,272	Ton	Size 825 Crushed Stone Base				
1250	907-407-A001	(A2)	1,590	Gallon	Asphalt for Tack Coat				
1260	907-413-E001		77	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement				
1270	907-601-B001	(S)	123	Cubic Yard	Class "B" Structural Concrete, Minor Structures, Per Plans				
1275	907-603-MK001	(S)	73	Linear Feet	12" Slotted Drain Pipe				
	Added 01/13/2012								

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount	
1280	907-617-A001		33	Each	Right-of-Way Marker			
1290	907-619-E3001		2	Each	Changeable Message Sign			
1300	907-619-L001		500	Linear Feet	Construction Safety Fence			
1310	907-626-A004		9,532	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White			
1320	907-626-C003		2	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White			
1330	907-626-E003		4,865	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow			
1340	907-626-F003		1	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow			
1350	907-626-G004		7,295	Linear Feet	Thermoplastic Detail Stripe, White			
1360	907-626-G005		1,030	Linear Feet	Thermoplastic Detail Stripe, Yellow			
1370	907-626-H004		1,353	Linear Feet	Thermoplastic Legend, White			
1380	907-626-H005		1,292	Square Feet	Thermoplastic Legend, White			
1390	907-626-H007		1	Each	Thermoplastic Legend, Interstate Shield			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1400	907-630-I003		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed	XXXXXXXXX	XXX		
1410	907-630-I004		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed	XXXXXXXXX	XXX		
1420	907-630-I005		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed	XXXXXXXXX	XXX		
1430	907-630-I006		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed	XXXXXXXXX	XXX		
1440	907-630-I007		1	Lump Sum	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed	XXXXXXXXX	XXX		
1450	907-631-A001		346	Cubic Yard	Flowable Fill, Excavatable				
1460	907-639-A002		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm				
1470	907-639-A006		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm				
1480	907-639-A008		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm				
1490	907-639-A012		2	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm				
1500	907-639-A016		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm				
1510	907-639-A029		1	Each	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1520	907-639-A082		1	Each	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 15' Arms				
1530	907-639-C002		29	Cubic Yard	Pole Foundations, 36" Diameter				
1540	907-639-D001		106	Linear Feet	Slip Casing, 36" Diameter				
1550	907-649-A004		8	Each	Video Detection System, 1 Sensor, Type 2				
1560	907-699-A002		1	Lump Sum	Roadway Construction Stakes	XXXXXXXXXX	XXX		
ALTERNATE GROUP AA NUMBER 1									
1570	907-403-A002 (BA1)		4,329	Ton	Hot Mix Asphalt, HT, 19-mm mixture				
1580	907-403-A012 (BA1)		4,586	Ton	Hot Mix Asphalt, ST, 19-mm mixture				
1590	907-403-B008 (BA1)		321	Ton	Hot Mix Asphalt, ST, 19-mm mixture, Leveling				
1600	907-403-D001 (BA1)		2,877	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				
1610	907-403-D004 (BA1)		3,510	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
ALTERNATE GROUP AA NUMBER 2									
1620	907-403-M004 (BA1)		4,586	Ton	Warm Mix Asphalt, ST, 19-mm mixture				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1630	907-403-M011	(BA1)	4,329	Ton	Warm Mix Asphalt, HT, 19-mm mixture				
1640	907-403-N003	(BA1)	321	Ton	Warm Mix Asphalt, ST, 19-mm mixture, Leveling				
1650	907-403-P001	(BA1)	3,510	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified				
1660	907-403-P002	(BA1)	2,877	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified				
Bridge Items									
1670	501-K001		2,338	Square Yard	Transverse Grooving				
1680	801-A001	(S)	880	Cubic Yard	Foundation Excavation for Bridges				
1690	803-B002	(S)	2	Each	Conventional Static Pile Load Test	5,000.	00	10,000.	00
1700	803-C003	(S)	6,470	Linear Feet	16" x 16" Prestressed Concrete Piling				
1710	803-I001	(S)	3	Each	PDA Test Pile				
1720	803-J001	(S)	2	Each	Pile Restrike				
1730	805-A001	(S)	337,526	Pounds	Reinforcement				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount	
1740	813-A001	(S)	585	Linear Feet	Concrete Railing				
1750	813-E001	(S)	293	Linear Feet	Concrete Pedestrian Sidewalk Railing				
1760	815-D001	(S)	163	Cubic Yard	Concrete Slope Paving				
1770	907-804-A001	(S)	1,354	Cubic Yard	Bridge Concrete, Class AA				
1780	907-804-C002	(S)	1,428	Linear Feet	60' Prestressed Concrete Beam, Type III				
1790	907-804-C205 Changed 01/13/2012	(S)	2,020	Linear Feet	85' Prestressed Concrete Beam, Type III				

*** BID CERTIFICATION ***

TOTAL BID.....\$_____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE)_____ Small Business (WBE)_____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER