


[Proposal & Plan Sales Will Begin on January 2, 2012](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for January – January 24, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 24, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 02, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	IM-0010-01(138) / 105619301 & IM-0010-01(138) / 105619302	Hancock & Harrison
02	NHS-0022-01(075) / 105281303	Harrison
03	IM-0055-01(100) / 104525301	Pike
04	IM-0055-01(101) / 104806301 & IM-0055-01(101) / 104806302	Pike & Lincoln
05	STP-0000-05(026) / 104756306	District 5
06	HSIP-0003-01(146) / 105542301	Hancock
07	STP-0009-01(127) / 105948301	Wilkinson
08	NH-0011-03(078) / 106308301	Lowndes
09	HSIP-0014-03(062) / 105941301	George
* 10	STP-0037-04(056) / 105900301	Madison
11	STP-0040-02(034) / 106309301	Itawamba
12	IM-0059-01(107) / 106124301 & NH-0008-01(125) / 106125301	Forrest & Harrison
13	IM-0059-02(100) / 106182301	Jasper
14	BR-0349-00(026) / 100778301	Clarke
15	STP-2175-00(012) / 106194301	Pike

Pavement Restoration of approximately 13 miles of I-10 between Diamondhead and the Wolf River, known as Federal Aid Project No. IM-0010-01(138) / 105619301 & 302, in Hancock & Harrison Counties.

PROJECT COMPLETION: October 05, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

38	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
169	Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
2,900	Linear Feet	202-B102	Removal of Guard Rail
4	Mile	202-B149	Removal of Traffic Stripe
122	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
34,288	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
12,517	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
864	Linear Feet	413-B001	Cleaning and Sealing Joints
24	Mile	423-A001	Rumble Strips, Ground In
84	Linear Feet	501-D001	Expansion Joints, With Dowels
84	Each	501-G001	Dowels, Drilled and Installed
168	Square Yard	503-A004	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
126	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
168	Linear Feet	503-C002	Saw Cut, 3-inch
84	Linear Feet	503-C005	Saw Cut, 8-inch
14	Cubic Yard	503-D001	Concrete for Base Repair
63	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
33,547	Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
1,900	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
16	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
16	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
84	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
78	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3006	Temporary Traffic Stripe, Skip White
38,421	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
488	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1	Each	622-A003	Engineer's Field Office Building, Type 3
1,902	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
137	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
62	Each	630-F001	Delineators, Guard Rail, White
42	Each	630-F002	Delineators, Guard Rail, Yellow
16	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
23,243	Ton	907-304-F001	Size 825 Crushed Stone Base
21,457	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
29,260	Gallon	907-402-B001	Bituminous Tack Coat
35,894	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture

Call No. 01 for the January 24, 2012 Letting

45,616	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
70	Mile	907-403-S002	Joint Sealant for HMA
54,119	Gallon	907-407-A001	Asphalt for Tack Coat
288	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
61,520	Linear Feet	907-605-H001	Edge Drain
5,573	Linear Feet	907-605-I001	Edge Drain Outlets/Vents
25	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
28	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
26	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
11,463	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,344	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
450	Linear Feet	907-626-H004	Thermoplastic Legend, White
105	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
1,174	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
2,136	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NO. 1

4,467	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
12,294	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
13,511	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

ALTERNATE GROUP AA NO. 2

13,511	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
12,294	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
4,467	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture

Interchange Construction on SR 67 at the Sangani Boulevard Interchange, known as Federal Aid Project No. NHS-0022-01(075) / 105281303, in Harrison County.

PROJECT COMPLETION: July 25, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
10,259 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
205 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
7,062 Square Yard	202-B030	Removal of Concrete Pavement, All Depths
17 Each	202-B057	Removal of Inlets, All Sizes
4,596 Linear Feet	202-B094	Removal of Curb &/or Curb and Gutter, All Types
856 Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
400 Linear Feet	202-B102	Removal of Guard Rail
678 Linear Feet	202-B106	Removal of Pipe, All Sizes
2 Mile	202-B149	Removal of Traffic Stripe
1 Each	202-B218	Removal of Inlet Tops
12,112 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
35,467 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
1,184 Cubic Yard	206-A001	Structure Excavation
31,511 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
71,286 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
2,898 Square Yard	212-B001	Standard Ground Preparation
8 Ton	213-B001	Combination Fertilizer, 13-13-13
8 Ton	213-C001	Superphosphate
32 Ton	215-A001	Vegetative Materials for Mulch
2,898 Square Yard	216-A001	Solid Sodding
58 Thousand Gallon	219-A001	Watering
8 Acre	220-A001	Insect Pest Control
6,499 Linear Feet	234-A001	Temporary Silt Fence
3 Each	236-A004	Silt Basin, Type D
220 Linear Feet	239-A001	Temporary Slope Drains
4,750 Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
14,148 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
154 Linear Feet	501-E001	Expansion Joints, Without Dowels
343 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
10,743 Pounds	602-A001	Reinforcing Steel
1,588 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
368 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
72 Linear Feet	603-CA090	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
336 Linear Feet	603-CA091	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
280 Linear Feet	603-CA129	15" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
4 Each	603-CB001	18" Reinforced Concrete End Section
2 Each	603-CB002	24" Reinforced Concrete End Section
4 Each	603-CB004	36" Reinforced Concrete End Section

Call No. 02 for the January 24, 2012 Letting

3,982 Pounds	604-A001 Castings
1,500 Pounds	604-B001 Gratings
1,450 Linear Feet	606-B001 Guard Rail, Class A, Type 1
2 Each	606-C001 Guard Rail, Cable Anchor Type 1, Wood Post
6 Each	606-D008 Guard Rail, Bridge End Section, Type H
4 Each	606-D012 Guard Rail, Bridge End Section, Type I
10 Each	606-E001 Guard Rail, Terminal End Section
737 Square Yard	608-A001 Concrete Sidewalk, Without Reinforcement
496 Linear Feet	609-B001 Concrete Curb, Header
129 Linear Feet	609-D002 Combination Concrete Curb and Gutter Type 2
4,288 Linear Feet	609-D006 Combination Concrete Curb and Gutter Type 1 Modified
475 Linear Feet	615-A003 Concrete Type IV Cast-in-Place Median Barrier
112 Square Yard	616-A001 Concrete Median and/or Island Pavement, 4-inch
31 Square Yard	616-A003 Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001 Maintenance of Traffic
6,838 Linear Feet	619-A1003 Temporary Traffic Stripe, Continuous White, Paint
4,806 Linear Feet	619-A2003 Temporary Traffic Stripe, Continuous Yellow, Paint
3,274 Linear Feet	619-A3002 Temporary Traffic Stripe, Skip White, Paint
3,702 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
842 Square Feet	619-A6004 Temporary Traffic Stripe, Legend, Paint
70 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
506 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001 Flashing Arrow Panel, Type C
300 Linear Feet	619-F1002 Portable Median Barrier
368 Linear Feet	619-G4001 Barricades, Type III, Single Faced
64 Linear Feet	619-G4004 Barricades, Type III, Single Faced, Permanent, Red/White
118 Each	619-G5001 Free Standing Plastic Drums
8 Each	619-G7001 Warning Lights, Type "B"
Lump Sum	619-H1001 Traffic Signals MS 67 @ Sangani Connector
Lump Sum	620-A001 Mobilization
542 Each	627-C001 Red-Clear Reflective Raised Markers
248 Each	627-D001 Two-Way Yellow Reflective Raised Markers
201 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
144 Square Feet	630-A002 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
123 Square Feet	630-B001 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1,380 Square Feet	630-B002 Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
56 Linear Feet	630-C001 Steel U-Section Posts, 2.0 lb/ft
154 Linear Feet	630-C003 Steel U-Section Posts, 3.0 lb/ft
106 Linear Feet	630-D003 Structural Steel Beams, W6 x 9
25 Pounds	630-E001 Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
209 Pounds	630-E004 Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
43 Each	630-F001 Delineators, Guard Rail, White
14 Each	630-F002 Delineators, Guard Rail, Yellow
33 Linear Feet	630-K002 Welded & Seamless Steel Pipe Posts, 3 1/2"
225 Linear Feet	630-K003 Welded & Seamless Steel Pipe Posts, 4"

Call No. 02 for the January 24, 2012 Letting

11	Each	640-A016	Traffic Signal Heads, Type 1 LED
4	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
2	Each	640-A045	Traffic Signal Heads, Type 3L, LED
6	Each	640-A046	Traffic Signal Heads, Type 7L, LED
1	Each	640-A050	Traffic Signal Heads, Type 2L LED
2	Each	640-A051	Traffic Signal Heads, Type 2R LED
2	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
1	Each	643-A001	Closed Loop On-Street Master System
8	Each	644-A001	Optical Detector
1,103	Linear Feet	644-B001	Optical Detector Cable
2	Each	644-C002	Phase Selector, 4 Channel
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
2	Each	647-A002	Pullbox, Type 3
6	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
192	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
564	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
825	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
24	Linear Feet	666-C002	Electric Cable, Aerial Supported, IMSA 20-1, AWG 12, 2 Conductor
74	Linear Feet	666-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
419	Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
20	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
80	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
26	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
592	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
476	Square Feet	809-A002	Modular Retaining Wall System
5,615	Square Feet	809-A003	Retaining Wall System
40	Ton	815-A006	Loose Riprap, Size 100
1,146	Ton	815-A009	Loose Riprap, Size 300
3	Cubic Yard	815-D001	Concrete Slope Paving
128	Square Yard	815-E001	Geotextile under Riprap
2,763	Ton	815-F002	Sediment Control Stone
9	Acre	907-225-A001	Grassing
45	Ton	907-225-B001	Agricultural Limestone
5	Acre	907-226-A001	Temporary Grassing
9	Each	907-234-D001	Inlet Siltation Guard
1,335	Linear Feet	907-237-A003	Wattles, 20"
3,849	Cubic Yard	907-304-C008	Granular Material, AEA, Class 9, Group B
10,272	Ton	907-304-F001	Size 825 Crushed Stone Base
1,590	Gallon	907-407-A001	Asphalt for Tack Coat
77	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
123	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
33	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
500	Linear Feet	907-619-L001	Construction Safety Fence
9,532	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White

Call No. 02 for the January 24, 2012 Letting

2 Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,865 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,295 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,030 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,353 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,292 Square Feet	907-626-H005	Thermoplastic Legend, White
1 Each	907-626-H007	Thermoplastic Legend, Interstate Shield
Lump Sum	907-630-I003	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
Lump Sum	907-630-I004	Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed
Lump Sum	907-630-I005	Metal Overhead Sign Supports, Assembly No. 5, Contractor Designed
Lump Sum	907-630-I006	Metal Overhead Sign Supports, Assembly No. 6, Contractor Designed
Lump Sum	907-630-I007	Metal Overhead Sign Supports, Assembly No. 7, Contractor Designed
346 Cubic Yard	907-631-A001	Flowable Fill, Excavatable
1 Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1 Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1 Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
2 Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1 Each	907-639-A016	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm
1 Each	907-639-A029	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 45' Arm
1 Each	907-639-A082	Traffic Signal Equipment Pole, Type III, 17' Shaft, 35' & 15' Arms
29 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
106 Linear Feet	907-639-D001	Slip Casing, 36" Diameter
8 Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1		
4,329 Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
4,586 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
321 Ton	907-403-B008	Hot Mix Asphalt, ST, 19-mm mixture, Leveling
2,877 Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
3,510 Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2		
4,586 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
4,329 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
321 Ton	907-403-N003	Warm Mix Asphalt, ST, 19-mm mixture, Leveling
3,510 Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
2,877 Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
Bridge Items		
2,338 Square Yard	501-K001	Transverse Grooving
880 Cubic Yard	801-A001	Foundation Excavation for Bridges
2 Each	803-B002	Conventional Static Pile Load Test
6,470 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
3 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
337,526 Pounds	805-A001	Reinforcement
585 Linear Feet	813-A001	Concrete Railing

Call No. 02 for the January 24, 2012 Letting

293	Linear Feet	813-E001	Concrete Pedestrian Sidewalk Railing
163	Cubic Yard	815-D001	Concrete Slope Paving
1,354	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,428	Linear Feet	907-804-C002	60' Prestressed Concrete Beam, Type III
2,020	Linear Feet	907-804-C024	85' Prestressed Concrete Beam, Type BT-72

Mill and Overlay 7.6 miles of I-55 from the Louisiana State Line to SR 568, known as Federal Aid Project No. IM-0055-01(100) / 104525301 in Pike County.

PROJECT COMPLETION: December 06, 2011

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1	Acre	201-D002	Random Clearing
648	Linear Feet	202-B041	Removal of Fence, All Types
2,100	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
2,540	Linear Feet	202-B076	Removal of Traffic Stripe
971	Cubic Yard	203-G004	Excess Excavation, LVM, AH
394,747	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
31	Mile	423-A001	Rumble Strips, Ground In
1,813	Linear Feet	606-B001	Guard Rail, Class A, Type 1
25	Linear Feet	606-B008	Guard Rail, Class A, Type 1, Thrie Beam
13	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D001	Guard Rail, Bridge End Section, Type A
2	Each	606-E002	Guard Rail, Terminal End Section, Flared
9	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
8	Each	606-F002	Special Sections, Guard Rail Bridge End Connector
648	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1,008	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
28	Each	607-P033	Brace Post, 12' x 4" x 6" Timber
2	Each	607-P2003	Brace Post, 12' x 6" Timber
	Lump Sum	618-A001	Maintenance of Traffic
38	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
39	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
31	Mile	619-A3006	Temporary Traffic Stripe, Skip White
45,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,280	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
712	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
2,193	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
49	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
625	Each	630-F001	Delineators, Guard Rail, White
434	Each	630-F002	Delineators, Guard Rail, Yellow
133	Each	630-F006	Delineators, Post Mounted, Single White
56	Each	630-F007	Delineators, Post Mounted, Single Yellow
223	Each	630-F008	Delineators, Post Mounted, Double White
87	Each	630-F009	Delineators, Post Mounted, Double Yellow
2	Each	907-258-PP024	Speed Hump
1,870	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
14,420	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
19,663	Gallon	907-402-B001	Bituminous Tack Coat

Call No. 03 for the January 24, 2012 Letting

23,725	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
16	Mile	907-403-S002	Joint Sealant for HMA
38,704	Gallon	907-407-A001	Asphalt for Tack Coat
2,351	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
7	Each	907-606-R002	Repair of Terminal End Section
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
21	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6,370	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
400	Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
22,650	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4	Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
640	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
12,382	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
12,382	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Milling and Overlaying approximately 9 miles of Interstate 55 between Summit and Bogue Chitto, known as Federal Aid Project No. IM-0055-01(101) / 104806301 & 302, in the Counties of Pike & Lincoln.

PROJECT COMPLETION: October 22, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2 Acre	201-D002	Random Clearing
61 Square Yard	202-B031	Removal of Concrete Pavement Punchouts, 8" Depth
702 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
588 Linear Feet	202-B041	Removal of Fence, All Types
2,425 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
673 Cubic Yard	203-G004	Excess Excavation, LVM, AH
397,849 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,376 Linear Feet	413-B001	Cleaning and Sealing Joints
34 Mile	423-A001	Rumble Strips, Ground In
84 Linear Feet	501-E001	Expansion Joints, Without Dowels
763 Square Yard	503-A003	8" and Variable Continuously Reinforced Concrete Pavement
572 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,800 Linear Feet	503-C002	Saw Cut, 3-inch
1,800 Linear Feet	503-C007	Saw Cut, Full Depth
64 Cubic Yard	503-D001	Concrete for Base Repair
1,187 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
77 Each	503-F001	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
1,319 Linear Feet	606-B001	Guard Rail, Class A, Type 1
1 Each	606-C003	Guard Rail, Cable Anchor, Type 1
15 Each	606-D001	Guard Rail, Bridge End Section, Type A
1 Each	606-E002	Guard Rail, Terminal End Section, Flared
12 Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
15 Each	606-F002	Special Sections, Guard Rail Bridge End Connector
588 Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
216 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
8 Each	607-G001	Gate, 12' x 52" Aluminum
4 Each	607-P033	Brace Post, 12' x 4" x 6" Timber
29 Each	607-P1013	Line Post, 7' Tee Post Steel
9 Each	607-P2001	Brace Post, 8' x 6" Timber
9 Each	607-Z001	Concrete Anchors
Lump Sum	618-A001	Maintenance of Traffic
20 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
17 Mile	619-A3006	Temporary Traffic Stripe, Skip White
6,950 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,200 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
96 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
784 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
1,640 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

Call No. 04 for the January 24, 2012 Letting

84	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
318	Each	630-F001	Delineators, Guard Rail, White
191	Each	630-F002	Delineators, Guard Rail, Yellow
56	Each	630-F006	Delineators, Post Mounted, Single White
14	Each	630-F007	Delineators, Post Mounted, Single Yellow
83	Each	630-F008	Delineators, Post Mounted, Double White
26	Each	630-F009	Delineators, Post Mounted, Double Yellow
1,456	Linear Feet	808-A001	Joint Preparation
2,327	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
23,270	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
18	Mile	907-403-S002	Joint Sealant for HMA
41,084	Gallon	907-407-A001	Asphalt for Tack Coat
16,000	Pounds	907-420-A001	Undersealing Concrete Pavement
3	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
17	Each	907-606-R002	Repair of Terminal End Section
17	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
17	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
5,990	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
600	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,456	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
224	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
728	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
728	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
ALTERNATE GROUP AA NO. 1			
10,793	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
10,793	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Call No. 05 for the January 24, 2012 Letting

Installation of Raised Pavement Markers on Various Routes Districtwide, known as Federal Aid Project No. STP-0000-05(026) / 104756306, in District 5.

PROJECT COMPLETION: June 08, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
6,725 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
35,068 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
15,294 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Intersection Improvements on SR 607 & US 90, known as Federal Aid Project No. HSIP-0003-01(146) / 105542301, in Hancock County.

PROJECT COMPLETION: August 09, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
10,462 Square Yard	202-B078	Removal of Pavement, All Types and Depths
205 Linear Feet	202-B106	Removal of Pipe, All Sizes
253 Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
5,208 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,500 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
2,613 Cubic Yard	203-G003	Excess Excavation, FM, AH
144 Cubic Yard	206-A001	Structure Excavation
25 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,697 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
50,944 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
5 Ton	213-C001	Superphosphate
26 Ton	215-A001	Vegetative Materials for Mulch
1 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6 Acre	223-A001	Mowing
1,000 Linear Feet	234-A001	Temporary Silt Fence
1,525 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
304 Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
6 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
586 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1,896 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
542 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
3,692 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,868 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,332 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
92 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
85 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
401 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4001	Barricades, Type III, Single Faced
24 Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
204 Linear Feet	619-G4005	Barricades, Type III, Double Faced
50 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
110 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
28 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
72 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
69 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
42 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
9 Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft

Call No. 06 for the January 24, 2012 Letting

159	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
137	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
194	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
16	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
6	Acre	907-225-A001	Grassing
17	Ton	907-225-B001	Agricultural Limestone
3	Acre	907-226-A001	Temporary Grassing
814	Linear Feet	907-237-A003	Wattles, 20"
7,488	Ton	907-304-F001	Size 825 Crushed Stone Base
3,319	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
40	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
7	Each	907-617-A001	Right-of-Way Marker
1	Each	907-622-A001	Engineer's Field Office Building, Type 2
1,120	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,156	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,281	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,551	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,012	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
217	Linear Feet	907-626-H004	Thermoplastic Legend, White
14	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
804	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
1,837	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
604	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
604	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
804	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
1,837	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture

Mill and Overlay approximately 1 mile of US 61 in Woodville city limits, known as Federal Aid Project No. STP-0009-01(127) / 105948301, in Wilkinson County.

PROJECT COMPLETION: August 27, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

32,443	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3006	Temporary Traffic Stripe, Skip White
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
24,402	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,856	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,118	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
265	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
172	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
270	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
3,244	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
6,774	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,427	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,168	Linear Feet	907-626-H004	Thermoplastic Legend, White
764	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
2,700	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
2,700	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill and overlay approximately 6 miles of US 82 from West of US 45 South to 6th Street in Columbus, known as Federal Aid Project No. NH-0011-03(078) / 106308301, in Lowndes County.

PROJECT COMPLETION: June 29, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

350	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
21,530	Linear Feet	202-B076	Removal of Traffic Stripe
150	Cubic Yard	203-G003	Excess Excavation, FM, AH
226,440	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
23,100	Gallon	410-A003	Asphalt for Surface Treatment, Grade CRS-2
550	Cubic Yard	410-C004	Seal Aggregate Cover Material, Size 89, Slag
12	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3006	Temporary Traffic Stripe, Skip White
15,750	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
850	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
2,270	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
95	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
21,500	Gallon	907-407-A001	Asphalt for Tack Coat
12	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
17,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
560	Linear Feet	907-626-H004	Thermoplastic Legend, White
57	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
25,900	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
25,900	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 1			
11,280	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
10,580	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
10,180	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
11,280	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
10,580	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
10,180	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.

PROJECT COMPLETION: May 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
506 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
20 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
500 Linear Feet	202-B076	Removal of Traffic Stripe
117 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2,510 Cubic Yard	203-G003	Excess Excavation, FM, AH
2,150 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3 Ton	213-C001	Superphosphate
12 Ton	215-A001	Vegetative Materials for Mulch
2,000 Square Yard	217-A001	Ditch Liner
8,000 Linear Feet	234-A001	Temporary Silt Fence
200 Bale	235-A001	Temporary Erosion Checks
100 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
336 Linear Feet	503-C007	Saw Cut, Full Depth
537 Pounds	602-A001	Reinforcing Steel
540 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
95 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
2 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2 Mile	619-A3006	Temporary Traffic Stripe, Skip White
50 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
68 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
486 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
786 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
410 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
220 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
681 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
372 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
282 Linear Feet	630-D003	Structural Steel Beams, W6 x 9
192 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
238 Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
54 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
30 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
32 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
1 Acre	907-225-A001	Grassing
2 Ton	907-225-B001	Agricultural Limestone
1 Acre	907-226-A001	Temporary Grassing

Call No. 09 for the January 24, 2012 Letting

200	Linear Feet	907-237-A002	Wattles, 12"
1,400	Linear Feet	907-237-A003	Wattles, 20"
108	Ton	907-249-A001	Riprap for Erosion Control
4,732	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
2,176	Ton	907-304-F001	Size 825 Crushed Stone Base
5,110	Gallon	907-407-A001	Asphalt for Tack Coat
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
8,240	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
7,747	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
960	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,873	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,235	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
363	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
4,026	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
805	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
3,019	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
851	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
638	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
1,009	Ton	907-403-C008	Hot Mix Asphalt, ST, 12.5-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
638	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
4,026	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
851	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
3,019	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
805	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
1,009	Ton	907-403-O007	Warm Mix Asphalt, ST, 12.5-mm mixture, Trench Widening

Overlaying approximately 7 miles of SR 16 from Yazoo County Line to US 51, known as Federal Aid Project No. STP-0037-04(056) / 105900301 in Madison County.

PROJECT COMPLETION: May 29, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,140	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,592	Linear Feet	202-B076	Removal of Traffic Stripe
1,501	Linear Feet	202-B102	Removal of Guard Rail
375	Cubic Yard	203-G003	Excess Excavation, FM, AH
92,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
875	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section, Type A
8	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
12	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
13	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,624	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
126	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
530	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
300	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
30	Linear Feet	619-G4005	Barricades, Type III, Double Faced
370	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
65	Each	630-F001	Delineators, Guard Rail, White
2,300	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
13,400	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,800	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
550	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,650	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
126	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
14,600	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
2,350	Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
14,600	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
2,350	Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling

Milling and Overlaying approximately 3 miles of SR 25 from Benson Jones Road to Hwy 178, known as Federal Aid Project No. STP-0040-02(034) / 106309301, in Itawamba County.

PROJECT COMPLETION: June 11, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

150	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,750	Linear Feet	202-B076	Removal of Traffic Stripe
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
130,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
104,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
9,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
750	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
650	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
600	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
15,200	Gallon	907-407-A001	Asphalt for Tack Coat
6	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
21,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
32,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
350	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
12,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
2,050	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
12,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
2,050	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 1			
800	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
800	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
800	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
800	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
800	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
800	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Installing Sign Truss on I-59 at US 98 and US 49 at SR 67, known as Federal Aid Project Nos. IM-0059-01(107) / 106124301 & NH-0008-01(125) / 106125301 in Forrest and Harrison Counties.

PROJECT COMPLETION: September 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4	Each	202-B085	Removal of Trees
607	Pounds	602-A001	Reinforcing Steel
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
166	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
470	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
558	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
649	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
96	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
312	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
33	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
194	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
252	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
308	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
7	Each	630-F006	Delineators, Post Mounted, Single White
6	Each	630-F007	Delineators, Post Mounted, Single Yellow
268	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
	Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
	Lump Sum	907-630-I002	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed

Interchange Lighting at I-59 & SR 528, known as Federal Aid Project No. IM-0059-02(100) / 106182301, in Jasper County.

PROJECT COMPLETION: August 14, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
17	Ton	215-A001	Vegetative Materials for Mulch
5,838	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
88	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
875	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
2,427	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
2,158	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
80	Linear Feet	682-A040	Underground Branch Circuit, AWG #3/0, 3 Conductor
160	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
278	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
178	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
6	Each	682-D001	Underground Pull Box
2	Each	682-E001	Underground Junction Box
1	Each	682-F001	Secondary Power Controllers
2	Each	683-A014	Lighting Assembly, High Mast, Type 100-6-A
2	Each	683-A069	Lighting Assembly, High Mast, Type 130-6-S
2	Each	683-A072	Lighting Assembly, High Mast, Type 130-8-S
5	Each	683-B049	Lighting Assembly, Low Mast, Type 40-1-0-400
1	Each	683-D001	Portable Electric Power Units
17	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
61	Cubic Yard	684-A006	Pole Foundation, 48" Diameter
13	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
30	Linear Feet	684-B004	Slip Casing, 36" Diameter
32	Linear Feet	684-B006	Slip Casing, 48" Diameter
14	Linear Feet	684-B007	Slip Casing, 30" Diameter
9	Acre	907-225-A001	Grassing
25	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
192	Linear Feet	907-237-A002	Wattles, 12"
240	Linear Feet	907-237-A003	Wattles, 20"
1,216	Ton	907-249-A001	Riprap for Erosion Control

Bridge Replacement on SR 512 at Chickasawhay River, known as Federal Aid Project No. BR-0349-00(026) / 100778301, in Clarke County.

PROJECT COMPLETION: November 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
5,850	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
106	Square Yard	202-B010	Removal of Bridge End Pavement
19	Each	202-B069	Removal of Sign
314	Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
24,663	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
51,830	Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
26	Cubic Yard	206-A001	Structure Excavation
50	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
11,074	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
39,051	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
16	Ton	215-A001	Vegetative Materials for Mulch
197	Square Yard	216-A001	Solid Sodding
1,478	Square Yard	217-A001	Ditch Liner
4	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
38	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4	Acre	223-A001	Mowing
4,576	Linear Feet	234-A001	Temporary Silt Fence
136	Bale	235-A001	Temporary Erosion Checks
5	Each	236-A004	Silt Basin, Type D
260	Linear Feet	239-A001	Temporary Slope Drains
290	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
86	Linear Feet	501-E001	Expansion Joints, Without Dowels
184	Square Yard	501-K001	Transverse Grooving
190	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
100	Pounds	602-A001	Reinforcing Steel
204	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
168	Linear Feet	603-CA095	24" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
6	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB002	24" Reinforced Concrete End Section
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
184	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"

Call No. 14 for the January 24, 2012 Letting

	Lump Sum	618-A001	Maintenance of Traffic
271	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
118	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
18	Linear Feet	619-G4005	Barricades, Type III, Double Faced
50	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
32	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
58	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
37	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
86	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
39	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
260	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
43	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
22	Each	630-F001	Delineators, Guard Rail, White
46	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,126	Ton	815-A009	Loose Riprap, Size 300
1,115	Square Yard	815-E001	Geotextile under Riprap
95	Ton	815-F002	Sediment Control Stone
8	Acre	907-225-A001	Grassing
24	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
400	Linear Feet	907-234-C002	Super Silt Fence
363	Linear Feet	907-237-A003	Wattles, 20"
288	Linear Feet	907-245-A001	Triangular Silt Dike
288	Linear Feet	907-246-A001	Sandbags
622	Ton	907-249-A001	Riprap for Erosion Control
1	Square Yard	907-255-B001	Repair of Bird Netting System
4,840	Ton	907-304-B003	Granular Material, Class 6, Group C
2,655	Ton	907-304-F001	Size 825 Crushed Stone Base
1,855	Gallon	907-407-A001	Asphalt for Tack Coat
56	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
112	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
12	Each	907-617-A001	Right-of-Way Marker
4	Each	907-619-E3001	Changeable Message Sign
6,565	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,265	Linear Feet	907-626-E005	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
596	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
279	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
1,080	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
1,450	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture

Call No. 14 for the January 24, 2012 Letting

810 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2		
810 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
1,080 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
1,450 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
Bridge Items		
2,960 Square Yard	501-K001	Transverse Grooving
1 Each	803-B002	Conventional Static Pile Load Test
1,309 Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
2 Each	803-I001	PDA Test Pile
2 Each	803-J001	Pile Restrike
120 Linear Feet	803-O006	Temporary Casing, 72" Diameter
360 Linear Feet	803-O011	Temporary Casing, 66" Diameter
341,566 Pounds	805-A001	Reinforcement
1,480 Linear Feet	813-A002	Concrete Railing, 32"
220 Ton	815-A009	Loose Riprap, Size 300
351 Square Yard	815-E001	Geotextile under Riprap
763 Linear Feet	907-803-K005	Drilled Shaft, 66" Diameter
333 Linear Feet	907-803-K010	Drilled Shaft, 72" Diameter
1 Each	907-803-L006	Test Shaft, 72" Diameter
99 Linear Feet	907-803-M008	Trial Shaft, 72" Diameter
1,594 Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,857 Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
595 Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV
954 Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV

Box replacement on US 51 at Robb Street in Summit, known as Federal Aid Project No. STP-2175-00(012) / 106194301, in Pike County.

PROJECT COMPLETION: July 24, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

47	Square Yard	202-B035	Removal of Concrete Sidewalk
5	Linear Feet	202-B038	Removal of Curb, All Types
1	Each	202-B057	Removal of Inlets, All Sizes
16	Linear Feet	202-B064	Removal of Pipe, 8" And Above
808	Linear Feet	202-B076	Removal of Traffic Stripe
14	Linear Feet	202-B080	Removal of Box Culvert
191	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Linear Feet	202-B238	Removal of Water Line, All Sizes, All Types
412	Cubic Yard	206-A001	Structure Excavation
24	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
7,368	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
240	Linear Feet	503-C007	Saw Cut, Full Depth
620	Pounds	602-A001	Reinforcing Steel
4	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
4	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
96	Linear Feet	603-PA014	4' x 4' Precast Concrete Box Culvert
1	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB014	36" x 23" Branch Connections, Stub into Box Culvert
450	Pounds	604-B001	Gratings
40	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
68	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 1 Modified
	Lump Sum	618-A001	Maintenance of Traffic
2,542	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
3,611	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,234	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
395	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
59	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
265	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
220	Linear Feet	619-F1001	Concrete Median Barrier, Precast
400	Linear Feet	619-F1002	Portable Median Barrier
72	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
24	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
9	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
32	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
	Lump Sum	907-242-PP003	Construction of Northeast Walkway Cover

Call No. 15 for the January 24, 2012 Letting

Lump Sum	907-242-PP003	Construction of Southeast Walkway Cover
1 Each	907-242-PP005	Removal Northeast Walkway Cover
1 Each	907-242-PP005	Removal Southeast Walkway Cover
45 Linear Feet	907-265-B002	6" Ductile Iron Pipe, With Joint Restraint
310 Pounds	907-265-C002	Ductile Iron Fittings
3 Each	907-265-D003	6" Gate Valve and Value Box
1 Each	907-265-F002	Fire Hydrant Assembly, 3-Way, With Box and Cover
397 Gallon	907-407-A001	Asphalt for Tack Coat
2 Cubic Yard	907-601-A001	Class "B" Structural Concrete
3 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
152 Square Feet	907-611-B001	Brick Pavers
280 Linear Feet	907-619-A5001	Temporary Traffic Stripe, Detail Blue ADA
9 Square Feet	907-619-A6001	Temporary Traffic Stripe, Legend Blue ADA
172 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1,208 Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,171 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
280 Linear Feet	907-626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,504 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
396 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4 Each	907-626-H002	Thermoplastic Legend, Blue-ADA Handicap Symbol
1,175 Linear Feet	907-626-H004	Thermoplastic Legend, White
395 Square Feet	907-626-H005	Thermoplastic Legend, White
456 Cubic Yard	907-631-A001	Flowable Fill, Excavatable
2,450 Square Feet	907-809-A004	Temporary Shoring Wall System
ALTERNATE GROUP AA NO. 1		
21 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
47 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
624 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2		
624 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
21 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
47 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
INTERIM EXECUTIVE DIRECTOR