

GEORGE (20)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Dunn Roadbuilders, LLC	Warren Paving, Inc.	John G. Walton Construction Company, Inc.
Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.					\$1,451,811.89	\$1,282,674.85	\$1,283,618.00	\$1,392,646.56
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0010	201-A001	Clearing and Grubbing	1.000	LS		2,500.00	3,350.00	24,560.00
0020	202-B005	Removal of Asphalt Pavement, All Depths	506.000	SY		6.00	7.25	11.17
0030	202-B024	Removal of Concrete Median & Island Pavement, All Depths	20.000	SY		60.00	39.00	52.74
0040	202-B076	Removal of Traffic Stripe	500.000	LF		2.15	2.00	2.03
0050	202-B093	Removal of Curb & Gutter, All Types	117.000	LF		18.00	6.70	8.03
0060	203-G003	Excess Excavation, FM, AH	2,510.000	CY		6.50	17.40	7.32
0070	209-A004	Geotextile Stabilization, Type V, Non-Woven	2,150.000	SY		3.70	1.50	5.76
0080	213-C001	Superphosphate	3.000	TON		534.00	650.00	895.05
0090	215-A001	Vegetative Materials for Mulch	12.000	TON		160.00	230.00	242.19
0100	217-A001	Ditch Liner	2,000.000	SY		1.30	0.75	2.11
0110	234-A001	Temporary Silt Fence	8,000.000	LF		2.70	2.25	1.74
0120	235-A001	Temporary Erosion Checks	200.000	BALE		5.35	13.25	11.58
0130	406-A001	Cold Milling of Bituminous Pavement, All Depths	100.000	SY		35.00	8.95	25.40
0140	503-C007	Saw Cut, Full Depth	336.000	LF		6.50	8.40	4.21
0150	602-A001	Reinforcing Steel	2,010.000	LBS		1.10	1.00	1.02
0160	609-D002	Combination Concrete Curb and Gutter Type 2	540.000	LF		17.10	18.25	17.90
0170	616-A003	Concrete Median and/or Island Pavement, 10-inch	95.000	SY		75.00	75.60	47.39
0180	618-A001	Maintenance of Traffic	1.000	LS		14,000.00	20,230.00	12,626.63
0190	619-A1002	Temporary Traffic Stripe, Continuous White	2.000	MI		534.00	500.00	508.08
0200	619-A2002	Temporary Traffic Stripe, Continuous Yellow	2.000	MI		534.00	500.00	508.08
0210	619-A3006	Temporary Traffic Stripe, Skip White	2.000	MI		534.00	500.00	508.08
0220	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	50.000	SF		23.00	10.30	10.85
0230	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	68.000	SF		18.50	10.30	10.85
0240	619-G4001	Barricades, Type III, Single Faced	24.000	LF		22.00	18.85	19.85
0250	620-A001	Mobilization	1.000	LS		70,000.00	59,125.00	43,369.21
0260	627-J001	Two-Way Clear Reflective High Performance Raised Markers	486.000	EA		4.30	4.00	4.06

GEORGE (20)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Dunn Roadbuilders, LLC	Warren Paving, Inc.	John G. Walton Construction Company, Inc.
Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.					\$1,451,811.89	\$1,282,674.85	\$1,283,618.00	\$1,392,646.56
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0270	627-K001	Red-Clear Reflective High Performance Raised Markers	786.000	EA		4.30	4.00	4.06
0280	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	410.000	EA		4.30	4.00	4.06
0290	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	220.000	SF		21.35	20.00	20.32
0300	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	681.000	SF		24.50	23.00	23.37
0310	630-C003	Steel U-Section Posts, 3.0 lb/ft	372.000	LF		8.05	7.50	7.62
0320	630-D003	Structural Steel Beams, W6 x 9	86.000	LF		48.30	45.00	45.73
0325	630-D005	Structural Steel Beams, W6 x 15	100.000	LF		53.65	50.00	50.81
0327	630-D007	Structural Steel Beams, W8 x 21	131.000	LF		59.00	55.00	55.89
0330	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles	192.000	LBS		2.70	2.50	2.54
0340	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles	241.000	LBS		2.70	2.50	2.54
0350	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	54.000	LBS		2.70	2.50	2.54
0360	630-K001	Welded & Seamless Steel Pipe Posts, 3"	30.000	LF		42.70	40.00	40.65
0370	630-K003	Welded & Seamless Steel Pipe Posts, 4"	32.000	LF		53.60	50.00	50.81
0380	646-A001	Removal of Existing Traffic Signal Equipment	1.000	LS		3,200.00	3,150.00	6,107.40
0390	907-225-A001	Grassing	1.000	ACRE		3,003.00	1,850.00	1,948.05
0400	907-225-B001	Agricultural Limestone	2.000	TON		108.00	80.00	84.24
0410	907-226-A001	Temporary Grassing	1.000	ACRE		1,502.00	850.00	895.05
0420	907-237-A002	Wattles, 12"	200.000	LF		6.45	6.25	6.58
0430	907-237-A003	Wattles, 20"	1,400.000	LF		5.40	7.50	7.90
0440	907-249-A001	Riprap for Erosion Control	108.000	TON		91.40	67.80	86.70
0450	907-304-A005	Granular Material, LVM, Class 9, Group C	4,732.000	CY		10.95	15.45	9.35
0460	907-304-F001	Size 825 Crushed Stone Base	2,176.000	TON		33.60	30.80	61.26
0470	907-407-A001	Asphalt for Tack Coat	5,110.000	GAL		3.40	2.65	2.54
0480	907-601-B003	Class "B" Structural Concrete, Minor Structures	15.000	CY		1,073.00	1,000.00	1,016.15
0490	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White	8,240.000	LF		0.55	0.50	0.51
0500	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White	7,747.000	LF		0.55	0.50	0.51

GEORGE (20)					MISSISSIPPI DEPARTMENT OF TRANSPORTATION	Dunn Roadbuilders, LLC	Warren Paving, Inc.	John G. Walton Construction Company, Inc.
Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.					\$1,451,811.89	\$1,282,674.85	\$1,283,618.00	\$1,392,646.56
Ref#	SM Item	Item Description	Item Qty	Units		1	2	3
0510	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	960.000	LF		0.55	0.50	0.51
0520	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	4,873.000	LF		0.55	0.50	0.51
0530	907-626-G004	Thermoplastic Detail Stripe, White	10,900.000	LF		1.10	1.00	1.02
0540	907-626-G005	Thermoplastic Detail Stripe, Yellow	3,235.000	LF		1.10	1.00	1.02
0550	907-626-H005	Thermoplastic Legend, White	363.000	SF		5.40	5.00	5.08
0560	907-699-A002	Roadway Construction Stakes	1.000	LS		7,610.00	10,715.00	12,004.67
0570	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture	4,026.000	TON		74.90	73.80	86.37
0580	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture	805.000	TON		78.00	78.10	86.37
0590	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture	3,019.000	TON		87.45	80.30	86.37
0600	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	851.000	TON		77.00	82.25	86.37
0610	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	638.000	TON		86.80	91.85	86.37
0620	907-403-C008	Hot Mix Asphalt, ST, 12.5-mm mixture, Trench Widening	1,009.000	TON		80.00	80.75	87.76
0630	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	638.000	TON				
0640	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture	4,026.000	TON				
0650	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	851.000	TON				
0660	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture	3,019.000	TON				
0670	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture	805.000	TON				
0680	907-403-O007	Warm Mix Asphalt, ST, 12.5-mm mixture, Trench Widening	1,009.000	TON				

GEORGE (20)					J. Levens Builders, Inc.			
Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.					\$1,846,528.05			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0010	201-A001	Clearing and Grubbing	1.000	LS	25,000.00			
0020	202-B005	Removal of Asphalt Pavement, All Depths	506.000	SY	4.50			
0030	202-B024	Removal of Concrete Median & Island Pavement, All Depths	20.000	SY	120.00			
0040	202-B076	Removal of Traffic Stripe	500.000	LF	8.50			
0050	202-B093	Removal of Curb & Gutter, All Types	117.000	LF	23.50			
0060	203-G003	Excess Excavation, FM, AH	2,510.000	CY	14.00			
0070	209-A004	Geotextile Stabilization, Type V, Non-Woven	2,150.000	SY	3.50			
0080	213-C001	Superphosphate	3.000	TON	1,525.00			
0090	215-A001	Vegetative Materials for Mulch	12.000	TON	1,050.00			
0100	217-A001	Ditch Liner	2,000.000	SY	10.00			
0110	234-A001	Temporary Silt Fence	8,000.000	LF	8.00			
0120	235-A001	Temporary Erosion Checks	200.000	BALE	29.00			
0130	406-A001	Cold Milling of Bituminous Pavement, All Depths	100.000	SY	11.75			
0140	503-C007	Saw Cut, Full Depth	336.000	LF	17.75			
0150	602-A001	Reinforcing Steel	2,010.000	LBS	4.75			
0160	609-D002	Combination Concrete Curb and Gutter Type 2	540.000	LF	61.00			
0170	616-A003	Concrete Median and/or Island Pavement, 10-inch	95.000	SY	123.50			
0180	618-A001	Maintenance of Traffic	1.000	LS	65,000.00			
0190	619-A1002	Temporary Traffic Stripe, Continuous White	2.000	MI	765.00			
0200	619-A2002	Temporary Traffic Stripe, Continuous Yellow	2.000	MI	765.00			
0210	619-A3006	Temporary Traffic Stripe, Skip White	2.000	MI	765.00			
0220	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Fe	50.000	SF	22.00			
0230	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	68.000	SF	22.00			
0240	619-G4001	Barricades, Type III, Single Faced	24.000	LF	38.00			
0250	620-A001	Mobilization	1.000	LS	105,000.00			
0260	627-J001	Two-Way Clear Reflective High Performance Raised Markers	486.000	EA	5.00			

GEORGE (20)					J. Levens Builders, Inc.			
Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.					\$1,846,528.05			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0270	627-K001	Red-Clear Reflective High Performance Raised Markers	786.000	EA	5.00			
0280	627-L001	Two-Way Yellow Reflective High Performance Raised Markers	410.000	EA	5.00			
0290	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	220.000	SF	24.00			
0300	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	681.000	SF	28.00			
0310	630-C003	Steel U-Section Posts, 3.0 lb/ft	372.000	LF	10.00			
0320	630-D003	Structural Steel Beams, W6 x 9	86.000	LF	54.00			
0325	630-D005	Structural Steel Beams, W6 x 15	100.000	LF	58.00			
0327	630-D007	Structural Steel Beams, W8 x 21	131.000	LF	65.00			
0330	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles	192.000	LBS	5.00			
0340	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles	241.000	LBS	5.00			
0350	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	54.000	LBS	5.00			
0360	630-K001	Welded & Seamless Steel Pipe Posts, 3"	30.000	LF	50.00			
0370	630-K003	Welded & Seamless Steel Pipe Posts, 4"	32.000	LF	60.00			
0380	646-A001	Removal of Existing Traffic Signal Equipment	1.000	LS	6,500.00			
0390	907-225-A001	Grassing	1.000	ACRE	1,500.00			
0400	907-225-B001	Agricultural Limestone	2.000	TON	1,200.00			
0410	907-226-A001	Temporary Grassing	1.000	ACRE	1,500.00			
0420	907-237-A002	Wattles, 12"	200.000	LF	13.00			
0430	907-237-A003	Wattles, 20"	1,400.000	LF	13.00			
0440	907-249-A001	Riprap for Erosion Control	108.000	TON	102.00			
0450	907-304-A005	Granular Material, LVM, Class 9, Group C	4,732.000	CY	21.00			
0460	907-304-F001	Size 825 Crushed Stone Base	2,176.000	TON	51.00			
0470	907-407-A001	Asphalt for Tack Coat	5,110.000	GAL	3.20			
0480	907-601-B003	Class "B" Structural Concrete, Minor Structures	15.000	CY	1,200.00			
0490	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White	8,240.000	LF	0.75			
0500	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White	7,747.000	LF	0.75			

GEORGE (20)					J. Levens Builders, Inc.			
Intersection Improvements on US 98 East at SR 63 North, known as Federal Aid Project No. HSIP-0014-03(062) / 105941301, in George County.					\$1,846,528.05			
Ref#	SM Item	Item Description	Item Qty	Units	4			
0510	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow	960.000	LF	0.75			
0520	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	4,873.000	LF	0.75			
0530	907-626-G004	Thermoplastic Detail Stripe, White	10,900.000	LF	1.30			
0540	907-626-G005	Thermoplastic Detail Stripe, Yellow	3,235.000	LF	1.30			
0550	907-626-H005	Thermoplastic Legend, White	363.000	SF	6.00			
0560	907-699-A002	Roadway Construction Stakes	1.000	LS	50,000.00			
0570	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture	4,026.000	TON	89.50			
0580	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture	805.000	TON	94.50			
0590	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture	3,019.000	TON	97.20			
0600	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture	851.000	TON	99.50			
0610	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture	638.000	TON	111.25			
0620	907-403-C008	Hot Mix Asphalt, ST, 12.5-mm mixture, Trench Widening	1,009.000	TON	97.75			
0630	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture	638.000	TON				
0640	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture	4,026.000	TON				
0650	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture	851.000	TON				
0660	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture	3,019.000	TON				
0670	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture	805.000	TON				
0680	907-403-O007	Warm Mix Asphalt, ST, 12.5-mm mixture, Trench Widening	1,009.000	TON				