


[Proposal & Plan Sales Will Begin on February 6, 2012](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for February – February 28, 2012



**Two Month Projects
Have An (*)**

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR FEBRUARY - Tuesday, February 28, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 06, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
* 01	HSIP-0000-02(027) / 106290301	District 2
* 02	NH-0002-01(046) / 106307301	Jackson
* 03	NH-0015-02(093) / 106306301	Jones
04	NHS-0018-02(040) / 106149301	Humphreys
05	STP-0022-04(058) / 106311301	Pontotoc
* 06	STP-0023-01(078) / 106342301	Lamar
* 07	STP-0023-02(054) / 106161301	Scott
* 08	STP-0052-01(007) / 106313301	Coahoma
* 09	STP-0072-04(026) / 106312301	Sunflower
10	STP-0158-00(014) / 106264301	Adams
11	STP-0193-00(009) / 106267301	Jefferson Davis
12	STP-0948-00(009) / 106310301	Tishomingo
* 13	HSIP-9999-07(006) / 106300301	District 7

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, March 27, 2012; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR MARCH

CALL	CONTRACT	COUNTY
01	ACNH-9204-00(001) / 100486301	Madison

Installing Cable Barrier on various routes throughout the District, known as Federal Aid Project No. HSIP-0000-02(027) / 106290301 in District 2.

PROJECT COMPLETION: October 26, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

81	Square Yard	202-B025	Removal of Concrete Paved Ditch
250	Each	202-B086	Removal of Guard Post
3,018	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
5,900	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Each	619-D3001	Remove and Reset Signs, All Sizes
	Lump Sum	620-A001	Mobilization
35	Each	907-203-I002	Site Grading
2	Acre	907-225-A001	Grassing
4	Ton	907-225-B001	Agricultural Limestone
3,240	Linear Feet	907-237-A003	Wattles, 20"
320	Each	907-246-A002	Sandbags
81,475	Linear Feet	907-606-G001	Cable Barrier
52	Each	907-606-H001	Cable Barrier Terminal Section
390	Each	907-606-I001	Cable Barrier Post Repair
	Lump Sum	907-699-A002	Roadway Construction Stakes

Widen and overlay approximately 3 miles of SR 63 from Frederick Street to I-10, known as Federal Aid Project No. NH-0002-01(046) / 106307301, in Jackson County.

PROJECT COMPLETION: Flexible
Advance Information Only - Items and Quantities Subject to Change

Roadway Items

13,669	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A3006	Temporary Traffic Stripe, Skip White
26,853	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,983	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
629	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,058	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
63	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
372	Linear Feet	635-A001	Vehicle Loop Assemblies
2,451	Ton	907-304-F001	Size 825 Crushed Stone Base
14,116	Gallon	907-407-A001	Asphalt for Tack Coat
6	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,998	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,428	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,641	Linear Feet	907-626-H004	Thermoplastic Legend, White
115	Square Feet	907-626-H005	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

7,192	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
1,917	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
3,546	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

1,917	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
7,192	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
3,546	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Widen & Overlay Approximately 8 Miles of US 84 From the Covington County Line to East of Dykes Road, known as Federal Aid Project No. NH-0015-02(093) / 106306301, in Jones County.

PROJECT COMPLETION: Flexible
Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,719	Linear Feet	202-B076	Removal of Traffic Stripe
1,000	Square Yard	202-B078	Removal of Pavement, All Types and Depths
1,500	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
14,000	Square Yard	217-A001	Ditch Liner
28	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4,000	Linear Feet	234-A001	Temporary Silt Fence
24,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
32	Mile	423-A001	Rumble Strips, Ground In
1,300	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D015	Guard Rail, Bridge End Section
8	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
32	Mile	619-A3006	Temporary Traffic Stripe, Skip White
4,953	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,803	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
793	Each	627-B001	Two-Way Clear Reflective Raised Markers
1,750	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
246	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Acre	907-225-A001	Grassing
400	Linear Feet	907-237-A003	Wattles, 20"
8,600	Ton	907-304-F001	Size 825 Crushed Stone Base
14,000	Gallon	907-407-A001	Asphalt for Tack Coat
16	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
1,150	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
18	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
26,084	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
21,389	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,374	Linear Feet	907-626-H004	Thermoplastic Legend, White
800	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
ALTERNATE GROUP AA NO. 1			
260	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
29,900	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
12,539	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
29,900	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture

Call No. 03 for the February 28, 2012 Letting

260 Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
12,539 Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Lighting installation on US 49W from Pluck Rd. to SR 12, known as Federal Aid Project No. NHS-0018-02(040) / 106149301 in Humphreys County.

PROJECT COMPLETION: December 21, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

166	Square Yard	216-A001	Solid Sodding
100	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
12,218	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
2,790	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
2	Each	682-D001	Underground Pull Box
2	Each	682-F001	Secondary Power Controllers
62	Each	683-B026	Lighting Assembly, Low Mast, Type 35-1-10-400
75	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
10	Linear Feet	684-B003	Slip Casing, 24" Diameter
100	Linear Feet	907-237-A003	Wattles, 20"
62	Each	907-682-E001	Underground Junction Box With Concrete Pad

Mill and Overlay approximately 7 miles of SR 15 from SR 6 to the Union County Line, known as Federal Aid Project No. STP-0022-04(058) / 106311301, in Pontotoc County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,400	Linear Feet	202-B102	Removal of Guard Rail
149,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
12	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
40,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
550	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
40	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,175	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
54	Each	630-F001	Delineators, Guard Rail, White
1,125	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
15,800	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,750	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,550	Linear Feet	907-626-H004	Thermoplastic Legend, White
275	Square Feet	907-626-H005	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
13,100	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
13,100	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Widen & Overlay approximately 4 miles of SR 13 from Joe Reid Road North to the Marion County Line, known as Federal Aid Project No. STP-0023-01(078) / 106342301, in Lamar County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

489	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
429	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
100	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
372	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
621	Ton	907-304-F001	Size 825 Crushed Stone Base
3,600	Gallon	907-407-A001	Asphalt for Tack Coat
9	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
506	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
429	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

5,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,200	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

5,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
4,200	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Mill & Overlay approximately 8 Miles of SR 35 From Smith County Line to Beginning of 4 Lane South of I-20, known as Federal Aid Project No. STP-0023-02(054) / 106161301, in Scott County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

6,922	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
9,797	Cubic Yard	203-G003	Excess Excavation, FM, AH
12,904	Square Yard	204-A003	Geogrid, Type II, Biaxial
500	Cubic Yard	310-B002	Size II Stabilizer Aggregate, Coarse
141,938	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
14,400	Square Yard	409-A003	Geotextile Fabric For Underseal, Type VII
16	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,209	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,060	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
593	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
222	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Single Faced
12	Linear Feet	619-G4005	Barricades, Type III, Double Faced
264	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
60	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
847	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,330	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
19,620	Ton	907-304-F004	Size 825B Crushed Stone Base
19,072	Gallon	907-407-A001	Asphalt for Tack Coat
16	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
6	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,525	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
684	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,060	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
ALTERNATE GROUP AA NO. 1			
16,558	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
1,947	Ton	907-403-B005	Hot Mix Asphalt, MT, 19-mm mixture, Leveling
779	Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
16,558	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
1,947	Ton	907-403-N007	Warm Mix Asphalt, MT, 19-mm mixture, Leveling
779	Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Widen and Overlay approximately 9 miles of SR 1 from the Bolivar County Line to Sherard, known as Federal Aid Project No. STP-0052-01(007) / 106313301, in Coahoma County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,090	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,300	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
705	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,300	Ton	907-304-B009	Granular Material, Class 3, Group D
30,000	Gallon	907-407-A001	Asphalt for Tack Coat
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,450	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
640	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
14,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
9,300	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
3,700	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
14,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
9,300	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
3,700	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Mill and Overlay approximately 12 miles of US 49W from Sunflower to Ruleville, known as Federal Aid Project No. STP-0072-04(026) / 106312301, in Sunflower County.

PROJECT COMPLETION: Flexible
Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4	Each	202-B043	Removal of Guard Rail Bridge End Section
425	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
500	Linear Feet	202-B076	Removal of Traffic Stripe
4	Each	202-B090	Removal of Terminal End Section
16,500	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
23	Mile	423-A001	Rumble Strips, Ground In
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
250	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
21,000	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
12	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
500	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
2,100	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
700	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Each	630-F001	Delineators, Guard Rail, White
2,500	Ton	907-304-B002	Granular Material, Class 5, Group D
9,670	Gallon	907-407-A001	Asphalt for Tack Coat
23	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10,400	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,280	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,835	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,100	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

320	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
160	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NO. 2

320	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
160	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NO. 1

19,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
--------	-----	--------------	-------------------------------------

ALTERNATE GROUP BB NO. 2

19,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
--------	-----	--------------	--------------------------------------

Widen and Overlay approximately 5 miles of SR 555 between Linda Lee Dr. & Airport Rd., known as Federal Aid Project No. STP-0158-00(014) / 106264301 in Adams County.

PROJECT COMPLETION: Flexible
Advance Information Only - Items and Quantities Subject to Change

Roadway Items

93	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
27	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
52	Square Yard	202-B035	Removal of Concrete Sidewalk
500	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
98,604	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5	Mile	423-A001	Rumble Strips, Ground In
538	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
86	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
27	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3006	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
22,911	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,022	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,151	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
698	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
634	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,826	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
34	Each	630-F001	Delineators, Guard Rail, White
572	Linear Feet	635-A001	Vehicle Loop Assemblies
45	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
2	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
50	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
150	Linear Feet	666-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
45	Linear Feet	668-B016	Traffic Signal Conduit, Underground Drilled or Jacked, Type4, 2"
1,291	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
14,189	Gallon	907-407-A001	Asphalt for Tack Coat
26,477	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
13,157	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,754	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,022	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,151	Square Feet	907-626-H005	Thermoplastic Legend, White

Call No. 10 for the February 28, 2012 Letting

1 Each 907-639-A034 Traffic Signal Equipment Pole, Type VI, 8' Shaft
1 Cubic Yard 907-639-C003 Pole Foundations, 24" Diameter

ALTERNATE GROUP AA NO. 1

12,654 Ton 907-403-A015 Hot Mix Asphalt, ST, 9.5-mm mixture
220 Ton 907-403-B009 Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling

ALTERNATE GROUP AA NO. 2

12,654 Ton 907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture
220 Ton 907-403-N001 Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Widen & Overlay Approximately 9 Miles of SR 42 from SR 35 to Lamar County Line, known as Federal Aid Project No. STP-0193-00(009) / 106267301, in Jefferson-Davis County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

68	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
16	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,089	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
18	Mile	423-A001	Rumble Strips, Ground In
638	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
500	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
5,925	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,828	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
321	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
75	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
889	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
38	Each	630-F001	Delineators, Guard Rail, White
2,723	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
17,381	Gallon	907-407-A001	Asphalt for Tack Coat
500	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,155	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,770	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,828	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
11,638	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
879	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
11,638	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
879	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Mill and Overlay approximately 8 miles of SR 365 from US 72 to SR 25, known as Federal Aid Project No. STP-0948-00(009) / 106310301, in Tishomingo County.

PROJECT COMPLETION: Flexible
Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3,900	Linear Feet	202-B076	Removal of Traffic Stripe
25	Linear Feet	202-B102	Removal of Guard Rail
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
11,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
25	Linear Feet	606-B001	Guard Rail, Class A, Type 1
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
20,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
860	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
29,000	Gallon	907-407-A001	Asphalt for Tack Coat
18	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
16,600	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
125	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP AA NO. 2			
16,600	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
125	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 1			
2,200	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,100	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
600	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NO. 2			
2,200	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,100	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
600	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Pavement Marking on various routes District Wide, known as Federal Aid Project No. HSIP-9999-07(006) / 106300301, in District 7 Counties.

PROJECT COMPLETION: August 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

593	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
11,190	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
12,407	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
12,583	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
133	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
460	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
93	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
143	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
133	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min

Reconstruction of I-55 from Old Agency Rd. to North of SR 463, known as Federal Aid Project No. ACNH-9204-00(001) / 100486301 in Madison County.

PROJECT COMPLETION: Contractor Determined

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
40,854 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B009	Removal of Bridge (On Madison Avenue)
2 Each	202-B009	Removal of Bridge (Over Madison Avenue)
2 Each	202-B009	Removal of Bridge (Over Steed Road)
820 Square Yard	202-B010	Removal of Bridge End Pavement
440 Linear Feet	202-B022	Removal of Concrete Median Barrier
5,571 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
1,486 Square Yard	202-B025	Removal of Concrete Paved Ditch
24,037 Linear Feet	202-B041	Removal of Fence, All Types
9 Each	202-B042	Removal of Flared End Section, All Sizes
4 Each	202-B055	Removal of High Mast Lighting Assembly
4 Each	202-B056	Removal of High Mast Lighting Foundation
38 Each	202-B057	Removal of Inlets, All Sizes
1,114 Square Feet	202-B062	Removal of Overhead Sign Panels
1 Each	202-B063	Removal of Overhead Sign Including Panels, Truss, Supports & Footing
5,476 Linear Feet	202-B064	Removal of Pipe, 8" And Above
24 Each	202-B070	Removal of Sign Including Post & Footing
59,915 Square Yard	202-B072	Removal of Soil Cement Treated Base, All Depths
62,481 Linear Feet	202-B076	Removal of Traffic Stripe
13 Each	202-B085	Removal of Trees
5,095 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
6 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
7,865 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
2,754 Square Yard	202-B095	Removal of Concrete Sidewalks & Driveways, All Depths
45,382 Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
4 Each	202-B125	Removal of Signal Pole Including Hardware and Wiring
625 Square Yard	202-B138	Removal of Riprap (Grouted)
62,328 Square Yard	202-B166	Removal of Soil Cement with Asphalt Overlay
2 Each	202-B189	Removal of Impact Attenuator
7 Each	202-B247	Removal of Pull Box
1 Each	202-B284	Removal of Irrigation System
142,844 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,223 Cubic Yard	203-EX022	Borrow Excavation, AH, LVM, Class B11
216,635 Cubic Yard	203-EX027	Borrow Excavation, AH, FME, Class B14
2,456 Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
265,591 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
13,147 Cubic Yard	203-F001	Channel Excavation, FM
956,712 Cubic Yard	203-G003	Excess Excavation, FM, AH
48,571 Cubic Yard	206-A001	Structure Excavation

Call No. 01 for the March 27, 2012 Letting

310	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
115	Ton	213-C001	Superphosphate
469	Ton	215-A001	Vegetative Materials for Mulch
9,219	Square Yard	216-A001	Solid Sodding
5,000	Square Yard	217-A001	Ditch Liner
164	Thousand Gallon	219-A001	Watering
115	Acre	220-A001	Insect Pest Control
3,388	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
26,936	Linear Feet	234-A001	Temporary Silt Fence
2,173	Bale	235-A001	Temporary Erosion Checks
5	Each	236-A004	Silt Basin, Type D
1,500	Linear Feet	239-A001	Temporary Slope Drains
19,567	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
15	Mile	423-A001	Rumble Strips, Ground In
970	Linear Feet	501-E001	Expansion Joints, Without Dowels
320	Linear Feet	501-F001	Concrete Lug Anchors
2,136	Square Yard	501-K001	Transverse Grooving
2,136	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
8,460	Linear Feet	503-C007	Saw Cut, Full Depth
221,366	Pounds	602-A001	Reinforcing Steel
12,866	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
9,938	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
1,968	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1,994	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
504	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
4,160	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
156	Linear Feet	603-CA102	48" Reinforced Concrete Pipe, Class V, Jacked or Bored
216	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
56	Linear Feet	603-CA133	60" Reinforced Concrete Pipe, Class V, Jacked or Bored
40	Each	603-CB001	18" Reinforced Concrete End Section
31	Each	603-CB002	24" Reinforced Concrete End Section
5	Each	603-CB003	30" Reinforced Concrete End Section
9	Each	603-CB004	36" Reinforced Concrete End Section
5	Each	603-CB006	48" Reinforced Concrete End Section
164	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
204	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
48	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
212	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
76	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
412	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
3	Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
6	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section

Call No. 01 for the March 27, 2012 Letting

1	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB006	42" Branch Connections, Stub into Box Culvert
1	Each	603-SB007	48" Branch Connections, Stub into Box Culvert
1	Each	603-SB017	65" x 40" Branch Connections, Stub into Box Culvert
4	Each	603-SB040	18" Branch Connections, Stub into Box Culvert
2	Each	603-SB055	30" Branch Connections, Stub into Box Bridge
18,598	Pounds	604-A001	Castings
7,542	Pounds	604-B001	Gratings
9,216	Square Yard	605-AA004	Geotextile for Subsurface Drainage, Type V
1,443	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
3,598	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,850	Linear Feet	606-B001	Guard Rail, Class A, Type 1
9	Each	606-C003	Guard Rail, Cable Anchor, Type 1
8	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E002	Guard Rail, Terminal End Section, Flared
3	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
12,761	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
919	Linear Feet	609-B001	Concrete Curb, Header
59,836	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
4,183	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
12	Each	613-D004	Adjustment of Inlet
10	Each	613-D008	Adjustment of Existing Overhead Mounted Interstate Directional Sign
123	Square Yard	614-B001	Concrete Driveway, With Reinforcement
81	Linear Feet	615-A004	Concrete Special Design Median Barrier
21,481	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
50	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
239	Linear Feet	615-A016	Concrete Bridge End Barrier, 42"
10,645	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
599	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
31	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
1	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
29	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
1	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
49	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
2	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
42,186	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,162	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
617	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
7,036	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,071	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
377	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,402	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6	Each	619-D3001	Remove and Reset Signs, All Sizes
363	Square Feet	619-D4001	Directional Signs

Call No. 01 for the March 27, 2012 Letting

2	Each	619-E1001	Flashing Arrow Panel, Type C
25,873	Linear Feet	619-F1001	Concrete Median Barrier, Precast
32,199	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
720	Linear Feet	619-G4001	Barricades, Type III, Single Faced
126	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
300	Each	619-G5001	Free Standing Plastic Drums
23	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	619-H1001	Traffic Signals
4	Unit	619-J1002	Impact Attenuator, 50 MPH
4	Unit	619-J2004	Impact Attenuator, 50 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	622-B001	Engineer's Field Office Building, Type 2 LO
6,520	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,025	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	629-A002	Vehicular Impact Attenuator, 60 MPH
4	Each	629-A003	Vehicular Impact Attenuator, 70 MPH
516	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,979	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,596	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
7,125	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
365	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1,687	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
596	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
57	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
100	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
657	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
265	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
1,886	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
25	Each	630-F006	Delineators, Post Mounted, Single White
17	Each	630-F007	Delineators, Post Mounted, Single Yellow
67	Each	630-F008	Delineators, Post Mounted, Double White
15	Each	630-F009	Delineators, Post Mounted, Double Yellow
80	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
402	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
1,057	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
64	Each	640-A016	Traffic Signal Heads, Type 1 LED
8	Each	640-A017	Traffic Signal Heads, Type 2 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
12	Each	640-A022	Traffic Signal Heads, Type 7 LED
11	Each	640-A024	Traffic Signal Heads, Type 4 LED
52	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown , Fiber Ready
4	Each	640-A052	Traffic Signal Heads, Type 4R LED
12	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
36	Each	644-A001	Optical Detector
6,750	Linear Feet	644-B001	Optical Detector Cable

Call No. 01 for the March 27, 2012 Letting

11	Each	644-C002	Phase Selector, 4 Channel
61	Each	647-A001	Pullbox, Type 1
11	Each	647-A002	Pullbox, Type 3
29	Each	647-A003	Pullbox, Type 4
37	Each	647-A004	Pullbox, Type 5
62	Each	647-A005	Pullbox, Type 2
29	Each	649-A002	Video Vehicle Detection, New Installation, 1 Camera
8,830	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
5,190	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
2,030	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor
6,230	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
70	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
36,810	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
8,935	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
5,050	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
480	Linear Feet	668-C005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
2,900	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
3,810	Linear Feet	682-A004	Underground Branch Circuit, AWG 1/0, 3 Conductor
11,175	Linear Feet	682-A015	Underground Branch Circuit, AWG 2, 3 Conductor
3,915	Linear Feet	682-A025	Underground Branch Circuit, AWG 4, 3 Conductor
3,555	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
500	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
290	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
1,665	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
530	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
680	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
68	Each	682-D001	Underground Pull Box
2	Each	682-F001	Secondary Power Controllers
2	Each	683-A008	Lighting Assembly, High Mast, Type 100-4-A
2	Each	683-A009	Lighting Assembly, High Mast, Type 100-4-S
17	Each	683-A012	Lighting Assembly, High Mast, Type 100-5-S
2	Each	683-B027	Lighting Assembly, Low Mast, Type 35-1-12-250
1	Each	683-D001	Portable Electric Power Units
192	Cubic Yard	684-A004	Pole Foundation, 36" Diameter
22	Cubic Yard	684-A005	Pole Foundation, 42" Diameter
4	Cubic Yard	684-A007	Pole Foundation, 30" Diameter
720	Linear Feet	684-B004	Slip Casing, 36" Diameter
60	Linear Feet	684-B005	Slip Casing, 42" Diameter
20	Linear Feet	684-B007	Slip Casing, 30" Diameter
13,200	Linear Feet	685-B005	Aerially Supported Electrical Cable, XLP, AWG 4, 3 Conductor
350	Linear Feet	685-B006	Aerially Supported Electrical Cable, XLP, AWG 2, 3 Conductor
57	Each	685-C005	Temporary Lighting Assembly, 35-1-0-250
6	Each	685-D001	Service Pole
25	Each	686-A001	Relocation of Existing Lighting Assemblies
3,580	Linear Feet	686-B001	Relocation of Existing Wiring

Call No. 01 for the March 27, 2012 Letting

4,639	Ton	815-A009	Loose Riprap, Size 300
4,818	Square Yard	815-E001	Geotextile under Riprap
310	Cubic Yard	815-F001	Sediment Control Stone
235	Acre	907-225-A001	Grassing
688	Ton	907-225-B001	Agricultural Limestone
115	Acre	907-226-A001	Temporary Grassing
24	Each	907-234-D001	Inlet Siltation Guard
5,802	Linear Feet	907-237-A002	Wattles, 12"
2,000	Linear Feet	907-237-A003	Wattles, 20"
500	Each	907-246-B002	Rockbags
1,000	Ton	907-249-A001	Riprap for Erosion Control
500	Cubic Yard	907-249-B001	Remove and Reset Riprap
	Lump Sum	907-282-A019	Automatic Irrigation System
27,668	Ton	907-304-B001	Granular Material, Class 5, Group C
197,005	Ton	907-304-B005	Granular Material, Class 9, Group C
1,579	Ton	907-304-F003	3/4" and Down Crushed Stone Base
280,623	Square Yard	907-307-A002	6" Soil-Lime-Water Mixing, Class A
3,977	Ton	907-307-D001	Lime
73,934	Gallon	907-407-A001	Asphalt for Tack Coat
8,194	Cubic Yard	907-601-A001	Class "B" Structural Concrete
855	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,225	Square Yard	907-605-CC001	Prefabricated Sheet Drain
4,714	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
56	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
637	Square Feet	907-611-B001	Brick Pavers
189	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-1M001	Service Patrol
4	Each	907-619-E3001	Changeable Message Sign
	Lump Sum	907-619-M2002	Portable Smart Work Zone, System
500	Each	907-619-M3001	Portable Smart Work Zone, System Monitoring
10,700	Linear Feet	907-619-P1001	Glare Paddles
28	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	907-626-B006	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
1,880	Linear Feet	907-626-D005	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
60,850	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
21,647	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6,880	Linear Feet	907-626-H004	Thermoplastic Legend, White
4,019	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 1
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 11
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 12
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 13
	Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 14

Call No. 01 for the March 27, 2012 Letting

Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 15
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 16
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 17
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 18
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 19
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 20
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 21
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 22
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 23
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 24
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 25
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 28
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 29
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 30
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 4
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 6
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 7
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 8
Lump Sum	907-630-I011	Metal Overhead Sign Supports, Contractor Designed , Assembly No. 9
965 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
7 Each	907-637-A001	Equipment Cabinet, Type B
2 Each	907-637-A003	Equipment Cabinet, Type A
7 Each	907-639-A002	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
2 Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
4 Each	907-639-A008	Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm
8 Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1 Each	907-639-A013	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms
3 Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
3 Each	907-639-A018	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
2 Each	907-639-A020	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm
2 Each	907-639-A031	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm
9 Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
1 Each	907-639-A042	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' & 60'Arms
1 Each	907-639-A092	Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 60' Arms
65 Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4 Each	907-639-E003	Camera Pole with Foundation, 70' Pole
4 Each	907-639-F002	Detector Pole with Foundation, 50' Pole
4 Each	907-641-A001	Radar Detection System
16 Each	907-650-A002	On Street Video Equipment, Fixed Type
10 Each	907-650-A003	On Street Video Equipment, PTZ Type
11 Each	907-651-A002	Magnetometer Detection System
39 Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor
2 Each	907-656-A001	Dynamic Message Sign, Type 1
Lump Sum	907-656-B001	Dynamic Message Sign Training
26,920 Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
635 Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

Call No. 01 for the March 27, 2012 Letting

11	Each	907-658-A001	Hardened Network Switch, Type A
2	Each	907-658-B001	Terminal Server
	Lump Sum	907-659-A001	Traffic Management Center Modifications
	Lump Sum	907-659-C001	Traffic Management Center Modifications - Training
1	Each	907-660-A001	OTN Node
1	Each	907-660-B001	OTN Node Communications Hut
10	Each	907-662-A001	Video Encoder, Type A
3	Each	907-662-B001	Video Decoder, Type A
1	Each	907-682-F1001	Repair Secondary Power Controller
	Lump Sum	907-699-A002	Roadway Construction Stakes
280	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
25,623	Square Feet	907-809-A004	Temporary Shoring Wall System
2,280	Hours	907-906001	Trainees
4,568	Ton	907-308-A001	Portland Cement
374,160	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
467,702	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
3,707	Ton	907-311-B001	Lime
14,811	Ton	907-311-C002	Fly Ash, Class C or F
13,311	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
58,820	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
4,566	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
6,270	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
7,528	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
4,206	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
37,514	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
250	Ton	907-403-B001	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling
54,710	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
29,936	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
6,270	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
37,514	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
4,206	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
7,528	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
4,566	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
13,311	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
58,820	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
250	Ton	907-403-N009	Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling
29,936	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
54,710	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
Bridge Items			
17,292	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
34,206	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
7	Each	803-I001	PDA Test Pile
510	Linear Feet	803-O009	Temporary Casing, 54" Diameter
2,575,856	Pounds	805-A001	Reinforcement
954	Pounds	810-A006	Structural Steel, A 307

Call No. 01 for the March 27, 2012 Letting

5,271	Linear Feet	813-A002	Concrete Railing, 32"
2,156	Linear Feet	813-A003	Concrete Railing, 42"
1,054	Linear Feet	813-E005	Metal Railing
1,292	Cubic Yard	815-D001	Concrete Slope Paving
3,645	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
1,019	Linear Feet	907-803-K007	Drilled Shaft, 42" Diameter
21,888	Linear Feet	907-803-K008	Drilled Shaft, 24" Diameter
10,606	Linear Feet	907-803-K009	Drilled Shaft, 36" Diameter
2	Each	907-803-L005	Test Shaft, 54" Diameter
172	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
93	Linear Feet	907-803-M007	Trial Shaft, 36" Diameter
8,224	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,740	Linear Feet	907-804-C007	115' Prestressed Concrete Beam, Type BT-72
3,220	Linear Feet	907-804-C012	135' Prestressed Concrete Beam, Type BT-72
2,323	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,934	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
2,653	Linear Feet	907-804-C193	103' Prestressed Concrete Beam, Type IV
1,500	Linear Feet	907-804-C194	68' Prestressed Concrete Beam, Type BT-63
5,332	Linear Feet	907-804-C195	121' Prestressed Concrete Beam, Type BT-63
1,280	Linear Feet	907-804-C196	58' Prestressed Concrete Beam, Type BT-63
2,314	Linear Feet	907-804-C197	97' Prestressed Concrete Beam, Type BT-72
2,074	Linear Feet	907-804-C198	87' Prestressed Concrete Beam, Type BT-72
671	Square Feet	907-831-PP004	Precast Panels

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR