
Proposal & Plan Sales Will Begin on March 5, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date for March – March 27, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR MARCH - Tuesday, March 27, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 05, 2012

Proposals must be purchased from: Contract Administration Engineer MDOT Administration Building 401 North West Street Jackson, MS 39201 (or) P.O. Box 1850

Jackson, MS 39215-1850 Telephone: (601) 359-7744 FAX: (601) 359-7732 Plans may be purchased from: MDOT Plans Print Shop MDOT Shop Complex, Building C, Room 114 2567 North West Street Jackson, MS 39216 (or) P.O. Box 1850 Jackson, MS 39215-1850 Telephone: (601) 359-7460 or FAX: (601) 359-7461

or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

| CALL | CONTRACT | COUNTY |
|------|--|----------------|
| 01 | Withdrawn | |
| 02 | ACNH-9204-00(007) / 100486301 | Madison |
| 03 | APD-0070-05(024)N/100078305, APD-0070-06(025)N / 100078306, & APD-0070-06(025)N /100078307 | Pontotoc & Lee |
| 04 | HSIP-0008-01(124) / 106123301 | Harrison |
| 05 | SP-0250-00(001) / 106330301 | Hinds |

Reconstruction of I-55 from Old Agency Rd. to North of SR 463, known as Federal Aid Project No. ACNH-9204-00(007) / 100486301 in Madison County.

PROJECT COMPLETION: Contractor Determined

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | Lump Sum | 201-A001 | Clearing and Grubbing |
|---------|-------------|-----------|--|
| 1 | Acre | 201-B001 | Clearing and Grubbing |
| 40,854 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 1 | Each | 202-B009 | Removal of Bridge (On Madison Avenue) |
| 2 | Each | 202-B009 | Removal of Bridge (Over Madison Avenue) |
| 2 | Each | 202-B009 | Removal of Bridge (Over Steed Road) |
| 820 | Square Yard | 202-B010 | Removal of Bridge End Pavement |
| 440 | Linear Feet | 202-B022 | Removal of Concrete Median Barrier |
| 5,571 | Square Yard | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths |
| 1,486 | Square Yard | 202-B025 | Removal of Concrete Paved Ditch |
| 24,037 | Linear Feet | 202-B041 | Removal of Fence, All Types |
| 9 | Each | 202-B042 | Removal of Flared End Section, All Sizes |
| 4 | Each | 202-B055 | Removal of High Mast Lighting Assembly |
| 4 | Each | 202-B056 | Removal of High Mast Lighting Foundation |
| 38 | Each | 202-B057 | Removal of Inlets, All Sizes |
| 1,114 | Square Feet | 202-B062 | Removal of Overhead Sign Panels |
| 1 | Each | 202-B063 | Removal of Overhead Sign Including Panels, Truss, Supports & Footing |
| 5,476 | Linear Feet | 202-B064 | Removal of Pipe, 8" And Above |
| 24 | Each | 202-B070 | Removal of Sign Including Post & Footing |
| 59,915 | Square Yard | 202-B072 | Removal of Soil Cement Treated Base, All Depths |
| 62,481 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 13 | Each | 202-B085 | Removal of Trees |
| 5,095 | Linear Feet | 202-B087 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 6 | Each | 202-B088 | Removal of Box Culvert Headwall, All Sizes |
| 7,865 | Linear Feet | 202-B093 | Removal of Curb & Gutter, All Types |
| 2,754 | Square Yard | 202-B095 | Removal of Concrete Sidewalks & Driveways, All Depths |
| 45,382 | Square Yard | 202-B097 | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths |
| 4 | Each | 202-B125 | Removal of Signal Pole Including Hardware and Wiring |
| 625 | Square Yard | 202-B138 | Removal of Riprap (Grouted) |
| 62,328 | Square Yard | 202-B166 | Removal of Soil Cement with Asphalt Overlay |
| 2 | Each | 202-B189 | Removal of Impact Attenuator |
| 7 | Each | 202-B247 | Removal of Pull Box |
| 1 | Each | 202-B284 | Removal of Irrigation System |
| 142,844 | Cubic Yard | 203-A003 | Unclassified Excavation, FM, AH |
| 1,223 | Cubic Yard | 203-EX022 | Borrow Excavation, AH, LVM, Class B11 |
| 216,635 | Cubic Yard | 203-EX027 | Borrow Excavation, AH, FME, Class B14 |
| 2,456 | Cubic Yard | 203-EX030 | Borrow Excavation, AH, LVM, Class B15 |
| 265,591 | Cubic Yard | 203-EX035 | Borrow Excavation, AH, FME, Class B9-6 |
| 13,147 | Cubic Yard | 203-F001 | Channel Excavation, FM |
| 956,712 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 48,571 | Cubic Yard | 206-A001 | Structure Excavation |
| | | | |

| 310 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
|----------|---------------|-----------|---|
| | | 211-B001 | |
| <i>,</i> | | 213-C001 | |
| 469 | | | Vegetative Materials for Mulch |
| | | 216-A001 | - |
| | - | | Ditch Liner |
| | - | 219-A001 | |
| 101 | Gallon | 219 11001 | () weining |
| 115 | Acre | 220-A001 | Insect Pest Control |
| 3,388 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 1 | Acre | 223-A001 | Mowing |
| 26,936 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 2,173 | Bale | 235-A001 | Temporary Erosion Checks |
| 5 | Each | 236-A004 | Silt Basin, Type D |
| 1,500 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 19,567 | Ton | 406-A003 | Cold Milling of Bituminous Pavement, All Depths |
| 15 | Mile | 423-A001 | Rumble Strips, Ground In |
| 970 | Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 320 | Linear Feet | 501-F001 | Concrete Lug Anchors |
| 2,136 | Square Yard | 501-K001 | Transverse Grooving |
| 2,136 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 8,460 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| 221,366 | Pounds | 602-A001 | Reinforcing Steel |
| 12,866 | Linear Feet 6 | 03-CA002 | 18" Reinforced Concrete Pipe, Class III |
| 9,938 | Linear Feet 6 | 03-CA003 | 24" Reinforced Concrete Pipe, Class III |
| 1,968 | Linear Feet 6 | 03-CA004 | 30" Reinforced Concrete Pipe, Class III |
| 1,994 | Linear Feet 6 | 03-CA005 | 36" Reinforced Concrete Pipe, Class III |
| 504 | Linear Feet 6 | 03-CA006 | 42" Reinforced Concrete Pipe, Class III |
| 4,160 | Linear Feet 6 | 03-CA007 | 48" Reinforced Concrete Pipe, Class III |
| 156 | Linear Feet 6 | 03-CA102 | 48" Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 216 | Linear Feet 6 | 03-CA107 | 24" Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 56 | Linear Feet 6 | 03-CA133 | 60" Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 40 | Each 6 | 03-CB001 | 18" Reinforced Concrete End Section |
| 31 | Each 6 | 03-CB002 | 24" Reinforced Concrete End Section |
| 5 | Each 6 | 03-CB003 | 30" Reinforced Concrete End Section |
| 9 | | | 36" Reinforced Concrete End Section |
| | | | 48" Reinforced Concrete End Section |
| | | 03-CE002 | 29" x 18" Concrete Arch Pipe, Class A III |
| | | 03-CE003 | 36" x 23" Concrete Arch Pipe, Class A III |
| | | 03-CE004 | L / |
| | | | 51" x 31" Concrete Arch Pipe, Class A III |
| | | | 58" x 36" Concrete Arch Pipe, Class A III |
| 412 | | | 65" x 40" Concrete Arch Pipe, Class A III |
| 3 | | | 29" x 18" Concrete Arch Pipe End Section |
| | | | 36" x 23" Concrete Arch Pipe End Section |
| 1 | Each 6 | 03-CF004 | 44" x 27" Concrete Arch Pipe End Section |
| | | | |

| | P 1 | (0.2 (750)- | |
|----------|-------------|-------------|--|
| | Each | | 65" x 40" Concrete Arch Pipe End Section |
| | Each | | 24" Branch Connections, Stub into Box Culvert |
| | Each | | 42" Branch Connections, Stub into Box Culvert |
| | Each | | 48" Branch Connections, Stub into Box Culvert |
| 1 | Each | | 65" x 40" Branch Connections, Stub into Box Culvert |
| | Each | | 18" Branch Connections, Stub into Box Culvert |
| | Each | | 30" Branch Connections, Stub into Box Bridge |
| <i>,</i> | Pounds | 604-A001 | - |
| <i>,</i> | Pounds | 604-B001 | 5 |
| | Square Yard | | Geotextile for Subsurface Drainage, Type V |
| <i>,</i> | Cubic Yard | | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| <i>,</i> | Cubic Yard | | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| <i>,</i> | Linear Feet | | Guard Rail, Class A, Type 1 |
| 9 | Each | | Guard Rail, Cable Anchor, Type 1 |
| 8 | Each | | Guard Rail, Bridge End Section, Type I |
| 12 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| | Each | | Guard Rail, Terminal End Section, Non-Flared |
| <i>,</i> | Square Yard | 608-B001 | Concrete Sidewalk, With Reinforcement |
| 919 | Linear Feet | 609-B001 | Concrete Curb, Header |
| 59,836 | Linear Feet | 609-D004 | Combination Concrete Curb and Gutter Type 3A Modified |
| 4,183 | Linear Feet | 609-D007 | Combination Concrete Curb and Gutter Type 2 Modified |
| 12 | Each | 613-D004 | Adjustment of Inlet |
| 10 | Each | 613-D008 | Adjustment of Existing Overhead Mounted Interstate Directional Sign |
| 123 | Square Yard | 614-B001 | Concrete Driveway, With Reinforcement |
| 81 | Linear Feet | 615-A004 | Concrete Special Design Median Barrier |
| 21,481 | Linear Feet | 615-A012 | Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier |
| 50 | Linear Feet | 615-A015 | Concrete Bridge End Barrier, 32" |
| 239 | Linear Feet | 615-A016 | Concrete Bridge End Barrier, 42" |
| 10,645 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| 599 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 31 | Mile | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint |
| 1 | Mile | 619-A1008 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 29 | Mile | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 1 | Mile | 619-A2008 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 49 | Mile | 619-A3007 | Temporary Traffic Stripe, Skip White, Paint |
| 2 | Mile | 619-A4007 | Temporary Traffic Stripe, Skip Yellow, Paint |
| 42,186 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 1,162 | Linear Feet | 619-A6003 | Temporary Traffic Stripe, Legend, Paint |
| 617 | Square Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint |
| 7,036 | Each | 619-C6001 | Red-Clear Reflective High Performance Raised Marker |
| 1,071 | Each | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker |
| 377 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 2,402 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 6 | Each | 619-D3001 | Remove and Reset Signs, All Sizes |
| 363 | Square Feet | 619-D4001 | Directional Signs |
| | | | |

| 2 | Each | 619-E1001 | Flashing Arrow Panel, Type C |
|----------|-------------|-----------|---|
| | Linear Feet | | Concrete Median Barrier, Precast |
| <i>,</i> | Linear Feet | | Remove and Reset Concrete Median Barrier, Precast |
| <i>,</i> | Linear Feet | | Barricades, Type III, Single Faced |
| | Linear Feet | | Barricades, Type III, Single Faced, Permanent |
| | Each | | Free Standing Plastic Drums |
| | Each | 619-G7001 | Warning Lights, Type "B" |
| | Lump Sum | 619-H1001 | Traffic Signals |
| 4 | Unit | | Impact Attenuator, 50 MPH |
| 4 | Unit | | Impact Attenuator, 50 MPH, Replacement Package |
| | Lump Sum | 620-A001 | Mobilization |
| 1 | Each | 622-B001 | Engineer's Field Office Building, Type 2 LO |
| 6,520 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 1,025 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1 | Each | 629-A002 | Vehicular Impact Attenuator, 60 MPH |
| 4 | Each | 629-A003 | Vehicular Impact Attenuator, 70 MPH |
| 516 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 1,979 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 1,596 | Square Feet | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 7,125 | Square Feet | 630-В002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 365 | Linear Feet | 630-C001 | Steel U-Section Posts, 2.0 lb/ft |
| 1,687 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 596 | Linear Feet | 630-D003 | Structural Steel Beams, W6 x 9 |
| 57 | Linear Feet | 630-D004 | Structural Steel Beams, W6 x 12 |
| 100 | Linear Feet | 630-D010 | Structural Steel Beams, W12 x 26 |
| 657 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| | Pounds | | Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles |
| 1,886 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| | Each | | Delineators, Post Mounted, Single White |
| 17 | Each | 630-F007 | Delineators, Post Mounted, Single Yellow |
| | Each | | Delineators, Post Mounted, Double White |
| | Each | | Delineators, Post Mounted, Double Yellow |
| | Linear Feet | | Welded & Seamless Steel Pipe Posts, 3" |
| | Linear Feet | | Welded & Seamless Steel Pipe Posts, 3 1/2" |
| | Linear Feet | | Welded & Seamless Steel Pipe Posts, 4" |
| | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| | Each | | Traffic Signal Heads, Type 2 LED |
| | Each | | Traffic Signal Heads, Type 3 LED |
| | Each | 640-A022 | Traffic Signal Heads, Type 7 LED |
| | Each | 640-A024 | Traffic Signal Heads, Type 4 LED |
| | Each | | Traffic Signal Heads, Type 6 LED Countdown, Fiber Ready |
| | Each | 640-A052 | Traffic Signal Heads, Type 4R LED |
| | Each | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A |
| | Each | 644-A001 | Optical Detector |
| 6,750 | Linear Feet | 644-B001 | Optical Detector Cable |

| | | | Phase Selector, 4 Channel |
|----------|-------------|----------|---|
| | | | Pullbox, Type 1 |
| | | | Pullbox, Type 3 |
| | | | Pullbox, Type 4 |
| | | | Pullbox, Type 5 |
| | | | Pullbox, Type 2 |
| | | | Video Vehicle Detection, New Installation, 1 Camera |
| ŕ | | | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor |
| ŕ | | | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| 2,030 | Linear Feet | 666-D005 | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor |
| 6,230 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 70 | Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| <i>,</i> | | 668-A029 | Traffic Signal Conduit, Underground, Rolled Pipe, 2" |
| 8,935 | Linear Feet | | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 5,050 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 480 | Linear Feet | 668-C005 | Traffic Signal Conduit, Aerial Supported, Type 1, 2" |
| ŕ | | | Underground Branch Circuit, AWG 1, 3 Conductor |
| ŕ | | | Underground Branch Circuit, AWG 1/0, 3 Conductor |
| 11,175 | | | Underground Branch Circuit, AWG 2, 3 Conductor |
| 3,915 | Linear Feet | 682-A025 | Underground Branch Circuit, AWG 4, 3 Conductor |
| ŕ | | 682-A031 | Underground Branch Circuit, AWG 6, 3 Conductor |
| | | | Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor |
| | | | Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor |
| ŕ | | 682-B016 | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor |
| 530 | | | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor |
| | | | Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor |
| | | | Underground Pull Box |
| 2 | Each | 682-F001 | Secondary Power Controllers |
| | | | Lighting Assembly, High Mast, Type 100-4-A |
| | | | Lighting Assembly, High Mast, Type 100-4-S |
| | | | Lighting Assembly, High Mast, Type 100-5-S |
| | | | Lighting Assembly, Low Mast, Type 35-1-12-250 |
| | | | Portable Electric Power Units |
| | | | Pole Foundation, 36" Diameter |
| 22 | | | Pole Foundation, 42" Diameter |
| 4 | | | Pole Foundation, 30" Diameter |
| | | | Slip Casing, 36" Diameter |
| | | | Slip Casing, 42" Diameter |
| | | | Slip Casing, 30" Diameter |
| ŕ | | | Aerially Supported Electrical Cable, XLP, AWG 4, 3 Conductor |
| | | | Aerially Supported Electrical Cable, XLP, AWG 2, 3 Conductor |
| | | | Temporary Lighting Assembly, 35-1-0-250 |
| | | 685-D001 | |
| | | | Relocation of Existing Lighting Assemblies |
| 3,580 | Linear Feet | 686-B001 | Relocation of Existing Wiring |
| | | | |

| 4 620 | Ton | Q15 A000 | Loose Dinton Size 200 |
|----------|----------------------------|----------------------|---|
| 4,639 | | 815-A009 815-E001 | Loose Riprap, Size 300 Geotextile under Riprap |
| | Square Yard Cubic Yard | | |
| | | 815-F001 | |
| | Acre | 907-225-A001 | Grassing |
| | Ton | 907-225-B001 | Agricultural Limestone |
| | Acre | 907-226-A001 | Temporary Grassing |
| | Each | 907-234-D001 | Inlet Siltation Guard |
| <i>,</i> | Linear Feet | 907-237-A002 | Wattles, 12" |
| , | Linear Feet Each | 907-237-A003 | Wattles, 20" |
| | | 907-246-B002 | - |
| 1,000 | Cubic Yard | | Riprap for Erosion Control |
| 500 | | 907-249-B001 | |
| 27 ((9 | Lump Sum | | Automatic Irrigation System |
| 27,668 | | 907-304-B001 | |
| 197,005 | | | Granular Material, Class 9, Group C |
| 1,579 | | | 3/4" and Down Crushed Stone Base |
| | Square Yard | 907-307-A002 | 6" Soil-Lime-Water Mixing, Class A |
| 3,977 | | 907-307-D001 | |
| 73,934 | | | Asphalt for Tack Coat |
| ŕ | Cubic Yard | 907-601-A001 | |
| 855 | | 907-601-B003 | Class "B" Structural Concrete, Minor Structures |
| 1,225 | Square Yard | | Prefabricated Sheet Drain |
| · · | Linear Feet | 907-605-O001 | 1 |
| | Linear Feet | 907-605-P001 | |
| 637 | 1 | 907-611-B001 | |
| 189 | Each | 907-617-A001 | |
| 4 | Lump Sum | 907-618-1M001 | |
| 4 | Each | | Changeable Message Sign |
| 500 | Lump Sum | | Portable Smart Work Zone, System |
| | Each | | Portable Smart Work Zone, System Monitoring |
| | Linear Feet | 907-619-P1001 | |
| | Mile | | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 3 | Mile | | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| | Mile | | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min |
| | Linear Feet Mile | 907-626-D005 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| | | 907-626-E006 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min |
| | Mile Lincer Feet | 907-626-F006 | |
| | Linear Feet Linear Feet | 907-626-G006 | Thermoplastic Double Drop Detail Stripe, White |
| · · | | 907-626-G007 | Thermoplastic Double Drop Detail Stripe, Yellow |
| | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 4,019 | Square Feet | 907-626-H005 | Thermoplastic Legend, White Matal Overhead Sign Supports, Contractor Designed, Assembly No. 1 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 1 Metal Overhead Sign Supports, Contractor Designed, Assembly No. 11 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 11 Matal Overhead Sign Supports, Contractor Designed, Assembly No. 12 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 12 Matal Overhead Sign Supports, Contractor Designed, Assembly No. 13 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 13 Metal Overhead Sign Supports, Contractor Designed, Assembly No. 14 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 14 |

| | Lump Sum | 007 630 1011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 15 |
|-----|-------------|--------------|--|
| | Lump Sum | | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 15 Metal Overhead Sign Supports, Contractor Designed , Assembly No. 16 |
| | Lump Sum | | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 17 Metal Overhead Sign Supports, Contractor Designed , Assembly No. 17 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 17 Metal Overhead Sign Supports, Contractor Designed , Assembly No. 18 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 19 Metal Overhead Sign Supports, Contractor Designed , Assembly No. 19 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 20 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 21 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 22 Metal Overhead Sign Supports, Contractor Designed , Assembly No. 22 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 22 Metal Overhead Sign Supports, Contractor Designed , Assembly No. 23 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 24 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 25 |
| | Lump Sum | 907-630-I011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 28 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 29 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 30 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 4 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 6 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed , Assembly No. 7 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 8 |
| | Lump Sum | 907-630-1011 | Metal Overhead Sign Supports, Contractor Designed, Assembly No. 9 |
| 965 | Cubic Yard | 907-631-B001 | Flowable Fill, Non-Excavatable |
| 7 | Each | 907-637-A001 | Equipment Cabinet, Type B |
| 2 | Each | 907-637-A003 | Equipment Cabinet, Type A |
| 7 | Each | 907-639-A002 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm |
| 2 | Each | 907-639-A007 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm |
| 4 | Each | 907-639-A008 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm |
| 8 | Each | 907-639-A009 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm |
| 1 | Each | 907-639-A013 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 50' Arms |
| 3 | Each | 907-639-A015 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm |
| 3 | Each | 907-639-A018 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm |
| 2 | Each | 907-639-A020 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 60' Arm |
| 2 | Each | 907-639-A031 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm |
| 9 | Each | 907-639-A034 | Traffic Signal Equipment Pole, Type VI, 8' Shaft |
| 1 | Each | 907-639-A042 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' & 60'Arms |
| 1 | Each | 907-639-A092 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 50' & 60' Arms |
| 65 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 4 | Each | 907-639-E003 | Camera Pole with Foundation, 70' Pole |
| 4 | Each | 907-639-F002 | Detector Pole with Foundation, 50' Pole |
| 4 | Each | 907-641-A001 | Radar Detection System |
| 16 | Each | 907-650-A002 | On Street Video Equipment, Fixed Type |
| | Each | | On Street Video Equipment, PTZ Type |
| | Each | | Magnetometer Detection System |
| | Each | | Magnetometer Detection System Component, Wireless DetectionSensor |
| 2 | Each | 907-656-A001 | Dynamic Message Sign, Type 1 |
| | Lump Sum | 907-656-B001 | Dynamic Message Sign Training |
| , | Linear Feet | 907-657-A001 | Fiber Optic Cable, 72 SM |
| 635 | Linear Feet | 907-657-B001 | Fiber Optic Drop Cable, 12 SM |
| | | | |

| 11 | Each | 907-658-A001 | Hardened Network Switch, Type A |
|---------|-------------|--------------|--|
| | Each | | Terminal Server |
| - | Lump Sum | | Traffic Management Center Modifications |
| | Lump Sum | | Traffic Management Center Modifications - Training |
| 1 | Each | 907-660-A001 | |
| | Each | | OTN Node Communications Hut |
| | Each | | Video Encoder, Type A |
| | Each | | Video Decoder, Type A |
| | Each | | Repair Secondary Power Controller |
| - | Lump Sum | | Roadway Construction Stakes |
| 280 | Cubic Yard | | Box Bridge Concrete, Class B |
| | Square Feet | | Temporary Shoring Wall System |
| | Hours | 907-906001 | |
| , | | | FERNATE GROUP AA NO. 1 |
| 4,568 | Ton | 907-308-A001 | Portland Cement |
| 374,160 | Square Yard | 907-308-B001 | Soil-Cement-Water Mixing, Optional Mixers, Base |
| | - | | FERNATE GROUP AA NO. 2 |
| 467,702 | Square Yard | 907-311-A003 | Processing Lime and Fly Ash Treated Course, 6" Thick |
| 3,707 | Ton | 907-311-B001 | Lime |
| 14,811 | Ton | 907-311-C002 | Fly Ash, Class C or F |
| | | AL | TERNATE GROUP BB NO. 1 |
| 13,311 | Ton | 907-403-A001 | Hot Mix Asphalt, HT, 12.5-mm mixture |
| | | AL | TERNATE GROUP BB NO. 2 |
| 13,311 | Ton | 907-403-M010 | Warm Mix Asphalt, HT, 12.5-mm mixture |
| | | AL | TERNATE GROUP CC NO. 1 |
| 58,820 | Ton | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture |
| | | AL | TERNATE GROUP CC NO. 2 |
| 58,820 | Ton | 907-403-M011 | Warm Mix Asphalt, HT, 19-mm mixture |
| | | AL | FERNATE GROUP DD NO. 1 |
| 4,566 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| | | AL | FERNATE GROUP DD NO. 2 |
| 4,566 | Ton | 907-403-M009 | Warm Mix Asphalt, HT, 9.5-mm mixture |
| | | AL | TERNATE GROUP EE NO. 1 |
| 6,270 | Ton | | Hot Mix Asphalt, MT, 12.5-mm mixture |
| | | AL | TERNATE GROUP EE NO. 2 |
| 6,270 | Ton | | Warm Mix Asphalt, MT, 12.5-mm mixture |
| | | | TERNATE GROUP FF NO. 1 |
| 7,528 | Ton | | Hot Mix Asphalt, MT, 19-mm mixture |
| | | | TERNATE GROUP FF NO. 2 |
| 7,528 | Ton | | Warm Mix Asphalt, MT, 19-mm mixture |
| | | | FERNATE GROUP GG NO. 1 |
| 4,206 | Ton | | Hot Mix Asphalt, MT, 9.5-mm mixture |
| | - | | FERNATE GROUP GG NO. 2 |
| 4,206 | Ion | | Warm Mix Asphalt, MT, 9.5-mm mixture |
| 27 61 6 | Τ | | FERNATE GROUP HH NO. 1 |
| 37,514 | Ion | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| | | | |

| | | ALT | FERNATE GROUP HH NO. 2 |
|-----------|-------------|---------------|---|
| 37,514 | Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |
| | | AL | TERNATE GROUP II NO. 1 |
| 250 | Ton | 907-403-B001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling |
| | | AL | TERNATE GROUP II NO. 2 |
| 250 | Ton | 907-403-N009 | Warm Mix Asphalt, HT, 12.5-mm mixture, Leveling |
| | | AL | TERNATE GROUP JJ NO. 1 |
| 54,710 | Ton | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| | | AL | TERNATE GROUP JJ NO. 2 |
| 54,710 | Ton | 907-403-P002 | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified |
| | | ALT | TERNATE GROUP KK NO. 1 |
| 29,936 | Ton | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| | | ALT | TERNATE GROUP KK NO. 2 |
| 29,936 | Ton | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified |
| | | | Bridge Items |
| 17,292 | Square Yard | 501-K001 | Transverse Grooving |
| 4 | Each | 803-B002 | Conventional Static Pile Load Test |
| 34,206 | Linear Feet | 803-C002 | 14" x 14" Prestressed Concrete Piling |
| 7 | Each | 803-I001 | PDA Test Pile |
| 510 | Linear Feet | 803-0009 | Temporary Casing, 54" Diameter |
| 2,575,856 | Pounds | 805-A001 | Reinforcement |
| 954 | Pounds | 810-A006 | Structural Steel, A 307 |
| 5,271 | Linear Feet | 813-A002 | Concrete Railing, 32" |
| 2,156 | Linear Feet | 813-A003 | Concrete Railing, 42" |
| 1,054 | Linear Feet | 813-E005 | Metal Railing |
| 1,292 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 3,645 | Linear Feet | 907-803-K003 | Drilled Shaft, 54" Diameter |
| 1,019 | Linear Feet | 907-803-K007 | Drilled Shaft, 42" Diameter |
| 21,888 | Linear Feet | 907-803-K008 | Drilled Shaft, 24" Diameter |
| 10,606 | Linear Feet | 907-803-K009 | Drilled Shaft, 36" Diameter |
| 2 | Each | 907-803-L005 | Test Shaft, 54" Diameter |
| 172 | Linear Feet | 907-803-M003 | Trial Shaft, 54" Diameter |
| 93 | Linear Feet | 907-803-M007 | Trial Shaft, 36" Diameter |
| 8,224 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class AA |
| 2,740 | Linear Feet | 907-804-C007 | 115' Prestressed Concrete Beam, Type BT-72 |
| 3,220 | Linear Feet | 907-804-C012 | 135' Prestressed Concrete Beam, Type BT-72 |
| 2,323 | Linear Feet | 907-804-C026 | 90' Prestressed Concrete Beam, Type IV |
| 1,934 | Linear Feet | 907-804-C148 | 75' Prestressed Concrete Beam, Type IV |
| 2,653 | Linear Feet | 907-804-C193 | 103' Prestressed Concrete Beam, Type IV |
| 1,500 | Linear Feet | 907-804-C194 | 68' Prestressed Concrete Beam, Type BT-63 |
| 5,332 | Linear Feet | 907-804-C195 | 121' Prestressed Concrete Beam, Type BT-63 |
| 1,280 | Linear Feet | 907-804-C196 | 58' Prestressed Concrete Beam, Type BT-63 |
| 2,314 | Linear Feet | 907-804-C197 | 97' Prestressed Concrete Beam, Type BT-72 |
| 2,074 | Linear Feet | 907-804-C198 | 87' Prestressed Concrete Beam, Type BT-72 |
| 671 | Square Feet | 907-831-PP004 | Precast Panels |

Paving Approximately 11 Miles of SR 6, From SR 342 to US 45, known as Federal Aid Project Nos. APD-0070-05(024)N / 100078305 and APD-0070-06(025)N / 100078306 & 307, in Pontotoc and Lee Counties.

PROJECT COMPLETION: October 01, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | Lump Sum | 201-A001 | Clearing and Grubbing |
|--------|--------------------|----------|---|
| 11,320 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 538 | Square Yard | 202-B018 | Removal of Concrete Driveways, All Depths |
| 1 | Each | 202-B019 | Removal of Concrete Headwall |
| 24 | Each | 202-B057 | Removal of Inlets, All Sizes |
| 2,223 | Linear Feet | 202-B064 | Removal of Pipe, 8" And Above |
| 3 | Each | 202-B069 | Removal of Sign |
| 29 | Each | 202-В070 | Removal of Sign Including Post & Footing |
| 950 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 156 | Linear Feet | 202-B087 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 8,444 | Linear Feet | 202-B093 | Removal of Curb & Gutter, All Types |
| 17 | Each | 202-B107 | Removal of Sign, Ground Mounted with Posts |
| 1 | Each | 202-B132 | Removal of Traffic Signal |
| 35,394 | Cubic Yard | 203-A003 | Unclassified Excavation, FM, AH |
| 47,192 | Cubic Yard 20 | 03-EX019 | Borrow Excavation, AH, FME, Class B10 |
| 42,824 | Cubic Yard 20 | 03-EX035 | Borrow Excavation, AH, FME, Class B9-6 |
| 42,324 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 3,148 | Cubic Yard | 206-A001 | Structure Excavation |
| 63,301 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 49 | Ton | 213-C001 | Superphosphate |
| 196 | Ton | 215-A001 | Vegetative Materials for Mulch |
| 589 | Square Yard | 216-A001 | Solid Sodding |
| 2,993 | Square Yard | 217-A001 | Ditch Liner |
| 12 | Thousand Gallon | 219-A001 | Watering |
| 49 | Acre | 220-A001 | Insect Pest Control |
| 428 | Cubic Yard | 221-A001 | Portland Cement Concrete Paved Ditch |
| 98 | Acre | 223-A001 | Mowing |
| 2,320 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 6,512 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 91 | Bale | 235-A001 | Temporary Erosion Checks |
| 1 | Each | 236-B004 | Maintenance and Removal of Existing Silt Basins, Type D |
| 52,147 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 28,299 | Square Yard | 409-A002 | Geotextile Fabric For Underseal, Type V |
| 3,134 | Gallon | 410-A001 | Asphalt for Surface Treatment, Grade AC-10 |
| 87 | Cubic Yard | 410-B009 | Coarse Aggregate Cover Material, Size 56, Slag |
| 47 | Cubic Yard | 410-C004 | Seal Aggregate Cover Material, Size 89, Slag |
| 19 | Mile | 423-A001 | Rumble Strips, Ground In |
| 594 | Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 1,214 | Square Yard | 501-K001 | Transverse Grooving |
| 1,251 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| | | | |

| 18,255 | Pounds | 602-A001 | Reinforcing Steel |
|----------|-------------|-----------|--|
| | Linear Feet | | 18" Reinforced Concrete Pipe, Class III |
| 288 | Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III |
| 356 | Linear Feet | 603-CA004 | 30" Reinforced Concrete Pipe, Class III |
| 152 | Linear Feet | 603-CA005 | 36" Reinforced Concrete Pipe, Class III |
| 104 | Linear Feet | 603-CA107 | 24" Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 4 | Each | 603-CB001 | 18" Reinforced Concrete End Section |
| 3 | Each | 603-CB002 | 24" Reinforced Concrete End Section |
| 6 | Each | 603-CB003 | 30" Reinforced Concrete End Section |
| 3 | Each | 603-CB004 | 36" Reinforced Concrete End Section |
| 352 | Linear Feet | 603-CE001 | 22" x 13" Concrete Arch Pipe, Class A III |
| 2 | Each | 603-CF001 | 22" x 13" Concrete Arch Pipe End Section |
| 1 | Each | 603-SB004 | 24" Branch Connections, Stub into Box Culvert |
| 1 | Each | 603-SB005 | 36" Branch Connections, Stub into Box Culvert |
| 1 | Each | 603-SB028 | 30" Branch Connections, Stub into Box Culvert |
| 3,662 | Pounds | 604-A001 | Castings |
| 800 | Pounds | 604-B001 | Gratings |
| 21 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 21 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 2,106 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 2 | Each | 606-D003 | Guard Rail, Bridge End Section, Type D Modified |
| 12 | Each | 606-D012 | Guard Rail, Bridge End Section, Type I |
| 14 | Each | 606-E002 | Guard Rail, Terminal End Section, Flared |
| 1,404 | Linear Feet | 609-B001 | Concrete Curb, Header |
| 11,633 | Linear Feet | 609-D002 | Combination Concrete Curb and Gutter Type 2 |
| 5,236 | Linear Feet | 609-D004 | Combination Concrete Curb and Gutter Type 3A Modified |
| 538 | Square Yard | | Concrete Driveway, With Reinforcement, 6-inch Thickness |
| 4,072 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| 325 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 76,675 | Linear Feet | 619-A1003 | Temporary Traffic Stripe, Continuous White, Paint |
| | Linear Feet | 619-A1007 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| <i>,</i> | Linear Feet | 619-A2003 | Temporary Traffic Stripe, Continuous Yellow, Paint |
| 6,130 | Linear Feet | 619-A2007 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| | Linear Feet | 619-A3002 | Temporary Traffic Stripe, Skip White, Paint |
| · | Linear Feet | 619-A4002 | Temporary Traffic Stripe, Skip Yellow, Paint |
| | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint |
| 1,644 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 99 | Square Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint |
| 411 | Each | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker |
| 568 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 2,035 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 400 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| <i>,</i> | Linear Feet | | Barricades, Type III, Single Faced |
| 48 | Linear Feet | | Barricades, Type III, Single Faced, Permanent, Red/White |
| 503 | Each | 619-G5001 | Free Standing Plastic Drums |

| 22 | E. J. | (10 07001 | Were in the terms UDU |
|-------|-------------|--------------|---|
| 33 | Each | | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | |
| | Each | | Field Laboratory |
| 3,791 | | | Red-Clear Reflective High Performance Raised Markers |
| 2,250 | - | 630-A001 | |
| | Square Feet | | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| | Square Feet | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 264 | Square Feet | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 2,360 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 318 | Linear Feet | 630-D002 | Structural Steel Beams, S4 x 7.7 |
| 122 | Linear Feet | 630-D003 | Structural Steel Beams, W6 x 9 |
| 729 | Linear Feet | 630-D006 | Structural Steel Beams, W8 x 18 |
| 41 | Linear Feet | 630-D007 | Structural Steel Beams, W8 x 21 |
| 48 | Linear Feet | 630-D008 | Structural Steel Beams, W10 x 22 |
| 482 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles |
| 863 | Pounds | 630-E002 | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 6,008 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 66 | Each | 630-F001 | Delineators, Guard Rail, White |
| 50 | Each | 630-F002 | Delineators, Guard Rail, Yellow |
| 241 | Each | 630-F006 | Delineators, Post Mounted, Single White |
| 48 | Each | 630-F007 | Delineators, Post Mounted, Single Yellow |
| 118 | Each | 630-F008 | Delineators, Post Mounted, Double White |
| 1,197 | Linear Feet | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" |
| 1,387 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 1,646 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 3,941 | Linear Feet | 636-A001 | Shielded Cable, AWG #18, 4 Conductor |
| 6 | Each | 638-A002 | Loop Detector Amplifier, 4 Channel |
| 14 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 6 | Each | 640-A017 | Traffic Signal Heads, Type 2 LED |
| 3 | Each | 640-A022 | Traffic Signal Heads, Type 7 LED |
| 15 | Each | 647-A001 | Pullbox, Type 1 |
| 9 | Each | 647-A005 | Pullbox, Type 2 |
| 116 | Linear Feet | 666-B012 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2Conductor |
| 911 | Linear Feet | 666-B013 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor |
| 2,886 | Linear Feet | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| 1,682 | Linear Feet | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" |
| 354 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 866 | Linear Feet | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 500 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 12 | Ton | 815-A006 | Loose Riprap, Size 100 |
| 2,418 | Ton | 815-A009 | Loose Riprap, Size 300 |
| 400 | Ton | 815-A010 | Loose Riprap, Size 500 |
| 3,989 | Square Yard | 815-E001 | Geotextile under Riprap |
| 9 | Ton | 815-F002 | Sediment Control Stone |
| 98 | Acre | 907-225-A001 | Grassing |
| | | | |

| 293 | Ton | 907-225-B001 | Agricultural Limestone |
|----------|-------------|---------------|---|
| | Acre | | Temporary Grassing |
| | Each | | Shrub Planting, Glossy Abelia |
| | Each | | Shrub Planting, Wax Leaf Privet |
| | Each | | Shrub Planting, Glen St. Mary Elaeagnus |
| | Each | | Shrub Planting, Burford Holly |
| | Each | | Tree Planting, Burkii Eastern Red Cedar |
| | Each | | Inlet Siltation Guard |
| | Each | | Reset Inlet Siltation Guard |
| | Linear Feet | 907-237-A002 | |
| | Linear Feet | 907-237-A003 | |
| | Linear Feet | | Triangular Silt Dike |
| | Linear Feet | 907-246-A001 | - |
| | Cubic Yard | | Granular Material, AEA, Class 9, Group C |
| , | Cubic Yard | | Granular Material, AEA, Class 3, Group C |
| <i>,</i> | Cubic Yard | | 3/4" and Down Crushed Stone Base, LVM |
| · · · | Square Yard | | 10" Soil-Lime-Water Mixing, Class C |
| 3,077 | - | 907-307-D001 | |
| , | Cubic Yard | | Class "B" Structural Concrete, Minor Structures |
| 314 | Linear Feet | | 18" Type A Alternate Pipe |
| 100 | Linear Feet | | 24" Type A Alternate Pipe |
| 473 | Linear Feet | | 8" Trench Drain |
| 200 | Linear Feet | 907-605-Q002 | 6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains |
| 100 | Linear Feet | 907-605-R002 | 6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| 23 | Mile | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 9,693 | Linear Feet | 907-626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 24 | Mile | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 29,969 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 20 | Mile | 907-626-F004 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 35,152 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 22,432 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 1,690 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 1,383 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| | Lump Sum | | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed |
| 10 | Cubic Yard | | Flowable Fill, Non-Excavatable |
| | Each | | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm |
| | Each | | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm |
| 1 | Each | | Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm |
| 1 | Each | | Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm |
| | Cubic Yard | | Pole Foundations, 30" Diameter |
| 2 | Each | | Solid State Traffic Actuated Controllers, Type 8A |
| | Lump Sum | | Roadway Construction Stakes |
| 1,760 | Hours | 907-906001 | |
| 4.0.40 | Τ | | FERNATE GROUP AA NO. 1 |
| 4,948 | Ion | 90/-308-A001 | Portland Cement |

| 227 278 | Square Yard | 007 308 D003 | Soil-Cement-Water Mixing, Multiple Pass Mixers, Base |
|---------|-------------|--------------|--|
| 237,378 | Square Taru | | TERNATE GROUP AA NO. 2 |
| 237,378 | Square Yard | | Processing Lime and Fly Ash Treated Course, 6" Thick |
| 2,791 | - | 907-311-B001 | |
| 6,726 | Ton | 907-311-C001 | Fly Ash, Class C |
| | | AL | TERNATE GROUP BB NO. 1 |
| 2,474 | Ton | 907-308-A001 | Portland Cement |
| 118,689 | Square Yard | 907-308-B002 | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| | | AL | TERNATE GROUP BB NO. 2 |
| 118,689 | Square Yard | 907-311-A001 | Processing Lime and Fly Ash Treated Course, 10" Thick |
| 1,539 | Ton | 907-311-B001 | Lime |
| 12,309 | Ton | 907-311-C001 | Fly Ash, Class C |
| | | AL | TERNATE GROUP CC NO. 1 |
| 36,063 | Ton | | Hot Mix Asphalt, MT, 9.5-mm mixture |
| | | AL | TERNATE GROUP CC NO. 2 |
| 36,063 | Ton | | Warm Mix Asphalt, MT, 9.5-mm mixture |
| | | | TERNATE GROUP DD NO. 1 |
| 44,020 | Ton | | Hot Mix Asphalt, MT, 12.5-mm mixture |
| | | | TERNATE GROUP DD NO. 2 |
| 44,020 | Ton | | Warm Mix Asphalt, MT, 12.5-mm mixture |
| | | | TERNATE GROUP EE NO. 1 |
| 47,546 | Ton | | Hot Mix Asphalt, MT, 19-mm mixture |
| | _ | | TERNATE GROUP EE NO. 2 |
| 47,546 | Ton | | Warm Mix Asphalt, MT, 19-mm mixture |
| 017 | T | | TERNATE GROUP FF NO. 1 |
| 917 | Ton | | Hot Mix Asphalt, ST, 9.5-mm mixture |
| 017 | Τ | | TERNATE GROUP FF NO. 2 |
| 917 | Ton | | Warm Mix Asphalt, ST, 9.5-mm mixture TERNATE GROUP GG NO. 1 |
| 2,445 | Ton | | Hot Mix Asphalt, ST, 12.5-mm mixture |
| 2,443 | 1011 | | TERNATE GROUP GG NO. 2 |
| 2,445 | Ton | | Warm Mix Asphalt, ST, 12.5-mm mixture |
| 2,773 | 1011 | | TERNATE GROUP HH NO. 1 |
| 48,835 | Ton | | Hot Mix Asphalt, ST, 19-mm mixture |
| 10,055 | 1011 | | TERNATE GROUP HH NO. 2 |
| 48,835 | Ton | | Warm Mix Asphalt, ST, 19-mm mixture |
| , | | | JTERNATE GROUP II NO. 1 |
| 2,561 | Linear Feet | | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| | Linear Feet | | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite |
| 2,970 | Linear Feet | | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| | | AI | TERNATE GROUP II NO. 2 |
| 2,561 | Linear Feet | 907-626-1003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 2,592 | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite |
| 2,970 | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow |
| | | | |

Intersection Improvements on US 49 at West Wortham Road, known as Federal Aid Project No. HSIP-0008-01(124) / 106123301, in Harrison County.

PROJECT COMPLETION: December 13, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | Koauway Items |
|-------|--------------------|-----------|--|
| | Lump Sum | 201-A001 | Clearing and Grubbing |
| 1,147 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 268 | Square Yard | 202-B018 | Removal of Concrete Driveways, All Depths |
| 246 | Linear Feet | 202-B064 | Removal of Pipe, 8" And Above |
| 50 | Linear Feet | 202-B076 | Removal of Traffic Stripe |
| 2 | Each | 202-B079 | Removal of Headwall |
| 6 | Each | 202-B107 | Removal of Sign, Ground Mounted with Posts |
| 1 | Each | 202-B142 | Removal of Junction Box |
| 1,190 | Cubic Yard | 203-A003 | Unclassified Excavation, FM, AH |
| 3,489 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 264 | Cubic Yard | 206-A001 | Structure Excavation |
| 7,740 | Square Yard | 211-A001 | Topsoil for Slope Treatment, From Right-of-Way |
| 325 | Square Yard | 212-B001 | Standard Ground Preparation |
| 3 | Ton | 215-A001 | Vegetative Materials for Mulch |
| 325 | Square Yard | 216-A001 | Solid Sodding |
| 7 | Thousand Gallon | 219-A001 | Watering |
| 1 | Acre | 220-4001 | Insect Pest Control |
| | Cubic Yard | | Portland Cement Concrete Paved Ditch |
| | Linear Feet | | Temporary Silt Fence |
| | Each | 236-A001 | |
| 5,200 | | 406-A001 | |
| , | Linear Feet | 503-C007 | |
| | Pounds | | Reinforcing Steel |
| | | | 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| | | | 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| | | | 36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets |
| | | | 24" Reinforced Concrete End Section |
| 1 | Each | 603-CB004 | 36" Reinforced Concrete End Section |
| 160 | Linear Feet | 603-CE039 | 22" x 13" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets |
| 40 | | 603-CE041 | |
| 4 | Each | 603-CF001 | 22" x 13" Concrete Arch Pipe End Section |
| 1 | Each | 603-CF002 | 29" x 18" Concrete Arch Pipe End Section |
| 1,708 | Pounds | 604-A001 | Castings |
| 1,650 | Pounds | 604-B001 | Gratings |
| 1,439 | Linear Feet | 609-D002 | Combination Concrete Curb and Gutter Type 2 |
| 240 | Square Yard | 614-B004 | Concrete Driveway, With Reinforcement, 8-inch Thickness |
| 515 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 4-inch |
| 4 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | 618-A001 | Maintenance of Traffic |
| 730 | Linear Feet | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| | | | |

| 2,944 | Linear Feet | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
|--------|-------------|---------------|---|
| 2,200 | Linear Feet | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 11,986 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,160 | Linear Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 900 | Square Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 100 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 288 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 144 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| | Lump Sum | 620-A001 | Mobilization |
| 134 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 36 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 54 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 72 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 84 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 78 | Pounds | 630-E004 | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 64 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 906 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 1,920 | Linear Feet | 636-A003 | Shielded Cable, 4 Conductor |
| 3 | Each | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel |
| 5 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 2 | Each | 640-A018 | Traffic Signal Heads, Type 3 LED |
| 2 | Each | 640-A022 | Traffic Signal Heads, Type 7 LED |
| 1 | Each | 640-A047 | Traffic Signal Heads, Type 7R, LED |
| 2 | Each | 647-A001 | Pullbox, Type 1 |
| 4 | Each | 647-A005 | Pullbox, Type 2 |
| 8 | Square Feet | 653-A001 | Traffic Sign, Encapsulated Lens |
| 39 | Square Feet | 653-B001 | |
| 2,300 | Linear Feet | | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4Conductor |
| | Linear Feet | | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| | Linear Feet | | Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor |
| | Linear Feet | | Electric Cable, Underground in Conduit, THHN, AWG #10, 2 Conductor |
| 235 | Linear Feet | 666-D005 | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 Conductor |
| 2,150 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| 120 | Linear Feet | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 360 | Linear Feet | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 150 | Linear Feet | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 2 | Acre | 907-225-A001 | Grassing |
| 6 | Ton | 907-225-B001 | Agricultural Limestone |
| 300 | Linear Feet | 907-237-A002 | Wattles, 12" |
| | Linear Feet | 907-237-A003 | Wattles, 20" |
| 1,625 | Ton | 907-304-F001 | Size 825 Crushed Stone Base |
| 989 | | 907-407-A001 | Asphalt for Tack Coat |
| 12 | Cubic Yard | | Class "B" Structural Concrete, Minor Structures |
| | Linear Feet | | 15" Corrugated Polyethylene Pipe |
| 3 | Each | 907-619-E3001 | Changeable Message Sign |

| 1,079 | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
|-------|-------------|--------------|--|
| 365 | Linear Feet | 907-626-C008 | 6" Thermoplastic Edge Stripe, Continuous White |
| 658 | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 814 | Linear Feet | 907-626-F008 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 7,521 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White |
| 1,191 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow |
| 580 | Linear Feet | 907-626-H004 | Thermoplastic Legend, White |
| 450 | Square Feet | 907-626-H005 | Thermoplastic Legend, White |
| 1 | Each | 907-639-A007 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm |
| 1 | Each | 907-639-A008 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm |
| 2 | Each | 907-639-A031 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 70' Arm |
| 15 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 55 | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter |
| 1 | Each | 907-639-F003 | Detector Pole with Foundation, 20' Pole |
| 1 | Each | 907-641-A001 | Radar Detection System |
| 1 | Each | 907-642-A003 | Solid State Traffic Actuated Controllers, Type 8A |
| 4 | Each | 907-645-B001 | Be Prepared to Stop When Flashing Assembly |
| 1 | Each | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection |
| 1 | Each | 907-658-A001 | Hardened Network Switch, Type A |
| 1 | Each | 907-658-B001 | Terminal Server |
| | Lump Sum | 907-699-A002 | Roadway Construction Stakes |
| | | AL | TERNATE GROUP AA NO. 1 |
| 425 | Ton | 907-403-A001 | Hot Mix Asphalt, HT, 12.5-mm mixture |
| 890 | Ton | 907-403-A005 | Hot Mix Asphalt, HT, 9.5-mm mixture |
| 1,334 | Ton | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture |
| | | AL | TERNATE GROUP AA NO. 2 |
| 1,334 | Ton | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture |
| 890 | Ton | 907-403-M009 | Warm Mix Asphalt, HT, 9.5-mm mixture |
| 425 | Ton | 907-403-M010 | Warm Mix Asphalt, HT, 12.5-mm mixture |
| | | | |

Intersection Improvements on Lakeland Drive from Curran Drive West 1000 ft., known as State Project No. SP-0250-00(001) / 106330301 in Hinds County.

PROJECT COMPLETION: November 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

| | | | Koauway fichis |
|-------|--------------------|----------|--|
| 1 | Acre | 201-B001 | Clearing and Grubbing |
| 436 | Square Yard | 202-B005 | Removal of Asphalt Pavement, All Depths |
| 240 | Square Yard | 202-В030 | Removal of Concrete Pavement, All Depths |
| 153 | Square Yard | 202-В035 | Removal of Concrete Sidewalk |
| 1,329 | Linear Feet | 202-B038 | Removal of Curb, All Types |
| 350 | Linear Feet | 202-B041 | Removal of Fence, All Types |
| 4 | Each | 202-B057 | Removal of Inlets, All Sizes |
| 570 | Linear Feet | 202-B064 | Removal of Pipe, 8" And Above |
| 1 | Each | 202-B290 | Removal of Power/Light Pole |
| 1 | Each | 202-B291 | Removal of Air Release Valve and Manhole |
| | Lump Sum | 202-B293 | Removal of Sediment and Debris from Inlets and Pipes |
| 2,000 | Cubic Yard 20 | 03-EX035 | Borrow Excavation, AH, FME, Class B9-6 |
| 4,500 | Cubic Yard | 203-G003 | Excess Excavation, FM, AH |
| 150 | Cubic Yard | 206-A001 | Structure Excavation |
| 325 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 2,950 | Square Yard | 212-B001 | Standard Ground Preparation |
| 1 | Ton | 213-B001 | Combination Fertilizer, 13-13-13 |
| 1 | Ton | 213-C001 | Superphosphate |
| 2 | Ton | 215-A001 | Vegetative Materials for Mulch |
| 2,950 | Square Yard | 216-B004 | Solid Sodding, Bermuda |
| 60 | Thousand Gallon | 219-A001 | Watering |
| 1 | Acre | 220-A001 | Insect Pest Control |
| 250 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 25 | Bale | 235-A001 | Temporary Erosion Checks |
| 5,500 | Square Yard | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 200 | Linear Feet | 503-C007 | Saw Cut, Full Depth |
| 2,000 | Pounds | 602-A001 | Reinforcing Steel |
| 190 | Linear Feet 60 | 03-CA002 | 18" Reinforced Concrete Pipe, Class III |
| 395 | Pounds | 604-A001 | Castings |
| 25 | Square Yard 60 | 05-AA004 | Geotextile for Subsurface Drainage, Type V |
| 50 | Cubic Yard 6 | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 505 | Square Yard | 608-B001 | Concrete Sidewalk, With Reinforcement |
| 80 | Linear Feet | 609-B001 | Concrete Curb, Header |
| 350 | Linear Feet | 609-D001 | Combination Concrete Curb and Gutter Type 1 |
| 700 | Linear Feet | 609-D002 | Combination Concrete Curb and Gutter Type 2 |
| | | 609-D006 | Combination Concrete Curb and Gutter Type 1 Modified |
| 120 | Linear Feet | 609-D017 | Combination Concrete Curb and Gutter, Per Plans |
| | Lump Sum | 613-A001 | Adjustment of Castings, Gratings & Utility Appurtenances |
| 3 | Each | 613-A002 | Adjustment of Castings, Gratings & Utility Appurtenances |
| 200 | Square Yard | 614-B001 | Concrete Driveway, With Reinforcement |
| | | | |

| | Square Yard | | Concrete Median and/or Island Pavement, 6-inch |
|----------|-------------|-----------|---|
| 12 | Square Yard | | Concrete Median and/or Island Pavement, 10-inch |
| | Lump Sum | | Maintenance of Traffic |
| | Linear Feet | | Temporary Traffic Stripe, Continuous White |
| <i>,</i> | Linear Feet | | Temporary Traffic Stripe, Continuous Yellow |
| <i>,</i> | Linear Feet | | Temporary Traffic Stripe, Skip White |
| | Linear Feet | | Temporary Traffic Stripe, Detail |
| 760 | Linear Feet | | Temporary Traffic Stripe, Legend |
| 440 | 1 | | Temporary Traffic Stripe, Legend |
| 75 | Square Feet | | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 544 | 1 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 2 | Each | 619-E1001 | Flashing Arrow Panel, Type C |
| 2,080 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 450 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 48 | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced |
| 24 | Linear Feet | 619-G4002 | Barricades, Type III, Single Faced, Permanent |
| 102 | Each | 619-G5001 | Free Standing Plastic Drums |
| 10 | Each | 619-G7001 | Warning Lights, Type "B" |
| 4 | Unit | 619-J1001 | Impact Attenuator, 40 MPH |
| | Lump Sum | 620-A001 | Mobilization |
| 95 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 76 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 50 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 20 | Square Feet | 630-A002 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 90 | Linear Feet | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft |
| 60 | Linear Feet | 630-K001 | Welded & Seamless Steel Pipe Posts, 3" |
| 738 | Linear Feet | 635-A001 | Vehicle Loop Assemblies |
| 750 | Linear Feet | 636-A001 | Shielded Cable, AWG #18, 4 Conductor |
| 1 | Each | 638-A005 | Loop Detector Amplifier, Card Rack Mounted, 4 Channel |
| 7 | Each | 640-A016 | Traffic Signal Heads, Type 1 LED |
| 3 | Each | 640-A017 | Traffic Signal Heads, Type 2 LED |
| 1 | Each | 640-A019 | Traffic Signal Heads, Type 5 LED |
| 8 | Each | 640-A021 | Traffic Signal Heads, Type 6 LED |
| 1 | Each | 642-A008 | Solid State Traffic Actuated Controllers, Type 8A |
| 4 | Each | 644-A001 | Optical Detector |
| 460 | Linear Feet | 644-B001 | Optical Detector Cable |
| 2 | Each | 644-C002 | Phase Selector, 4 Channel |
| 3 | Each | 647-A001 | Pullbox, Type 1 |
| 4 | Each | 647-A002 | Pullbox, Type 3 |
| 400 | Linear Feet | 666-B015 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor |
| 325 | Linear Feet | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
| 21 | Linear Feet | | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor |
| 225 | Linear Feet | | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG14, 7 |
| | | | Conductor |
| 21 | Linear Feet | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" |
| 840 | Linear Feet | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" |
| | | | |

| 40 | LinconFront | | The Constitution of the design of Theme 4, 21 |
|--------|----------------------------|------------------------------|--|
| | Linear Feet Linear Feet | | Traffic Signal Conduit, Underground, Type 4, 3" |
| | Linear Feet | | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| | | | Loose Riprap, Size 200 |
| | Square Yard | | |
| | Square Yard Ton | | Geotextile under Riprap |
| | | | Agricultural Limestone |
| | Acre | | Temporary Grassing |
| | Linear Feet Linear Feet | 907-237-A002 907-237-A003 | |
| | Each | 907-237-A003 907-246-B002 | |
| | Linear Feet | | 10" C900 PVC Water Main |
| | Linear Feet | | 6" Ductile Iron Water Main |
| | Linear Feet | | 10" Ductile Iron Water Main |
| | Linear Feet | | 12" Ductile Iron Water Main |
| | Pounds | | Ductile Iron Fittings |
| | Each | 907-265-D007 | - |
| | Each | | 10" Gate Valve |
| 4 | Each | | 12" Gate Valve |
| 2 5 | Each | | Water Service Connections |
| | Each | 907-265-K005 | |
| | Linear Feet | | 1" Diameter Water Service Line |
| | Linear Feet | | 3/4" Diameter Water Service Line |
| 2 | Each | 907-265-M002 | |
| 2 | Each | | 12" Insertable Valve |
| | Each | | Backflow Preventer Assembly, 10" |
| | Linear Feet | | 3/4" Water Service Tubing, Bored |
| | Linear Feet | | 1" Water Service Tubing, Bored |
| 250 | | | Size 610 Crushed Stone Base |
| | Cubic Yard | | Class "B" Structural Concrete, Minor Structures |
| 1 | Each | | Modify Existing Inlet, Per Plans |
| | Linear Feet | | Reinstall Black Metal Fence, Per Plans |
| | Each | | Masonry Column, Per Plans |
| | Square Feet | | Detectable Warning, Per Plans |
| | Each | | Right-of-Way Marker |
| | Linear Feet | | 6" Thermoplastic Traffic Stripe, Skip White |
| | Linear Feet | | 6" Thermoplastic Edge Stripe, Continuous White |
| , | Linear Feet | | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| | Linear Feet | | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| | Linear Feet | | Thermoplastic Detail Stripe, White |
| | Linear Feet | | Thermoplastic Detail Stripe, Yellow |
| | Linear Feet | | Thermoplastic Legend, White |
| 425 | | | Thermoplastic Legend, White |
| 4 | Each | | Impact Resistent Object Marker Assembly |
| | Linear Feet | | Steel Casing pipe, Trenched, 24" |
| 1 | Each | | Air Release Valve, Per Plans |
| 2 | Each | | Cut and Cap 12" Ductile Iron Pipe, Per Plans |
| - | | | 1 |

| 2 | Each | 907-639-A008 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 55' Arm |
|-------|-------------|---------------|---|
| 3 | Each | 907-639-A034 | Traffic Signal Equipment Pole, Type VI, 8' Shaft |
| 1 | Each | 907-639-A104 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' & 65' Arms |
| 4 | Cubic Yard | 907-639-C002 | Pole Foundations, 36" Diameter |
| 6 | Cubic Yard | 907-639-C003 | Pole Foundations, 24" Diameter |
| 4 | Cubic Yard | 907-639-C004 | Pole Foundations, 30" Diameter |
| 4 | Each | 907-649-A004 | Video Detection System, 1 Sensor, Type 2 |
| 2 | Each | 907-650-A002 | On Street Video Equipment, Fixed Type |
| 1 | Each | 907-650-A003 | On Street Video Equipment, PTZ Type |
| 4 | Each | 907-653-A001 | Traffic Sign, Internally Illuminated Sign |
| 430 | Linear Feet | 907-657-B001 | Fiber Optic Drop Cable, 12 SM |
| | Lump Sum | 907-659-A001 | Traffic Management Center Modifications |
| | Lump Sum | 907-699-A002 | Roadway Construction Stakes |
| 1 | Each | 907-810-PP002 | Galvanized Steel Box Cover, Per Plans |
| | | ALT | FERNATE GROUP AA NO. 1 |
| 670 | Ton | 907-403-A006 | Hot Mix Asphalt, MT, 12.5-mm mixture |
| 1,075 | Ton | 907-403-A007 | Hot Mix Asphalt, MT, 19-mm mixture |
| 700 | Ton | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture |
| 255 | Ton | 907-403-B004 | Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling |
| | | ALT | FERNATE GROUP AA NO. 2 |
| 670 | Ton | 907-403-M002 | Warm Mix Asphalt, MT, 12.5-mm mixture |
| 700 | Ton | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture |
| 1,075 | Ton | 907-403-M007 | Warm Mix Asphalt, MT, 19-mm mixture |
| 255 | Ton | 907-403-N006 | Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling |
| | | | |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR