


[Proposal & Plan Sales Will Begin on April 2, 2012](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for April – April 24, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR APRIL - Tuesday, April 24, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 02, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
-03	APD-0070-05(024)N/100078305, APD-0070-06(025)N / 100078306, & APD-0070-06(025)N /100078307	Pontotoc & Lee
01	NH-0011-02(084) / 106252301	Leflore
02	STP-2705-00(004) / 106349301	Oktibbeha
* 03	MP-3012-76(012) / 304338301	Washington
* 04	MP-3014-28(003) / 304337301	Issaquena
* 05	MP-5015-51(018) / 303918301 & MP-5015-51(018) / 303918302	Newton
06	MP-7049-16(013) / 304291301	Covington

Paving Approximately 11 Miles of SR 6, From SR 342 to US 45, known as Federal Aid Project Nos. APD-0070-05(024)N / 100078305 and APD-0070-06(025)N / 100078306 & 307, in Pontotoc and Lee Counties.

PROJECT COMPLETION: October 01, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
11,320 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
538 Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1 Each	202-B019	Removal of Concrete Headwall
24 Each	202-B057	Removal of Inlets, All Sizes
2,223 Linear Feet	202-B064	Removal of Pipe, 8" And Above
3 Each	202-B069	Removal of Sign
29 Each	202-B070	Removal of Sign Including Post & Footing
950 Linear Feet	202-B076	Removal of Traffic Stripe
156 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8,444 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
17 Each	202-B107	Removal of Sign, Ground Mounted with Posts
1 Each	202-B132	Removal of Traffic Signal
35,394 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
47,542 Cubic Yard	203-EX019	Borrow Excavation, AH, FME, Class B10
42,824 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
42,324 Cubic Yard	203-G003	Excess Excavation, FM, AH
3,128 Cubic Yard	206-A001	Structure Excavation
10,907 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
78 Ton	213-C001	Superphosphate
310 Ton	215-A001	Vegetative Materials for Mulch
1,450 Square Yard	216-A001	Solid Sodding
2,993 Square Yard	217-A001	Ditch Liner
29 Thousand Gallon	219-A001	Watering
78 Acre	220-A001	Insect Pest Control
428 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
155 Acre	223-A001	Mowing
2,320 Square Yard	224-A001	Soil Reinforcing Mat
146,400 Linear Feet	234-A001	Temporary Silt Fence
141 Bale	235-A001	Temporary Erosion Checks
1,000 Linear Feet	239-A001	Temporary Slope Drains
1 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
52,147 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20 Mile	321-A001	6" In-Grade Preparation
28,299 Square Yard	409-A002	Geotextile Fabric For Underseal, Type V
3,134 Gallon	410-A001	Asphalt for Surface Treatment, Grade AC-10
87 Cubic Yard	410-B009	Coarse Aggregate Cover Material, Size 56, Slag
47 Cubic Yard	410-C004	Seal Aggregate Cover Material, Size 89, Slag
38 Mile	423-A001	Rumble Strips, Ground In
594 Linear Feet	501-E001	Expansion Joints, Without Dowels

Call No. -03 for the April 24, 2012 Letting

1,214	Square Yard	501-K001	Transverse Grooving
1,251	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
17,563	Pounds	602-A001	Reinforcing Steel
3,464	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
288	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
356	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
152	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
4	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
6	Each	603-CB003	30" Reinforced Concrete End Section
3	Each	603-CB004	36" Reinforced Concrete End Section
352	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
1	Each	603-SB004	24" Branch Connections, Stub into Box Culvert
1	Each	603-SB005	36" Branch Connections, Stub into Box Culvert
1	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
3,504	Pounds	604-A001	Castings
800	Pounds	604-B001	Gratings
21	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
21	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
2,106	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D003	Guard Rail, Bridge End Section, Type D Modified
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
14	Each	606-E002	Guard Rail, Terminal End Section, Flared
1,404	Linear Feet	609-B001	Concrete Curb, Header
11,633	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
5,104	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
538	Square Yard	614-B002	Concrete Driveway, With Reinforcement, 6-inch Thickness
4,072	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
325	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
76,675	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,375	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
106,350	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
6,130	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
57,875	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
1,125	Linear Feet	619-A4002	Temporary Traffic Stripe, Skip Yellow, Paint
8,100	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,644	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
99	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
411	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
568	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,035	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,072	Linear Feet	619-G4001	Barricades, Type III, Single Faced

Call No. -03 for the April 24, 2012 Letting

48	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
503	Each	619-G5001	Free Standing Plastic Drums
33	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
3,841	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,250	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
2,168	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
2,160	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
264	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
2,360	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
318	Linear Feet	630-D002	Structural Steel Beams, S4 x 7.7
122	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
729	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
41	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
48	Linear Feet	630-D008	Structural Steel Beams, W10 x 22
482	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
863	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
6,008	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
66	Each	630-F001	Delineators, Guard Rail, White
50	Each	630-F002	Delineators, Guard Rail, Yellow
241	Each	630-F006	Delineators, Post Mounted, Single White
48	Each	630-F007	Delineators, Post Mounted, Single Yellow
118	Each	630-F008	Delineators, Post Mounted, Double White
1,197	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
1,387	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,646	Linear Feet	635-A001	Vehicle Loop Assemblies
3,941	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
6	Each	638-A002	Loop Detector Amplifier, 4 Channel
14	Each	640-A016	Traffic Signal Heads, Type 1 LED
6	Each	640-A017	Traffic Signal Heads, Type 2 LED
3	Each	640-A022	Traffic Signal Heads, Type 7 LED
15	Each	647-A001	Pullbox, Type 1
9	Each	647-A005	Pullbox, Type 2
116	Linear Feet	666-B012	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2Conductor
911	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3Conductor
2,886	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
1,682	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
354	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
866	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
500	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
325	Ton	815-A006	Loose Riprap, Size 100
2,418	Ton	815-A009	Loose Riprap, Size 300
400	Ton	815-A010	Loose Riprap, Size 500
3,989	Square Yard	815-E001	Geotextile under Riprap

Call No. -03 for the April 24, 2012 Letting

9 Ton	815-F002	Sediment Control Stone
155 Acre	907-225-A001	Grassing
465 Ton	907-225-B001	Agricultural Limestone
78 Acre	907-226-A001	Temporary Grassing
13 Each	907-230-A012	Shrub Planting, Glossy Abelia
21 Each	907-230-A086	Shrub Planting, Wax Leaf Privet
23 Each	907-230-A123	Shrub Planting, Glen St. Mary Elaeagnus
9 Each	907-230-A125	Shrub Planting, Burford Holly
21 Each	907-230-B004	Tree Planting, Burkii Eastern Red Cedar
59 Each	907-234-D001	Inlet Siltation Guard
59 Each	907-234-E001	Reset Inlet Siltation Guard
2,320 Linear Feet	907-237-A002	Wattles, 12"
1,280 Linear Feet	907-237-A003	Wattles, 20"
12 Linear Feet	907-245-A001	Triangular Silt Dike
21 Linear Feet	907-246-A001	Sandbags
109,037 Cubic Yard	907-304-C005	Granular Material, AEA, Class 9, Group C
44,000 Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
9,564 Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
267,048 Square Yard	907-307-C001	10" Soil-Lime-Water Mixing, Class C
40,058 Gallon	907-307-S001	Bituminous Curing Seal
5,986 Ton	907-307-D001	Lime
22,590 Gallon	907-407-A001	Asphalt for Tack Coat
198 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
314 Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
100 Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
473 Linear Feet	907-604-A004	12" Trench Drain
200 Linear Feet	907-605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
100 Linear Feet	907-605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
2 Each	907-619-E3001	Changeable Message Sign
24 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
9,693 Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
24 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
32,808 Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
20 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
35,970 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,432 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,690 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,383 Square Feet	907-626-H005	Thermoplastic Legend, White
Lump Sum	907-630-I001	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed
10 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
2 Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
3 Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1 Each	907-639-A012	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1 Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
13 Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter

Call No. -03 for the April 24, 2012 Letting

2 Each	907-642-A003	Solid State Traffic Actuated Controllers, Type 8A
Lump Sum	907-699-A002	Roadway Construction Stakes
1,760 Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1		
4,658 Ton	907-308-A001	Portland Cement
400,368 Square Yard	907-308-B003	Soil-Cement-Water Mixing, Multiple Pass Mixers, Base
60,057 Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2		
400,368 Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,704 Ton	907-311-B001	Lime
10,811 Ton	907-311-C001	Fly Ash, Class C
60,057 Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1		
3,756 Ton	907-308-A001	Portland Cement
267,048 Square Yard	907-308-B002	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
40,058 Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 2		
267,048 Square Yard	907-311-A001	Processing Lime and Fly Ash Treated Course, 10" Thick
2,993 Ton	907-311-B001	Lime
11,969 Ton	907-311-C001	Fly Ash, Class C
40,058 Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP CC NO. 1		
36,655 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP CC NO. 2		
36,655 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP DD NO. 1		
44,020 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP DD NO. 2		
44,020 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP EE NO. 1		
47,546 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP EE NO. 2		
47,546 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP FF NO. 1		
917 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP FF NO. 2		
917 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP GG NO. 1		
2,445 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP GG NO. 2		
2,445 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP HH NO. 1		
48,835 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP HH NO. 2		
48,835 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP II NO. 1		

Call No. -03 for the April 24, 2012 Letting

2,561	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,592	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,970	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

ALTERNATE GROUP II NO. 2

2,561	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,592	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
2,970	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Lighting Installation on US 82 at the entrance to MS Valley State University, known as Federal Aid Project No. NH-0011-02(084) / 106252301 in Leflore County.

PROJECT COMPLETION: November 12, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1	Each	202-B061	Removal of Low Mast Lighting Foundation
500	Linear Feet	202-B263	Removal of Underground Electric Wire
100	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
265	Linear Feet	682-A031	Underground Branch Circuit, AWG 6, 3 Conductor
740	Linear Feet	682-A036	Underground Branch Circuit, AWG 8, 3 Conductor
120	Linear Feet	682-B031	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
250	Linear Feet	682-B036	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
1	Each	682-F001	Secondary Power Controllers
5	Each	683-B172	Lighting Assembly, Low Mast, Type 45-2-0-250
5	Each	683-B173	Lighting Assembly, Low Mast, Type 45-1-0-250
13	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
11	Linear Feet	684-B003	Slip Casing, 24" Diameter
100	Linear Feet	907-237-A003	Wattles, 20"
500	Linear Feet	907-682-A1013	Branch Circuit Wire, AWG #8, 3 Conductor
10	Each	907-682-E001	Underground Junction Box With Concrete Pad

Mill and Overlay approximately 5 miles of SR 182 from US 82 to the Lowndes County Line, known as Federal Aid Project No. STP-2705-00(004) / 106349301 in Oktibbeha County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

545	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
225	Cubic Yard	203-G003	Excess Excavation, FM, AH
78,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
845	Linear Feet	503-C007	Saw Cut, Full Depth
1,740	Linear Feet	609-B001	Concrete Curb, Header
415	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,550	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,600	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,350	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
16,500	Gallon	907-407-A001	Asphalt for Tack Coat
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
850	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,200	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
10,800	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
10,800	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
620	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP BB NO. 2			
620	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 1			
1,800	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP CC NO. 2			
1,800	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Overlay approximately 10 miles of SR 12 from US 61 to the Sunflower River bridge, known as State Project No. MP-3012-76(012) / 304338301 in Washington County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

646	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
215	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
9	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,000	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14,000	Ton	907-304-B007	Granular Material, Class 5, Group E
392	Ton	907-304-F003	3/4" and Down Crushed Stone Base
6,750	Gallon	907-407-A001	Asphalt for Tack Coat
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
14,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
14,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Overlay approximately 5 miles of SR 14 between Mayersville and SR 1, known as State Project No. MP-3014-28(003) / 304337301 in Issaquena County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

8,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
400	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
285	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
170	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
485	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,500	Ton	907-304-B002	Granular Material, Class 5, Group D
4,100	Gallon	907-407-A001	Asphalt for Tack Coat
11	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
470	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
285	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
9,900	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
9,900	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Overlay approximately 5 Miles of SR 15 from Jasper County Line to North of Tarlow Creek and from North of US 80 to North of I-20, known as State Project No. MP-5015-51(018) / 303918301 & 302 in Newton County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

232	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
46	Linear Feet	202-B038	Removal of Curb, All Types
894	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
268	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,650	Square Yard	209-A007	Geotextile Stabilization, Type VII, Non-Woven
150	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
24,259	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10,755	Linear Feet	413-D001	Cleaning and Filling Joints
438	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
860	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3006	Temporary Traffic Stripe, Skip White
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
10,221	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,283	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
625	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
375	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
200	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Single Faced
36	Linear Feet	619-G4005	Barricades, Type III, Double Faced
285	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
125	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
675	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
957	Linear Feet	635-A001	Vehicle Loop Assemblies
1,301	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
481	Ton	907-304-F004	Size 825B Crushed Stone Base
4,141	Gallon	907-407-A001	Asphalt for Tack Coat
13,105	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
11	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,963	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
3,258	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,283	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
625	Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NO. 1

11,100	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
--------	-----	--------------	--------------------------------------

ALTERNATE GROUP AA NO. 2

Call No. 05 for the April 24, 2012 Letting

11,100 Ton	907-403-M002 Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP BB NO. 1
488 Ton	907-403-B005 Hot Mix Asphalt, MT, 19-mm mixture, Leveling ALTERNATE GROUP BB NO. 2
488 Ton	907-403-N007 Warm Mix Asphalt, MT, 19-mm mixture, Leveling

Mill and Overlay approximately 7 miles of US Hwy. 49 between Collins and Mt. Olive, known as State Project No. MP-7049-16(013) / 304291301 in Covington County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,044	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
480	Linear Feet	202-B076	Removal of Traffic Stripe
121,190	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
550	Linear Feet	501-D001	Expansion Joints, With Dowels
650	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,460	Linear Feet	503-C002	Saw Cut, 3-inch
1,460	Linear Feet	503-C007	Saw Cut, Full Depth
174	Cubic Yard	503-D001	Concrete for Base Repair
917	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
160	Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3006	Temporary Traffic Stripe, Skip White
12,190	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,447	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
220	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
620	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
87	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,014	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
6,145	Gallon	907-407-A001	Asphalt for Tack Coat
50,749	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1,044	Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
7	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
7	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
6	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
2,435	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,755	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,172	Linear Feet	907-626-H004	Thermoplastic Legend, White
91	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
550	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
550	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 1			
10,282	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
10,282	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR