

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| | | | |
|-----------------------|------------------------|--------------------|-------------|
| ADDENDUM NO. <u>1</u> | DATED <u>5/14/2012</u> | ADDENDUM NO. _____ | DATED _____ |
| ADDENDUM NO. _____ | DATED _____ | ADDENDUM NO. _____ | DATED _____ |

| Number | Description |
|--------|---|
| 1 | Revised Table of Contents,replace same;Add Supplement to SP No. 907-402-5;Add SP No. 907-702-3;Revised Bid Sheets,replace same;Amendment EBS Download Required. |

TOTAL ADDENDA: 1
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

| | |
|--------------------|------------------|
| _____ President | _____ Address |
| _____ Secretary | _____ Address |
| _____ Treasurer | _____ Address |

The following is my (our) itemized proposal.

Revised 09/21/2005

IM-0020-01(165) / 103914303

Hinds County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: IM-0020-01(165) / 103914303 – Hinds County

901--Advertisement

904--Notice to Bidders: Governing Specifications - # 1
 Final Cleanup - # 3
 Fiber Reinforced Concrete - # 640
 Disadvantaged Business Enterprise, w/ supplement - # 696
 Payroll Requirements - # 883
 Use of Fly Ash in Stone Matrix Asphalt (SMA) - # 927
 Errata & Modifications to 2004 Standard Specifications - # 1405
 Safety Apparel - # 1808
 Federal Bridge Formula - # 1928
 Department of Labor Ruling - # 2239
 Status of ROW w/ attachments - # 2382
 DBE Forms, Participation and Payment - # 2596
 Non-Quality Control / Quality Assurance Concrete - # 2818
 Petroleum Products Base Price - # 2858
 Reduced Speed Limit Signs - # 2937
 Alternate Asphalt Mixture Bid Items - # 3039
 Temporary Traffic Paint - # 3131
 Warm Mix Asphalt (WMA) - # 3242
 DUNS Requirement for Federal Funded Projects - # 3414
 Questions Regarding Bidding - # 3425
 Storm Water Discharge Associated w/ Construction Activities
 (≥ 5 Acres) - # 3581
 Safety Edge - # 3585
 Additional Erosion Control Requirements - # 3612
 Type III Barricade Rails - # 3655
 Contract Time - # 3749
 Specialty Items - # 3750
 Scope of Work - # 3751
 Standard Drawings, w/ supplement - # 3770
 Cooperation Between Contractors - # 3897

906- : FHWA 1273, with Supplement, Executive Order, & Wage Rates

907-101-4: Definitions
907-102-8: Bidding Requirements and Conditions
907-103-8: Award and Execution of Contract
907-104-1: Partnering Process
907-104-4: Disposal of Materials
907-105-6: Control of Work, w/Supplement
907-107-9: Legal Relations & Responsibility to Public, w/Supplement
907-107-10: Contractor's Erosion Control Plan, w/Supplement

- CONTINUED ON NEXT PAGE -

Page 2 - PROJECT: IM-0020-01(165) / 103914303 – Hinds County

- 907-108-24: Prosecution and Progress
- 907-109-5: Measurement and Payment
- 907-110-2: Wage Rates
- 907-237-4: Wattles
- 907-246-3: Sandbags & Rockbags
- 907-249-1: Riprap for Erosion Control
- 907-304-12: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), w/Supplement
- 907-401-3: Stone Matrix Asphalt (SMA)
- 907-401-4: Warm Mix Asphalt (WMA), w/Supplement
- 907-402-5: Open Graded Friction Course, w/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), w/Supplement
- 907-403-5: Stone Matrix Asphalt(SMA), w/Supplement
- 907-403-9: Warm Mix Asphalt (WMA), w/Supplement
- 907-407-1: Tack Coat
- 907-618-1: Additional Signing Requirements, w/Supplement
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-626-15: Thermoplastic Traffic Markings
- 907-626-22: Double Drop Thermoplastic Markings
- 907-687-15: Traffic Recorder Classification System
- 907-699-4: Construction Stakes
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-9: Aggregates, w/Supplement
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, w/Supplement
- 907-714-3: Stabilizing Fibers
- 907-714-6: Miscellaneous Materials
- 907-720-1: Pavement Marking Materials
- 907-804-13: Concrete Bridges and Structures, w/Supplement

- 906-7: On-The-Job Training Program

SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS

COMBINATION BID PROPOSAL

CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS

CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION

**SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS
FORM -- OCR-485**

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SUPPLEMENT TO SPECIAL PROVISION NO. 907-402-5

DATE: 05/11/2012

SUBJECT: Open Graded Friction Course (OGFC)

PROJECT: IM-0020-01(165) 103914303 -- Hinds County

Delete Subsection 907-402.02.7 on pages 12 and 13, and substitute the following.

907-402.02.7--Acceptance Procedure for OGFC Pavement Smoothness. The OGFC will not be considered a surface lift in the completed pavement structure. There shall be no smoothness, bump and/or dip requirements for OGFC pavements.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-702-3

CODE: (SP)

DATE: 05/08/2012

SUBJECT: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement

Section 702.05, Petroleum Asphalt Cement, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

907-702.05--Petroleum Asphalt Cement. Delete the third paragraph of Subsection 702.05 on page 598, and substitute the following.

The bituminous material used in all types of asphalt mixtures shall conform to AASHTO Designation: M 320, Performance Grade PG 67-22, as modified in the table below, except that Polyphosphoric Acid (PPA) may be used at low dosage rates as a modifier to enhance the physical properties of a base binder to meet the requirements for Performance Grade PG 67-22. In addition, PPA may be used as a catalyst or mixing agent at low dosage rates in the production of Polymer Modified, Performance Grade PG 76-22.

When PPA is used as a modifier, in no case shall the PPA modifier be used to adjust the physical properties of the binder a full binder grade. For example: the base binder (unmodified) is graded as a PG 64-22 and should only be modified by the addition of PPA to a modified binder grade of PG 67-22.

When petroleum asphalt cement is modified by PPA, the following dosage limits shall be applied.

| Grade | Dosage Limit |
|--------------|---------------------------|
| PG 67-22 | 0.75% by weight of binder |
| PG 76-22 | 0.50% by weight of binder |

Mill & Overlay Approximately 10 Miles On I-20 from Edwards to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(165) / 103914303, in Hinds County.

I (We) agree to complete the entire project within the specified contract time.

*** SPECIAL NOTICE TO BIDDERS ***

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

BID SCHEDULE

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | | Item Amount | |
|---------------|-----------|----------|----------|-------------|---|------------|----|-------------|----|
| | | | | | | Dollar | Ct | Dollar | Ct |
| Roadway Items | | | | | | | | | |
| 0010 | 202-B028 | | 667 | Square Yard | Removal of Concrete Pavement, 8" Depth | | | | |
| 0020 | 202-B041 | | 91,000 | Linear Feet | Removal of Fence, All Types | | | | |
| 0030 | 202-B076 | | 12,375 | Linear Feet | Removal of Traffic Stripe | | | | |
| 0040 | 202-B086 | | 225 | Each | Removal of Guard Post | | | | |
| 0050 | 202-B102 | | 4,868 | Linear Feet | Removal of Guard Rail | | | | |
| 0060 | 234-A001 | | 5,000 | Linear Feet | Temporary Silt Fence | | | | |
| 0070 | 406-A001 | | 444,120 | Square Yard | Cold Milling of Bituminous Pavement, All Depths | | | | |
| 0080 | 423-A001 | | 40 | Mile | Rumble Strips, Ground In | | | | |

Section 905
Proposal (Sheet 2 - 2)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|----------|-----------|----------|----------|-------------|--|------------|------------|
| 0090 | 606-A001 | | 225 | Each | Guard Posts | | |
| 0100 | 606-B007 | | 3,663 | Linear Feet | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post | | |
| 0110 | 606-C003 | | 7 | Each | Guard Rail, Cable Anchor, Type 1 | | |
| 0120 | 606-D002 | | 6 | Each | Guard Rail, Bridge End Section, Type C | | |
| 0130 | 606-D008 | | 6 | Each | Guard Rail, Bridge End Section, Type H | | |
| 0140 | 606-D012 | | 2 | Each | Guard Rail, Bridge End Section, Type I | | |
| 0150 | 606-E002 | | 20 | Each | Guard Rail, Terminal End Section, Flared | | |
| 0160 | 606-E003 | | 1 | Each | Guard Rail, Terminal End Section, Non-Flared | | |
| 0170 | 607-A001 | | 91,000 | Linear Feet | 31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown | | |
| 0180 | 607-B001 | | 7,200 | Linear Feet | 60" Type I Chain Link Fence, Class I | | |
| 0190 | 607-G115 | | 10 | Each | Gate, 12' x 5' Aluminum | | |
| 0200 | 607-P1007 | | 720 | Each | Line Post, 7' x 1 1/2" Galvanized Steel | | |

Section 905
Proposal (Sheet 2 - 3)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|----------|-----------|----------|----------|----------|---|-------------------|------------|
| 0210 | 607-P1013 | | 7,200 | Each | Line Post, 7' Tee Post Steel | | |
| 0220 | 607-P1014 | | 50 | Each | Line Post, 9' Tee Post Steel | | |
| 0230 | 607-P1015 | | 50 | Each | Line Post, 10' Tee Post Steel | | |
| 0240 | 607-P1016 | | 550 | Each | Line Post, 7' x 4" x 4" Concrete | | |
| 0250 | 607-P2001 | | 800 | Each | Brace Post, 8' x 6" Timber | | |
| 0260 | 607-P2002 | | 10 | Each | Brace Post, 10' x 6" Timber | | |
| 0270 | 607-P2003 | | 10 | Each | Brace Post, 12' x 6" Timber | | |
| 0280 | 607-P2004 | | 30 | Each | Brace Post, 8' x 6" x 6" Concrete | | |
| 0290 | 607-P2023 | | 90 | Each | Brace Post, 8' x 2" Galvanized Steel | | |
| 0300 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic | XXXXXXXXXX XXX | |
| 0310 | 619-A1002 | | 47 | Mile | Temporary Traffic Stripe, Continuous White | | |
| 0320 | 619-A2002 | | 47 | Mile | Temporary Traffic Stripe, Continuous Yellow | | |

Section 905
Proposal (Sheet 2 - 4)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|----------|--------------|----------|----------|-------------|---|------------|------------|
| 0330 | 619-A3006 | | 43 | Mile | Temporary Traffic Stripe, Skip White | | |
| 0340 | 619-A5001 | | 25,000 | Linear Feet | Temporary Traffic Stripe, Detail | | |
| 0350 | 619-A6001 | | 412 | Linear Feet | Temporary Traffic Stripe, Legend | | |
| 0360 | 619-A6002 | | 225 | Square Feet | Temporary Traffic Stripe, Legend | | |
| 0370 | 619-F3003 | | 74 | Each | Delineators, Guard Rail, Yellow | | |
| 0380 | 619-F3004 | | 74 | Each | Delineators, Guard Rail, White | | |
| 0390 | 620-A001 | | 1 | Lump Sum | Mobilization | XXXXXXXXXX | XXX |
| 0400 | 627-H001 | | 200 | Each | Chip Seal Reflective Raised Markers. Two-Way Yellow | | |
| 0410 | 627-K001 | | 1,050 | Each | Red-Clear Reflective High Performance Raised Markers | | |
| 0420 | 627-L001 | | 200 | Each | Two-Way Yellow Reflective High Performance Raised Markers | | |
| 0430 | 907-237-A003 | | 350 | Linear Feet | Wattles, 20" | | |
| 0440 | 907-246-B002 | | 125 | Each | Rockbags | | |

Section 905

Proposal (Sheet 2 - 5)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|----------|--------------------|----------|----------|------------|---|------------|------------|
| 0450 | 907-249-A001 | | 650 | Ton | Riprap for Erosion Control | | |
| 0460 | 907-249-B001 | | 100 | Cubic Yard | Remove and Reset Riprap | | |
| 0470 | 907-304-A001 | (GY) | 1,000 | Cubic Yard | Granular Material, LVM, Class 5, Group C | | |
| 0480 | 907-402-A002 | (BA1) | 14,100 | Ton | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture | | |
| 0490 | 907-402-B001 | (A3) | 22,907 | Gallon | Bituminous Tack Coat | | |
| | Changed 05/14/2012 | | | | | | |
| 0500 | 907-403-AA001 | (BA1) | 30,700 | Ton | Stone Matrix Asphalt, 9.5 mm Mixture | | |
| 0510 | 907-403-AA002 | (BA1) | 37,200 | Ton | Stone Matrix Asphalt, 12.5 mm Mixture | | |
| 0520 | 907-403-S004 | | 41 | Mile | Joint Sealant | | |
| 0530 | 907-407-A001 | (A2) | 44,413 | Gallon | Asphalt for Tack Coat | | |
| | Changed 05/14/2012 | | | | | | |
| 0540 | 907-626-A003 | | 22 | Mile | 6" Thermoplastic Traffic Stripe, Skip White | | |
| 0550 | 907-626-C003 | | 27 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous White | | |
| 0560 | 907-626-F003 | | 24 | Mile | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow | | |

Section 905

Proposal (Sheet 2 - 6)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|------------------------------------|------------------------------------|----------|----------|-------------|--|----------------|------------|
| 0570 | 907-626-G004 Changed 05/14/2012 | | 24,000 | Linear Feet | Thermoplastic Detail Stripe, White | | |
| 0580 | 907-626-G005 Changed 05/14/2012 | | 6,000 | Linear Feet | Thermoplastic Detail Stripe, Yellow | | |
| 0590 | 907-626-H004 Changed 05/14/2012 | | 412 | Linear Feet | Thermoplastic Legend, White | | |
| 0600 | 907-626-H005 Changed 05/14/2012 | | 225 | Square Feet | Thermoplastic Legend, White | | |
| 0610 | 907-687-A018 | | 1 | Each | Traffic Recorder Classification Permanent System 4.3 miles West of Natchez Trace Parkway | | |
| 0620 | 907-699-A002 | | 1 | Lump Sum | Roadway Construction Stakes | XXXXXXX XXX | |
| 0630 | 907-906001 | | 520 | Hours | Trainees | 5. 00 | 2,600. 00 |
| ALTERNATE GROUP AA NUMBER 1 | | | | | | | |
| 0640 | 907-403-A001 (BA1) | | 9,000 | Ton | Hot Mix Asphalt, HT, 12.5-mm mixture | | |
| ALTERNATE GROUP AA NUMBER 2 | | | | | | | |
| 0650 | 907-403-M010 (BA1) | | 9,000 | Ton | Warm Mix Asphalt, HT, 12.5-mm mixture | | |
| ALTERNATE GROUP BB NUMBER 1 | | | | | | | |
| 0660 | 907-403-A002 (BA1) | | 140 | Ton | Hot Mix Asphalt, HT, 19-mm mixture | | |
| ALTERNATE GROUP BB NUMBER 2 | | | | | | | |

Section 905
Proposal (Sheet 2 - 7)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|------------------------------------|--------------|----------|----------|-------|---|------------|------------|
| 0670 | 907-403-M011 | (BA1) | 140 | Ton | Warm Mix Asphalt, HT, 19-mm mixture | | |
| ALTERNATE GROUP CC NUMBER 1 | | | | | | | |
| 0680 | 907-403-A011 | (BA1) | 20,000 | Ton | Hot Mix Asphalt, ST, 12.5-mm mixture | | |
| ALTERNATE GROUP CC NUMBER 2 | | | | | | | |
| 0690 | 907-403-M003 | (BA1) | 20,000 | Ton | Warm Mix Asphalt, ST, 12.5-mm mixture | | |
| ALTERNATE GROUP DD NUMBER 1 | | | | | | | |
| 0700 | 907-403-A012 | (BA1) | 140 | Ton | Hot Mix Asphalt, ST, 19-mm mixture | | |
| ALTERNATE GROUP DD NUMBER 2 | | | | | | | |
| 0710 | 907-403-M004 | (BA1) | 140 | Ton | Warm Mix Asphalt, ST, 19-mm mixture | | |
| ALTERNATE GROUP EE NUMBER 1 | | | | | | | |
| 0720 | 907-403-A015 | (BA1) | 18,800 | Ton | Hot Mix Asphalt, ST, 9.5-mm mixture | | |
| ALTERNATE GROUP EE NUMBER 2 | | | | | | | |
| 0730 | 907-403-M001 | (BA1) | 18,800 | Ton | Warm Mix Asphalt, ST, 9.5-mm mixture | | |
| ALTERNATE GROUP FF NUMBER 1 | | | | | | | |
| 0740 | 907-403-B003 | (BA1) | 6,000 | Ton | Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling | | |
| ALTERNATE GROUP FF NUMBER 2 | | | | | | | |

Section 905
Proposal (Sheet 2 - 8)

IM-0020-01(165) / 103914303
Hinds County

| Line No. | Item Code | Adj Code | Quantity | Units | Description | Unit Price | Bid Amount |
|----------|--------------|----------|----------|-------|--|------------|------------|
| 0750 | 907-403-N008 | (BA1) | 6,000 | Ton | Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling | | |

*** BID CERTIFICATION ***

TOTAL BID\$

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

- 1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
- 2. Classification of Bidder: Small Business (DBE) _____ Small Business (WBE) _____
- 3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER