

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 5/14/2012 ADDENDUM NO. _____ DATED _____
 ADDENDUM NO. _____ DATED _____ ADDENDUM NO. _____ DATED _____

Number	Description
1	Table of Contents, replace same; Add NTB No. 3943; Add SP 907-702-3; Bidsheets, replace same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

STP-0054-01(054) / 106360301

Lawrence County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: STP-0054-01(054) / 106360301 -- Lawrence County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1
 Final Cleanup - # 3
 Disadvantaged Business Enterprise, W/Supplement - # 696
 Payroll Requirements - # 883
 Rumble Stripe - # 1312
 Errata & Modifications to 2004 Standard Specifications - # 1405
 Railway-Highway Provision, W/Supplement - # 1727
 Safety Apparel - # 1808
 Federal Bridge Formula - # 1928
 Department of Labor Ruling - # 2239
 Status of ROW, W/Attachments - # 2382
 DBE Forms, Participation, and Payment - # 2596
 Petroleum Products Base Price - # 2858
 Reduced Speed Limit Signs - # 2937
 Alternate Asphalt Mixture Bid Items - # 3039
 Temporary Traffic Paint - # 3131
 Warm Mix Asphalt (WMA) - # 3242
 DUNS Requirement for Federal Funded Projects - # 3414
 Questions Regarding Bidding - # 3425
 Type III Barricade Rails - # 3655
 Contract Time - # 3876
 Specialty Items - # 3877
 Asphalt Mix Type - # 3943

906: Required Federal Contract Provisions -- FHWA-1273, W/ Supplements

907-101-4: Definitions
907-102-8: Bidding Requirements and Conditions
907-103-8: Award and Execution of Contract
907-104-4: Disposal of Materials
907-105-6: Control of Work, W/ Supplement
907-107-9: Legal Relations & Responsibility to Public, W/ Supplement
907-108-24: Prosecution and Progress
907-109-5: Measurement and Payment
907-110-2: Wage Rates
907-304-12: Granular Courses
907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
907-401-4: Warm Mix Asphalt (WMA), W/ Supplement
907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
907-403-9: Warm Mix Asphalt (WMA), W/Supplement
907-407-1: Tack Coat
907-618-4: Placement of Temporary Traffic Stripe
907-626-15: Thermoplastic Traffic Markings
907-626-22: Double Drop Thermoplastic Markings

PAGE 2 - PROJECT: STP-0054-01(054) / 106360301 -- Lawrence County

907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
907-703-9: Aggregates, W/Supplement
907-710-1: Fast Drying Solvent Traffic Paint
907-720-1: Pavement Marking Materials

SECTION 905 - PROPOSAL,
PROPOSAL BID SHEETS,
COMBINATION BID PROPOSAL,
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904- NOTICE TO BIDDERS NO. 3943

CODE: (SP)

DATE: 5/14/2012

SUBJECT: Asphalt Mix Type

PROJECT: STP-0054-01(054) / 106360301 –Lawrence County

The Contractor is hereby advised that the plan Summary of Quantities and Typical Sections reference the use of HMA/WMA 9.5-mm, ST mix. This is in error, the correct mix type to be used on the project will be HMA/WMA 9.5-mm, MT mix. The bidsheets reference the correct asphalt mix type to be used on the project.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-702-3

CODE: (SP)

DATE: 05/08/2012

SUBJECT: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement

Section 702.05, Petroleum Asphalt Cement, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

907-702.05--Petroleum Asphalt Cement. Delete the third paragraph of Subsection 702.05 on page 598, and substitute the following.

The bituminous material used in all types of asphalt mixtures shall conform to AASHTO Designation: M 320, Performance Grade PG 67-22, as modified in the table below, except that Polyphosphoric Acid (PPA) may be used at low dosage rates as a modifier to enhance the physical properties of a base binder to meet the requirements for Performance Grade PG 67-22. In addition, PPA may be used as a catalyst or mixing agent at low dosage rates in the production of Polymer Modified, Performance Grade PG 76-22.

When PPA is used as a modifier, in no case shall the PPA modifier be used to adjust the physical properties of the binder a full binder grade. For example: the base binder (unmodified) is graded as a PG 64-22 and should only be modified by the addition of PPA to a modified binder grade of PG 67-22.

When petroleum asphalt cement is modified by PPA, the following dosage limits shall be applied.

Grade	Dosage Limit
PG 67-22	0.75% by weight of binder
PG 76-22	0.50% by weight of binder

Widen and Overlay approximately 12 miles of SR 27 from US 84 to the Copiah County Line, known as Federal Aid Project No. STP-0054-01(054) / 106360301 in Lawrence County.

I (We) agree to complete the entire project within the specified contract time.

SPECIAL NOTICE TO BIDDERS

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

BID SCHEDULE

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
Roadway Items									
0010	202-B053		1,728	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware				
0020	202-B076		4,604	Linear Feet	Removal of Traffic Stripe				
0030	406-A001		177,648	Square Yard	Cold Milling of Bituminous Pavement, All Depths				
0040	423-A001		25	Mile	Rumble Strips, Ground In				
0050	606-B001		1,188	Linear Feet	Guard Rail, Class A, Type 1				
0060	606-D001		12	Each	Guard Rail, Bridge End Section, Type A				
0070	606-E001		12	Each	Guard Rail, Terminal End Section				
0080	606-F001		12	Each	Special Sections, Bridge Connector				

Section 905
 Proposal (Sheet 2 - 2)

STP-0054-01(054) / 106360301
 Lawrence County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0090	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXXX	
						XXXX	
0100	618-B001		1	Square Feet	Additional Construction Signs	10.00	10.00
0110	619-A1002		25	Mile	Temporary Traffic Stripe, Continuous White		
0120	619-A2002		1	Mile	Temporary Traffic Stripe, Continuous Yellow		
0130	619-A4006		13	Mile	Temporary Traffic Stripe, Skip Yellow		
0140	619-A5001		23,903	Linear Feet	Temporary Traffic Stripe, Detail		
0150	619-A6001		2,316	Linear Feet	Temporary Traffic Stripe, Legend		
0160	619-A6002		688	Square Feet	Temporary Traffic Stripe, Legend		
0170	619-F3004		93	Each	Delineators, Guard Rail, White		
0180	627-J001		630	Each	Two-Way Clear Reflective High Performance Raised Markers		
0190	627-K001		280	Each	Red-Clear Reflective High Performance Raised Markers		
0200	627-L001		1,377	Each	Two-Way Yellow Reflective High Performance Raised Markers		

Section 905
 Proposal (Sheet 2 - 3)

STP-0054-01(054) / 106360301
 Lawrence County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0210	630-G001		12	Each	Type 3 Object Markers, OM-3R, Post Mounted		
0220	808-A001	(S)	845	Linear Feet	Joint Preparation		
0230	907-304-A003	(GY)	7,494	Cubic Yard	Granular Material, LVM, Class 6, Group D		
0240	907-407-A001	(A2)	11,437	Gallon	Asphalt for Tack Coat		
0250	907-626-A004		3,100	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White		
0260	907-626-C006		25	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 min		
0270	907-626-D003		13	Mile	6" Thermoplastic Traffic Stripe, Skip Yellow		
0280	907-626-G004		15,627	Linear Feet	Thermoplastic Detail Stripe, White		
0290	907-626-G005		8,276	Linear Feet	Thermoplastic Detail Stripe, Yellow		
0300	907-626-H004		3,100	Linear Feet	Thermoplastic Legend, White		
0310	907-626-H005		688	Square Feet	Thermoplastic Legend, White		
0320	907-824-PP002		845	Linear Feet	Bridge Repair, Joint Repair, Per Plans		

Section 905
 Proposal (Sheet 2 - 4)

STP-0054-01(054) / 106360301
 Lawrence County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0330	907-824-PP004		103	Linear Feet	Bridge Repair, Removal of Joint Armor, Per Plans		
0340	907-824-PP006		702	Linear Feet	Bridge Repair, Sawcut Joints, Per Plans		
0350	907-824-PP008		702	Linear Feet	Bridge Repair, Silicone Sealed Joint, Per Plans		
ALTERNATE GROUP AA NUMBER 1							
0360	907-403-A010 (BA1) Changed 05/14/2012		23,180	Ton	Hot Mix Asphalt, MT, 9.5-mm mixture		
ALTERNATE GROUP AA NUMBER 2							
0370	907-403-M006 (BA1) Changed 05/14/2012		23,180	Ton	Warm Mix Asphalt, MT, 9.5-mm mixture		

*** BID CERTIFICATION ***

TOTAL BID \$ _____

*** DBE/WBE SECTION ***

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than _____ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE) _____ Small Business (WBE) _____
3. A joint venture with a Small Business (DBE/WBE): _____

*** SIGNATURE STATEMENT ***

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

BIDDER'S SIGNATURE

BIDDER'S COMPANY

BIDDER'S FEDERAL TAX ID NUMBER