# SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): ADDENDUM NO. \_\_\_\_\_ 5/14/2012 ADDENDUM NO. DATED ADDENDUM NO. ADDENDUM NO DATED TOTAL ADDENDA: 1 Number Description (Must agree with total addenda issued prior to opening of bids) 1 Revised Table of Contents, Added SP 907-702-3; Amendment EBS Download Required. Respectfully Submitted, DATE Contractor Signature TITLE ADDRESS CITY, STATE, ZIP \_\_\_\_ PHONE \_\_\_\_ E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of \_\_\_\_\_\_ and the names, titles and business addresses of the executives are as follows: President Address Secretary Address Treasurer Address The following is my (our) itemized proposal.

Revised 09/21/2005

MP-7000-64(112) / 304346301

Simpson County(ies)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# TABLE OF CONTENTS

PROJECT: MP-7000-64(112) / 304346301 – Simpson County

901--Advertisement

904--Notice to Bidders: Governing Specifications - #1

Final Cleanup - #3

Payroll Requirements - #883

Errata & Modifications to 2004 Standard Specifications - # 1405

Safety Apparel - # 1808

Federal Bridge Formula - # 1928 Petroleum Products Base Price - # 2858 Reduced Speed Limit Signs - # 2937

Alternate Asphalt Mixture Bid items - # 3039

Temporary Traffic Paint - # 3131 Warm Mix Asphalt (WMA) - # 3242 Questions Regarding Bidding - # 3425 Type III Barricade Rails - #3655

Contract Time - #3855

907-101-4: Definitions

907-102-8: Bidding Requirements and Conditions 907-103-8: Award and Execution of Contract

907-104-4: Disposal of Materials

907-105-6: Control of Work, w/Supplement

907-107-9: Legal Relations & Responsibility to Public, w/Supplement

907-108-24: Prosecution and Progress 907-109-5: Measurement and Payment

907-304-12: Granular Courses

907-401-2: Hot Mix Asphalt (HMA), w/Supplement 907-401-4: Warm Mix Asphalt (WMA), w/Supplement Hot Mix Asphalt (HMA), w/Supplement 907-403-4: 907-403-9: Warm Mix Asphalt (WMA), w/Supplement

907-407-1: Tack Coat

907-411-2: Ultra-Thin Asphalt Pavement (UTAP) 907-618-4: Placement of Temporary Traffic Stripe

Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement 907-702-3:

Aggregates, w/Supplement 907-703-9: 907-710-1: Fast Dry Solvent Traffic Paint

SECTION 905 - PROPOSAL, PROPOSAL BID SHEETS

COMBINATION BID PROPOSAL

STATE BOARD OF CONTRACTORS REQUIREMENTS NON-COLLUSION CERTIFICATE SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS

> (REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

CODE: (SP)

### SPECIAL PROVISION NO. 907-702-3

**DATE:** 05/08/2012

**SUBJECT:** Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement

Section 702.05, Petroleum Asphalt Cement, of the 2004 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows:

<u>907-702.05--Petroleum Asphalt Cement.</u> Delete the third paragraph of Subsection 702.05 on page 598, and substitute the following.

The bituminous material used in all types of asphalt mixtures shall conform to AASHTO Designation: M 320, Performance Grade PG 67-22, as modified in the table below, except that Polyphosphoric Acid (PPA) may be used at low dosage rates as a modifier to enhance the physical properties of a base binder to meet the requirements for Performance Grade PG 67-22. In addition, PPA may be used as a catalyst or mixing agent at low dosage rates in the production of Polymer Modified, Performance Grade PG 76-22.

When PPA is used as a modifier, in no case shall the PPA modifier be used to adjust the physical properties of the binder a full binder grade. For example: the base binder (unmodified) is graded as a PG 64-22 and should only be modified by the addition of PPA to a modified binder grade of PG 67-22.

When petroleum asphalt cement is modified by PPA, the following dosage limits shall be applied.

<u>Grade</u>	Dosage Limit
PG 67-22	0.75% by weight of binder
PG 76-22	0.50% by weight of binder