


Proposal & Plan Sales Will Begin on April 30, 2012



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for May – May 22, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR MAY - Tuesday, May 22, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 30, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
01	IM-0010-01(124) / 104520301	Jackson
* 02	IM-0020-01(165) / 103914303	Hinds
03	STP-0029-02(014) / 102556312	Desoto
04	IM-0055-03(086) / 105918301	Yalobusha
05	NH-0008-01(126) / 106180301	Forrest
06	STP-0016-01(030) / 102155303 & STP-0016-01(030) / 102155304	Bolivar & Sunflower
* 07	STP-0019-02(045) / 106314301	Lafayette
08	BR-0031-01(016) / 103318301	Tate
09	STP-0054-01(054) / 106360301	Lawrence
10	STP-2839-00(016) / 106351301	Lee
* 11	STP-9999-01(008) / 106352301	Lowndes
* 12	STP-9999-01(009) / 106353301 & STP-9999-01(009) / 106353302	Union & Pontotoc
13	MP-1178-29(004) / 304132301	Itawamba
* 14	MP-2003-60(007) / 304341301	Quitman
* 15	MP-2007-22(002) / 304342301	Grenada
16	MP-7000-64(112) / 304346301	Simpson

Overlay of I-10 from the Pascagoula River to the Alabama State Line, known as Federal Aid Project No. IM-0010-01(124) / 104520301, in Jackson County.

PROJECT COMPLETION: March 29, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items			
3	Acre	201-D002	Random Clearing
	Lump Sum	202-A001	Removal of Obstructions
5,200	Linear Feet	202-B102	Removal of Guard Rail
30	Mile	202-B149	Removal of Traffic Stripe
100	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
61,243	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
37	Mile	423-A001	Rumble Strips, Ground In
2,044	Pounds	602-A001	Reinforcing Steel
3,575	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
26	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
26	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
93	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
96	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
111	Mile	619-A3006	Temporary Traffic Stripe, Skip White
27,463	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
616	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
3,215	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
91	Each	630-F001	Delineators, Guard Rail, White
91	Each	630-F002	Delineators, Guard Rail, Yellow
26	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,160	Linear Feet	808-A001	Joint Preparation
158	Ton	815-A010	Loose Riprap, Size 500
16,616	Ton	907-304-F001	Size 825 Crushed Stone Base
16,396	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
22,359	Gallon	907-402-B001	Bituminous Tack Coat
24,458	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
32,611	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
33	Mile	907-403-S004	Joint Sealant
44,965	Gallon	907-407-A001	Asphalt for Tack Coat
560	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
150,000	Pounds	907-420-A001	Undersealing Concrete Pavement
34	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
37	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
31	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
32	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
24,108	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. 01 for the May 22, 2012 Letting

3,355	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,023	Linear Feet	907-626-H004	Thermoplastic Legend, White
308	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-688-A033	Traffic Recorder WIM Kistler System, 4-Lane
2,160	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
1,480	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
7,760	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
	Lump Sum	907-824-PP093	Bridge Repair, Repair Bridge Over Pascagoula River
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
7,580	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
7,580	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
250	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
250	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 1			
15,927	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 2			
15,927	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NO. 1			
8,892	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP DD NO. 2			
8,892	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture

Mill & Overlay Approximately 10 Miles On I-20 from Edwards to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(165) / 103914303, in Hinds County.

PROJECT COMPLETION: May 31, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

667	Square Yard	202-B028	Removal of Concrete Pavement, 8" Depth
91,000	Linear Feet	202-B041	Removal of Fence, All Types
12,375	Linear Feet	202-B076	Removal of Traffic Stripe
225	Each	202-B086	Removal of Guard Post
4,868	Linear Feet	202-B102	Removal of Guard Rail
5,000	Linear Feet	234-A001	Temporary Silt Fence
444,120	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
40	Mile	423-A001	Rumble Strips, Ground In
225	Each	606-A001	Guard Posts
3,663	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
7	Each	606-C003	Guard Rail, Cable Anchor, Type 1
6	Each	606-D002	Guard Rail, Bridge End Section, Type C
6	Each	606-D008	Guard Rail, Bridge End Section, Type H
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
1	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
91,000	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
7,200	Linear Feet	607-B001	60" Type I Chain Link Fence, Class I
10	Each	607-G115	Gate, 12' x 5' Aluminum
720	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
7,200	Each	607-P1013	Line Post, 7' Tee Post Steel
50	Each	607-P1014	Line Post, 9' Tee Post Steel
50	Each	607-P1015	Line Post, 10' Tee Post Steel
550	Each	607-P1016	Line Post, 7' x 4" x 4" Concrete
800	Each	607-P2001	Brace Post, 8' x 6" Timber
10	Each	607-P2002	Brace Post, 10' x 6" Timber
10	Each	607-P2003	Brace Post, 12' x 6" Timber
30	Each	607-P2004	Brace Post, 8' x 6" x 6" Concrete
90	Each	607-P2023	Brace Post, 8' x 2" Galvanized Steel
	Lump Sum	618-A001	Maintenance of Traffic
47	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
47	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
43	Mile	619-A3006	Temporary Traffic Stripe, Skip White
25,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
412	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
225	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
74	Each	619-F3003	Delineators, Guard Rail, Yellow
74	Each	619-F3004	Delineators, Guard Rail, White
	Lump Sum	620-A001	Mobilization
200	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
1,050	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

Call No. 02 for the May 22, 2012 Letting

200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
350	Linear Feet	907-237-A003	Wattles, 20"
125	Each	907-246-B002	Rockbags
650	Ton	907-249-A001	Riprap for Erosion Control
100	Cubic Yard	907-249-B001	Remove and Reset Riprap
1,000	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
14,100	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
6,015	Gallon	907-402-B001	Bituminous Tack Coat
30,700	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
37,200	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
41	Mile	907-403-S004	Joint Sealant
21,705	Gallon	907-407-A001	Asphalt for Tack Coat
22	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
27	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
24,000	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
6,000	Linear Feet	907-626-Y004	Thermoplastic Detail Traffic Stripe, Yellow, 6" Equivalent Length, 40-mil. min.
412	Linear Feet	907-626-Z003	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.
225	Square Feet	907-626-Z004	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.
1	Each	907-687-A018	Traffic Recorder Classification Permanent System 4.3 miles West of Natchez Trace Parkway
	Lump Sum	907-699-A002	Roadway Construction Stakes
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
9,000	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
9,000	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1			
140	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP BB NO. 2			
140	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP CC NO. 1			
20,000	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NO. 2			
20,000	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP DD NO. 1			
140	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NO. 2			
140	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP EE NO. 1			
18,800	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP EE NO. 2			
18,800	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP FF NO. 1			
6,000	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP FF NO. 2			

Call No. 02 for the May 22, 2012 Letting

6,000 Ton

907-403-N008 Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling

Grade & Bridge, 4-lanes on SR 304/I-269 from SR 305 to Coldwater River Bridge, known as Federal Aid Project No. STP-0029-02(014) / 102556312 in DeSoto County.

PROJECT COMPLETION: September 23, 2014

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
2,825	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
971,319	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
262	Cubic Yard	206-A001	Structure Excavation
1,457	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
29	Ton	213-C001	Superphosphate
114	Ton	215-A001	Vegetative Materials for Mulch
1,457	Square Yard	216-A001	Solid Sodding
1,486	Square Yard	217-A001	Ditch Liner
29	Thousand Gallon	219-A001	Watering
28	Acre	220-A001	Insect Pest Control
481	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
57	Acre	223-A001	Mowing
2,185	Square Yard	224-A001	Soil Reinforcing Mat
10,523	Linear Feet	234-A001	Temporary Silt Fence
308	Bale	235-A001	Temporary Erosion Checks
4	Each	236-A004	Silt Basin, Type D
4	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
2,400	Linear Feet	239-A001	Temporary Slope Drains
560	Pounds	602-A001	Reinforcing Steel
1,368	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
312	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
280	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
9	Each	603-CB001	18" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
2	Each	603-CB008	60" Reinforced Concrete End Section
2,250	Pounds	604-B001	Gratings
284	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
24	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
26	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
15,847	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
1,320	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
9	Each	607-G020	Gate, 12' x 60" Galvanized Metal
4	Each	607-G119	Gate, 3' x 52" Chain Link
938	Each	607-P1013	Line Post, 7' Tee Post Steel
219	Each	607-P1014	Line Post, 9' Tee Post Steel
129	Each	607-P1015	Line Post, 10' Tee Post Steel
15	Each	607-P1019	Line Post, 14' x 2 1/2" Galvanized Steel
67	Each	607-P2001	Brace Post, 8' x 6" Timber

Call No. 03 for the May 22, 2012 Letting

18	Each	607-P2002	Brace Post, 10' x 6" Timber
8	Each	607-P2003	Brace Post, 12' x 6" Timber
6	Each	607-P3001	Gate Post, 8' x 6" Timber
8	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
125	Each	607-Z001	Concrete Anchors
	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
32	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192	Linear Feet	619-G4001	Barricades, Type III, Single Faced
288	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
14	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
160	Ton	815-A006	Loose Riprap, Size 100
896	Ton	815-A009	Loose Riprap, Size 300
474	Square Yard	815-E001	Geotextile under Riprap
68	Ton	815-F002	Sediment Control Stone
57	Acre	907-225-A001	Grassing
171	Ton	907-225-B001	Agricultural Limestone
57	Acre	907-226-A001	Temporary Grassing
1,765	Linear Feet	907-234-C002	Super Silt Fence
200	Linear Feet	907-234-F001	Turbidity Barrier
750	Linear Feet	907-237-A002	Wattles, 12"
250	Linear Feet	907-237-A003	Wattles, 20"
250	Linear Feet	907-245-A001	Triangular Silt Dike
250	Linear Feet	907-246-A001	Sandbags
200	Cubic Yard	907-249-B001	Remove and Reset Riprap
154	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
40	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
250	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
50	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
31	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-699-A002	Roadway Construction Stakes
2,080	Hours	907-906001	Trainees

Bridge Items

39,470	Square Yard	501-K001	Transverse Grooving
696	Cubic Yard	801-A001	Foundation Excavation for Bridges
3	Each	803-B002	Conventional Static Pile Load Test
4,176	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,456	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
8,532	Linear Feet	803-D006	HP 14 x 117 Steel Piling
1,200	Linear Feet	803-F009	20" Pre-Formed Pile Hole
4	Each	803-I001	PDA Test Pile
100	Linear Feet	803-N001	Exploration

Call No. 03 for the May 22, 2012 Letting

5,400	Linear Feet	803-O011	Temporary Casing, 66" Diameter
4,201,230	Pounds	805-A001	Reinforcement
2,417,236	Pounds	810-A004	Structural Steel
16,146	Linear Feet	813-A002	Concrete Railing, 32"
2,440	Ton	815-A009	Loose Riprap, Size 300
2,160	Square Yard	815-E001	Geotextile under Riprap
14,376	Linear Feet	907-803-K005	Drilled Shaft, 66" Diameter
1	Each	907-803-L001	Test Shaft, 66" Diameter
100	Linear Feet	907-803-M004	Trial Shaft, 66" Diameter
17,941	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
40,093	Linear Feet	907-804-C008	120' Prestressed Concrete Beam, Type BT-72
1,070	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
1,666	Linear Feet	907-804-C147	70' Prestressed Concrete Beam, Type IV
48	Each	907-811-D001	Disc Bearing Device

Mill & Overlay approximately 13 Miles of I-55 from SR 330 to Panola County Line, known as Federal Aid Project No. IM-0055-03(086) / 105918301, in Yalobusha County.

PROJECT COMPLETION: September 24, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
7,400 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
3 Each	202-B042	Removal of Flared End Section, All Sizes
1,450 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
1 Each	202-B057	Removal of Inlets, All Sizes
4,600 Linear Feet	202-B076	Removal of Traffic Stripe
2 Each	202-B079	Removal of Headwall
160 Each	202-B086	Removal of Guard Post
16 Linear Feet	202-B106	Removal of Pipe, All Sizes
4,400 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
16,000 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
700 Cubic Yard	203-G003	Excess Excavation, FM, AH
85 Cubic Yard	206-A001	Structure Excavation
30 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
12,000 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
3 Ton	213-C001	Superphosphate
8 Ton	215-A001	Vegetative Materials for Mulch
10 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
25 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
4 Acre	223-A001	Mowing
6,000 Linear Feet	234-A001	Temporary Silt Fence
585,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
52 Mile	423-A001	Rumble Strips, Ground In
27,500 Pounds	602-A001	Reinforcing Steel
64 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
2 Each	603-CB001	18" Reinforced Concrete End Section
1 Each	603-CB002	24" Reinforced Concrete End Section
200 Pounds	604-B001	Gratings
320 Each	606-A001	Guard Posts
850 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D001	Guard Rail, Bridge End Section, Type A
2 Each	606-D012	Guard Rail, Bridge End Section, Type I
10 Each	606-E001	Guard Rail, Terminal End Section
470 Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown

Call No. 04 for the May 22, 2012 Letting

40	Each	607-P1013	Line Post, 7' Tee Post Steel
2	Each	607-P2001	Brace Post, 8' x 6" Timber
137	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
2,000	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
100	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
100	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
100	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
100	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
98	Mile	619-A3006	Temporary Traffic Stripe, Skip White
7,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
784	Square Feet	619-D2002	Standard Roadside Construction Signs, 10 Square Feet or More, Permanent
2,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
50	Each	619-G5001	Free Standing Plastic Drums
50	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
3,500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
108	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
34	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
35	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
54	Each	630-F001	Delineators, Guard Rail, White
80	Each	630-F006	Delineators, Post Mounted, Single White
200	Each	630-F007	Delineators, Post Mounted, Single Yellow
20	Each	630-F008	Delineators, Post Mounted, Double White
50	Each	630-F009	Delineators, Post Mounted, Double Yellow
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,200	Ton	815-A009	Loose Riprap, Size 300
1,500	Square Yard	815-E001	Geotextile under Riprap
4	Acre	907-225-A001	Grassing
12	Ton	907-225-B001	Agricultural Limestone
4	Acre	907-226-A001	Temporary Grassing
300	Linear Feet	907-237-A003	Wattles, 20"
25,000	Ton	907-304-B009	Granular Material, Class 3, Group D
4,000	Ton	907-304-F002	Size 610 Crushed Stone Base
25,000	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
900	Gallon	907-402-B001	Bituminous Tack Coat
35,000	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
45,000	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
50	Mile	907-403-S004	Joint Sealant
63,500	Gallon	907-407-A001	Asphalt for Tack Coat
95	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures, Per Plans
20	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe

Call No. 04 for the May 22, 2012 Letting

20	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
600	Linear Feet	907-606-G001	Cable Barrier
2	Each	907-606-H001	Cable Barrier Terminal Section
10	Each	907-606-I001	Cable Barrier Post Repair
4	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
4	Each	907-606-PP002	Guard Rail, Bridge Connector, Per Plans
2	Each	907-619-E3001	Changeable Message Sign
25	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
26	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
26	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
2,900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,100	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
500	Linear Feet	907-626-H004	Thermoplastic Legend, White
4	Each	907-630-O003	Remove and Reset Sign, All Sizes
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
12,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
12,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
16,800	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
16,800	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
1,125	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
1,125	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
1,175	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP DD NO. 2			
1,175	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP EE NO. 1			
2,300	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP EE NO. 2			
2,300	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP FF NO. 1			
5,000	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP FF NO. 2			
5,000	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP GG NO. 1			
2,300	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,300	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,300	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP GG NO. 2			
2,300	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White

Call No. 04 for the May 22, 2012 Letting

2,300 Linear Feet

628-J002 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite

2,300 Linear Feet

628-M002 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow

Traffic Signal Installation on U.S. 49 At Pearl River Community College, known as Federal Aid Project No. NH-0008-01(126) / 106180301, in Forrest County.

PROJECT COMPLETION: February 12, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

35	Linear Feet	202-B038	Removal of Curb, All Types
360	Linear Feet	202-B076	Removal of Traffic Stripe
1,760	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	620-A001	Mobilization
35	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
28	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
70	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
1	Each	640-A042	Traffic Signal Heads, Type 3R LED
1	Each	640-A045	Traffic Signal Heads, Type 3L, LED
1	Each	640-A046	Traffic Signal Heads, Type 7L, LED
1	Each	642-A001	Solid State Traffic Actuated Controllers, Type 8M
3	Each	644-A001	Optical Detector
483	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
1	Each	647-A003	Pullbox, Type 4
2	Each	647-A005	Pullbox, Type 2
225	Linear Feet	666-B004	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor
481	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor
322	Linear Feet	666-B032	Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor
339	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
220	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
110	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
30	Gallon	907-407-A001	Asphalt for Tack Coat
537	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,847	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
111	Linear Feet	907-626-H004	Thermoplastic Legend, White
275	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-639-A011	Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm
2	Each	907-639-A015	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 50' Arm
10	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
45	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
2	Each	907-649-A004	Video Detection System, 1 Sensor, Type 2
1	Each	907-651-A002	Magnetometer Detection System
3	Each	907-651-B009	Magnetometer Detection System Component, Repeater
1	Each	907-651-B010	Magnetometer Detection System Component, Access Point
1	Each	907-651-B011	Magnetometer Detection System Component, Closure Card
4	Each	907-651-B013	Magnetometer Detection System Component, Wireless DetectionSensor
256	Linear Feet	907-657-B001	Fiber Optic Drop Cable, 12 SM

Call No. 05 for the May 22, 2012 Letting

1	Each	907-658-A001	Hardened Network Switch, Type A
			ALTERNATE GROUP AA NO. 1
146	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
146	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Reconstruction of SR 8 between Cleveland and Ruleville, known as Federal Aid Project Nos. STP-0016-01(030) / 102155303 & 304 in Bolivar and Sunflower Counties.

PROJECT COMPLETION: April 25, 2014

Advance Information Only - Items and Quantities Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
11,960 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B007	Removal of Box Bridge
19 Each	202-B019	Removal of Concrete Headwall
325 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
124,506 Linear Feet	202-B076	Removal of Traffic Stripe
3 Each	202-B088	Removal of Box Culvert Headwall, All Sizes
2,329 Linear Feet	202-B106	Removal of Pipe, All Sizes
269,379 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
7,253 Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,204 Cubic Yard	206-A001	Structure Excavation
57 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
25 Ton	213-C001	Superphosphate
125 Ton	215-A001	Vegetative Materials for Mulch
177 Square Yard	216-A001	Solid Sodding
7,591 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
25 Acre	220-A001	Insect Pest Control
3 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2 Acre	223-A001	Mowing
133 Square Yard	224-A001	Soil Reinforcing Mat
7,800 Linear Feet	234-A001	Temporary Silt Fence
72 Bale	235-A001	Temporary Erosion Checks
11 Each	236-A004	Silt Basin, Type D
8 Mile	321-A001	6" In-Grade Preparation
32 Mile	423-A001	Rumble Strips, Ground In
90 Linear Feet	501-E001	Expansion Joints, Without Dowels
189 Square Yard	501-K001	Transverse Grooving
195 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
22,837 Pounds	602-A001	Reinforcing Steel
812 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
696 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
256 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
136 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
100 Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
148 Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
144 Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
10 Each	603-CB001	18" Reinforced Concrete End Section

Call No. 06 for the May 22, 2012 Letting

17	Each	603-CB002	24" Reinforced Concrete End Section
9	Each	603-CB003	30" Reinforced Concrete End Section
5	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
1	Each	603-CB007	54" Reinforced Concrete End Section
104	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
8	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
48	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
3	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
1,000	Pounds	604-B001	Gratings
325	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E001	Guard Rail, Terminal End Section
200	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
4,617	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
618	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
72	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
81,620	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
81,718	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
86,960	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
7,548	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
28,315	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,875	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
877	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,910	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,634	Linear Feet	619-G4005	Barricades, Type III, Double Faced
360	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,370	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,302	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
648	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
57	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1,365	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
375	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
30	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
30	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

Call No. 06 for the May 22, 2012 Letting

1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
157	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
187	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
236,534	Pounds	805-A001	Reinforcement
880	Ton	815-A006	Loose Riprap, Size 100
4,275	Ton	815-A009	Loose Riprap, Size 300
2,167	Square Yard	815-E001	Geotextile under Riprap
44	Ton	815-F002	Sediment Control Stone
150	Ton	907-213-A001	Agricultural Limestone
50	Acre	907-225-A001	Grassing
25	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-234-C002	Super Silt Fence
3	Each	907-234-D001	Inlet Siltation Guard
1,271	Linear Feet	907-237-A003	Wattles, 20"
890	Linear Feet	907-245-A001	Triangular Silt Dike
890	Linear Feet	907-246-B001	Rockbags
49,896	Cubic Yard	907-304-A002	Granular Material, LVM, Class 5, Group D
42,055	Cubic Yard	907-304-A006	Granular Material, LVM, Class 9, Group D
213,137	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
2,878	Ton	907-307-D001	Lime
15,929	Gallon	907-407-A001	Asphalt for Tack Coat
125	Cubic Yard	907-601-A001	Class "B" Structural Concrete
41	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,584	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
229	Each	907-617-A001	Right-of-Way Marker
17	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8,800	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
11,892	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
17	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
14,543	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,304	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,008	Linear Feet	907-626-H004	Thermoplastic Legend, White
262	Square Feet	907-626-H005	Thermoplastic Legend, White
1,105	Square Feet	907-630-PP008	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
417	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,453	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1,240	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
4,288	Ton	907-308-A001	Portland Cement
383,140	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
ALTERNATE GROUP AA NO. 2			

Call No. 06 for the May 22, 2012 Letting

383,140	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,899	Ton	907-311-B001	Lime
11,593	Ton	907-311-C002	Fly Ash, Class C or F
		ALTERNATE GROUP BB NO. 1	
24,533	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 2	
24,533	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP CC NO. 1	
33,720	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP CC NO. 2	
33,720	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
		ALTERNATE GROUP DD NO. 1	
24,456	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP DD NO. 2	
24,456	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP EE NO. 1	
1,220	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,220	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,220	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
		ALTERNATE GROUP EE NO. 2	
1,220	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,220	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,220	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
		Bridge Items	
2,369	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
1,390	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,405	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
166,742	Pounds	805-A001	Reinforcement
1,185	Linear Feet	813-A001	Concrete Railing
1,720	Ton	815-A009	Loose Riprap, Size 300
2,010	Square Yard	815-E001	Geotextile under Riprap
997	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,328	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
1,197	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Widen & Overlay approximately 11 Miles of SR 7 from End of 4 Lanes in Oxford to Marshall County Line, known as Federal Aid Project No. STP-0019-02(045) / 106314301, in Lafayette County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
150	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
125	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
135	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
3,940	Linear Feet	202-B076	Removal of Traffic Stripe
620	Linear Feet	202-B102	Removal of Guard Rail
900	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
100	Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,100	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2	Ton	215-A001	Vegetative Materials for Mulch
1,700	Linear Feet	234-A001	Temporary Silt Fence
29,900	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
1,340	Linear Feet	503-C007	Saw Cut, Full Depth
275	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-E001	Guard Rail, Terminal End Section
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3006	Temporary Traffic Stripe, Skip White
9	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
62,850	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,950	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
650	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
50	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
290	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,755	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
35	Square Feet	628-P001	High Performance Cold Plastic Legend, White
10	Each	630-F001	Delineators, Guard Rail, White
10	Each	630-F002	Delineators, Guard Rail, Yellow
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
9,440	Ton	907-304-B009	Granular Material, Class 3, Group D
900	Ton	907-304-F002	Size 610 Crushed Stone Base
32,800	Gallon	907-407-A001	Asphalt for Tack Coat
3	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
25	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White

Call No. 07 for the May 22, 2012 Letting

9 Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
31,600 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
25,000 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,900 Linear Feet	907-626-H004	Thermoplastic Legend, White
475 Square Feet	907-626-H005	Thermoplastic Legend, White
	ALTERNATE GROUP AA NO. 1	
26,850 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP AA NO. 2	
26,850 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
	ALTERNATE GROUP BB NO. 1	
4,800 Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
	ALTERNATE GROUP BB NO. 2	
4,800 Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
	ALTERNATE GROUP CC NO. 1	
4,900 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
	ALTERNATE GROUP CC NO. 2	
4,900 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
	ALTERNATE GROUP DD NO. 1	
300 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
	ALTERNATE GROUP DD NO. 2	
300 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
	ALTERNATE GROUP EE NO. 1	
170 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP EE NO. 2	
170 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP FF NO. 1	
2,430 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,005 Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,215 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
	ALTERNATE GROUP FF NO. 2	
2,430 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,005 Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,215 Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Bridge Replacements on SR 305 from SR 4 to the Desoto County Line, known as Federal Aid Project No. BR-0031-01(016) / 103318301, in Tate County.

PROJECT COMPLETION: October 08, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items		
Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
24,652 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1 Each	202-B008	Removal of Box Culvert
1,000 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
476 Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,728 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B131	Removal of Box Culvert, Including Headwalls
2 Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
33,748 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
95,888 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
16,890 Cubic Yard	203-G003	Excess Excavation, FM, AH
2,681 Cubic Yard	206-A001	Structure Excavation
128 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
19,352 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
681 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
5 Ton	213-C001	Superphosphate
33 Ton	215-A001	Vegetative Materials for Mulch
681 Square Yard	216-A001	Solid Sodding
1,261 Square Yard	217-A001	Ditch Liner
14 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
100 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,371 Square Yard	224-A001	Soil Reinforcing Mat
12,701 Linear Feet	234-A001	Temporary Silt Fence
1,776 Bale	235-A001	Temporary Erosion Checks
10 Each	236-A004	Silt Basin, Type D
10 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
5,192 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
4,697 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
3 Mile	423-A001	Rumble Strips, Ground In
474 Linear Feet	501-E001	Expansion Joints, Without Dowels
985 Square Yard	501-K001	Transverse Grooving
1,016 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
82,056 Pounds	602-A001	Reinforcing Steel
92 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
2 Each	603-CB008	60" Reinforced Concrete End Section

Call No. 08 for the May 22, 2012 Letting

48	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
168	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
56	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
4	Each	603-CF008	73" x 45" Concrete Arch Pipe End Section
304	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
26	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
26	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
2,125	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-D012	Guard Rail, Bridge End Section, Type I
20	Each	606-E001	Guard Rail, Terminal End Section
200	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
23,963	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
21,688	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,600	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
6,633	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
126	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
196	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,237	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
100	Linear Feet	619-F1001	Concrete Median Barrier, Precast
100	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Each	619-F3004	Delineators, Guard Rail, White
624	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
90	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
200	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
8	Each	619-K2002	Installation and Removal of Guard Rail, Type I Bridge End Section
8	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
126	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
110	Each	630-F001	Delineators, Guard Rail, White
20	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,580	Ton	815-A006	Loose Riprap, Size 100
16,737	Ton	815-A009	Loose Riprap, Size 300
21,127	Square Yard	815-E001	Geotextile under Riprap
270	Ton	815-F002	Sediment Control Stone
14	Acre	907-225-A001	Grassing
30	Ton	907-225-B001	Agricultural Limestone
5	Acre	907-226-A001	Temporary Grassing
2,000	Linear Feet	907-234-C002	Super Silt Fence
600	Linear Feet	907-237-A003	Wattles, 20"
60	Linear Feet	907-245-A001	Triangular Silt Dike
467	Linear Feet	907-246-A001	Sandbags
3	Each	907-247-A001	Temporary Stream Diversion
18,731	Ton	907-304-B009	Granular Material, Class 3, Group D

Call No. 08 for the May 22, 2012 Letting

8,338	Ton	907-304-F002	Size 610 Crushed Stone Base
234	Ton	907-310-B001	Size III Stabilizer Aggregate, Coarse
2,902	Gallon	907-407-A001	Asphalt for Tack Coat
429	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
440	Cubic Yard	907-601-A001	Class "B" Structural Concrete
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,072	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
64	Linear Feet	907-603-ALT03	30" Type A Alternate Pipe
400	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
400	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
41	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
1,745	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F001	Detour Bridge Test Pile
14,182	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
2,101	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
9,979	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
2,706	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
2,706	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
4,912	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
4,912	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
5,330	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
5,330	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
150	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP DD NO. 2			
150	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP EE NO. 1			
2,568	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
499	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,572	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP EE NO. 2			
2,568	Linear Feet	907-626-JJ001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contrast, Continuous White
499	Linear Feet	907-626-KK001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contrast, Skip Yellow
1,572	Linear Feet	907-626-LL001	6" Inverted Profile Thermoplastic Traffic Stripe, High Contrast, Continuous Yellow
Bridge Items			
4,778	Square Yard	501-K001	Transverse Grooving
5	Each	803-B002	Conventional Static Pile Load Test

Call No. 08 for the May 22, 2012 Letting

7,000	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
6,675	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
817	Linear Feet	803-F009	20" Pre-Formed Pile Hole
14	Each	803-I001	PDA Test Pile
10	Each	803-J001	Pile Restrike
406,358	Pounds	805-A001	Reinforcement
2,169	Linear Feet	813-A001	Concrete Railing
2,054	Ton	815-A009	Loose Riprap, Size 300
1,547	Square Yard	815-E001	Geotextile under Riprap
2,086	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
4,020	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
717	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2
449	Linear Feet	907-804-C154	75' Prestressed Concrete Beam, Type III
1,197	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Widen and Overlay approximately 12 miles of SR 27 from US 84 to the Copiah County Line, known as Federal Aid Project No. STP-0054-01(054) / 106360301 in Lawrence County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,728	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
4,604	Linear Feet	202-B076	Removal of Traffic Stripe
177,648	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
25	Mile	423-A001	Rumble Strips, Ground In
1,188	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D001	Guard Rail, Bridge End Section, Type A
12	Each	606-E001	Guard Rail, Terminal End Section
12	Each	606-F001	Special Sections, Bridge Connector
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
23,903	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,316	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
688	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
93	Each	619-F3004	Delineators, Guard Rail, White
630	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
280	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,377	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
845	Linear Feet	808-A001	Joint Preparation
7,494	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
11,437	Gallon	907-407-A001	Asphalt for Tack Coat
3,100	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
25	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
13	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15,627	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,276	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,100	Linear Feet	907-626-H004	Thermoplastic Legend, White
688	Square Feet	907-626-H005	Thermoplastic Legend, White
845	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
103	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
702	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
702	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
ALTERNATE GROUP AA NO. 1			
23,180	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
23,180	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Mill and Overlay approximately 9 miles of SR 145 from Barnes Crossing to South of SR 348, known as Federal Aid Project No. STP-2839-00(016) / 106351301, in Lee County.

PROJECT COMPLETION: October 12, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
3,014	Linear Feet	202-B076	Removal of Traffic Stripe
10	Cubic Yard	203-G003	Excess Excavation, FM, AH
190,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
24	Each	606-B025	Guard Rail, Replace Metal Blockout
525	Linear Feet	609-B001	Concrete Curb, Header
150	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
31	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3006	Temporary Traffic Stripe, Skip White
11	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
8,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
8,500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,000	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
500	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,500	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F001	Delineators, Guard Rail, White
1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
10,550	Gallon	907-407-A001	Asphalt for Tack Coat
2	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
19,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
22,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
4,500	Linear Feet	907-626-H004	Thermoplastic Legend, White
550	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
18,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
18,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
5,500	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
5,500	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP CC NO. 1			
1,365	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White

Call No. 10 for the May 22, 2012 Letting

1,365	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
		ALTERNATE GROUP CC NO. 2	
1,365	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,365	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Level & Scrub Seal at various locations on SR 373 & SR 786, known as Federal Aid Project No. STP-9999-01(008) / 106352301, in Lowndes County.

PROJECT COMPLETION: August 10, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
2 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
46 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
838 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
82,296 Square Yard	907-405-D001	Scrub Seal
700 Gallon	907-407-A001	Asphalt for Tack Coat
5 Mile	907-625-B002	Traffic Stripe, Skip Yellow, 4" Width
11 Mile	907-625-C002	Traffic Stripe, Continuous White, 4" Width
3 Mile	907-625-D002	Traffic Stripe, Continuous Yellow, 4" Width
8,332 Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
33 Square Feet	907-625-F001	Legend, 4" Equivalent Length
800 Linear Feet	907-625-F002	Legend, 4" Equivalent Length
ALTERNATE GROUP AA NO. 1		
600 Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2		
600 Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling

Level & Scrub Seal at various locations on SR 334 & SR 355, known as Federal Aid Project No. STP-9999-01(009) / 106353301 & 302, in Pontotoc & Union Counties.

PROJECT COMPLETION: August 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,767	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
234,793	Square Yard	907-405-D001	Scrub Seal
2,030	Gallon	907-407-A001	Asphalt for Tack Coat
11	Mile	907-625-B002	Traffic Stripe, Skip Yellow, 4" Width
39	Mile	907-625-C002	Traffic Stripe, Continuous White, 4" Width
30	Mile	907-625-D002	Traffic Stripe, Continuous Yellow, 4" Width
1,550	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
850	Linear Feet	907-625-F002	Legend, 4" Equivalent Length

ALTERNATE GROUP AA NO. 1

1,676	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
-------	-----	--------------	---

ALTERNATE GROUP AA NO. 2

1,676	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
-------	-----	--------------	--

Overlay approximately 11 Miles of SR 178 From Old SR 25 to Near Alabama State Line, known as State Project No. MP-1178-29(004) / 304132301, in Itawamba County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

145	Square Yard	202-B097	Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
105,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
40	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
575	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
900	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
21,000	Gallon	907-407-A001	Asphalt for Tack Coat
14	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,800	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
850	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,800	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
11,300	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
11,300	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Overlay approximately 7 miles of SR 3 from SR 6 to Darling, known as State Project No. MP-2003-60(007) / 304341301, in Quitman County.

PROJECT COMPLETION: Flexible
Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,750	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,320	Linear Feet	202-B076	Removal of Traffic Stripe
150	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
2,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,400	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
260	Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
	Lump Sum	620-A001	Mobilization
570	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,600	Ton	907-304-B009	Granular Material, Class 3, Group D
1,600	Ton	907-304-F002	Size 610 Crushed Stone Base
19,000	Gallon	907-407-A001	Asphalt for Tack Coat
13	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2,640	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
180	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
510	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,140	Linear Feet	907-626-H004	Thermoplastic Legend, White
126	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
8,800	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
8,800	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
600	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP BB NO. 2			
600	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP CC NO. 1			
5,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
5,500	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP DD NO. 1			
1,200	Linear Feet	628-B001	6" Cold Plastic Traffic Stripe, Continuous White
600	Linear Feet	628-D001	6" Cold Plastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP DD NO. 2			

Call No. 14 for the May 22, 2012 Letting

1,200	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
600	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

Widen and Overlay approximately 5 miles of SR 7 from Hwy. 51 to Yalobusha Cty. Line, known as State Project No. MP-2007-22(002) / 304342301 in Grenada County.

PROJECT COMPLETION: September 24, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
107	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
1,835	Linear Feet	202-B102	Removal of Guard Rail
70,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
10	Mile	423-A001	Rumble Strips, Ground In
480	Linear Feet	503-C007	Saw Cut, Full Depth
1,763	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D011	Guard Rail, Bridge End Section, Type A Modified
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
53,800	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
24,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,900	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
352	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,740	Ton	907-304-B009	Granular Material, Class 3, Group D
8,200	Gallon	907-407-A001	Asphalt for Tack Coat
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
21,700	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,600	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,375	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
6,358	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
6,358	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
1,635	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
1,635	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 1			
1,817	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP CC NO. 2			
1,817	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Overlay approximately 7 miles of SR 469 and SR 540, known as State Project No. MP-7000-64(112) / 304346301, in Simpson County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,066	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
26	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,735	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,696	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
7	Mile	625-B002	Traffic Stripe, Skip Yellow
26	Mile	625-C002	Traffic Stripe, Continuous White
16	Mile	625-D002	Traffic Stripe, Continuous Yellow
3,735	Linear Feet	625-E001	Detail Traffic Stripe
1,696	Linear Feet	625-F002	Legend
540	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,397	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,506	Cubic Yard	907-304-A003	Granular Material, LVM, Class 6, Group D
9,569	Gallon	907-411-B001	Bituminous Tack Coat
ALTERNATE GROUP AA NO. 1			
8,229	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
ALTERNATE GROUP AA NO. 2			
8,229	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR