

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   6/12/2012   ADDENDUM NO.            DATED             
 ADDENDUM NO.            DATED            ADDENDUM NO.            DATED           

Number	Description
1	Table of Contents, replace same; Revised NTB Nos. 3873 & 3892, replace same; Add NTB No. 3967; Delete SP 907-618-8; Bidsheets, replace same; Revised or Added Plan Sheet Nos. 2, 4, 14, 24, 485, 522, & 535; Amendment EBS Download Required.

TOTAL ADDENDA:   1    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

BR-2904-00(009) / 100615301 Rankin County(ies)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

### PROJECT: BR-2904-00(009) / 100615301 – Rankin County

901--Advertisement

904--Notice to Bidders:	Governing Specs. - # 1
	Final Cleanup - # 3
	Quantity for Fillet Concrete - # 6
	Fiber Reinforced Concrete - # 640
	Disadvantaged Business Enterprise, <u>W/Supplement</u> - # 696
	Payroll Requirements - # 883
	Rumble Stripe - # 1312
	Errata & Modifications to 2004 Standard Specifications - # 1405
	Railway-Highway Provision, <u>W/Supplement</u> - # 1727
	Safety Apparel - # 1808
	Federal Bridge Formula - # 1928
	Department of Labor Ruling - # 2239
	Exposure to Severe Sulfate Areas Below Ground Level - # 2366
	Status of ROW, <u>W/Attachments</u> - # 2382
	DBE Forms, Participation, and Payment - # 2596
	Non-Quality Control/Quality Assurance Concrete - # 2818
	Reduced Speed Limit Signs - # 2937
	Alternate Asphalt Mixture Bid Items - # 3039
	Temporary Traffic Paint - # 3131
	Warm Mix Asphalt (WMA) - # 3242
	Detour Bridge Railing - # 3404
	DUNS Requirement for Federal Funded Projects - # 3414
	Questions Regarding Bidding - # 3425
	Storm Water Discharge Associated with Construction Activities ( $\geq 5$ Acres) - # 3581
	Safety Edge - # 3585
	Additional Erosion Control Requirements - # 3612
	Type III Barricade Rails - # 3655
	Use of Precast Drainage Units - # 3704
	Contract Time - # 3873
	Specialty Items - # 3874
	Placement of Fill Material in Federally Regulated Areas - # 3875
	Railroad Construction Requirement - # 3892
	Petroleum Products Base Price - # 3893
	Construction Schedule - # 3952
	Plan Quantity - # 3955
	Railroad Submittal & Approvals - # 3967
906:	Required Federal Contract Provisions -- FHWA-1273, <u>W/ Supplements</u>
907-101-4:	Definitions
907-102-8:	Bidding Requirements and Conditions
907-103-8:	Award and Execution of Contract
907-104-1:	Partnering Process
907-104-4:	Disposal of Materials
907-105-6:	Control of Work, <u>W/ Supplement</u>
907-107-9:	Legal Relations & Responsibility to Public, <u>W/ Supplement</u>
907-107-10:	Contractor's Erosion Control Plan
907-108-24:	Prosecution and Progress

-- CONTINUED ON NEXT PAGE --

**PAGE 2 - PROJECT: BR-2904-00(009) / 100615301 – Rankin County**

- 907-109-5: Measurement and Payment
- 907-110-2: Wage Rates
- 907-225-3: Grassing
- 907-226-2: Temporary Grassing
- 907-227-10: Hydroseeding
- 907-234-5: Siltation Barriers
- 907-237-4: Wattles
- 907-246-3: Sandbags & Rockbags
- 907-249-1: Riprap for Erosion Control
- 907-304-12: Granular Courses
- 907-307-3: Lime Treated Courses, W/Supplement
- 907-308-3: Cement Treated Courses, W/Supplement
- 907-311-2: Lime-Fly Ash Treated Courses, W/Supplement
- 907-401-2: Hot Mix Asphalt (HMA), W/ Supplement
- 907-401-4: Warm Mix Asphalt (WMA), W/ Supplement
- 907-403-4: Hot Mix Asphalt (HMA), W/ Supplement
- 907-403-9: Warm Mix Asphalt (WMA), W/Supplement
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-603-8: Culverts and Storm Drains
- 907-617-2: Right-Of-Way Markers
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-626-15: Thermoplastic Traffic Marking
- 907-626-22: Double Drop Thermoplastic Marking
- 907-631-1: Flowable Fill
- 907-699-4: Construction Stakes
- 907-701-4: Hydraulic Cement
- 907-702-3: Polymer Modified Cationic Emulsified Asphalt
- 907-703-9: Aggregates, W/Supplement
- 907-708-5: Non Metal Drainage Structures, W/ Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Drying Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, W/ Supplement
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-803-2: Maturity Meters in Drilled Shafts
- 907-804-12: Concrete Bridge Decks, W/ Supplement
- 907-804-13: Concrete Bridges and Structures, W/ Supplement
- 907-899-2: Railway-Highway Provisions
  
- 906-7: Training Special Provision

SECTION 905 - PROPOSAL,  
PROPOSAL BID SHEETS,  
COMBINATION BID PROPOSAL,  
CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,  
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS,  
PILE DRIVING FORM,  
OCR-485.

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 3873**

**CODE: (SP)**

**DATE: 06/07/2012**

**SUBJECT: Contract Time**

**PROJECT: BR-2904-00(009) / 100615301 – Rankin County**

The calendar date for completion of work to be performed by the Contractor for this project shall be **June 13, 2014** which date or extended date as provided in Subsection 907-108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued no later than **July 10, 2012** and the effective date of the Notice to Proceed / Beginning of Contract Time will be **August 9, 2012**.

Should the Contractor request a Notice to Proceed earlier than **August 9, 2012** and it is agreeable with the Department for an early Notice to Proceed, the requested date will become the new Notice to Proceed / Beginning of Contract Time date.

## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

**SECTION 904 - NOTICE TO BIDDERS NO. 3892**

**CODE: (SP)**

**DATE: 06/11/2012**

**SUBJECT: Railroad Construction Requirements**

**PROJECT: BR-2904-00(009) / 100615301 – Rankin County**

Bidders are hereby advised that provisions which are required as per NTB 1727 shall also include the following:

The Contractor shall submit to the Project Engineer and the Railroad detailed plans and design data for temporary construction clearances, stages of construction, erection plans, demolition plans, false-work plans, excavation plans, and temporary shoring plans and calculations, as required, and shall be sealed by a Mississippi Registered Professional Engineer. All submittals must be approved by the Railroad before excavation or construction can begin within Railroad Right-of-Way. All construction submittals for work performed within the KCS right-of-way shall be made per the KCS “Guidelines for the Design and Construction of Railroad Overpasses and Underpasses” as updated in May 2008.

Prior to beginning any work on the KCS right-of-way, the Contractor shall obtain a Right of Entry Permit. To request a permit application, the Contractor should contact Sylvia Schmidt. Mrs. Schmidt’s contact information is as follows:

Sylvia Schmidt  
Permit Manager  
Jones Lang LaSalle Americas, Inc.  
3017 Lou Menk Drive, Suite 100  
Fort Worth, Texas 76131-2800  
817-230-2688

The Contractor shall be responsible for payment of all application fees.

This project will require construction activities on the right-of-way of active railroad tracks which are currently owned and/or operated by Kansas City Southern Railway Company (KCS). When work requires that equipment or personnel be within the KCS right-of-way or the “foul zone” adjacent to the right-of-way, a qualified “Employee-in-Charge” (EIC) must be present for the purpose of providing on-track safety and flagging protection for the work crews. The EIC shall also be responsible for the coordination of the Contractor’s activities within the KCS right-of-way with the operation of the Railroad. The EIC must be certified under the KCS General Code of Operation Rules (GCOR) and must be approved by the local KCS Roadmaster prior to beginning work on the KCS right-of-way. The Contractor will be required to provide radios for the EIC, all equipment operators, supervisors, and foremen in charge of employees

working within the KCS right-of-way. All personnel who must enter upon the KCS right-of-way must check in and out with the EIC and be logged in and out of the site.

All personnel who must work within the KCS right-of-way at any time shall be trained and certified as a KCS "Roadway Worker" and must at all times have their certification card with them and available for random inspection. The Contractor will be responsible for providing this training for his employees or any employees of his subcontractor(s). The Contractor shall contact Mr. Larry Slater of Track Sense Inc. at 330-847-8661 or 330-219-4721 ([lslater@neo.rr.com](mailto:lslater@neo.rr.com)) to schedule the necessary training sessions. The approximate fee for this training is currently \$2,200 for training up to 30 individuals, including travel cost of the instructor.

Prior to commencing work, The Contractor shall provide to the Railroad Engineer, or the Railroad Engineer's designated representative, a detailed construction schedule for its work on Railroad's right-of-way, including the proposed temporary horizontal and vertical clearances and construction sequence for all work to be performed on Railroad right-of-way. This schedule shall also include the anticipated dates when the milestone events listed below will occur. The Contractor shall update the schedule for these milestone events as necessary, but at least monthly, and shall provide a copy of all updates to the Railroad so that site visits may be scheduled.

- Preconstruction meetings.
- Excavations, shoring placement/removal, pile driving, drilling of caissons or drilled shafts adjacent to tracks.
- Reinforcement and concrete placement for near track piers.
- Erection of precast concrete or steel overpass bridge superstructure.
- Reinforcement and concrete placement of overpass bridge decks.
- Completion of the bridge structure.

The Contractor shall so arrange and conduct construction operations in such a manner that there will be no interference with Railroad operations, including train, signal, telephone and telegraphic services, or damage to the property of the Railroad or to poles, cables or wires (whether overhead or underground) and other facilities or tenants on the rights-of-way of the Railroad. Before undertaking any work within Railroad right-of-way and before placing any obstruction over any track, the Contractor shall:

- (a) Notify the Railroad's representative at least 72 hours in advance of the work.
- (b) Provide assurance to the Railroad's representative that arrangements have been made for any required flagging service.
- (c) Receive permission from the Railroad Engineer to proceed with the work.
- (d) Ascertain that the Project Engineer has received copies of notice to the Railroad and the Railroad's response.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 3967**

**CODE: (SP)**

**DATE: 06/11/2012**

**SUBJECT: Railroad Submittal & Approvals**

**PROJECT: BR-2904-00(009) / 100615301 – Rankin County**

Bidders are hereby advised that Contract Time for this project allows 60 days for submittals and approvals associated with the railroad requirements specified in the proposal.

Replace 6 Bridges on US 80 between Brandon and the Scott County Line, known as Federal Aid Project No. BR-2904-00(009) / 100615301 in Rankin County.

I (We) agree to complete the entire project within the specified contract time.

\*\*\* SPECIAL NOTICE TO BIDDERS \*\*\*

**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED.  
 BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

\*\*\*BID SCHEDULE\*\*\*

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Item Amount	
						Dollar	Ct	Dollar	Ct
<b>Roadway Items</b>									
0010	201-A001		1	Lump Sum	Clearing and Grubbing	XXXXXXXXXX	XXX		
0020	202-A001		1	Lump Sum	Removal of Obstructions	XXXXXXXXXX	XXX		
0030	202-B005		24,943	Square Yard	Removal of Asphalt Pavement, All Depths				
0040	202-B038		102	Linear Feet	Removal of Curb, All Types				
0050	202-B053		1,200	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware				
0060	202-B064		583	Linear Feet	Removal of Pipe, 8" And Above				
0070	202-B076		1,200	Linear Feet	Removal of Traffic Stripe				
0080	203-A003	(E)	19,418	Cubic Yard	Unclassified Excavation, FM, AH				



Section 905  
 Proposal (Sheet 2 - 2)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0090	203-EX035	(E)	290,591	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6		
0100	203-G003	(E)	10,777	Cubic Yard	Excess Excavation, FM, AH		
0110	206-A001	(S)	1,129	Cubic Yard	Structure Excavation		
0120	206-B001	(E)	68	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM		
0130	211-B001	(E)	500	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished		
0140	213-C001		20	Ton	Superphosphate		
0150	216-A001		971	Square Yard	Solid Sodding		
0160	217-A001		2,623	Square Yard	Ditch Liner		
0170	219-A001		4	Thousand Gallon	Watering	20. 00	80. 00
0180	220-A001		39	Acre	Insect Pest Control	30. 00	1,170. 00
0190	221-A001	(S)	143	Cubic Yard	Portland Cement Concrete Paved Ditch		
0200	223-A001		6	Acre	Mowing	40. 00	240. 00

Section 905  
 Proposal (Sheet 2 - 3)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0210	234-A001		6,739	Linear Feet	Temporary Silt Fence		
0220	235-A001		322	Bale	Temporary Erosion Checks		
0230	305-B003	(GT)	344	Ton	Size 1 Stabilizer Aggregate, Coarse		
0240	406-A001		3,200	Square Yard	Cold Milling of Bituminous Pavement, All Depths		
0250	423-A001		6	Mile	Rumble Strips, Ground In		
0260	501-E001		562	Linear Feet	Expansion Joints, Without Dowels		
0270	502-A001	(C)	1,225	Square Yard	Reinforced Cement Concrete Bridge End Pavement		
0280	602-A001	(S)	65,837	Pounds	Reinforcing Steel		
0290	603-CA003	(S)	228	Linear Feet	24" Reinforced Concrete Pipe, Class III		
0300	603-CA004	(S)	80	Linear Feet	30" Reinforced Concrete Pipe, Class III		
0310	603-CA005	(S)	152	Linear Feet	36" Reinforced Concrete Pipe, Class III		
0320	603-CB002	(S)	2	Each	24" Reinforced Concrete End Section		

Section 905  
Proposal (Sheet 2 - 4)

BR-2904-00(009) / 100615301  
Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0330	603-CB003	(S)	2	Each	30" Reinforced Concrete End Section		
0340	603-CB004	(S)	2	Each	36" Reinforced Concrete End Section		
0350	603-CE002	(S)	152	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III		
0360	603-CE005	(S)	160	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III		
0370	603-CF002	(S)	2	Each	29" x 18" Concrete Arch Pipe End Section		
0380	603-CF005	(S)	4	Each	51" x 31" Concrete Arch Pipe End Section		
0390	606-B001		2,550	Linear Feet	Guard Rail, Class A, Type 1		
0400	606-D012		24	Each	Guard Rail, Bridge End Section, Type I		
0410	606-E001		24	Each	Guard Rail, Terminal End Section		
0420	609-D002	(S)	439	Linear Feet	Combination Concrete Curb and Gutter Type 2		
0430	615-A018	(S)	240	Linear Feet	Concrete Bridge End Barrier, 33.5"		
0440	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXXXX	XXXX

Section 905  
 Proposal (Sheet 2 - 5)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0450	618-C001		1	Lump Sum	Construction & Removal of Detour Bridge	XXXXXXXXXX	XXXX
0460	619-A1004		4	Mile	Temporary Traffic Stripe, Continuous White, Paint		
0470	619-A1008		2	Mile	Temporary Traffic Stripe, Continuous White, Type 1 Tape		
0480	619-A2004		4	Mile	Temporary Traffic Stripe, Continuous Yellow, Paint		
0490	619-A2005		4,089	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape		
0500	619-A2008		2	Mile	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape		
0510	619-A5001		4,402	Linear Feet	Temporary Traffic Stripe, Detail		
0520	619-D1001		252	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet		
0530	619-D2001		1,046	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More		
0540	619-G4001		504	Linear Feet	Barricades, Type III, Single Faced		
0550	619-G4004		24	Linear Feet	Barricades, Type III, Single Faced, Permanent, Red/White		
0560	619-G4005		72	Linear Feet	Barricades, Type III, Double Faced		

Section 905  
 Proposal (Sheet 2 - 6)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0570	619-G5001		415	Each	Free Standing Plastic Drums		
0580	619-G7001		21	Each	Warning Lights, Type "B"		
0590	619-K1001		300	Linear Feet	Installation and Removal of Guard Rail, Type I, Class A		
0600	619-K4001		12	Each	Installation and Removal of Guardrail, Terminal End Section		
0610	620-A001		1	Lump Sum	Mobilization	XXXXXXXXXX	XXX
0620	622-A002		1	Each	Engineer's Field Office Building, Type 2		
0630	627-J001		85	Each	Two-Way Clear Reflective High Performance Raised Markers		
0640	627-L001		260	Each	Two-Way Yellow Reflective High Performance Raised Markers		
0650	630-A002		150	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness		
0660	630-C003		270	Linear Feet	Steel U-Section Posts, 3.0 lb/ft		
0670	630-F001		136	Each	Delineators, Guard Rail, White		
0680	815-A009	(S)	6,376	Ton	Loose Riprap, Size 300		

Section 905  
 Proposal (Sheet 2 - 7)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0690	815-E001	(S)	7,872	Square Yard	Geotextile under Riprap		
0700	815-F001	(S)	750	Cubic Yard	Sediment Control Stone		
0710	907-225-A001		39	Acre	Grassing		
0720	907-225-B001		118	Ton	Agricultural Limestone		
0730	907-225-C001		79	Ton	Mulch, Vegetative Mulch		
0740	907-226-A001		20	Acre	Temporary Grassing		
0750	907-234-C002		1,506	Linear Feet	Super Silt Fence		
0760	907-237-A003		804	Linear Feet	Wattles, 20"		
0770	907-246-B002		200	Each	Rockbags		
0780	907-249-A001		500	Ton	Riprap for Erosion Control		
0790	907-249-B001		500	Cubic Yard	Remove and Reset Riprap		
0800	907-304-A001	(GY)	5,157	Cubic Yard	Granular Material, LVM, Class 5, Group C		

Section 905  
 Proposal (Sheet 2 - 8)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0810	907-304-A005	(GY)	27,729	Cubic Yard	Granular Material, LVM, Class 9, Group C		
0820	907-307-C003	(M)	51,240	Square Yard	6" Soil-Lime-Water Mixing, Class C		
0830	907-307-D001		692	Ton	Lime		
0840	907-307-S001	(A3)	8,967	Gallon	Bituminous Curing Seal		
0850	907-407-A001	(A2)	2,625	Gallon	Asphalt for Tack Coat		
0860	907-601-A001	(S)	274	Cubic Yard	Class "B" Structural Concrete		
0870	907-601-B003	(S)	2	Cubic Yard	Class "B" Structural Concrete, Minor Structures		
0880	907-603-ALT01	(S)	160	Linear Feet	18" Type A Alternate Pipe		
0890	907-617-A001		45	Each	Right-of-Way Marker		
0900	907-626-C006		6	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 min		
0910	907-626-D006		3	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow		
0920	907-626-E006		1	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow		

Section 905  
 Proposal (Sheet 2 - 9)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0930	907-626-G006		1,173	Linear Feet	Thermoplastic Double Drop Detail Stripe, White		
0940	907-626-H009		312	Linear Feet	Thermoplastic Double Drop Legend, White		
0950	907-631-B001		12	Cubic Yard	Flowable Fill, Non-Excavatable		
0960	907-699-A002		1	Lump Sum	Roadway Construction Stakes	XXXXXXX	XXX
0970	907-899-A001		1	Lump Sum	Railway-Highway Provisions	XXXXXXX	XXX
0980	907-906001		720	Hours	Trainees	5.00	3,600.00
<b>ALTERNATE GROUP AA NUMBER 1</b>							
0990	907-308-A001		524	Ton	Portland Cement		
1000	907-308-B001 (M)		48,543	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base		
1010	907-308-S001 (A3)		8,495	Gallon	Bituminous Curing Seal		
<b>ALTERNATE GROUP AA NUMBER 2</b>							
1020	907-311-A003 (M)		48,543	Square Yard	Processing Lime and Fly Ash Treated Course, 6" Thick		
1030	907-311-B001		362	Ton	Lime		



Section 905  
 Proposal (Sheet 2 - 10)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1040	907-311-C002		1,446	Ton	Fly Ash, Class C or F		
1050	907-311-S001 (A3)		8,495	Gallon	Bituminous Curing Seal		
<b>ALTERNATE GROUP BB NUMBER 1</b>							
1060	907-403-A006 (BA1)		6,400	Ton	Hot Mix Asphalt, MT, 12.5-mm mixture		
<b>ALTERNATE GROUP BB NUMBER 2</b>							
1070	907-403-M002 (BA1)		6,400	Ton	Warm Mix Asphalt, MT, 12.5-mm mixture		
<b>ALTERNATE GROUP CC NUMBER 1</b>							
1080	907-403-A007 (BA1)		10,230	Ton	Hot Mix Asphalt, MT, 19-mm mixture		
<b>ALTERNATE GROUP CC NUMBER 2</b>							
1090	907-403-M007 (BA1)		10,230	Ton	Warm Mix Asphalt, MT, 19-mm mixture		
<b>ALTERNATE GROUP DD NUMBER 1</b>							
1100	907-403-C003 (BA1)		427	Ton	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening		
<b>ALTERNATE GROUP DD NUMBER 2</b>							
1110	907-403-O003 (BA1)		427	Ton	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening		
<b>Bridge Items</b>							

Section 905  
 Proposal (Sheet 2 - 11)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1120	501-K001		6,158	Square Yard	Transverse Grooving		
1130	803-B002	(S)	6	Each	Conventional Static Pile Load Test	5,000.00	30,000.00
1140	803-D002	(S)	10,270	Linear Feet	HP 12 x 53 Steel Piling		
1150	803-D003	(S)	3,595	Linear Feet	HP 14 x 73 Steel Piling		
1160	803-I001	(S)	18	Each	PDA Test Pile		
1170	803-J001	(S)	10	Each	Pile Restrike		
1180	803-N001	(S)	10	Linear Feet	Exploration		
1190	803-O020	(S)	120	Linear Feet	Permanent Casing, 54" Diameter		
1200	805-A001	(S)	486,989	Pounds	Reinforcement		
1210	813-A001	(S)	2,784	Linear Feet	Concrete Railing		
1220	815-A009	(S)	2,274	Ton	Loose Riprap, Size 300		
1230	815-D001	(S)	140	Cubic Yard	Concrete Slope Paving		

Section 905  
 Proposal (Sheet 2 - 12)

BR-2904-00(009) / 100615301  
 Rankin County

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1240	815-E001	(S)	1,320	Square Yard	Geotextile under Riprap		
1250	907-803-K003	(S)	336	Linear Feet	Drilled Shaft, 54" Diameter		
1260	907-803-M003	(S)	58	Linear Feet	Trial Shaft, 54" Diameter		
1270	907-804-A001 Changed 06/07/2012	(S)	1,502	Cubic Yard	Bridge Concrete, Class AA		
1280	907-804-A012 Changed 06/07/2012	(S)	1,280	Cubic Yard	Bridge Concrete, Class BD		
1290	907-804-C001	(S)	1,187	Linear Feet	50' Prestressed Concrete Beam, Type III		
1300	907-804-C002	(S)	1,069	Linear Feet	60' Prestressed Concrete Beam, Type III		
1310	907-804-C011	(S)	778	Linear Feet	130' Prestressed Concrete Beam, Type BT-72		
1320	907-804-C016	(S)	4,026	Linear Feet	40' Prestressed Concrete Beam, Type I+2		
1330	907-804-C191	(S)	1,137	Linear Feet	95' Prestressed Concrete Beam, Type BT-72		

\*\*\* BID CERTIFICATION \*\*\*

TOTAL BID ..... \$ \_\_\_\_\_

\*\*\* DBE/WBE SECTION \*\*\*

Complete item nos. 1, 2, and/or 3 as appropriate. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.

1. I/We agree that no less than \_\_\_\_\_ percent shall be expended with small business concerns owned and controlled by socially and economically disadvantaged individuals (DBE and WBE).
2. Classification of Bidder: Small Business (DBE) \_\_\_\_\_ Small Business (WBE) \_\_\_\_\_
3. A joint venture with a Small Business (DBE/WBE): \_\_\_\_\_

\*\*\* SIGNATURE STATEMENT \*\*\*

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

\_\_\_\_\_  
BIDDER'S SIGNATURE

\_\_\_\_\_  
BIDDER'S COMPANY

\_\_\_\_\_  
BIDDER'S FEDERAL TAX ID NUMBER