


Proposal & Plan Sales Will Begin on June 4, 2012



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for June – June 26, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JUNE - Tuesday, June 26, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 04, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
-01	IM-0010-01(124) / 104520301	Jackson
-06	STP-0016-01(030) / 102155303 & STP-0016-01(030) / 102155304	Bolivar & Sunflower
01	NH-0006-01(083) / 104233303	Benton
* 02	NH-0009-06(016) / 106364301	Desoto
03	STP-0040-02(035) / 106354301	Itawamba
04	STP-0058-01(034) / 106301301	Clay
* 05	STP-0064-01(032) / 106414301	Pearl River
* 06	NH-0072-03(012) / 106384301	Humphreys
* 07	STP-0472-00(011) / 106374301	Newton
* 08	STP-2901-00(034) / 106369301	Yalobusha
09	BR-2904-00(009) / 100615301	Rankin
* 10	STP-9999-06(013) / 106413301	District 6
11	MP-1000-00(067) / 304320301	Union & Prentiss
* 12	MP-3012-76(012) / 304338301	Washington
* 13	MP-3014-28(003) / 304337301	Issaquena
* 14	MP-6000-00(179) / 304414301	District 6
* 15	MP-6011-37(005) / 304413301	Lamar
* 16	MP-6015-34(014) / 304415301	Jones

Overlay of I-10 from the Pascagoula River to the Alabama State Line, known as Federal Aid Project No. IM-0010-01(124)/104520301 in Jackson County.

PROJECT COMPLETION: March 29, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items			
3	Acre	201-D002	Random Clearing
	Lump Sum	202-A001	Removal of Obstructions
5,200	Linear Feet	202-B102	Removal of Guard Rail
30	Mile	202-B149	Removal of Traffic Stripe
100	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
61,243	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
37	Mile	423-A001	Rumble Strips, Ground In
2,044	Pounds	602-A001	Reinforcing Steel
3,575	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
26	Each	606-D007	Guard Rail, Bridge End Section, Type G, Modified
26	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
93	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
96	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
111	Mile	619-A3006	Temporary Traffic Stripe, Skip White
27,463	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
616	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
3,215	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
91	Each	630-F001	Delineators, Guard Rail, White
91	Each	630-F002	Delineators, Guard Rail, Yellow
26	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,160	Linear Feet	808-A001	Joint Preparation
158	Ton	815-A010	Loose Riprap, Size 500
16,616	Ton	907-304-F001	Size 825 Crushed Stone Base
16,396	Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
22,359	Gallon	907-402-B001	Bituminous Tack Coat
24,458	Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
32,611	Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
33	Mile	907-403-S004	Joint Sealant
44,965	Gallon	907-407-A001	Asphalt for Tack Coat
560	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
150,000	Pounds	907-420-A001	Undersealing Concrete Pavement
34	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
37	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
31	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
32	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
24,108	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White

Call No. -01 for the June 26, 2012 Letting

3,355	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,023	Linear Feet	907-626-H004	Thermoplastic Legend, White
308	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-688-A033	Traffic Recorder WIM Kistler System, 4-Lane
2,160	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
1,480	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
7,760	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
	Lump Sum	907-824-PP093	Bridge Repair, Repair Bridge Over Pascagoula River
520	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
7,580	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
7,580	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
250	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
250	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 1			
15,927	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP CC NO. 2			
15,927	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP DD NO. 1			
8,892	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP DD NO. 2			
8,892	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture

Reconstruction of SR 8 between Cleveland and Ruleville, known as Federal Aid Project Nos. STP-0016-01(030) / 102155303 & 304 in Bolivar and Sunflower Counties.

PROJECT COMPLETION: April 25, 2014

Advance Information Only - Items and Quantities Subject to Change

		Roadway Items	
	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
11,960	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1	Each	202-B007	Removal of Box Bridge
19	Each	202-B019	Removal of Concrete Headwall
325	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
124,506	Linear Feet	202-B076	Removal of Traffic Stripe
3	Each	202-B088	Removal of Box Culvert Headwall, All Sizes
2,329	Linear Feet	202-B106	Removal of Pipe, All Sizes
269,379	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
7,253	Cubic Yard	203-G004	Excess Excavation, LVM, AH
1,204	Cubic Yard	206-A001	Structure Excavation
57	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
25	Ton	213-C001	Superphosphate
125	Ton	215-A001	Vegetative Materials for Mulch
177	Square Yard	216-A001	Solid Sodding
7,591	Square Yard	217-A001	Ditch Liner
4	Thousand Gallon	219-A001	Watering
25	Acre	220-A001	Insect Pest Control
3	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
2	Acre	223-A001	Mowing
133	Square Yard	224-A001	Soil Reinforcing Mat
7,800	Linear Feet	234-A001	Temporary Silt Fence
72	Bale	235-A001	Temporary Erosion Checks
11	Each	236-A004	Silt Basin, Type D
8	Mile	321-A001	6" In-Grade Preparation
32	Mile	423-A001	Rumble Strips, Ground In
90	Linear Feet	501-E001	Expansion Joints, Without Dowels
189	Square Yard	501-K001	Transverse Grooving
195	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
22,837	Pounds	602-A001	Reinforcing Steel
812	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
696	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
256	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
136	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
80	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
100	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
148	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
144	Linear Feet	603-CA020	54" Reinforced Concrete Pipe, Class IV
10	Each	603-CB001	18" Reinforced Concrete End Section

Call No. -06 for the June 26, 2012 Letting

17	Each	603-CB002	24" Reinforced Concrete End Section
9	Each	603-CB003	30" Reinforced Concrete End Section
5	Each	603-CB004	36" Reinforced Concrete End Section
2	Each	603-CB005	42" Reinforced Concrete End Section
1	Each	603-CB006	48" Reinforced Concrete End Section
1	Each	603-CB007	54" Reinforced Concrete End Section
104	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
8	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
24	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
48	Linear Feet	603-CE009	88" x 54" Concrete Arch Pipe, Class A III
2	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
1	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
3	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
1,000	Pounds	604-B001	Gratings
325	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D012	Guard Rail, Bridge End Section, Type I
2	Each	606-E001	Guard Rail, Terminal End Section
200	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
4,617	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
40	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
618	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
72	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
81,620	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
81,718	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
86,960	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
7,548	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
28,315	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,875	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
877	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
2,910	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,634	Linear Feet	619-G4005	Barricades, Type III, Double Faced
360	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
1,370	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,302	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
648	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
57	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
1,365	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
375	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
14	Each	630-F001	Delineators, Guard Rail, White
30	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
30	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

Call No. -06 for the June 26, 2012 Letting

1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
157	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
15	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
187	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
236,534	Pounds	805-A001	Reinforcement
880	Ton	815-A006	Loose Riprap, Size 100
4,275	Ton	815-A009	Loose Riprap, Size 300
2,167	Square Yard	815-E001	Geotextile under Riprap
44	Ton	815-F002	Sediment Control Stone
150	Ton	907-213-A001	Agricultural Limestone
50	Acre	907-225-A001	Grassing
25	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-234-C002	Super Silt Fence
3	Each	907-234-D001	Inlet Siltation Guard
1,271	Linear Feet	907-237-A003	Wattles, 20"
890	Linear Feet	907-245-A001	Triangular Silt Dike
890	Linear Feet	907-246-B001	Rockbags
49,896	Cubic Yard	907-304-A002	Granular Material, LVM, Class 5, Group D
42,055	Cubic Yard	907-304-A006	Granular Material, LVM, Class 9, Group D
213,137	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
2,878	Ton	907-307-D001	Lime
53,000	Gallon	907-307-S001	Bituminous Curing Seal
15,929	Gallon	907-407-A001	Asphalt for Tack Coat
125	Cubic Yard	907-601-A001	Class "B" Structural Concrete
41	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,584	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
229	Each	907-617-A001	Right-of-Way Marker
17	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
8,800	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
11,892	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
17	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
14,543	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,304	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
10,008	Linear Feet	907-626-H004	Thermoplastic Legend, White
262	Square Feet	907-626-H005	Thermoplastic Legend, White
1,105	Square Feet	907-630-PP008	Roadside Directional Signs, Sheet Aluminum, 0.080" Thickness, Ground Mounted
417	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,453	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1,240	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
4,288	Ton	907-308-A001	Portland Cement
383,140	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base

Call No. -06 for the June 26, 2012 Letting

96,000	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2			
383,140	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
2,899	Ton	907-311-B001	Lime
11,593	Ton	907-311-C002	Fly Ash, Class C or F
96,000	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1			
24,533	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
24,533	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
33,720	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
33,720	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
24,456	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP DD NO. 2			
24,456	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP EE NO. 1			
1,220	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,220	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
1,220	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow
ALTERNATE GROUP EE NO. 2			
1,220	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,220	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
1,220	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow
Bridge Items			
2,369	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
1,390	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,405	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
166,742	Pounds	805-A001	Reinforcement
1,185	Linear Feet	813-A001	Concrete Railing
1,720	Ton	815-A009	Loose Riprap, Size 300
2,010	Square Yard	815-E001	Geotextile under Riprap
997	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
2,328	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
1,197	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Rehabilitate approximately 8 miles of US 78 from the Marshall/Benton County Line to the Benton/Union County Line, known as Federal Aid Project No. NH-0006-01(083) / 104233303 in Benton County.

PROJECT COMPLETION: November 11, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

4 Acre	201-B001	Clearing and Grubbing
1,470 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
33 Square Yard	202-B025	Removal of Concrete Paved Ditch
12 Each	202-B057	Removal of Inlets, All Sizes
136 Linear Feet	202-B064	Removal of Pipe, 8" And Above
6,179 Linear Feet	202-B076	Removal of Traffic Stripe
185 Each	202-B086	Removal of Guard Post
3,125 Cubic Yard	203-EX018	Borrow Excavation, AH, LVM, Class B9
1,500 Cubic Yard	203-G004	Excess Excavation, LVM, AH
82 Cubic Yard	206-A001	Structure Excavation
400 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
40 Ton	213-C001	Superphosphate
24 Ton	215-A001	Vegetative Materials for Mulch
400 Square Yard	216-A001	Solid Sodding
1,000 Square Yard	217-A001	Ditch Liner
3 Thousand Gallon	219-A001	Watering
12 Acre	220-A001	Insect Pest Control
90 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
12 Acre	223-A001	Mowing
500 Square Yard	224-A001	Soil Reinforcing Mat
3,300 Linear Feet	234-A001	Temporary Silt Fence
421,343 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
35 Mile	423-A001	Rumble Strips, Ground In
8 Each	512-A001	Holes
60 Pounds	512-C002	Calcium Chloride
786 Pounds	602-A001	Reinforcing Steel
88 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
32 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
2,000 Pounds	604-B001	Gratings
14,355 Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
3,200 Linear Feet	607-E001	Barbed Wire Fence, Single Strand
854 Each	607-P1013	Line Post, 7' Tee Post Steel
171 Each	607-P1014	Line Post, 9' Tee Post Steel
162 Each	607-P1015	Line Post, 10' Tee Post Steel
72 Each	607-P2001	Brace Post, 8' x 6" Timber
15 Each	607-P2002	Brace Post, 10' x 6" Timber
10 Each	607-P2003	Brace Post, 12' x 6" Timber
97 Each	607-Z001	Concrete Anchors

Call No. 01 for the June 26, 2012 Letting

Lump Sum	618-A001	Maintenance of Traffic
57 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
100 Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
55 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
100 Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
53 Mile	619-A3006	Temporary Traffic Stripe, Skip White
38,667 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,200 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
342 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
112 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
588 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
400 Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,200 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36 Linear Feet	619-G4001	Barricades, Type III, Single Faced
84 Linear Feet	619-G4005	Barricades, Type III, Double Faced
50 Each	619-G5001	Free Standing Plastic Drums
10 Each	619-G7001	Warning Lights, Type "B"
Lump Sum	620-A001	Mobilization
2,112 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56 Each	630-F006	Delineators, Post Mounted, Single White
16 Each	630-F007	Delineators, Post Mounted, Single Yellow
89 Each	630-F008	Delineators, Post Mounted, Double White
23 Each	630-F009	Delineators, Post Mounted, Double Yellow
3,764 Linear Feet	808-A001	Joint Preparation
75 Ton	815-A009	Loose Riprap, Size 300
150 Square Yard	815-E001	Geotextile under Riprap
55 Each	907-203-I002	Site Grading
12 Acre	907-225-A001	Grassing
36 Ton	907-225-B001	Agricultural Limestone
12 Acre	907-226-A001	Temporary Grassing
55 Each	907-234-D001	Inlet Siltation Guard
1,500 Linear Feet	907-237-A003	Wattles, 20"
100 Each	907-246-A002	Sandbags
40,000 Ton	907-304-B009	Granular Material, Class 3, Group D
21,775 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
29,033 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
32 Mile	907-403-S004	Joint Sealant
738,688 Gallon	907-407-A001	Asphalt for Tack Coat
2,000 Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
14 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
43,200 Linear Feet	907-606-G001	Cable Barrier
32 Each	907-606-H001	Cable Barrier Terminal Section
210 Each	907-606-I001	Cable Barrier Post Repair
2 Each	907-619-E3001	Changeable Message Sign
17 Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White

Call No. 01 for the June 26, 2012 Letting

18 Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
17 Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
6,240 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,345 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
720 Linear Feet	907-626-H004	Thermoplastic Legend, White
114 Square Feet	907-626-H005	Thermoplastic Legend, White
150 Cubic Yard	907-631-A001	Flowable Fill, Excavatable
Lump Sum	907-699-A002	Roadway Construction Stakes
300 Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
1,882 Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
600 Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1		
7,171 Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2		
7,171 Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1		
2,645 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2		
2,645 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1		
1,984 Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP CC NO. 2		
1,984 Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP DD NO. 1		
12,924 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP DD NO. 2		
12,924 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP EE NO. 1		
10,786 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP EE NO. 2		
10,786 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP FF NO. 1		
235 Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP FF NO. 2		
235 Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP GG NO. 1		
2,746 Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,746 Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,746 Linear Feet	907-626-M002	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow
ALTERNATE GROUP GG NO. 2		
2,746 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,746 Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,746 Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Overlay approximately 10 miles of US 61 from SR 3 to the Tennessee State Line, known as Federal Aid Project No. NH-0009-06(016) / 106364301 in Desoto County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

300	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
950	Linear Feet	202-B102	Removal of Guard Rail
405,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
31	Mile	423-A001	Rumble Strips, Ground In
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D008	Guard Rail, Bridge End Section, Type H
20	Each	606-E002	Guard Rail, Terminal End Section, Flared
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3006	Temporary Traffic Stripe, Skip White
76,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,925	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,225	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
360	Linear Feet	619-F1001	Concrete Median Barrier, Precast
360	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
	Lump Sum	620-A001	Mobilization
3,150	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
75	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Each	630-F001	Delineators, Guard Rail, White
12	Each	630-F002	Delineators, Guard Rail, Yellow
1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
970	Linear Feet	635-A001	Vehicle Loop Assemblies
3,387	Linear Feet	808-A001	Joint Preparation
8,000	Ton	907-304-B009	Granular Material, Class 3, Group D
20,300	Gallon	907-407-A001	Asphalt for Tack Coat
600	Each	907-606-PP001	Remove and Replace Guard Rail Blockouts
21	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
17	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
16	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
48,350	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
28,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,925	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,225	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-687-A018	Traffic Recorder Classification Permanent System
3,387	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
300	Linear Feet	907-824-PP006	Bridge Repair, Sawcut Joints, Per Plans
3,387	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans

ALTERNATE GROUP AA NO. 1

Call No. 02 for the June 26, 2012 Letting

35,000	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP AA NO. 2
35,000	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP BB NO. 1
2,500	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP BB NO. 2
2,500	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP CC NO. 1
2,115	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,115	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite
2,115	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow ALTERNATE GROUP CC NO. 2
2,115	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,115	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite
2,115	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow

Pave approximately 5 miles of SR 25 from North of SR 178 to the Fairview Community, known as Federal Aid Project No. STP-0040-02(035) / 106354301 in Itawamba County.

PROJECT COMPLETION: September 21, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

40	Mile	202-B149	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3006	Temporary Traffic Stripe, Skip White
44,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,000	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
200	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
1,350	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
780	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
850	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
11	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
10	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
18,500	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
26,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
5,000	Linear Feet	907-626-H004	Thermoplastic Legend, White
200	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
8,200	Ton	907-411-A001	Ultra Thin Asphalt Pavement, UHMA
10,300	Gallon	907-411-B001	Bituminous Tack Coat
ALTERNATE GROUP AA NO. 2			
8,200	Ton	907-411-A002	Ultra Thin Asphalt Pavement, UWMA
10,300	Gallon	907-411-B001	Bituminous Tack Coat
ALTERNATE GROUP AA NO. 3			
70,000	Gallon	907-405-A001	Emulsified Asphalt for Micro-Surfacing
2,500	Ton	907-405-B001	Aggregate for Micro-Surfacing

Call No. 04 for the June 26, 2012 Letting

Rip-Rap placement at Bridge Bent on SR 50 at the Tenn-Tom Waterway, known as Federal Aid Project No. STP-0058-01(034) / 106301301 in Clay County.

PROJECT COMPLETION: October 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	620-A001 Mobilization
4,500 Ton	815-A009 Loose Riprap, Size 300

Widen & Overlay approximately 6 miles of SR 53 from Hancock County Line North, known as Federal Aid Project No. STP-0064-01(032) / 106414301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

200	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Linear Feet	234-A001	Temporary Silt Fence
534	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
11	Mile	423-A001	Rumble Strips, Ground In
58	Linear Feet	503-C005	Saw Cut, 8-inch
282	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
51	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
9	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,760	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
576	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
120	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
726	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,155	Ton	907-304-F001	Size 825 Crushed Stone Base
7,744	Gallon	907-407-A001	Asphalt for Tack Coat
11	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
4	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,760	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
576	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
10	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
10	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
8,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
8,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
5,500	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
5,500	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Mill and Overlay approximately 4 miles of US 49W from Silver City to Belzoni, known as Federal Aid Project No. NH-0072-03(012) / 106384301 in Humphreys County.

PROJECT COMPLETION: October 31, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

188	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
9,990	Ton	406-A003	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
7	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
8	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
11,400	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
345	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
800	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
5,000	Ton	907-304-B002	Granular Material, Class 5, Group D
100	Ton	907-304-F003	3/4" and Down Crushed Stone Base
10,000	Gallon	907-407-A001	Asphalt for Tack Coat
19,700	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,233	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,154	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
345	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
20,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
20,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill and Overlay approximately 11 miles of US 80 from the 4-lane to Lauderdale County Line, known as Federal Aid Project No. STP-0472-00(011) / 106374301 in Newton County.

PROJECT COMPLETION: November 30, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
140	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
123	Square Yard	202-B025	Removal of Concrete Paved Ditch
3,168	Linear Feet	202-B076	Removal of Traffic Stripe
865	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,125	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
750	Cubic Yard	203-G004	Excess Excavation, LVM, AH
250	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
51,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
2,640	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,400	Linear Feet	503-C007	Saw Cut, Full Depth
325	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D004	Guard Rail, Bridge End Section, Type E
24	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
14,248	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
861	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
362	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
656	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
938	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
113	Each	630-F001	Delineators, Guard Rail, White
500	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
19,000	Gallon	907-407-A001	Asphalt for Tack Coat
43,740	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
56,338	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
7	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,050	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,074	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,900	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White

ALTERNATE GROUP AA NO. 1

19,600	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
--------	-----	--------------	--------------------------------------

ALTERNATE GROUP AA NO. 2

Call No. 07 for the June 26, 2012 Letting

19,600 Ton	907-403-M002 Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP BB NO. 1
450 Ton	907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP BB NO. 2
450 Ton	907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP CC NO. 1
10,600 Ton	907-403-C003 Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening ALTERNATE GROUP CC NO. 2
10,600 Ton	907-403-O003 Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Widen and Overlay approximately 7 miles of US 51 from the Grenada County line to Tillatoba, known as Federal Aid Project No. STP-2901-00(034) / 106369301 in Yalobusha County.

PROJECT COMPLETION: October 29, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

10	Square Yard	202-B078	Removal of Pavement, All Types and Depths
50	Cubic Yard	202-B276	Remove and Reset Riprap
95,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
13	Mile	423-A001	Rumble Strips, Ground In
30	Linear Feet	503-C007	Saw Cut, Full Depth
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
3,960	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,625	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
495	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Square Yard	815-E001	Geotextile under Riprap
4,000	Ton	907-304-B009	Granular Material, Class 3, Group D
19,750	Gallon	907-407-A001	Asphalt for Tack Coat
12	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,960	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,315	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
9,000	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
9,000	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NO. 1			
5,000	Ton	907-403-B009	Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2			
5,000	Ton	907-403-N001	Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 1			
2,500	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
ALTERNATE GROUP CC NO. 2			
2,500	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Replace 6 Bridges on US 80 between Brandon and the Scott County Line, known as Federal Aid Project No. BR-2904-00(009) / 100615301 in Rankin County.

PROJECT COMPLETION: June 13, 2014

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
Lump Sum	202-A001	Removal of Obstructions
24,943 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
102 Linear Feet	202-B038	Removal of Curb, All Types
1,200 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
583 Linear Feet	202-B064	Removal of Pipe, 8" And Above
1,200 Linear Feet	202-B076	Removal of Traffic Stripe
19,418 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
290,591 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
10,777 Cubic Yard	203-G003	Excess Excavation, FM, AH
1,129 Cubic Yard	206-A001	Structure Excavation
68 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
500 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
20 Ton	213-C001	Superphosphate
971 Square Yard	216-A001	Solid Sodding
2,623 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
39 Acre	220-A001	Insect Pest Control
143 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6 Acre	223-A001	Mowing
6,739 Linear Feet	234-A001	Temporary Silt Fence
322 Bale	235-A001	Temporary Erosion Checks
344 Ton	305-B003	Size I Stabilizer Aggregate, Coarse
3,200 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6 Mile	423-A001	Rumble Strips, Ground In
562 Linear Feet	501-E001	Expansion Joints, Without Dowels
1,225 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
65,837 Pounds	602-A001	Reinforcing Steel
228 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
80 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
152 Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
2 Each	603-CB002	24" Reinforced Concrete End Section
2 Each	603-CB003	30" Reinforced Concrete End Section
2 Each	603-CB004	36" Reinforced Concrete End Section
152 Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
160 Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
2 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
4 Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
2,550 Linear Feet	606-B001	Guard Rail, Class A, Type I
24 Each	606-D012	Guard Rail, Bridge End Section, Type I

Call No. 09 for the June 26, 2012 Letting

24	Each	606-E001	Guard Rail, Terminal End Section
439	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
240	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
	Lump Sum	618-C001	Construction & Removal of Detour Bridge
4	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4,089	Linear Feet	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
2	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
4,402	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
252	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,046	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
504	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
72	Linear Feet	619-G4005	Barricades, Type III, Double Faced
415	Each	619-G5001	Free Standing Plastic Drums
21	Each	619-G7001	Warning Lights, Type "B"
300	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
12	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
1	Each	622-A002	Engineer's Field Office Building, Type 2
85	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
260	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
270	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
136	Each	630-F001	Delineators, Guard Rail, White
6,376	Ton	815-A009	Loose Riprap, Size 300
7,872	Square Yard	815-E001	Geotextile under Riprap
750	Cubic Yard	815-F001	Sediment Control Stone
39	Acre	907-225-A001	Grassing
118	Ton	907-225-B001	Agricultural Limestone
79	Ton	907-225-C001	Mulch, Vegetative Mulch
20	Acre	907-226-A001	Temporary Grassing
1,506	Linear Feet	907-234-C002	Super Silt Fence
804	Linear Feet	907-237-A003	Wattles, 20"
200	Each	907-246-B002	Rockbags
500	Ton	907-249-A001	Riprap for Erosion Control
500	Cubic Yard	907-249-B001	Remove and Reset Riprap
5,157	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
27,729	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
51,240	Square Yard	907-307-C003	6" Soil-Lime-Water Mixing, Class C
692	Ton	907-307-D001	Lime
8,967	Gallon	907-307-S001	Bituminous Curing Seal
2,625	Gallon	907-407-A001	Asphalt for Tack Coat
274	Cubic Yard	907-601-A001	Class "B" Structural Concrete

Call No. 09 for the June 26, 2012 Letting

2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
160	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
45	Each	907-617-A001	Right-of-Way Marker
6	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
3	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,173	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
312	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
12	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
	Lump Sum	907-899-A001	Railway-Highway Provisions
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NO. 1			
524	Ton	907-308-A001	Portland Cement
48,543	Square Yard	907-308-B001	Soil-Cement-Water Mixing, Optional Mixers, Base
8,495	Gallon	907-308-S001	Bituminous Curing Seal
ALTERNATE GROUP AA NO. 2			
48,543	Square Yard	907-311-A003	Processing Lime and Fly Ash Treated Course, 6" Thick
362	Ton	907-311-B001	Lime
1,446	Ton	907-311-C002	Fly Ash, Class C or F
8,495	Gallon	907-311-S001	Bituminous Curing Seal
ALTERNATE GROUP BB NO. 1			
6,400	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 2			
6,400	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP CC NO. 1			
10,230	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP CC NO. 2			
10,230	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP DD NO. 1			
427	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
ALTERNATE GROUP DD NO. 2			
427	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening
Bridge Items			
6,158	Square Yard	501-K001	Transverse Grooving
6	Each	803-B002	Conventional Static Pile Load Test
10,270	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,595	Linear Feet	803-D003	HP 14 x 73 Steel Piling
18	Each	803-I001	PDA Test Pile
10	Each	803-J001	Pile Restrike
10	Linear Feet	803-N001	Exploration
120	Linear Feet	803-O020	Permanent Casing, 54" Diameter
486,989	Pounds	805-A001	Reinforcement
2,784	Linear Feet	813-A001	Concrete Railing
2,274	Ton	815-A009	Loose Riprap, Size 300
140	Cubic Yard	815-D001	Concrete Slope Paving

Call No. 09 for the June 26, 2012 Letting

1,320	Square Yard	815-E001	Geotextile under Riprap
336	Linear Feet	907-803-K003	Drilled Shaft, 54" Diameter
58	Linear Feet	907-803-M003	Trial Shaft, 54" Diameter
1,113	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,670	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
1,187	Linear Feet	907-804-C001	50' Prestressed Concrete Beam, Type III
1,069	Linear Feet	907-804-C002	60' Prestressed Concrete Beam, Type III
778	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
4,026	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
1,137	Linear Feet	907-804-C191	95' Prestressed Concrete Beam, Type BT-72

Chip Seal on various routes throughout District 6, known as Federal Aid Project No. STP-9999-06(013) / 106413301 in District 6.

PROJECT COMPLETION: September 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,606,176	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
44,214	Cubic Yard	410-C012	Seal Aggregate Cover Material, Size 7, Limestone
	Lump Sum	618-A001	Maintenance of Traffic
33,375	Each	627-H001	Chip Seal Reflective Raised Markers. Two-Way Yellow
20,000	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
33,375	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Mill & Overlay various locations on SR 4, SR 30 and SR 9, known as State Project No. MP-1000-00(067) / 304320301 in Prentiss and Union Counties.

PROJECT COMPLETION: October 26, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,350	Cubic Yard	203-G003	Excess Excavation, FM, AH
82,300	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
16,600	Linear Feet	625-B001	Traffic Stripe, Skip Yellow
66,200	Linear Feet	625-C001	Traffic Stripe, Continuous White
49,750	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
825	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
3,350	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
4,500	Gallon	907-407-A001	Asphalt for Tack Coat

ALTERNATE GROUP AA NO. 1

13,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
--------	-----	--------------	-------------------------------------

ALTERNATE GROUP AA NO. 2

13,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
--------	-----	--------------	--------------------------------------

Overlay approximately 10 miles of SR 12 from US 61 to the Sunflower River bridge, known as State Project No. MP-3012-76(012) / 304338301 in Washington County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

646	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
215	Cubic Yard	203-G003	Excess Excavation, FM, AH
4,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
9	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,000	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
850	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14,000	Ton	907-304-B007	Granular Material, Class 5, Group E
392	Ton	907-304-F003	3/4" and Down Crushed Stone Base
6,750	Gallon	907-407-A001	Asphalt for Tack Coat
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,300	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
14,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
14,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Overlay/Rehabilitate approximately 6 miles of SR 14 between Mayersville and SR 1, known as State Project No. MP-3014-28(003) / 304337301 in Issaquena County.

PROJECT COMPLETION: September 28, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

80,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
285	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
	Lump Sum	620-A001	Mobilization
170	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
485	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
470	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
285	Linear Feet	907-626-H004	Thermoplastic Legend, White

ALTERNATE GROUP AA NO. 1

400	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
4,500	Ton	907-304-B002	Granular Material, Class 5, Group D
9,900	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
4,100	Gallon	907-407-A001	Asphalt for Tack Coat

ALTERNATE GROUP AA NO. 2

400	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
4,500	Ton	907-304-B002	Granular Material, Class 5, Group D
9,900	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
4,100	Gallon	907-407-A001	Asphalt for Tack Coat

ALTERNATE GROUP AA NO. 3

48,000	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,200	Cubic Yard	410-C012	Seal Aggregate Cover Material, Size 7, Limestone
600	Cubic Yard	410-C014	Seal Aggregate Cover Material, Size 89, Limestone
2,500	Each	627-H002	Chip Seal Reflective Raised Markers
80,000	Square Yard	907-499-A002	Roadbed Reclamation with Portland Cement , 9 Inches
1,300	Ton	907-499-B001	Portland Cement , 5% By Volume
	Lump Sum	907-699-A002	Roadway Construction Stakes

Raised Pavement Markers on various routes, known as State Project No. MP-6000-00(179) / 304414301 in District 6.

PROJECT COMPLETION: September 26, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
20,000 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
27,570 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
17,950 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Widen and Overlay approximately 8 miles of US 11 from Mitchell Avenue in Purvis to the Forrest County Line, known as State Project No. MP-6011-37(005) / 304413301 in Lamar County.

PROJECT COMPLETION: Flexible

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

183	Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
105	Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
1,888	Linear Feet	202-B076	Removal of Traffic Stripe
1,993	Square Yard	202-B078	Removal of Pavement, All Types and Depths
284	Linear Feet	202-B188	Removal of Concrete Curb
21,316	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
520	Linear Feet	413-B001	Cleaning and Sealing Joints
13	Mile	423-A001	Rumble Strips, Ground In
1,456	Linear Feet	503-C007	Saw Cut, Full Depth
1,417	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
8	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
1,512	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
100	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 3
87	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
160	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
31,680	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,256	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
625	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
540	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
90	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
60	Each	630-F001	Delineators, Guard Rail, White
24	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
24	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
1,296	Linear Feet	635-A001	Vehicle Loop Assemblies
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
140	Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
1,600	Ton	907-304-F001	Size 825 Crushed Stone Base
16,000	Gallon	907-407-A001	Asphalt for Tack Coat
50,890	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
13	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,982	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
8,858	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 15 for the June 26, 2012 Letting

2,628	Linear Feet	907-626-H004	Thermoplastic Legend, White
499	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-630-O003	Remove and Reset Sign, All Sizes
1	Each	907-651-B009	Magnetometer Detection System Component, Repeater
28	Each	907-651-C002	Magnetometer Detection System Component Removal and Reinstallation
ALTERNATE GROUP AA NO. 1			
1,300	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
1,300	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
11,395	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
11,395	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
6,357	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
6,357	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

Widen & Overlay approximately 4 miles on SR 15 from the Perry County Line to Scarbrough Road, known as State Project No. MP-6015-34(014) / 304415301 in Jones County.

PROJECT COMPLETION: October 11, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
25	Square Yard	202-B078	Removal of Pavement, All Types and Depths
4	Each	202-B090	Removal of Terminal End Section
4,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
8	Mile	423-A001	Rumble Strips, Ground In
4	Each	606-E002	Guard Rail, Terminal End Section, Flared
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
90	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
460	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,500	Ton	907-304-F001	Size 825 Crushed Stone Base
5,500	Gallon	907-407-A001	Asphalt for Tack Coat
8	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
600	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
500	Linear Feet	907-626-H004	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
25	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP AA NO. 2			
25	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
ALTERNATE GROUP BB NO. 1			
6,600	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP BB NO. 2			
6,600	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP CC NO. 1			
4,950	Ton	907-403-B006	Hot Mix Asphalt, MT, 9.5-mm mixture, Leveling
ALTERNATE GROUP CC NO. 2			
4,950	Ton	907-403-N005	Warm Mix Asphalt, MT, 9.5-mm mixture, Leveling

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR