

**SECTION 905 -- PROPOSAL (CONTINUED)**

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.   1   DATED   7/10/2012   ADDENDUM NO.            DATED             
 ADDENDUM NO.            DATED            ADDENDUM NO.            DATED           

| Number | Description  |
|--------|--|
| 1      | Revised Table of Contents, replace same; Add Supplement to SP 907-102-8; Bidsheets, replace same; Amendment EBS Download Required. |

TOTAL ADDENDA:   1    
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

|                    |                  |
|--------------------|------------------|
| _____<br>President | _____<br>Address |
| _____<br>Secretary | _____<br>Address |
| _____<br>Treasurer | _____<br>Address |

The following is my (our) itemized proposal.

Revised 09/21/2005

MP-5501-62(006) / 304356301      Scott County(ies)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## TABLE OF CONTENTS

### PROJECT: MP-5501-62(006) / 304356301 -- Scott County

901--Advertisement

904--Notice to Bidders:      Governing Specs. - # 1  
   Final Cleanup - # 3  
   Fiber Reinforced Concrete - # 640  
   Payroll Requirements - # 883  
   Errata & Modifications to 2004 Standard Specifications - # 1405  
   Railway-Highway Provision w/ Supplement - # 1727  
   Safety Apparel - # 1808  
   Federal Bridge Formula - # 1928  
   Non-Quality Control/Quality Assurance Concrete - # 2818  
   Reduced Speed Limit Signs - # 2937  
   Alternate Asphalt Mixture Bid Items - # 3039  
   Temporary Traffic Paint - # 3131  
   Warm Mix Asphalt (WMA) - # 3242  
   Questions Regarding Bidding - # 3425  
   Safety Edge - # 3585  
   Type III Barricade Rails - # 3655  
   Use of Precast Drainage Units - # 3704  
   Standard Drawings - # 3770  
   Petroleum Products Base Price - # 3893  
   Contract Time - # 3927  
   Scope of Work - # 3928  
   Project Number Change - # 3951

907-101-4:      Definitions  
907-102-8:      Bidding Requirements and Conditions, W/ Supplement  
907-103-8:      Award and Execution of Contract  
907-104-4:      Disposal of Materials  
907-105-6:      Control of Work, W/ Supplement  
907-107-9:      Legal Relations & Responsibility to Public, W/ Supplement  
907-108-24:     Prosecution and Progress  
907-109-5:      Measurement and Payment, W/ Supplement  
907-225-3:      Grassing  
907-304-12:     Granular Courses  
907-401-2:      Hot Mix Asphalt (HMA), W/ Supplement  
907-401-4:      Warm Mix Asphalt (WMA), W/ Supplement  
907-403-4:      Hot Mix Asphalt (HMA), W/ Supplement  
907-403-9:      Warm Mix Asphalt (WMA), W/ Supplement  
907-407-1:      Tack Coat  
907-601-1:      Structural Concrete  
907-603-8:      Culverts & Storm Drains  
907-618-4:      Placement of Temporary Traffic Stripe  
907-626-15:     Thermoplastic Traffic Marking

-- CONTINUED ON NEXT PAGE --

**PAGE 2 - PROJECT: MP-5501-62(006) / 304356301 -- Scott County**

- 907-626-22: Double Drop Thermoplastic Markings
- 907-631-1: Flowable Fill
- 907-701-4: Hydraulic Cement
- 907-702-3: Polymer Modified Cationic Emulsified Asphalt
- 907-703-9: Aggregates, W/Supplement
- 907-708-5: Non Metal Drainage Structures, W/ Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Drying Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, W/ Supplement
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials
- 907-720-1: Pavement Marking Materials
- 907-804-13: Concrete Bridges and Structures, W/ Supplement

SECTION 905 - PROPOSAL,  
PROPOSAL BID SHEETS,  
COMBINATION BID PROPOSAL,  
STATE BOARD OF CONTRACTORS REQUIREMENTS,  
CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION,  
SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM,

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## SUPPLEMENT TO SPECIAL PROVISION NO. 907-102-8

**DATE:** 07/10/2012

**SUBJECT:** Bidding Requirements and Conditions

Delete Subsection 907-102.06 on page 1, and substitute the following.

**907-102.06--Preparation of Proposal.** Delete the first, fifth, sixth, and seventh paragraphs of Subsection 102.06 on pages 17 & 18, and substitute the following.

The bidder's complete original proposal shall be submitted upon the forms (Certification of Performance, Certification Regarding Non-Collusion, etc.) furnished by the Department and shall include Expedite Bid printed bid sheets along with the bid data on the MDOT-supplied USB Flash Drive. Expedite Bid System (EBS) files shall be downloaded from the Department's website [www.goMDOT.com](http://www.goMDOT.com). In case of discrepancy between a unit price and the extension, the unit price will govern and the extension along with the total amount of the proposal will be corrected.

Bid sheets generated by the Department's Electronic Bid System (Transport Expedite Bid) along with a completed proposal package (with all forms completed and signed) will constitute the official bid and shall be signed on the last sheet of the Expedite Bid generated bid sheets and delivered to the Department in accordance with the provisions of Subsection 102.09. Bids submitted using any other form, format or means will result in an irregular bid. **Handwritten bids will no longer be an accepted method for submission.**

Bidders are cautioned that using other versions of the Expedite Bid may result in improperly printed bid sheets. The correct version of Expedite Bid can be obtained at no cost from the MDOT Contract Administration Division or at the MDOT website, [www.gomdot.com](http://www.gomdot.com). The current version of Expedite Bid is also included on the MDOT-supplied USB Flash Drive.

The Expedite Bid generated bid sheets should be stapled together in order beginning with page 1, signed and included in the bid proposal package in the sealed envelope. Only the Expedite Bid generated sheets will be recognized as the official bid. The MDOT-provided USB Flash Drive containing the information printed on the Expedite Bid generated bid sheets should be placed in the padded envelope included with the bid proposal package and enclosed in the sealed envelope. Bid sheets printed from Expedite Bid should be a representation of the data returned on the flash drive. To have a true representation of the bid sheets, the Bidder must copy the EBS and EBS amendment files used to prepare the bid sheets to the flash drive. Otherwise, the unit prices bid will not be recorded to the flash drive. Bidders are cautioned that failure to follow proper flash drive handling procedures could result in the Department being unable to process the flash drive. Any modification or manipulation of the data contained on the flash drive, other than entering unit bid prices and completing all required Expedite Bid sections, will not be allowed and will cause the Contractor's bid to be considered irregular.

Overlay approximately 3 miles of SR 501 from I-20 to the RR Crossing in Forest, known as State Project No. MP-5501-62(006) / 304356301 in Scott County.

I (We) agree to complete the entire project within the specified contract time.

\*\*\* SPECIAL NOTICE TO BIDDERS \*\*\*  
**BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICE AND ITEM TOTALS ARE ENTERED.**  
**BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED**

\*\*\*BID SCHEDULE\*\*\*

| Line No.             | Item Code | Adj Code | Quantity | Units       | Description                             | Unit Price |     | Item Amount |    |
|----------------------|-----------|----------|----------|-------------|---|------------|-----|-------------|----|
|                      |           |          |          |             |   | Dollar     | Ct  | Dollar      | Ct |
| <b>Roadway Items</b> |           |          |          |             |   |            |     |             |    |
| 0010                 | 202-A001  |          | 1        | Lump Sum    | Removal of Obstructions                 | XXXXXXXX   | XXX |             |    |
| 0020                 | 202-B005  |          | 3,765    | Square Yard | Removal of Asphalt Pavement, All Depths |            |     |             |    |
| 0030                 | 202-B035  |          | 8        | Square Yard | Removal of Concrete Sidewalk            |            |     |             |    |
| 0040                 | 202-B038  |          | 175      | Linear Feet | Removal of Curb, All Types              |            |     |             |    |
| 0050                 | 202-B064  |          | 40       | Linear Feet | Removal of Pipe, 8" And Above           |            |     |             |    |
| 0060                 | 202-B084  |          | 3,765    | Square Yard | Removal of Base                         |            |     |             |    |
| 0070                 | 202-B142  |          | 1        | Each        | Removal of Junction Box                 |            |     |             |    |
| 0080                 | 203-EX030 | (E)      | 200      | Cubic Yard  | Borrow Excavation, AH, LVM, Class B15   |            |     |             |    |

| Line No. | Item Code | Adj Code | Quantity | Units       | Description  | Unit Price | Bid Amount |
|----------|-----------|----------|----------|-------------|--|------------|------------|
| 0090     | 203-G004  | (E)      | 25       | Cubic Yard  | Excess Excavation, LVM, AH                               |            |            |
| 0100     | 206-A001  | (S)      | 150      | Cubic Yard  | Structure Excavation                                     |            |            |
| 0110     | 206-B001  | (E)      | 41       | Cubic Yard  | Select Material for Undercuts, Contractor Furnished, FOM |            |            |
| 0120     | 234-A001  |          | 50       | Linear Feet | Temporary Silt Fence                                     |            |            |
| 0130     | 305-B001  | (GY)     | 90       | Cubic Yard  | Size I Stabilizer Aggregate Coarse                       |            |            |
| 0140     | 406-A001  |          | 5,200    | Square Yard | Cold Milling of Bituminous Pavement, All Depths          |            |            |
| 0150     | 602-A001  | (S)      | 514      | Pounds      | Reinforcing Steel  |            |            |
| 0160     | 603-PA009 | (S)      | 30       | Linear Feet | 30" x 6' Precast Concrete Box Culvert                    |            |            |
| 0170     | 603-SB028 | (S)      | 1        | Each        | 30" Branch Connections, Stub into Box Culvert            |            |            |
| 0180     | 606-B004  |          | 50       | Linear Feet | Guard Rail, Class A, Type 1, Metal Post                  |            |            |
| 0190     | 606-D014  |          | 3        | Each        | Guard Rail, Bridge End Section, Type I, Metal Post       |            |            |
| 0200     | 606-E003  |          | 3        | Each        | Guard Rail, Terminal End Section, Non-Flared             |            |            |

| Line No. | Item Code | Adj Code | Quantity | Units       | Description   | Unit Price |     | Bid Amount |  |
|----------|-----------|----------|----------|-------------|---|------------|-----|------------|--|
| 0210     | 608-A001  | (S)      | 26       | Square Yard | Concrete Sidewalk, Without Reinforcement                          |            |     |            |  |
| 0220     | 609-D001  | (S)      | 68       | Linear Feet | Combination Concrete Curb and Gutter Type 1                       |            |     |            |  |
| 0230     | 609-E001  |          | 38       | Linear Feet | Bituminous Curb   |            |     |            |  |
| 0240     | 613-A001  |          | 1        | Lump Sum    | Adjustment of Cappings, Gratings & Utility Aperturancs            | XXXXXXXXXX | XXX |            |  |
| 0250     | 615-A012  | (S)      | 135      | Linear Feet | Concrete Type IV Modified 42" Height Cast-in-Place Median Barrier |            |     |            |  |
| 0260     | 618-A001  |          | 1        | Lump Sum    | Maintenance of Traffic  | XXXXXXXXXX | XXX |            |  |
| 0270     | 619-A1002 |          | 5        | Mile        | Temporary Traffic Stripe, Continuous White                        |            |     |            |  |
| 0280     | 619-A2002 |          | 5        | Mile        | Temporary Traffic Stripe, Continuous Yellow                       |            |     |            |  |
| 0290     | 619-A4007 |          | 1        | Mile        | Temporary Traffic Stripe, Skip Yellow, Paint                      |            |     |            |  |
| 0300     | 619-A5001 |          | 1,926    | Linear Feet | Temporary Traffic Stripe, Detail                                  |            |     |            |  |
| 0310     | 619-A6001 |          | 1,100    | Linear Feet | Temporary Traffic Stripe, Legend                                  |            |     |            |  |
| 0320     | 619-A6002 |          | 63       | Square Feet | Temporary Traffic Stripe, Legend                                  |            |     |            |  |

These Bid Sheets Are Not For  
 Generating Bid Sheets Using  
 Expedite Bid

| Line No. | Item Code    | Adj Code | Quantity | Units        | Description  | Unit Price |     | Bid Amount |  |
|----------|--------------|----------|----------|--------------|--|------------|-----|------------|--|
| 0330     | 619-D1001    |          | 214      | Square Feet  | Standard Roadside Construction Signs, Less than 10 Square Feet |            |     |            |  |
| 0340     | 619-D2001    |          | 260      | Square Feet  | Standard Roadside Construction Signs, 10 Square Feet or More   |            |     |            |  |
| 0350     | 619-F3004    |          | 12       | Each         | Delineators, Guard Rail, Whip                                  |            |     |            |  |
| 0360     | 619-G4001    |          | 48       | Linear Feet  | Barricades, Type II, Single Faced                              |            |     |            |  |
| 0370     | 619-G4005    |          | 24       | Linear Feet  | Barricades, Type III, Double Faced                             |            |     |            |  |
| 0380     | 619-G7001    |          | 4        | Each         | Warning Lights, Type "B"                                       |            |     |            |  |
| 0390     | 620-A001     |          | 1        | Lump Sum     | Mobilization   | XXXXXXXX   | XXX |            |  |
| 0400     | 627-J001     |          | 200      | Each         | Two-Way Clear Reflective High Performance Raised Markers       |            |     |            |  |
| 0410     | 627-L001     |          | 371      | Each         | Two-Way Yellow Reflective High Performance Raised Markers      |            |     |            |  |
| 0420     | 815-B001     | (G)      | 75       | Square Yards | Grouted Riprap   |            |     |            |  |
| 0430     | 907-225-A001 |          | 1        | Acre         | Grassing   |            |     |            |  |
| 0440     | 907-304-A001 | (GY)     | 1,150    | Cubic Yard   | Granular Material, LVM, Class 5, Group C                       |            |     |            |  |



| Line No. | Item Code     | Adj Code | Quantity | Units       | Description  | Unit Price | Bid Amount |  |
|----------|---------------|----------|----------|-------------|--|------------|------------|--|
| 0450     | 907-304-H001  | (GY)     | 50       | Cubic Yard  | Size 825 Crushed Stone Base, LVM                                   |            |            |  |
| 0460     | 907-407-A001  | (A2)     | 4,500    | Gallon      | Asphalt for Tack Coat  |            |            |  |
| 0470     | 907-601-A001  | (S)      | 10       | Cubic Yard  | Class "B" Structural Concrete                                      |            |            |  |
| 0480     | 907-601-B003  | (S)      | 2        | Cubic Yard  | Class "B" Structural Concrete, Mono Structural                     |            |            |  |
| 0490     | 907-603-PE207 | (S)      | 40       | Linear Feet | 30" Corrugated Polyethylene Pipe                                   |            |            |  |
| 0500     | 907-626-C006  |          | 5        | Mile        | 6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil |            |            |  |
| 0510     | 907-626-D006  |          | 1        | Mile        | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow           |            |            |  |
| 0520     | 907-626-E006  |          | 5        | Mile        | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow     |            |            |  |
| 0530     | 907-626-G006  |          | 1,286    | Linear Feet | Thermoplastic Double Drop Detail Stripe, White                     |            |            |  |
| 0540     | 907-626-G007  |          | 640      | Linear Feet | Thermoplastic Double Drop Detail Stripe, Yellow                    |            |            |  |
| 0550     | 907-626-H009  |          | 1,100    | Linear Feet | Thermoplastic Double Drop Legend, White                            |            |            |  |
| 0560     | 907-626-H010  |          | 63       | Square Feet | Thermoplastic Double Drop Legend, White                            |            |            |  |

| Line No.                           | Item Code                                | Adj Code | Quantity | Units      | Description                                     | Unit Price | Bid Amount |  |
|------------------------------------|--|----------|----------|------------|---|------------|------------|--|
| 0570                               | 907-631-B001                             |          | 5        | Cubic Yard | Flowable Fill, Non-Excavatable                  |            |            |  |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |  |          |          |            |   |            |            |  |
| 0580                               | 907-403-A011 (BA1)                       |          | 4,200    | Ton        | Hot Mix Asphalt, ST, 12.5-mm mixture            |            |            |  |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |  |          |          |            |   |            |            |  |
| 0590                               | 907-403-M003 (BA1)                       |          | 4,200    | Ton        | Warm Mix Asphalt, ST, 12.5-mm mixture           |            |            |  |
| <b>ALTERNATE GROUP BB NUMBER 1</b> |  |          |          |            |   |            |            |  |
| 0600                               | 907-403-B007 (BA1)                       |          | 3,350    | Ton        | Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling  |            |            |  |
| <b>ALTERNATE GROUP BB NUMBER 2</b> |  |          |          |            |   |            |            |  |
| 0610                               | 907-403-N002 (BA1)<br>Changed 07/10/2012 |          | 3,350    | Ton        | Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling |            |            |  |
| <b>ALTERNATE GROUP CC NUMBER 1</b> |  |          |          |            |   |            |            |  |
| 0620                               | 907-403-A012 (BA1)                       |          | 25       | Ton        | Hot Mix Asphalt, ST, 19-mm mixture              |            |            |  |
| <b>ALTERNATE GROUP CC NUMBER 2</b> |  |          |          |            |   |            |            |  |
| 0630                               | 907-403-M004 (BA1)                       |          | 25       | Ton        | Warm Mix Asphalt, ST, 19-mm mixture             |            |            |  |

\*\*\* BID CERTIFICATION \*\*\*

TOTAL BID.....\$\_\_\_\_\_

\*\*\* SIGNATURE STATEMENT \*\*\*

BIDDER ACKNOWLEDGES THAT HE/SHE HAS CHECKED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGURES SHOWN THEREIN CONSTITUTE THEIR OFFICIAL BID.

\_\_\_\_\_  
BIDDER'S SIGNATURE

\_\_\_\_\_  
BIDDER'S COMPANY

\_\_\_\_\_  
BIDDER'S FEDERAL TAX ID NUMBER

These Bid Sheets Are Not For  
Bidding Purposes Using  
Generate Bid Sheets  
Expedite Bid