


[Proposal & Plan Sales Will Begin on July 2, 2012](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for July – July 24, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JULY - Tuesday, July 24, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 02, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	STP-0029-03(013) / 102556315	Marshall
02	HSIP-0002-00(032) / 106415301 & HSIP-0002-00(032) / 106415302	Tate & Desoto
03	HSIP-0015-02(091) / 105942301	Jones
04	STP-0050-01(032) / 106403301	Pontotoc
05	STP-0068-01(019) / 106402301	Lowndes
* 06	STP-9999-02(248) / 106420301	District 2
* 07	MP-5501-62(006) / 304356301	Scott

Construction of SR 304/I-269 from Station 835+00 to Mason Road, known as Federal Aid Project No. STP-0029-03(013) / 102556315 in Marshall County

PROJECT COMPLETION: October 31, 2014

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2,420 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B019	Removal of Concrete Headwall
96 Linear Feet	202-B064	Removal of Pipe, 8" And Above
9,000 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B142	Removal of Junction Box
4 Each	202-B292	Removal of Septic Tank, All Sizes
16,925 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
727,981 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
2,500 Cubic Yard	203-G004	Excess Excavation, LVM, AH
487 Cubic Yard	206-A001	Structure Excavation
14,752 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
1,500 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,040 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
34 Ton	213-C001	Superphosphate
268 Ton	215-A001	Vegetative Materials for Mulch
1,040 Square Yard	216-A001	Solid Sodding
1,223 Square Yard	217-A001	Ditch Liner
21 Thousand Gallon	219-A001	Watering
34 Acre	220-A001	Insect Pest Control
190 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
67 Acre	223-A001	Mowing
552 Square Yard	224-A001	Soil Reinforcing Mat
3,163 Linear Feet	234-A001	Temporary Silt Fence
396 Bale	235-A001	Temporary Erosion Checks
3 Each	236-A004	Silt Basin, Type D
1 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
1,800 Linear Feet	239-A001	Temporary Slope Drains
3,660 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
3,198 Linear Feet	503-C007	Saw Cut, Full Depth
1,085 Pounds	602-A001	Reinforcing Steel
140 Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
260 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
240 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
112 Linear Feet	603-CA014	18" Reinforced Concrete Pipe, Class IV
232 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class IV, Class B Bedding
92 Linear Feet	603-CA041	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
3 Each	603-CB001	18" Reinforced Concrete End Section
3 Each	603-CB002	24" Reinforced Concrete End Section

Call No. 01 for the July 24, 2012 Letting

2	Each	603-CB003	30" Reinforced Concrete End Section
1	Each	603-CB004	36" Reinforced Concrete End Section
64	Linear Feet	603-CE006	58" x 36" Concrete Arch Pipe, Class A III
1	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
2,000	Pounds	604-B001	Gratings
380	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
32	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
35	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
988	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
9,443	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
750	Linear Feet	607-E001	Barbed Wire Fence, Single Strand
4	Each	607-G107	Gate, 12' x 5' Chain Link
2	Each	607-G119	Gate, 3' x 52" Chain Link
841	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
8	Each	607-P1019	Line Post, 14' x 2 1/2" Galvanized Steel
103	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
12	Each	607-P3003	Gate Post, 8' x 2 1/2" Galvanized Steel
90	Each	607-Z001	Concrete Anchors
416	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
	Lump Sum	618-A001	Maintenance of Traffic
2	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
2	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
669	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
285	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
16	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
553	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
299	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
800	Linear Feet	619-F1001	Concrete Median Barrier, Precast
400	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
78	Linear Feet	619-G4005	Barricades, Type III, Double Faced
100	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
2	Unit	619-J1005	Impact Attenuator, 45 MPH
1	Unit	619-J2001	Impact Attenuator, 45 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
16	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
553	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
42	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
148	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
30	Each	630-F001	Delineators, Guard Rail, White
210	Ton	815-A006	Loose Riprap, Size 100

Call No. 01 for the July 24, 2012 Letting

2,625	Ton	815-A009	Loose Riprap, Size 300
3,873	Square Yard	815-E001	Geotextile under Riprap
15	Ton	815-F002	Sediment Control Stone
67	Acre	907-225-A001	Grassing
201	Ton	907-225-B001	Agricultural Limestone
67	Acre	907-226-A001	Temporary Grassing
600	Linear Feet	907-237-A002	Wattles, 12"
360	Linear Feet	907-237-A003	Wattles, 20"
2,160	Linear Feet	907-245-A001	Triangular Silt Dike
360	Linear Feet	907-246-A001	Sandbags
1	Each	907-247-A001	Temporary Stream Diversion
105	Cubic Yard	907-249-B001	Remove and Reset Riprap
1,526	Ton	907-304-B009	Granular Material, Class 3, Group D
2,770	Cubic Yard	907-304-C008	Granular Material, AEA, Class 9, Group B
4,209	Ton	907-304-F002	Size 610 Crushed Stone Base
90	Cubic Yard	907-310-B002	Size III Stabilizer Aggregate, Coarse
1,605	Gallon	907-407-A001	Asphalt for Tack Coat
16	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
92	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
76	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
40	Linear Feet	907-603-ALT14	22" x 13" Type A Alternate Pipe
500	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
50	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
53	Each	907-617-A001	Right-of-Way Marker
1	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
840	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,070	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
14,294	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
566	Linear Feet	907-626-H004	Thermoplastic Legend, White
180	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-630-J001	Overhead Sign Supported on Bridge, Assembly No 1, ContractorDesigned
10	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
	Lump Sum	907-899-A001	Railway-Highway Provisions
2,080	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
1,689	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
1,689	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
4,312	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
4,312	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
1,266	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture

Call No. 01 for the July 24, 2012 Letting

ALTERNATE GROUP CC NO. 2

1,266 Ton 907-403-M009 Warm Mix Asphalt, HT, 9.5-mm mixture

ALTERNATE GROUP DD NO. 1

87 Ton 907-403-A011 Hot Mix Asphalt, ST, 12.5-mm mixture

ALTERNATE GROUP DD NO. 2

87 Ton 907-403-M003 Warm Mix Asphalt, ST, 12.5-mm mixture

ALTERNATE GROUP EE NO. 1

2,290 Ton 907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture

ALTERNATE GROUP EE NO. 2

2,290 Ton 907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture

ALTERNATE GROUP FF NO. 1

109 Ton 907-403-A015 Hot Mix Asphalt, ST, 9.5-mm mixture

ALTERNATE GROUP FF NO. 2

109 Ton 907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture

Bridge Items

29,637 Square Yard 501-K001 Transverse Grooving

10,302 Cubic Yard 801-A001 Foundation Excavation for Bridges

4 Each 803-B002 Conventional Static Pile Load Test

6,910 Linear Feet 803-C002 14" x 14" Prestressed Concrete Piling

54,360 Linear Feet 803-D006 HP 14 x 117 Steel Piling

12,300 Linear Feet 803-F009 20" Pre-Formed Pile Hole

16 Each 803-I001 PDA Test Pile

400 Linear Feet 803-N001 Exploration

1,260 Linear Feet 803-O011 Temporary Casing, 66" Diameter

4,378,814 Pounds 805-A001 Reinforcement

12,513 Linear Feet 813-A002 Concrete Railing, 32"

2,720 Ton 815-A009 Loose Riprap, Size 300

414 Cubic Yard 815-D001 Concrete Slope Paving

1,725 Square Yard 815-E001 Geotextile under Riprap

3,030 Linear Feet 907-803-K005 Drilled Shaft, 66" Diameter

4 Each 907-803-L001 Test Shaft, 66" Diameter

100 Linear Feet 907-803-M004 Trial Shaft, 66" Diameter

20,572 Cubic Yard 907-804-A001 Bridge Concrete, Class AA

225 Linear Feet 907-804-C006 113' Prestressed Concrete Beam, Type BT-72

7,092 Linear Feet 907-804-C007 115' Prestressed Concrete Beam, Type BT-72

6,682 Linear Feet 907-804-C008 120' Prestressed Concrete Beam, Type BT-72

899 Linear Feet 907-804-C148 75' Prestressed Concrete Beam, Type IV

1,267 Linear Feet 907-804-C157 91' Prestressed Concrete Beam, Type IV

844 Linear Feet 907-804-C159 106' Prestressed Concrete Beam, Type IV

209 Linear Feet 907-804-C167 105' Prestressed Concrete Beam, Type IV

375 Linear Feet 907-804-C169 94' Prestressed Concrete Beam, Type IV

4,877 Linear Feet 907-804-C171 100' Prestressed Concrete Beam, Type IV

1,663 Linear Feet 907-804-C181 93' Prestressed Concrete Beam, Type IV

206 Linear Feet 907-804-C193 103' Prestressed Concrete Beam, Type IV

812 Linear Feet 907-804-C201 102' Prestressed Concrete Beam, Type IV

752 Linear Feet 907-804-C202 108' Prestressed Concrete Beam, Type IV

Call No. 01 for the July 24, 2012 Letting

237	Linear Feet	907-804-C210	119' Prestressed Concrete Beam, Type BT-72
242	Linear Feet	907-804-C211	121' Prestressed Concrete Beam, Type BT-72
386	Linear Feet	907-804-C214	97' Prestressed Concrete Beam, Type IV
1,876	Linear Feet	907-804-C215	99' Prestressed Concrete Beam, Type IV
621	Linear Feet	907-804-C216	104' Prestressed Concrete Beam, Type IV
107	Linear Feet	907-804-C217	107' Prestressed Concrete Beam, Type IV
205	Linear Feet	907-804-C218	103' Prestressed Concrete Beam, Type BT-72
207	Linear Feet	907-804-C219	104' Prestressed Concrete Beam, Type BT-72
213	Linear Feet	907-804-C220	107' Prestressed Concrete Beam, Type BT-72
216	Linear Feet	907-804-C221	108' Prestressed Concrete Beam, Type BT-72
221	Linear Feet	907-804-C222	111' Prestressed Concrete Beam, Type BT-72
233	Linear Feet	907-804-C223	117' Prestressed Concrete Beam, Type BT-72
3,658	Linear Feet	907-804-C224	122' Prestressed Concrete Beam, Type BT-72
245	Linear Feet	907-804-C225	123' Prestressed Concrete Beam, Type BT-72
250	Linear Feet	907-804-C226	126' Prestressed Concrete Beam, Type BT-72
253	Linear Feet	907-804-C227	127' Prestressed Concrete Beam, Type BT-72
3,414	Linear Feet	907-804-C228	132' Prestressed Concrete Beam, Type BT-72

Call No. 02 for the July 24, 2012 Letting

Roadway Weather Information Systems installation on I-55 and I-69 / MS 304, known as Federal Aid Project No. HSIP-0002-00(032) / 106415301&302 in Tate and Desoto Counties.

PROJECT COMPLETION: June 28, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

2	Each	202-B070	Removal of Sign Including Post & Footing
80	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
80	Square Yard	216-A001	Solid Sodding
2	Thousand Gallon	219-A001	Watering
48	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
2	Each	647-A003	Pullbox, Type 4
90	Linear Feet	668-A029	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
2	Each	907-637-A001	Equipment Cabinet, Type B
4	Each	907-641-A001	Radar Detection System
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-664-A002	Roadway Weather Information System (I-55 at Coldwater River)
1	Each	907-664-A002	Roadway Weather Information System (I-69 at Hurricane Creek)
4	Each	907-664-B001	Sign with Flashing Beacons , BRIDGE ICES BEFORE ROAD

Intersection Improvement on US 84 at Magnolia Road, known as Federal Aid Project No. HSIP-0015-02(091) / 105942301 in Jones County.

PROJECT COMPLETION: March 29, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
2,800 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
31 Square Yard	202-B025	Removal of Concrete Paved Ditch
4 Each	202-B042	Removal of Flared End Section, All Sizes
3 Each	202-B057	Removal of Inlets, All Sizes
8 Linear Feet	202-B064	Removal of Pipe, 8" And Above
12 Each	202-B070	Removal of Sign Including Post & Footing
570 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
75 Linear Feet	202-B146	Removal of Existing Wiring
210 Square Yard	202-B216	Removal of Island Pavement, All Types
2,205 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,479 Cubic Yard	203-EX014	Borrow Excavation, AH, LVM, Class B7
40 Cubic Yard	206-A001	Structure Excavation
13,484 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
22,515 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
361 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
10 Ton	215-A001	Vegetative Materials for Mulch
361 Square Yard	216-A001	Solid Sodding
1,465 Square Yard	217-A001	Ditch Liner
7 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
36 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,200 Linear Feet	234-A001	Temporary Silt Fence
300 Bale	235-A001	Temporary Erosion Checks
7 Each	236-A001	Silt Basin, Type A
21,942 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
6,880 Linear Feet	503-C007	Saw Cut, Full Depth
827 Pounds	602-A001	Reinforcing Steel
68 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
4 Each	603-CB001	18" Reinforced Concrete End Section
1 Each	603-SB044	18" Branch Connections, Stub into Existing Box Culvert
750 Pounds	604-B001	Gratings
200 Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1 Each	606-C002	Guard Rail, Cable Anchor Type 1, Metal Post
1 Each	606-E001	Guard Rail, Terminal End Section
1,706 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
360 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
370 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch

Call No. 03 for the July 24, 2012 Letting

Lump Sum	618-A001	Maintenance of Traffic
2,410 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
2,774 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12,240 Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
26,276 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
250 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
885 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
83 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
288 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144 Linear Feet	619-G4001	Barricades, Type III, Single Faced
Lump Sum	620-A001	Mobilization
97 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
670 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
183 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
250 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
113 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
338 Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
26 Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
196 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
267 Linear Feet	630-D004	Structural Steel Beams, W6 x 12
220 Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
403 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
8 Each	630-F001	Delineators, Guard Rail, White
261 Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
46 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
4 Each	640-A030	Traffic Signal Heads, Type 12 LED, Single Amber
2 Each	647-A001	Pullbox, Type 1
1,300 Linear Feet	666-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4Conductor
1,300 Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
5 Acre	907-225-A001	Grassing
15 Ton	907-225-B001	Agricultural Limestone
2 Acre	907-226-A001	Temporary Grassing
4 Each	907-234-D001	Inlet Siltation Guard
300 Linear Feet	907-237-A002	Wattles, 12"
900 Linear Feet	907-237-A003	Wattles, 20"
100 Each	907-246-A002	Sandbags
3,225 Ton	907-304-F004	Size 825B Crushed Stone Base
2,213 Gallon	907-407-A001	Asphalt for Tack Coat
16 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2 Each	907-619-E3001	Changeable Message Sign
6,120 Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,410 Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,774 Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
20,119 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,422 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

Call No. 03 for the July 24, 2012 Letting

987	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-630-O006	Remove and Reset Signs, Post Mounted
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
1,332	Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
1,332	Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,958	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
1,958	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
2,755	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
2,755	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture

Mill & Overlay approximately 10 miles on SR 9 from North of US 278/SR 6 to North of Eads Creek Road, known as Federal Aid Project No. STP-0050-01(032) / 106403301, in Pontotoc County.

PROJECT COMPLETION: April 12, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,150	Cubic Yard	203-G003	Excess Excavation, FM, AH
145,000	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
25	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
4,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,100	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,230	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,000	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
8,200	Gallon	907-407-A001	Asphalt for Tack Coat
20	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,700	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
750	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,600	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
18,000	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
18,000	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
3,700	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
		ALTERNATE GROUP BB NO. 2	
3,700	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Mill & Overlay approximately 3 miles of SR 69 from Granderson Creek to SR 182, known as Federal Aid Project No. STP-0068-01(019) / 106402301 in Lowndes County.

PROJECT COMPLETION: November 09, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

40	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
42	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
388	Linear Feet	202-B102	Removal of Guard Rail
10	Cubic Yard	203-G003	Excess Excavation, FM, AH
56,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
88	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-B014	Guard Rail, Bridge Connector, Per Plans
4	Each	606-D001	Guard Rail, Bridge End Section, Type A
4	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
569	Linear Feet	609-B001	Concrete Curb, Header
138	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
11	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
484	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
5	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
21,552	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,168	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
651	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
79	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
978	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
100	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
3,071	Gallon	907-407-A001	Asphalt for Tack Coat
242	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
6	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,829	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,947	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,084	Linear Feet	907-626-H004	Thermoplastic Legend, White
816	Square Feet	907-626-H005	Thermoplastic Legend, White
			ALTERNATE GROUP AA NO. 1
7,100	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
7,100	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,000	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
			ALTERNATE GROUP BB NO. 2
1,000	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Stripe replacement on various routes, known as Federal Aid Project No. STP-9999-02(248) / 106420301 in District 2.

PROJECT COMPLETION: June 14, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

9,011	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
18	Mile	625-A004	Traffic Stripe, High Build, Skip White
9	Mile	625-B004	Traffic Stripe, High Build, Skip Yellow
31	Mile	625-C004	Traffic Stripe, High Build, Continuous White
17	Mile	625-D004	Traffic Stripe, High Build, Continuous Yellow
71,337	Linear Feet	625-E002	Detail Traffic Stripe, High Build
542	Square Feet	625-F003	Legend, High Build
3,784	Linear Feet	625-F004	Legend, High Build
33	Square Feet	628-P001	High Performance Cold Plastic Legend, White
8	Mile	907-626-U002	4" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
59	Mile	907-626-U004	6" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
43	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
156	Mile	907-626-V004	6" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
31	Mile	907-626-W002	4" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
37	Mile	907-626-W004	6" Thermoplastic Traffic Stripe, Skip Yellow, 40-mil min.
23	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
99	Mile	907-626-X004	6" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
13,471	Linear Feet	907-626-Y001	Thermoplastic Detail Traffic Stripe, White, 4" Equivalent Length, 40-mil. min.
87,772	Linear Feet	907-626-Y002	Thermoplastic Detail Traffic Stripe, White, 6" Equivalent Length, 40-mil. min.
11,501	Linear Feet	907-626-Y003	Thermoplastic Detail Traffic Stripe, Yellow, 4" Equivalent Length, 40-mil. min.
71,329	Linear Feet	907-626-Y004	Thermoplastic Detail Traffic Stripe, Yellow, 6" Equivalent Length, 40-mil. min.
5,009	Linear Feet	907-626-Z001	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
2,853	Square Feet	907-626-Z002	Thermoplastic Legend, White, 4" Equivalent Length, 40-mil. min.
20,532	Linear Feet	907-626-Z003	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.
924	Square Feet	907-626-Z004	Thermoplastic Legend, White, 6" Equivalent Length, 40-mil. min.
281	Linear Feet	907-628-I001	4" High Performance Cold Plastic Traffic Stripe, Skip White
406	Linear Feet	907-628-J001	4" High Performance Cold Plastic Traffic Stripe, Continuous White
281	Linear Feet	907-628-L001	4" High Performance Cold Plastic Traffic Stripe, Skip Yellow
281	Linear Feet	907-628-M001	4" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NO. 1

4,022	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,500	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,240	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NO. 2

4,022	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,500	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,240	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Overlay approximately 3 miles of SR 501 from I-20 to the RR Crossing in Forest, known as State Project No. MP-5501-62(006) / 304356301 in Scott County.

PROJECT COMPLETION: November 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	202-A001	Removal of Obstructions
3,765	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
8	Square Yard	202-B035	Removal of Concrete Sidewalk
175	Linear Feet	202-B038	Removal of Curb, All Types
40	Linear Feet	202-B064	Removal of Pipe, 8" And Above
3,765	Square Yard	202-B084	Removal of Base
1	Each	202-B142	Removal of Junction Box
200	Cubic Yard	203-EX030	Borrow Excavation, AH, LVM, Class B15
25	Cubic Yard	203-G004	Excess Excavation, LVM, AH
150	Cubic Yard	206-A001	Structure Excavation
41	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
50	Linear Feet	234-A001	Temporary Silt Fence
90	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
5,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
514	Pounds	602-A001	Reinforcing Steel
88	Linear Feet	603-PA009	10' x 6' Precast Concrete Box Culvert
1	Each	603-SB028	30" Branch Connections, Stub into Box Culvert
50	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
3	Each	606-D014	Guard Rail, Bridge End Section, Type I, Metal Post
3	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
26	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
68	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
38	Linear Feet	609-E001	Bituminous Curb
	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
135	Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier
	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4007	Temporary Traffic Stripe, Skip Yellow, Paint
1,926	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,160	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
63	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
214	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
260	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3004	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
4	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
268	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
371	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Call No. 07 for the July 24, 2012 Letting

75 Square Yard	815-B001	Grouted Riprap
1 Acre	907-225-A001	Grassing
1,150 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
50 Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
4,500 Gallon	907-407-A001	Asphalt for Tack Coat
10 Cubic Yard	907-601-A001	Class "B" Structural Concrete
2 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
40 Linear Feet	907-603-PE207	30" Corrugated Polyethylene Pipe
5 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
1 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,286 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
640 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,160 Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
63 Square Feet	907-626-H010	Thermoplastic Double Drop Legend, White
5 Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
		ALTERNATE GROUP AA NO. 1
4,200 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP AA NO. 2
4,200 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
		ALTERNATE GROUP BB NO. 1
3,350 Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
3,350 Ton	907-403-N002	Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling
		ALTERNATE GROUP CC NO. 1
25 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
		ALTERNATE GROUP CC NO. 2
25 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR