

| SCOTT (62)  |           |   |           |       | MISSISSIPPI<br>DEPARTMENT OF<br>TRANSPORTATION | W. E. Blain & Sons,<br>Inc. | Superior Asphalt,<br>Inc. | APAC - Mississippi,<br>Inc. |
|---|-----------|---|-----------|-------|--|-----------------------------|---------------------------|-----------------------------|
| Overlay approximately 3 miles of SR 501 from I-20 to the RR Crossing in Forest, known as State Project No. MP-5501-62(006) / 304356301 in Scott County. |           |   |           |       | \$1,150,887.05                                 | \$1,014,410.35              | \$1,236,168.85            | \$1,255,600.60              |
| Ref#  | SM Item   | Item Description  | Item Qty  | Units |  | 1                           | 2                         | 3                           |
| 0010  | 202-A001  | Removal of Obstructions                                     | 1.000     | LS    |  | 12,000.00                   | 22,020.00                 | 12,000.00                   |
| 0020  | 202-B005  | Removal of Asphalt Pavement, All Depths                     | 3,765.000 | SY    |  | 8.50                        | 8.50                      | 7.50                        |
| 0030  | 202-B035  | Removal of Concrete Sidewalk                                | 8.000     | SY    |  | 40.00                       | 20.00                     | 40.00                       |
| 0040  | 202-B038  | Removal of Curb, All Types                                  | 175.000   | LF    |  | 12.00                       | 10.00                     | 18.00                       |
| 0050  | 202-B064  | Removal of Pipe, 8" And Above                               | 40.000    | LF    |  | 14.00                       | 10.00                     | 14.00                       |
| 0060  | 202-B084  | Removal of Base   | 3,765.000 | SY    |  | 1.20                        | 8.50                      | 5.25                        |
| 0070  | 202-B142  | Removal of Junction Box                                     | 1.000     | EA    |  | 800.00                      | 1,300.00                  | 800.00                      |
| 0080  | 203-EX030 | Borrow Excavation, AH, LVM, Class B15                       | 200.000   | CY    |  | 18.00                       | 27.00                     | 18.00                       |
| 0090  | 203-G004  | Excess Excavation, LVM, AH                                  | 25.000    | CY    |  | 16.00                       | 20.00                     | 98.00                       |
| 0100  | 206-A001  | Structure Excavation  | 150.000   | CY    |  | 8.00                        | 16.00                     | 8.00                        |
| 0110  | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM     | 41.000    | CY    |  | 60.00                       | 60.00                     | 60.00                       |
| 0120  | 234-A001  | Temporary Silt Fence  | 50.000    | LF    |  | 6.00                        | 5.00                      | 6.00                        |
| 0130  | 305-B001  | Size I Stabilizer Aggregate, Coarse                         | 90.000    | CY    |  | 60.00                       | 52.00                     | 90.00                       |
| 0140  | 406-A001  | Cold Milling of Bituminous Pavement, All Depths             | 5,200.000 | SY    |  | 4.80                        | 3.50                      | 2.45                        |
| 0150  | 602-A001  | Reinforcing Steel   | 514.000   | LBS   |  | 1.00                        | 1.00                      | 1.00                        |
| 0160  | 603-PA009 | 10' x 6' Precast Concrete Box Culvert                       | 88.000    | LF    |  | 600.00                      | 750.00                    | 780.00                      |
| 0170  | 603-SB028 | 30" Branch Connections, Stub into Box Culvert               | 1.000     | EA    |  | 750.00                      | 1,100.00                  | 750.00                      |
| 0180  | 606-B004  | Guard Rail, Class A, Type 1, Metal Post                     | 50.000    | LF    |  | 15.00                       | 15.00                     | 20.00                       |
| 0190  | 606-D014  | Guard Rail, Bridge End Section, Type I, Metal Post          | 3.000     | EA    |  | 1,800.00                    | 1,800.00                  | 1,900.00                    |
| 0200  | 606-E003  | Guard Rail, Terminal End Section, Non-Flared                | 3.000     | EA    |  | 1,850.00                    | 1,850.00                  | 2,100.00                    |
| 0210  | 608-A001  | Concrete Sidewalk, Without Reinforcement                    | 26.000    | SY    |  | 75.00                       | 35.00                     | 75.00                       |
| 0220  | 609-D001  | Combination Concrete Curb and Gutter Type 1                 | 68.000    | LF    |  | 25.00                       | 25.00                     | 25.00                       |
| 0230  | 609-E001  | Bituminous Curb   | 38.000    | LF    |  | 25.00                       | 50.00                     | 25.00                       |
| 0240  | 613-A001  | Adjustment of Castings, Gratings & Utility Appurtenances    | 1.000     | LS    |  | 800.00                      | 3,000.00                  | 2,000.00                    |
| 0250  | 615-A012  | Concrete Type IV Modified, 42" Height, Cast-in-Place Median | 135.000   | LF    |  | 150.00                      | 140.00                    | 150.00                      |
| 0260  | 618-A001  | Maintenance of Traffic                                      | 1.000     | LS    |  | 9,500.00                    | 35,000.00                 | 75,000.00                   |

| SCOTT (62)  |               |  |           |       | MISSISSIPPI<br>DEPARTMENT OF<br>TRANSPORTATION | W. E. Blain & Sons,<br>Inc. | Superior Asphalt,<br>Inc. | APAC - Mississippi,<br>Inc. |
|---|---------------|--|-----------|-------|--|-----------------------------|---------------------------|-----------------------------|
| Overlay approximately 3 miles of SR 501 from I-20 to the RR Crossing in Forest, known as State Project No. MP-5501-62(006) / 304356301 in Scott County. |               |  |           |       | \$1,150,887.05                                 | \$1,014,410.35              | \$1,236,168.85            | \$1,255,600.60              |
| Ref#  | SM Item       | Item Description   | Item Qty  | Units |  | 1                           | 2                         | 3                           |
| 0270  | 619-A1002     | Temporary Traffic Stripe, Continuous White                   | 5.000     | MI    |  | 500.00                      | 500.00                    | 500.00                      |
| 0280  | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                  | 5.000     | MI    |  | 500.00                      | 500.00                    | 500.00                      |
| 0290  | 619-A4007     | Temporary Traffic Stripe, Skip Yellow, Paint                 | 1.000     | MI    |  | 500.00                      | 500.00                    | 500.00                      |
| 0300  | 619-A5001     | Temporary Traffic Stripe, Detail                             | 1,926.000 | LF    |  | 0.10                        | 0.10                      | 0.10                        |
| 0310  | 619-A6001     | Temporary Traffic Stripe, Legend                             | 1,160.000 | LF    |  | 0.50                        | 0.50                      | 0.50                        |
| 0320  | 619-A6002     | Temporary Traffic Stripe, Legend                             | 63.000    | SF    |  | 0.75                        | 0.75                      | 0.75                        |
| 0330  | 619-D1001     | Standard Roadside Construction Signs, Less than 10 Square Fe | 214.000   | SF    |  | 5.00                        | 5.00                      | 5.00                        |
| 0340  | 619-D2001     | Standard Roadside Construction Signs, 10 Square Feet or More | 260.000   | SF    |  | 5.50                        | 5.50                      | 5.50                        |
| 0350  | 619-F3004     | Delineators, Guard Rail, White                               | 12.000    | EA    |  | 14.00                       | 14.00                     | 15.00                       |
| 0360  | 619-G4001     | Barricades, Type III, Single Faced                           | 48.000    | LF    |  | 10.00                       | 10.00                     | 10.00                       |
| 0370  | 619-G4005     | Barricades, Type III, Double Faced                           | 24.000    | LF    |  | 15.00                       | 15.00                     | 15.00                       |
| 0380  | 619-G7001     | Warning Lights, Type "B"                                     | 4.000     | EA    |  | 350.00                      | 350.00                    | 350.00                      |
| 0390  | 620-A001      | Mobilization   | 1.000     | LS    |  | 25,000.00                   | 59,044.00                 | 50,000.00                   |
| 0400  | 627-J001      | Two-Way Clear Reflective High Performance Raised Markers     | 268.000   | EA    |  | 3.00                        | 3.00                      | 3.00                        |
| 0410  | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers    | 371.000   | EA    |  | 3.00                        | 3.00                      | 3.00                        |
| 0420  | 815-B001      | Grouted Riprap   | 75.000    | SY    |  | 75.00                       | 90.00                     | 64.00                       |
| 0430  | 907-225-A001  | Grassing   | 1.000     | ACRE  |  | 3,000.00                    | 2,600.00                  | 3,000.00                    |
| 0435  | 907-265-PP002 | Relocation of Existing Water Line                            | 1.000     | LS    |  | 18,000.00                   | 52,250.00                 | 25,000.00                   |
| 0440  | 907-304-A001  | Granular Material, LVM, Class 5, Group C                     | 1,150.000 | CY    |  | 22.00                       | 25.00                     | 38.50                       |
| 0450  | 907-304-H001  | Size 825 Crushed Stone Base, LVM                             | 50.000    | CY    |  | 66.00                       | 110.00                    | 80.00                       |
| 0460  | 907-407-A001  | Asphalt for Tack Coat  | 4,500.000 | GAL   |  | 2.60                        | 1.00                      | 2.70                        |
| 0470  | 907-601-A001  | Class "B" Structural Concrete                                | 10.000    | CY    |  | 1,100.00                    | 810.00                    | 1,100.00                    |
| 0480  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures              | 2.000     | CY    |  | 1,500.00                    | 1,550.00                  | 1,500.00                    |
| 0490  | 907-603-PE207 | 30" Corrugated Polyethylene Pipe                             | 40.000    | LF    |  | 75.00                       | 50.00                     | 75.00                       |
| 0500  | 907-626-C006  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,  | 5.000     | MI    |  | 2,200.00                    | 2,200.00                  | 2,200.00                    |
| 0510  | 907-626-D006  | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow     | 1.000     | MI    |  | 1,200.00                    | 1,200.00                  | 1,200.00                    |

| SCOTT (62)  |              |  |           |       | MISSISSIPPI<br>DEPARTMENT OF<br>TRANSPORTATION | W. E. Blain & Sons,<br>Inc. | Superior Asphalt,<br>Inc. | APAC - Mississippi,<br>Inc. |
|---|--------------|--|-----------|-------|--|-----------------------------|---------------------------|-----------------------------|
| Overlay approximately 3 miles of SR 501 from I-20 to the RR Crossing in Forest, known as State Project No. MP-5501-62(006) / 304356301 in Scott County. |              |  |           |       | \$1,150,887.05                                 | \$1,014,410.35              | \$1,236,168.85            | \$1,255,600.60              |
| Ref#  | SM Item      | Item Description   | Item Qty  | Units |  | 1                           | 2                         | 3                           |
| 0520  | 907-626-E006 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yell | 5.000     | MI    |  | 2,000.00                    | 2,000.00                  | 2,200.00                    |
| 0530  | 907-626-G006 | Thermoplastic Double Drop Detail Stripe, White               | 1,286.000 | LF    |  | 1.00                        | 1.00                      | 1.00                        |
| 0540  | 907-626-G007 | Thermoplastic Double Drop Detail Stripe, Yellow              | 640.000   | LF    |  | 1.00                        | 1.00                      | 1.00                        |
| 0550  | 907-626-H009 | Thermoplastic Double Drop Legend, White                      | 1,160.000 | LF    |  | 1.50                        | 1.50                      | 1.50                        |
| 0560  | 907-626-H010 | Thermoplastic Double Drop Legend, White                      | 63.000    | SF    |  | 5.00                        | 5.00                      | 5.00                        |
| 0570  | 907-631-B001 | Flowable Fill, Non-Excavatable                               | 5.000     | CY    |  | 250.00                      | 500.00                    | 250.00                      |
| 0580  | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture                         | 4,200.000 | TON   |  |                             |                           |                             |
| 0590  | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture                        | 4,200.000 | TON   |  | 87.00                       | 100.00                    | 95.50                       |
| 0600  | 907-403-B007 | Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling               | 3,350.000 | TON   |  |                             |                           |                             |
| 0610  | 907-403-N002 | Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling              | 3,350.000 | TON   |  | 91.00                       | 100.00                    | 110.00                      |
| 0620  | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture                           | 25.000    | TON   |  |                             |                           |                             |
| 0630  | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture                          | 25.000    | TON   |  | 125.00                      | 100.00                    | 150.00                      |