

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 8/20/2012 ADDENDUM NO. DATED
 ADDENDUM NO. DATED ADDENDUM NO. DATED

Number	Description
1	Revised Bid Items, replace same; Revised or Added Plan Sheet Nos. 2,8; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

HSIP-0020-02(075) / 104909301

Lauderdale County(ies)

Reconstruction of I-20 West Bound On-Ramp at Lost Gap, known as Federal Aid Project No. HSIP-0020-02(075) / 104909301, in Lauderdale County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					Roadway Items
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B010		18	Square Yard	Removal of Bridge End Pavement
0030	202-B011		360	Linear Feet	Removal of Bridge Railing
0040	202-B025		64	Square Yard	Removal of Concrete Paved Ditch
0050	202-B041		57	Linear Feet	Removal of Fence, All Types
0060	202-B102		1,188	Linear Feet	Removal of Guard Rail
0070	202-B141		200	Linear Feet	Removal of Edge Drain
0080	202-B149		4	Mile	Removal of Traffic Stripe
0090	202-B150		2	Each	Removal of Object Markers
0100	203-A003	(E)	3,111	Cubic Yard	Unclassified Excavation, FM, AH
0110	203-EX035	(E)	13,930	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0120	206-A001	(S)	37	Cubic Yard	Structure Excavation
0130	209-A004		7,600	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0140	211-A001		14,300	Square Yard	Topsoil for Slope Treatment, From Right-of-Way
0150	211-B001	(E)	530	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0160	213-C001		2	Ton	Superphosphate
0170	215-A001		6	Ton	Vegetative Materials for Mulch
0180	216-A001		211	Square Yard	Solid Sodding
0190	217-A001		300	Square Yard	Ditch Liner
0200	219-A001		4	Thousand Gallon	Watering [\$20.00]
0210	220-A001		2	Acre	Insect Pest Control [\$30.00]
0220	221-A001	(S)	55	Cubic Yard	Portland Cement Concrete Paved Ditch
0230	223-A001		1	Acre	Mowing [\$40.00]
0240	234-A001		1,250	Linear Feet	Temporary Silt Fence
0250	239-A001		485	Linear Feet	Temporary Slope Drains
0260	406-A001		11,540	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0270	413-B001		105	Linear Feet	Cleaning and Sealing Joints
0280	423-A001		1	Mile	Rumble Strips, Ground In
0290	501-E001		66	Linear Feet	Expansion Joints, Without Dowels
0300	501-K001		146	Square Yard	Transverse Grooving
0310	502-A001	(C)	146	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0320	603-CA003	(S)	8	Linear Feet	24" Reinforced Concrete Pipe, Class III

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0330	603-CA009	(S)	40	Linear Feet	60" Reinforced Concrete Pipe, Class III
0340	603-CB002	(S)	1	Each	24" Reinforced Concrete End Section
0350	603-CB008	(S)	1	Each	60" Reinforced Concrete End Section
0360	606-B001		1,063	Linear Feet	Guard Rail, Class A, Type 1
0370	606-C003		2	Each	Guard Rail, Cable Anchor, Type 1
0380	606-D012		2	Each	Guard Rail, Bridge End Section, Type I
0390	606-E001		2	Each	Guard Rail, Terminal End Section
0400	607-A002		45	Linear Feet	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
0410	607-B005		12	Linear Feet	60" Type I Chain Link Fence, Class II
0420	607-B025		120	Linear Feet	120" Type I Chain Link Fence, Class I
0430	615-A015	(S)	80	Linear Feet	Concrete Bridge End Barrier, 32"
0440	615-B001	(S)	2,535	Linear Feet	Precast Concrete Median Barrier
0450	618-A001		1	Lump Sum	Maintenance of Traffic
0460	619-A1003		16,450	Linear Feet	Temporary Traffic Stripe, Continuous White, Paint
0470	619-A1007		1,115	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 Tape
0480	619-A2003		12,010	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Paint
0490	619-A2007		890	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
0500	619-A3002		10,100	Linear Feet	Temporary Traffic Stripe, Skip White, Paint
0510	619-A3004		1,115	Linear Feet	Temporary Traffic Stripe, Skip White, Type 1 Tape
0520	619-C6001		400	Each	Red-Clear Reflective High Performance Raised Marker
0530	619-C7001		72	Each	Two-Way Yellow Reflective High Performance Raised Marker
0540	619-D1001		48	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0550	619-D2001		320	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0560	619-F2001		1,015	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0570	619-F4001		165	Unit	Snap-Back Delineator
0580	619-F5001		165	Unit	Snap-Back Delineator, Replacement
0590	619-G4005		24	Linear Feet	Barricades, Type III, Double Faced
0600	619-J1003		1	Unit	Impact Attenuator, 60 MPH
0610	619-J2002		1	Unit	Impact Attenuator, 60 MPH, Replacement Package
0615	620-A001		1	Lump Sum	Mobilization
	Added 08/20/2012				
0620	627-K001		104	Each	Red-Clear Reflective High Performance Raised Markers
0630	630-A001		3	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0640	630-A002		25	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0650	630-E004		30	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0660	630-F001		20	Each	Delineators, Guard Rail, White
0670	630-F002		7	Each	Delineators, Guard Rail, Yellow
0680	630-F006		4	Each	Delineators, Post Mounted, Single White
0690	630-F007		4	Each	Delineators, Post Mounted, Single Yellow
0700	630-F008		9	Each	Delineators, Post Mounted, Double White
0710	630-G001		1	Each	Type 3 Object Markers, OM-3R, Post Mounted
0720	630-G003		1	Each	Type 3 Object Markers, OM-3L, Post Mounted
0730	630-K002		17	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0740	630-K003		18	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0750	815-F001	(S)	24	Cubic Yard	Sediment Control Stone
0760	907-225-A001		3	Acre	Grassing
0770	907-225-B001		9	Ton	Agricultural Limestone
0780	907-226-A001		2	Acre	Temporary Grassing
0790	907-237-A003		180	Linear Feet	Wattles, 20"
0800	907-246-B002		100	Each	Rockbags
0810	907-249-A001		120	Ton	Riprap for Erosion Control
0820	907-249-B001		60	Cubic Yard	Remove and Reset Riprap
0830	907-304-C001	(GY)	270	Cubic Yard	Granular Material, AEA, Class 5, Group C
0840	907-304-F004	(GT)	1,255	Ton	Size 825B Crushed Stone Base
0850	907-407-A001	(A2)	2,265	Gallon	Asphalt for Tack Coat
0860	907-601-B003	(S)	2	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0870	907-619-E3001		1	Each	Changeable Message Sign
0880	907-626-A004		2,700	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
0890	907-626-A006		220	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0900	907-626-C007		220	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0910	907-626-C008		3,361	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
0920	907-626-F005		220	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0930	907-626-F008		3,355	Linear Feet	6" Thermoplastic Edge Stripe, Continuous Yellow
0940	907-626-G004		1,692	Linear Feet	Thermoplastic Detail Stripe, White
0950	907-626-G006		32	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0960	907-699-A002		1	Lump Sum	Roadway Construction Stakes
ALTERNATE GROUP AA NUMBER 1					
0970	907-403-A002	(BA1)	875	Ton	Hot Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP AA NUMBER 2					
0980	907-403-M011	(BA1)	875	Ton	Warm Mix Asphalt, HT, 19-mm mixture
ALTERNATE GROUP BB NUMBER 1					

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0990	907-403-B003	(BA1)	100	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP BB NUMBER 2
1000	907-403-N008	(BA1)	100	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling ALTERNATE GROUP CC NUMBER 1
1010	907-403-D001	(BA1)	2,355	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP CC NUMBER 2
1020	907-403-P002	(BA1)	2,355	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP DD NUMBER 1
1030	907-403-D002	(BA1)	895	Ton	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified ALTERNATE GROUP DD NUMBER 2
1040	907-403-P003	(BA1)	895	Ton	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified Bridge Items
1050	801-A001	(S)	197	Cubic Yard	Foundation Excavation for Bridges
1060	803-C003	(S)	470	Linear Feet	16" x 16" Prestressed Concrete Piling
1070	803-I001	(S)	2	Each	PDA Test Pile
1080	803-J001	(S)	2	Each	Pile Restrike
1090	803-N001	(S)	20	Linear Feet	Exploration
1100	803-O003	(S)	120	Linear Feet	Permanent Casing, 48" Diameter
1110	805-A001	(S)	78,002	Pounds	Reinforcement
1120	813-A001	(S)	365	Linear Feet	Concrete Railing
1130	815-A009	(S)	499	Ton	Loose Riprap, Size 300
1140	815-D001	(S)	168	Cubic Yard	Concrete Slope Paving
1150	815-E001	(S)	443	Square Yard	Geotextile under Riprap
1160	907-803-K001	(S)	270	Linear Feet	Drilled Shaft, 48" Diameter
1170	907-803-M001	(S)	46	Linear Feet	Trial Shaft, 48" Diameter
1180	907-804-A001	(S)	434	Cubic Yard	Bridge Concrete, Class AA
1190	907-804-C019	(S)	896	Linear Feet	60' Prestressed Concrete Beam, Type II+2