

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 8/21/2012 ADDENDUM NO. _____ DATED _____
 ADDENDUM NO. _____ DATED _____ ADDENDUM NO. _____ DATED _____

Number	Description
1	Revised Wage Rates, Replace same; Revised Bid Items, Replace same; Revised Plan Sheets 2, 4, and 10, Replace same; Amendment EBS Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

HSIP-0059-02(020) / 105735301

Jones County(ies)

General Decision Number: MS120143 08/03/2012 MS143

Superseded General Decision Number: MS20100186

State: Mississippi

Construction Type: Highway

County: Jones County in Mississippi.

HIGHWAY CONSTRUCTION PROJECTS (excluding tunnels, building structures in rest area projects & railroad construction; bascule, suspension & spandrel arch bridges designed for commercial navigation, bridges involving marine construction; and other major bridges).

Modification Number	Publication Date
0	01/06/2012
1	08/03/2012

* ELEC0480-007 07/01/2012

	Rates	Fringes
ELECTRICIAN.....	\$ 23.10	3%+7.43

 SUMS2008-104 09/04/2008

	Rates	Fringes
CARPENTER, Includes Form Work....	\$ 11.10	0.60
CEMENT MASON/CONCRETE FINISHER...	\$ 10.67	0.78
IRONWORKER, REINFORCING.....	\$ 10.38	0.00
LABORER: Common or General.....	\$ 8.30	0.00
LABORER: Pipelayer.....	\$ 9.68	0.00
OPERATOR: Backhoe/Excavator.....	\$ 11.13	0.00
OPERATOR: Broom.....	\$ 10.17	0.00
OPERATOR: Bulldozer.....	\$ 11.17	0.00
OPERATOR: Crane.....	\$ 14.57	0.00
OPERATOR: Grader/Blade.....	\$ 11.00	0.00
OPERATOR: Mechanic.....	\$ 12.04	0.00
OPERATOR: Oiler.....	\$ 12.33	0.48
OPERATOR: Roller.....	\$ 9.31	0.00
OPERATOR: Scraper.....	\$ 10.00	0.00
OPERATOR: Tractor.....	\$ 7.25	0.00

OPERATOR: Asphalt Paver and Asphalt Spreader.....	\$ 10.00	0.00
OPERATOR: Loader.....	\$ 10.15	0.00
TRUCK DRIVER.....	\$ 9.71	1.09

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of "identifiers" that indicate whether the particular rate is union or non-union.

Union Identifiers

An identifier enclosed in dotted lines beginning with characters other than "SU" denotes that the union classification and rate have found to be prevailing for that classification. Example: PLUM0198-005 07/01/2011. The first four letters, PLUM, indicate the international union and the four-digit number, 0198, that follows indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. The date, 07/01/2011, following these characters is the effective date of the most current negotiated rate/collective bargaining agreement which would be July 1, 2011 in the above example.

Union prevailing wage rates will be updated to reflect any changes in the collective bargaining agreements governing the rate.

Non-Union Identifiers

Classifications listed under an "SU" identifier were derived from survey data by computing average rates and are not union rates; however, the data used in computing these rates may include both union and non-union data. Example: SULA2004-007 5/13/2010. SU indicates the rates are not union rates, LA indicates the State of Louisiana; 2004 is the year of the survey; and 007 is an internal number used in producing the

wage determination. A 1993 or later date, 5/13/2010, indicates the classifications and rates under that identifier were issued as a General Wage Determination on that date.

Survey wage rates will remain in effect and will not change until a new survey is conducted.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor

200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

=====

END OF GENERAL DECISION

Interchange Modifications on I-59 at 16th Avenue in Laurel, known as Federal Aid Project No. HSIP-0059-02(020) / 105735301 in Jones County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					Roadway Items
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	202-B057		2	Each	Removal of Inlets, All Sizes
0030	202-B070		29	Each	Removal of Sign Including Post & Footing
0040	202-B076		3,675	Linear Feet	Removal of Traffic Stripe
0050	202-B078		4,223	Square Yard	Removal of Pavement, All Types and Depths
0060	202-B093		3,525	Linear Feet	Removal of Curb & Gutter, All Types
0070	202-B106		46	Linear Feet	Removal of Pipe, All Sizes
0080	202-B136		2	Each	Removal of Guard Rail Terminal End Section
0090	203-A003	(E)	1,010	Cubic Yard	Unclassified Excavation, FM, AH
0100	203-EX039	(E)	2,124	Cubic Yard	Borrow Excavation, AH, LVM, Class B7-6
0110	203-G004	(E)	7,051	Cubic Yard	Excess Excavation, LVM, AH
0120	206-A001	(S)	63	Cubic Yard	Structure Excavation
0130	206-B001	(E)	3	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0140	209-A004		9,990	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	211-A001		10,683	Square Yard	Topsoil for Slope Treatment, From Right-of-Way
0160	213-B001		1	Ton	Combination Fertilizer, 13-13-13
0170	213-C001		2	Ton	Superphosphate
0180	215-A001		9	Ton	Vegetative Materials for Mulch
0190	216-A001		45	Square Yard	Solid Sodding
0200	217-A001		1,000	Square Yard	Ditch Liner
0210	219-A001		1	Thousand Gallon	Watering [\$20.00]
0220	221-A001	(S)	6	Cubic Yard	Portland Cement Concrete Paved Ditch
0230	234-A001		75	Linear Feet	Temporary Silt Fence
0240	235-A001		66	Bale	Temporary Erosion Checks
0250	406-A001		13,036	Square Yard	Cold Milling of Bituminous Pavement, All Depths
0260	423-A001		1	Mile	Rumble Strips, Ground In
0270	503-C007		2,025	Linear Feet	Saw Cut, Full Depth
0280	602-A001	(S)	1,417	Pounds	Reinforcing Steel
0290	603-CA088	(S)	160	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0292	604-A001		158	Pounds	Castings
	Added 08/20/2012				
0294	604-B001		250	Pounds	Gratings
	Added 08/20/2012				

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0300	606-E001		2	Each	Guard Rail, Terminal End Section
0310	609-D007	(S)	760	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0320	616-A003	(S)	429	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0330	618-A001		1	Lump Sum	Maintenance of Traffic
0340	619-A1001		7,275	Linear Feet	Temporary Traffic Stripe, Continuous White
0350	619-A2001		5,817	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0360	619-A3002		6,423	Linear Feet	Temporary Traffic Stripe, Skip White, Paint
0370	619-A5002		3,531	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0380	619-A6003		336	Linear Feet	Temporary Traffic Stripe, Legend, Paint
0390	619-A6004		641	Square Feet	Temporary Traffic Stripe, Legend, Paint
0400	619-D1001		106	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0410	619-D2001		1,328	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0420	619-F1001		2,019	Linear Feet	Concrete Median Barrier, Precast
0430	619-G4001		74	Linear Feet	Barricades, Type III, Single Faced
0440	619-G5001		298	Each	Free Standing Plastic Drums
0450	619-G7001		12	Each	Warning Lights, Type "B"
0460	619-J1003		3	Unit	Impact Attenuator, 60 MPH
0470	619-J2002		3	Unit	Impact Attenuator, 60 MPH, Replacement Package
0480	627-F001		45	Each	One-Way Yellow Reflective Raised Markers
0490	627-K001		201	Each	Red-Clear Reflective High Performance Raised Markers
0500	630-A001		201	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0510	630-A002		131	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0520	630-B001		1,129	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
0530	630-B002		188	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
0540	630-C001		9	Linear Feet	Steel U-Section Posts, 2.0 lb/ft
0550	630-C003		127	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0560	630-D003		122	Linear Feet	Structural Steel Beams, W6 x 9
0570	630-D004		38	Linear Feet	Structural Steel Beams, W6 x 12
0580	630-D005		93	Linear Feet	Structural Steel Beams, W6 x 15
0590	630-D010		41	Linear Feet	Structural Steel Beams, W12 x 26
0600	630-E001		30	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
0610	630-E002		17	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
0620	630-E003		26	Pounds	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
0630	630-E004		311	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
0640	630-K001		45	Linear Feet	Welded & Seamless Steel Pipe Posts, 3"

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0650	630-K002		58	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
0660	630-K003		134	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
0670	635-A001		858	Linear Feet	Vehicle Loop Assemblies
0680	636-A005		1,190	Linear Feet	Shielded Cable, AWG #14, 2 Conductor
0690	638-A005		3	Each	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
0700	640-A016		4	Each	Traffic Signal Heads, Type 1 LED
0710	640-A019		2	Each	Traffic Signal Heads, Type 5 LED
0720	640-A022		1	Each	Traffic Signal Heads, Type 7 LED
0730	647-A001		3	Each	Pullbox, Type 1
0740	647-A003		4	Each	Pullbox, Type 4
0750	647-A004		1	Each	Pullbox, Type 5
0760	647-A005		1	Each	Pullbox, Type 2
0770	666-B026		1,120	Linear Feet	Electric Cable, Underground in Conduit, IMSA 26-3, AWG 8, 2 Conductor
0780	666-C007		895	Linear Feet	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
0790	668-A016		690	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 1"
0800	668-A018		40	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
0810	668-A020		60	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
0820	668-B024		970	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
0830	668-B025		220	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
0840	815-F002	(S)	1	Ton	Sediment Control Stone
0850	907-225-A001		5	Acre	Grassing
0860	907-225-B001		13	Ton	Agricultural Limestone
0870	907-226-A001		2	Acre	Temporary Grassing
0880	907-234-D001		2	Each	Inlet Siltation Guard
0890	907-237-A002		30	Linear Feet	Wattles, 12"
0900	907-237-A003		30	Linear Feet	Wattles, 20"
0910	907-245-A001		30	Linear Feet	Triangular Silt Dike
0920	907-246-A001		60	Linear Feet	Sandbags
0930	907-249-A001		7	Ton	Riprap for Erosion Control
0940	907-304-A005	(GY)	2,064	Cubic Yard	Granular Material, LVM, Class 9, Group C
0950	907-304-F001	(GT)	2,810	Ton	Size 825 Crushed Stone Base
0960	907-413-E001		2,782	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0962	907-407-A001	(A2)	1,369	Gallon	Asphalt for Tack Coat
Added 08/20/2012					
0970	907-601-B003	(S)	16	Cubic Yard	Class "B" Structural Concrete, Minor Structures

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0980	907-604-PP003		5	Each	Modify Existing Inlet, Per Plans
0990	907-626-A004		4,623	Linear Feet	6" Thermoplastic Traffic Stripe, Skip White
1000	907-626-B003		1,287	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous White
1010	907-626-C005		4,028	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
1020	907-626-F007		3,850	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
1030	907-626-G004		2,231	Linear Feet	Thermoplastic Detail Stripe, White
1040	907-626-G005		400	Linear Feet	Thermoplastic Detail Stripe, Yellow
1050	907-626-H004		336	Linear Feet	Thermoplastic Legend, White
1060	907-626-H005		641	Square Feet	Thermoplastic Legend, White
1070	907-626-H007		2	Each	Thermoplastic Legend, Interstate Shield
1080	907-639-A006		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1090	907-639-A009		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1100	907-639-A107		1	Each	Traffic Signal Equipment Pole, Type II, 17' Shaft, 20' Arm
1110	907-639-C002		10	Cubic Yard	Pole Foundations, 36" Diameter
1120	907-639-D001		29	Linear Feet	Slip Casing, 36" Diameter
1130	907-642-A005		1	Each	Solid State Traffic Actuated Controllers, Type 8M
1140	907-657-A001		1,180	Linear Feet	Fiber Optic Cable, 72 SM
1150	907-657-A002		20	Linear Feet	Fiber Optic Cable, 12 SM
1160	907-658-A001		1	Each	Hardened Network Switch, Type A
1170	907-699-A002		1	Lump Sum	Roadway Construction Stakes
					ALTERNATE GROUP AA NUMBER 1
1180	907-403-A002	(BA1)	661	Ton	Hot Mix Asphalt, HT, 19-mm mixture
					ALTERNATE GROUP AA NUMBER 2
1190	907-403-M011	(BA1)	661	Ton	Warm Mix Asphalt, HT, 19-mm mixture
					ALTERNATE GROUP BB NUMBER 1
1200	907-403-A011	(BA1)	206	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
					ALTERNATE GROUP BB NUMBER 2
1210	907-403-M003	(BA1)	206	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture
					ALTERNATE GROUP CC NUMBER 1
1220	907-403-A012	(BA1)	1,118	Ton	Hot Mix Asphalt, ST, 19-mm mixture
					ALTERNATE GROUP CC NUMBER 2
1230	907-403-M004	(BA1)	1,118	Ton	Warm Mix Asphalt, ST, 19-mm mixture
					ALTERNATE GROUP DD NUMBER 1
1240	907-403-A015	(BA1)	154	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
					ALTERNATE GROUP DD NUMBER 2

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1250	907-403-M001	(BA1)	154	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP EE NUMBER 1
1260	907-403-D001	(BA1)	364	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP EE NUMBER 2
1270	907-403-P002	(BA1)	364	Ton	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified ALTERNATE GROUP FF NUMBER 1
1280	907-403-D004	(BA1)	1,369	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified ALTERNATE GROUP FF NUMBER 2
1290	907-403-P001	(BA1)	1,369	Ton	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified