

[Proposal & Plan Sales Will Begin on August 6, 2012](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for August – August 28, 2012

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR AUGUST - Tuesday, August 28, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 06, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
02	IM-0020-02(084) / 105057301	Scott
* 03	IM-0055-02(234) / 106476301	Hinds
04	HSIP-0002-02(063) / 106233301	Clarke
05	HSIP-0008-01(127) / 106215301	Forrest
06	HSIP-0020-02(075) / 104909301	Lauderdale
07	HSIP-0040-01(021) / 101635301	Monroe
08	HSIP-0059-02(020) / 105735301	Jones
* 09	STP-0472-00(011) / 106374301	Newton
10	MRP-1082-44(021) / 304430301	Lowndes
* 11	MP-5011-38(007) / 303919301	Lauderdale
* 12	MP-5016-45(011) / 304416301	Madison

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday, September 25, 2012; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	STP-0029-02(016) , & STP-0029-03(008) / 102556313, & 314	Marshall & Desoto

Mill & Overlay approximately 7 miles of I-20 from Rankin County Line to East End of Strong River Bridges, known as Federal Aid Project No. IM-0020-02(084) / 105057301 in Scott County.

PROJECT COMPLETION: June 28, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

12 Acre	201-D002	Random Clearing
3,000 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
400 Square Yard	202-B025	Removal of Concrete Paved Ditch
4,820 Linear Feet	202-B041	Removal of Fence, All Types
800 Square Yard	202-B068	Removal of Reinforced Concrete Pavement, All Depths
1 Each	202-B069	Removal of Sign
66 Each	202-B070	Removal of Sign Including Post & Footing
126 Square Feet	202-B071	Removal of Sign Panels Including Hardware
15,500 Linear Feet	202-B076	Removal of Traffic Stripe
123 Each	202-B086	Removal of Guard Post
7,500 Linear Feet	202-B087	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
7 Each	202-B098	Removal of Inlet and Junction Box, All Types & Sizes
640 Linear Feet	202-B106	Removal of Pipe, All Sizes
550 Square Yard	202-B138	Removal of Riprap
12 Each	202-B150	Removal of Object Markers
4,780 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
6,981 Cubic Yard	203-G003	Excess Excavation, FM, AH
2,100 Cubic Yard	203-G004	Excess Excavation, LVM, AH
3,000 Square Yard	203-I001	Site Grading
6,486 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3,400 Square Yard	216-B004	Solid Sodding, Bermuda
4,500 Square Yard	217-A001	Ditch Liner
72 Thousand Gallon	219-A001	Watering
100 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
160 Acre	223-A001	Mowing
6,600 Linear Feet	234-A001	Temporary Silt Fence
100 Bale	235-A001	Temporary Erosion Checks
303,032 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
26 Mile	423-A001	Rumble Strips, Ground In
72 Linear Feet	501-D001	Expansion Joints, With Dowels
83 Linear Feet	501-E001	Expansion Joints, Without Dowels
216 Linear Feet	501-I001	Joint Filler, Wooden Board
107 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,043 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
730 Linear Feet	503-C005	Saw Cut, 8-inch
144 Linear Feet	503-C009	Saw Cut, 2-inch
13 Cubic Yard	503-D001	Concrete for Base Repair
74 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
46 Each	503-F005	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
2,859 Linear Feet	508-A001	Silicone Sealed Joints

Call No. 02 for the August 28, 2012 Letting

665	Each	512-A001	Holes
1,483	Pounds	602-A001	Reinforcing Steel
10	Cubic Yard	605-X001	Filter Material for Filter Beds, Type A
	Lump Sum	605-Z001	Underdrain Appurtenances, Small Animal Guard
30	Each	605-Z002	Underdrain Appurtenances, Small Animal Guard
10	Each	605-Z004	Underdrain Appurtenances, Sign
10	Each	605-Z005	Underdrain Appurtenances, Concrete Apron, Precast or Cast-In-Place
150	Each	606-A001	Guard Posts
5,808	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
26	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D020	Guard Rail, Bridge End Section, Type C Modified
38	Each	606-E002	Guard Rail, Terminal End Section, Flared
4,820	Linear Feet	607-A001	31.5" Type"A" Woven Wire Fence, w/ Barbed Wire as Shown
2	Each	607-G111	Gate, 12' x 5' Galvanized Metal
2	Each	607-G119	Gate, 3' x 52" Chain Link
352	Each	607-P1020	Line Post, 7' x 4" Timber
51	Each	607-P2001	Brace Post, 8' x 6" Timber
8	Each	607-P3001	Gate Post, 8' x 6" Timber
	Lump Sum	618-A001	Maintenance of Traffic
15	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
15	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
15	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Paint
9,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
488	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
2,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
150	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
149	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
310	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,115	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
60	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
181	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
160	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
114	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
184	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
147	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
292	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
533	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
144	Each	630-F001	Delineators, Guard Rail, White
173	Each	630-F002	Delineators, Guard Rail, Yellow
75	Each	630-F006	Delineators, Post Mounted, Single White
17	Each	630-F007	Delineators, Post Mounted, Single Yellow
176	Each	630-F008	Delineators, Post Mounted, Double White

Call No. 02 for the August 28, 2012 Letting

54	Each	630-F009	Delineators, Post Mounted, Double Yellow
8	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
59	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
309	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
2,138	Linear Feet	808-A001	Joint Preparation
250	Ton	815-A008	Loose Riprap, Size 200
309	Square Yard	815-E001	Geotextile under Riprap
3	Acre	907-225-A001	Grassing
700	Linear Feet	907-237-A003	Wattles, 20"
200	Each	907-246-B002	Rockbags
500	Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
1,000	Cubic Yard	907-304-F005	Size 610 Crushed Stone Base, AEA
30,303	Gallon	907-407-A001	Asphalt for Tack Coat
694	Square Yard	907-501-A001	8" Reinforced Cement Concrete Pavement, Broom Finish
66,500	Pounds	907-512-B001	Portland Cement Pressure Grout Slurry, Type 1
16	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
1,020	Square Yard	907-605-CC001	Prefabricated Sheet Drain
150	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
30	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
15	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
15	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
9,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
2,138	Linear Feet	907-824-PP002	Bridge Repair, Joint Repair, Per Plans
1,281	Linear Feet	907-824-PP004	Bridge Repair, Removal of Joint Armor, Per Plans
1,259	Linear Feet	907-824-PP008	Bridge Repair, Silicone Sealed Joint, Per Plans
			ALTERNATE GROUP AA NO. 1
496	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
496	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
9,190	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
9,190	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
26,558	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP CC NO. 2
26,558	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 1
2,600	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 2
2,600	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			ALTERNATE GROUP EE NO. 1
2,573	Ton	907-403-E001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

Call No. 02 for the August 28, 2012 Letting

ALTERNATE GROUP EE NO. 2

2,573 Ton

907-403-Q002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified, Leveling

Mill and Overlay approximately 10 miles of I-55 Northbound Lanes from the Copiah County Line to Byram, known as Federal Aid Project No. IM-0055-02(234) / 106476301 in Hinds County.

PROJECT COMPLETION: November 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

94	Square Yard	202-B013	Removal of Cement Treated Base, All Depths
94	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
138,591	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,900	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
12	Linear Feet	501-D001	Expansion Joints, With Dowels
70	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
312	Linear Feet	503-C007	Saw Cut, Full Depth
8	Cubic Yard	503-D001	Concrete for Base Repair
343	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A3006	Temporary Traffic Stripe, Skip White
1,550	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
84	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Single Faced
	Lump Sum	620-A001	Mobilization
1,275	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,800	Ton	907-304-B007	Granular Material, Class 5, Group E
9	Mile	907-403-S004	Joint Sealant
7,050	Gallon	907-407-A001	Asphalt for Tack Coat
34,450	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
94	Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
1	Each	907-619-E3001	Changeable Message Sign
11	Mile	907-626-A005	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
11	Mile	907-626-F006	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
1,550	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
ALTERNATE GROUP AA NO. 1			
16,250	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
ALTERNATE GROUP AA NO. 2			
16,250	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified

Intersection Improvements (J-Turn) on US 45 at CR 212, known as Federal Aid Project No. HSIP-0002-02(063) / 106233301 in Clarke County.

PROJECT COMPLETION: May 17, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
620 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
161 Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
35 Square Yard	202-B024	Removal of Concrete Median & Island Pavement, All Depths
244 Square Yard	202-B025	Removal of Concrete Paved Ditch
1 Each	202-B042	Removal of Flared End Section, All Sizes
20 Each	202-B070	Removal of Sign Including Post & Footing
16,975 Linear Feet	202-B076	Removal of Traffic Stripe
7,200 Linear Feet	202-B141	Removal of Edge Drain
4,835 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
4,321 Cubic Yard	203-EX007	Borrow Excavation, AH, FME, Class B4
194 Cubic Yard	206-A001	Structure Excavation
2 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
11,476 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
2,743 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3 Ton	213-C001	Superphosphate
20 Ton	215-A001	Vegetative Materials for Mulch
500 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
10 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
179 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
3 Acre	223-A001	Mowing
1,200 Linear Feet	234-A001	Temporary Silt Fence
80 Bale	235-A001	Temporary Erosion Checks
22,856 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2 Mile	423-A001	Rumble Strips, Ground In
936 Linear Feet	503-C007	Saw Cut, Full Depth
642 Pounds	602-A001	Reinforcing Steel
496 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
16 Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
1 Each	603-CB008	60" Reinforced Concrete End Section
2 Each	603-SB045	18" Branch Connections, Stub into Existing Inlet
1 Each	603-SB057	18" Branch Connections, Stub into 73" x 45" Concrete Pipe
750 Pounds	604-B001	Gratings
5,521 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
604 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
19,463 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
11,869 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow

Call No. 04 for the August 28, 2012 Letting

18,999	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
14,614	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
952	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
722	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
207	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
201	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
472	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,460	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,150	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Single Faced
220	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
411	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
207	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
65	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
213	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
999	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
18	Linear Feet	630-C002	Steel U-Section Posts, 2.0 to 2.5 lb/ft
364	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
157	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
75	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
86	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
302	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
113	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
6	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type I, Green
6	Each	630-F004	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
60	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
31	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
5	Ton	815-F002	Sediment Control Stone
7	Acre	907-225-A001	Grassing
20	Ton	907-225-B001	Agricultural Limestone
3	Acre	907-226-A001	Temporary Grassing
3	Each	907-234-D001	Inlet Siltation Guard
80	Linear Feet	907-237-A002	Wattles, 12"
120	Linear Feet	907-237-A003	Wattles, 20"
34	Linear Feet	907-245-A001	Triangular Silt Dike
680	Linear Feet	907-246-A001	Sandbags
6	Ton	907-249-A001	Riprap for Erosion Control
3,233	Cubic Yard	907-304-H001	Size 825 Crushed Stone Base, LVM
2,325	Gallon	907-407-A001	Asphalt for Tack Coat
9	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
7,679	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
2,057	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White

Call No. 04 for the August 28, 2012 Letting

5,029	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
544	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,225	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,346	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,268	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
775	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
867	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
867	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,952	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
1,952	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
2,536	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
2,536	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Installation of Raised Median on US 49 from Campbell Loop Road/Convention Center Ave. to 31st Ave., known as Federal Aid Project No. HSIP-0008-01(127) / 106215301 in Forrest County.

PROJECT COMPLETION: April 26, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

389	Square Feet	202-B059	Removal of Legend, All Types
9,570	Linear Feet	202-B076	Removal of Traffic Stripe
3,500	Square Yard	202-B078	Removal of Pavement, All Types and Depths
2	Each	202-B194	Removal of Sign Post and Footing
692	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
230	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
6	Thousand Gallon	219-A001	Watering
115	Cubic Yard	233-A002	Tree Bark Mulch, Type II
13,318	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
6,222	Linear Feet	503-C007	Saw Cut, Full Depth
240	Linear Feet	508-A001	Silicone Sealed Joints
175	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
669	Linear Feet	609-B003	Concrete Curb, Special Design
257	Linear Feet	609-B005	Concrete Curb, Special Design Doweled
5,213	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
114	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
7,446	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
6,255	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13,009	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
13,137	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,089	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
436	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
508	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3,600	Linear Feet	619-F1002	Portable Median Barrier
54	Linear Feet	619-G4001	Barricades, Type III, Single Faced
110	Each	619-G5001	Free Standing Plastic Drums
9	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
440	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
18	Each	627-O001	Yellow-Clear Reflective High Performance Raised Markers
66	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
77	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
32	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1,044	Linear Feet	635-A001	Vehicle Loop Assemblies
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
1	Each	640-A019	Traffic Signal Heads, Type 5 LED
12	Each	640-A034	Traffic Signal Heads, Type 6 LED Countdown
	Lump Sum	646-A001	Removal of Existing Traffic Signal Equipment
1	Each	647-A001	Pullbox, Type 1

Call No. 05 for the August 28, 2012 Letting

200	Linear Feet	666-B015	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor
1,350	Linear Feet	666-C006	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
65	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
18,683	Each	907-230-A001	Shrub Planting, Asiatic Jasmine
150	Linear Feet	907-237-A002	Wattles, 12"
3,800	Gallon	907-407-A001	Asphalt for Tack Coat
1,272	Square Feet	907-616-C001	Stamped & Colored Concrete Median and/or Island Pavement, Per Plans
2	Each	907-619-E3001	Changeable Message Sign
7,479	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
7,694	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
120	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6,655	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
13,864	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
481	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,470	Linear Feet	907-626-H004	Thermoplastic Legend, White
1,154	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-626-H007	Thermoplastic Legend, Interstate Shield
1	Each	907-639-A034	Traffic Signal Equipment Pole, Type VI, 8' Shaft
2	Cubic Yard	907-639-C003	Pole Foundations, 24" Diameter
2	Each	907-642-B002	Solid State Traffic Actuated Controller Modification, Per Plans
30	Each	907-651-C002	Magnetometer Detection System Component Removal and Reinstallation
ALTERNATE GROUP AA NO. 1			
1,570	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP AA NO. 2			
1,570	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 1			
3,140	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
ALTERNATE GROUP BB NO. 2			
3,140	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Reconstruction of I-20 West Bound On-Ramp at Lost Gap, known as Federal Aid Project No. HSIP-0020-02(075) / 104909301, in
Lauderdale County.

PROJECT COMPLETION: September 13, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
18 Square Yard	202-B010	Removal of Bridge End Pavement
360 Linear Feet	202-B011	Removal of Bridge Railing
64 Square Yard	202-B025	Removal of Concrete Paved Ditch
57 Linear Feet	202-B041	Removal of Fence, All Types
1,188 Linear Feet	202-B102	Removal of Guard Rail
200 Linear Feet	202-B141	Removal of Edge Drain
4 Mile	202-B149	Removal of Traffic Stripe
2 Each	202-B150	Removal of Object Markers
3,111 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
13,930 Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
37 Cubic Yard	206-A001	Structure Excavation
7,600 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
14,300 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
530 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-C001	Superphosphate
6 Ton	215-A001	Vegetative Materials for Mulch
211 Square Yard	216-A001	Solid Sodding
300 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
2 Acre	220-A001	Insect Pest Control
55 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
1,250 Linear Feet	234-A001	Temporary Silt Fence
485 Linear Feet	239-A001	Temporary Slope Drains
11,540 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
105 Linear Feet	413-B001	Cleaning and Sealing Joints
1 Mile	423-A001	Rumble Strips, Ground In
66 Linear Feet	501-E001	Expansion Joints, Without Dowels
146 Square Yard	501-K001	Transverse Grooving
146 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
8 Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
40 Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
1 Each	603-CB002	24" Reinforced Concrete End Section
1 Each	603-CB008	60" Reinforced Concrete End Section
1,063 Linear Feet	606-B001	Guard Rail, Class A, Type 1
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
2 Each	606-D012	Guard Rail, Bridge End Section, Type I
2 Each	606-E001	Guard Rail, Terminal End Section
45 Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown

Call No. 06 for the August 28, 2012 Letting

12	Linear Feet	607-B005	60" Type I Chain Link Fence, Class II
120	Linear Feet	607-B025	120" Type I Chain Link Fence, Class I
80	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
2,535	Linear Feet	615-B001	Precast Concrete Median Barrier
	Lump Sum	618-A001	Maintenance of Traffic
16,450	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,115	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
12,010	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
890	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
10,100	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
1,115	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
400	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
72	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
320	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,015	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
165	Unit	619-F4001	Snap-Back Delineator
165	Unit	619-F5001	Snap-Back Delineator, Replacement
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
1	Unit	619-J1003	Impact Attenuator, 60 MPH
1	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
104	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
25	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
20	Each	630-F001	Delineators, Guard Rail, White
7	Each	630-F002	Delineators, Guard Rail, Yellow
4	Each	630-F006	Delineators, Post Mounted, Single White
4	Each	630-F007	Delineators, Post Mounted, Single Yellow
9	Each	630-F008	Delineators, Post Mounted, Double White
1	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
17	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
18	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
24	Cubic Yard	815-F001	Sediment Control Stone
3	Acre	907-225-A001	Grassing
9	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
180	Linear Feet	907-237-A003	Wattles, 20"
100	Each	907-246-B002	Rockbags
120	Ton	907-249-A001	Riprap for Erosion Control
60	Cubic Yard	907-249-B001	Remove and Reset Riprap
270	Cubic Yard	907-304-C001	Granular Material, AEA, Class 5, Group C
1,255	Ton	907-304-F004	Size 825B Crushed Stone Base
2,265	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures

Call No. 06 for the August 28, 2012 Letting

1	Each	907-619-E3001	Changeable Message Sign
2,700	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
220	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
220	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,361	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
220	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,355	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
1,692	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
32	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
875	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
875	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
100	Ton	907-403-B003	Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP BB NO. 2
100	Ton	907-403-N008	Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling
			ALTERNATE GROUP CC NO. 1
2,355	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP CC NO. 2
2,355	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 1
895	Ton	907-403-D002	Hot Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			ALTERNATE GROUP DD NO. 2
895	Ton	907-403-P003	Warm Mix Asphalt, HT, 19-mm mixture, Polymer Modified
			Bridge Items
197	Cubic Yard	801-A001	Foundation Excavation for Bridges
470	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
2	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
20	Linear Feet	803-N001	Exploration
120	Linear Feet	803-O003	Permanent Casing, 48" Diameter
78,002	Pounds	805-A001	Reinforcement
365	Linear Feet	813-A001	Concrete Railing
499	Ton	815-A009	Loose Riprap, Size 300
168	Cubic Yard	815-D001	Concrete Slope Paving
443	Square Yard	815-E001	Geotextile under Riprap
270	Linear Feet	907-803-K001	Drilled Shaft, 48" Diameter
46	Linear Feet	907-803-M001	Trial Shaft, 48" Diameter
434	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
896	Linear Feet	907-804-C019	60' Prestressed Concrete Beam, Type II+2

Grade, Drain, Bridge & Incidental Paving approximately 6 miles on SR 25 South of Becker to Existing US 278, known as Federal Aid Project No. HSIP-0040-01(021) / 101635301 in Monroe County.

PROJECT COMPLETION: May 11, 2015

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
1,340	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1	Each	202-B009	Removal of Bridge
146	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
441	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1	Mile	202-B149	Removal of Traffic Stripe
187,375	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,238,306	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
6,253	Cubic Yard	206-A001	Structure Excavation
154	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
74,752	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
70	Ton	213-C001	Superphosphate
270	Ton	215-A001	Vegetative Materials for Mulch
7,471	Square Yard	216-A001	Solid Sodding
6,132	Square Yard	217-A001	Ditch Liner
150	Thousand Gallon	219-A001	Watering
70	Acre	220-A001	Insect Pest Control
53	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,561	Square Yard	224-A001	Soil Reinforcing Mat
15,405	Linear Feet	234-A001	Temporary Silt Fence
132	Bale	235-A001	Temporary Erosion Checks
32	Each	236-A004	Silt Basin, Type D
4,312	Linear Feet	239-A001	Temporary Slope Drains
318,118	Pounds	602-A001	Reinforcing Steel
1,700	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
168	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
84	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
148	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
200	Linear Feet	603-CA135	54" Reinforced Concrete Pipe, Class IV, Class C Bedding
164	Linear Feet	603-CA136	60" Reinforced Concrete Pipe, Class IV, Class C Bedding
24	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
4	Each	603-CB008	60" Reinforced Concrete End Section

Call No. 07 for the August 28, 2012 Letting

332	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
104	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
136	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
160	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
176	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
460	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
176	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
4	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
3,250	Pounds	604-B001	Gratings
99	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
	Lump Sum	618-A001	Maintenance of Traffic
8,640	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
8,758	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
129	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
24	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
104	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
439	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
224	Linear Feet	619-G4001	Barricades, Type III, Single Faced
144	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
34	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
110	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
199	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
201	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
473	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
15,693	Ton	815-A009	Loose Riprap, Size 300
31,930	Square Yard	815-E001	Geotextile under Riprap
1,225	Ton	815-F002	Sediment Control Stone
141	Acre	907-225-A001	Grassing
417	Ton	907-225-B001	Agricultural Limestone
141	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
64	Linear Feet	907-237-A002	Wattles, 12"
496	Linear Feet	907-237-A003	Wattles, 20"
496	Linear Feet	907-245-A001	Triangular Silt Dike
560	Linear Feet	907-246-A001	Sandbags
4	Each	907-247-A001	Temporary Stream Diversion
150	Ton	907-249-A001	Riprap for Erosion Control
568	Cubic Yard	907-249-B001	Remove and Reset Riprap

Call No. 07 for the August 28, 2012 Letting

4,309	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
1,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
1,451	Gallon	907-407-A001	Asphalt for Tack Coat
1,774	Cubic Yard	907-601-A001	Class "B" Structural Concrete
17	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
172	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
40	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
68	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
144	Linear Feet	907-603-ALT08	18" Type B Alternate Pipe
96	Linear Feet	907-603-ALT09	24" Type B Alternate Pipe
500	Linear Feet	907-605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
500	Linear Feet	907-605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
145	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
8,640	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
8,758	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
129	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
24	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,760	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
1,492	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
1,492	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,116	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
1,116	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			Bridge Items
10,573	Square Yard	501-K001	Transverse Grooving
465	Cubic Yard	801-A001	Foundation Excavation for Bridges
8,885	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,085	Linear Feet	803-D003	HP 14 x 73 Steel Piling
10,670	Linear Feet	803-D006	HP 14 x 117 Steel Piling
7	Each	803-H001	PDA Test Pile, Conventional Load Test
14	Each	803-I001	PDA Test Pile
10	Linear Feet	803-N001	Exploration
300	Linear Feet	803-O010	Temporary Casing, 60" Diameter
992,754	Pounds	805-A001	Reinforcement
4,182	Linear Feet	813-A001	Concrete Railing
411	Ton	815-A009	Loose Riprap, Size 300
758	Cubic Yard	815-D001	Concrete Slope Paving
335	Square Yard	815-E001	Geotextile under Riprap
600	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1	Each	907-803-L002	Test Shaft, 60" Diameter
60	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter

Call No. 07 for the August 28, 2012 Letting

4,968	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
8,517	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
535	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
638	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
569	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
1,017	Linear Feet	907-804-C172	85' Prestressed Concrete Beam, Type IV
714	Linear Feet	907-804-C231	60' Prestressed Concrete Beam, Type IV
1,269	Linear Feet	907-804-C232	106' Prestressed Concrete Beam, Type BT-63
1,461	Linear Feet	907-804-C233	122' Prestressed Concrete Beam, Type BT-63
	Lump Sum	907-899-A001	Railway-Highway Provisions

Interchange Modifications on I-59 at 16th Avenue in Laurel, known as Federal Aid Project No. HSIP-0059-02(020) / 105735301 in Jones County.

PROJECT COMPLETION: July 08, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
2 Each	202-B057	Removal of Inlets, All Sizes
29 Each	202-B070	Removal of Sign Including Post & Footing
3,675 Linear Feet	202-B076	Removal of Traffic Stripe
4,223 Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,525 Linear Feet	202-B093	Removal of Curb & Gutter, All Types
46 Linear Feet	202-B106	Removal of Pipe, All Sizes
2 Each	202-B136	Removal of Guard Rail Terminal End Section
1,010 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
2,124 Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
7,051 Cubic Yard	203-G004	Excess Excavation, LVM, AH
63 Cubic Yard	206-A001	Structure Excavation
3 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
9,990 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,683 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
1 Ton	213-B001	Combination Fertilizer, 13-13-13
2 Ton	213-C001	Superphosphate
9 Ton	215-A001	Vegetative Materials for Mulch
45 Square Yard	216-A001	Solid Sodding
1,000 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
6 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
75 Linear Feet	234-A001	Temporary Silt Fence
66 Bale	235-A001	Temporary Erosion Checks
13,036 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1 Mile	423-A001	Rumble Strips, Ground In
2,025 Linear Feet	503-C007	Saw Cut, Full Depth
1,417 Pounds	602-A001	Reinforcing Steel
160 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
2 Each	606-E001	Guard Rail, Terminal End Section
760 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
429 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
7,275 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
5,817 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6,423 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White, Paint
3,531 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
336 Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
641 Square Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
106 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

Call No. 08 for the August 28, 2012 Letting

1,328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,019	Linear Feet	619-F1001	Concrete Median Barrier, Precast
74	Linear Feet	619-G4001	Barricades, Type III, Single Faced
298	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
3	Unit	619-J1003	Impact Attenuator, 60 MPH
3	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
45	Each	627-F001	One-Way Yellow Reflective Raised Markers
201	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
201	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
131	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,129	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
188	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
9	Linear Feet	630-C001	Steel U-Section Posts, 2.0 lb/ft
127	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
122	Linear Feet	630-D003	Structural Steel Beams, W6 x 9
38	Linear Feet	630-D004	Structural Steel Beams, W6 x 12
93	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
41	Linear Feet	630-D010	Structural Steel Beams, W12 x 26
30	Pounds	630-E001	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
17	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
26	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
311	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
45	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
58	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
134	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
858	Linear Feet	635-A001	Vehicle Loop Assemblies
1,190	Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor
3	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A019	Traffic Signal Heads, Type 5 LED
1	Each	640-A022	Traffic Signal Heads, Type 7 LED
3	Each	647-A001	Pullbox, Type 1
4	Each	647-A003	Pullbox, Type 4
1	Each	647-A004	Pullbox, Type 5
1	Each	647-A005	Pullbox, Type 2
1,120	Linear Feet	666-B026	Electric Cable, Underground in Conduit, IMSA 26-3, AWG 8, 2Conductor
895	Linear Feet	666-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 7 Conductor
690	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
40	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
60	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
970	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
220	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Ton	815-F002	Sediment Control Stone
5	Acre	907-225-A001	Grassing

Call No. 08 for the August 28, 2012 Letting

13	Ton	907-225-B001	Agricultural Limestone
2	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
30	Linear Feet	907-237-A002	Wattles, 12"
30	Linear Feet	907-237-A003	Wattles, 20"
30	Linear Feet	907-245-A001	Triangular Silt Dike
60	Linear Feet	907-246-A001	Sandbags
7	Ton	907-249-A001	Riprap for Erosion Control
2,064	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
2,810	Ton	907-304-F001	Size 825 Crushed Stone Base
2,782	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
5	Each	907-604-PP003	Modify Existing Inlet, Per Plans
4,623	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,287	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
4,028	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min
3,850	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min
2,231	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
336	Linear Feet	907-626-H004	Thermoplastic Legend, White
641	Square Feet	907-626-H005	Thermoplastic Legend, White
2	Each	907-626-H007	Thermoplastic Legend, Interstate Shield
1	Each	907-639-A006	Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm
1	Each	907-639-A009	Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm
1	Each	907-639-A107	Traffic Signal Equipment Pole, Type II, 17' Shaft, 20' Arm
10	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
29	Linear Feet	907-639-D001	Slip Casing, 36" Diameter
1	Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M
1,180	Linear Feet	907-657-A001	Fiber Optic Cable, 72 SM
20	Linear Feet	907-657-A002	Fiber Optic Cable, 12 SM
1	Each	907-658-A001	Hardened Network Switch, Type A
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
661	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
661	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
206	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
206	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
1,118	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
1,118	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
154	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture

Call No. 08 for the August 28, 2012 Letting

	ALTERNATE GROUP DD NO. 2
154 Ton	907-403-M001 Warm Mix Asphalt, ST, 9.5-mm mixture
	ALTERNATE GROUP EE NO. 1
364 Ton	907-403-D001 Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
	ALTERNATE GROUP EE NO. 2
364 Ton	907-403-P002 Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
	ALTERNATE GROUP FF NO. 1
1,369 Ton	907-403-D004 Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
	ALTERNATE GROUP FF NO. 2
1,369 Ton	907-403-P001 Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified

Mill and Overlay approximately 11 miles of US 80 from the 4-lane to Lauderdale County Line, known as Federal Aid Project No. STP-0472-00(011) / 106374301 in Newton County.

PROJECT COMPLETION: April 30, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50	Square Yard	202-B004	Removal of Asphalt Paved Shoulders, All Depths
140	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
123	Square Yard	202-B025	Removal of Concrete Paved Ditch
3,168	Linear Feet	202-B076	Removal of Traffic Stripe
865	Square Yard	202-B097	Removal of Concrete Overlaid w/ Asphalt Pavement, All Depths
1,125	Linear Feet	202-B134	Removal of Guard Rail, Including Rails & Posts
750	Cubic Yard	203-G004	Excess Excavation, LVM, AH
250	Cubic Yard	305-B001	Size I Stabilizer Aggregate, Coarse
118,500	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
19	Mile	423-A001	Rumble Strips, Ground In
2,640	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,400	Linear Feet	503-C007	Saw Cut, Full Depth
325	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D004	Guard Rail, Bridge End Section, Type E
24	Each	606-E003	Guard Rail, Terminal End Section, Non-Flared
	Lump Sum	618-A001	Maintenance of Traffic
39	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
14,248	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
861	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
362	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4005	Barricades, Type III, Double Faced
	Lump Sum	620-A001	Mobilization
656	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
938	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
113	Each	630-F001	Delineators, Guard Rail, White
500	Cubic Yard	907-304-A010	Granular Material, LVM, Class 5, Group E
7,600	Gallon	907-407-A001	Asphalt for Tack Coat
43,740	Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
56,338	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
7	Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,050	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,074	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,900	Linear Feet	907-626-H009	Thermoplastic Double Drop Legend, White
		ALTERNATE GROUP AA NO. 1	
19,600	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
		ALTERNATE GROUP AA NO. 2	

Call No. 09 for the August 28, 2012 Letting

19,600 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture ALTERNATE GROUP BB NO. 1
450 Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP BB NO. 2
450 Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP CC NO. 1
10,600 Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening ALTERNATE GROUP CC NO. 2
10,600 Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Bridge repair on US Highway 82/45 east of Columbus, known as State Project No. MRP-1082-44(021) / 304430301 in Lowndes County.

PROJECT COMPLETION: November 16, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
Lump Sum	620-A001	Mobilization
1 Each	907-619-E3001	Changeable Message Sign

Bridge Items

Lump Sum	907-824-PP088	Bridge Repair, Remove and Replace Beam, Railing and Portion of Deck & Diaphragm, Per Plans
Lump Sum	907-824-PP093	Bridge Repair, Epoxy Mortar Beams, Per Plans

Mill and Overlay approximately 3 miles of US 11 from Dunns Falls Road to Arundel Road, known as State Project No. MP-5011-38(007) / 303919301 in Lauderdale County.

PROJECT COMPLETION: November 20, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
300 Square Yard	202-B033	Removal of Concrete Pavement w/ Variable Depth Overlay
600 Linear Feet	202-B076	Removal of Traffic Stripe
100 Cubic Yard	203-G003	Excess Excavation, FM, AH
100 Cubic Yard	310-B001	Size I Stabilizer Aggregate, Coarse
29,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5 Mile	423-A001	Rumble Strips, Ground In
850 Linear Feet	503-C007	Saw Cut, Full Depth
Lump Sum	618-A001	Maintenance of Traffic
9 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
5 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
220 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
276 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24 Linear Feet	619-G4005	Barricades, Type III, Double Faced
60 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
200 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22 Each	630-F001	Delineators, Guard Rail, White
600 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
2,500 Gallon	907-407-A001	Asphalt for Tack Coat
13,000 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
100 Linear Feet	907-606-PP009	Remove and Replace Blockouts & Add Rub-Rail
5 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
700 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
200 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
400 Linear Feet	907-626-H004	Thermoplastic Legend, White
	ALTERNATE GROUP AA NO. 1	
4,000 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
	ALTERNATE GROUP AA NO. 2	
4,000 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
	ALTERNATE GROUP BB NO. 1	
200 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP BB NO. 2	
200 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
	ALTERNATE GROUP CC NO. 1	
100 Ton	907-403-B007	Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling
	ALTERNATE GROUP CC NO. 2	

Call No. 11 for the August 28, 2012 Letting

100 Ton	907-403-N002 Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling ALTERNATE GROUP DD NO. 1
2,300 Ton	907-403-C005 Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening ALTERNATE GROUP DD NO. 2
2,300 Ton	907-403-O001 Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening

Mill and Overlay approximately 3 miles of SR 16 from US 51 to end of 3-Lane in Canton, known as State Project No. MP-5016-45(011) / 304416301 in Madison County.

PROJECT COMPLETION: November 15, 2012

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

50 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50 Cubic Yard	203-G003	Excess Excavation, FM, AH
51,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
Lump Sum	618-A001	Maintenance of Traffic
12 Mile	619-A1002	Temporary Traffic Stripe, Continuous White
10 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5 Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
1,100 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
800 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
1,100 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
364 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4005	Barricades, Type III, Double Faced
50 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,822 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
864 Linear Feet	635-A001	Vehicle Loop Assemblies
200 Cubic Yard	907-304-A001	Granular Material, LVM, Class 5, Group C
2,550 Gallon	907-407-A001	Asphalt for Tack Coat
2,700 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5 Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
2 Mile	907-626-D006	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	907-626-E006	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,100 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,800 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
800 Linear Feet	907-626-H004	Thermoplastic Legend, White
1,100 Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1		
6,160 Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2		
6,160 Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP BB NO. 1		
250 Ton	907-403-B004	Hot Mix Asphalt, MT, 12.5-mm mixture, Leveling
ALTERNATE GROUP BB NO. 2		
250 Ton	907-403-N006	Warm Mix Asphalt, MT, 12.5-mm mixture, Leveling

Construction of SR 304/I-269 from Station 625+00 to Station 835+00, known as Federal Aid Project Nos. STP-0029-02(016) / 102556313 & STP-0029-03(008) / 102556314 in Desoto & Marshall Counties.

PROJECT COMPLETION: June 18, 2015

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
34,060	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,563	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2	Each	202-B019	Removal of Concrete Headwall
816	Square Yard	202-B025	Removal of Concrete Paved Ditch
550	Square Yard	202-B036	Removal of Concrete Slope Paving
23	Each	202-B042	Removal of Flared End Section, All Sizes
438	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
734	Linear Feet	202-B064	Removal of Pipe, 8" And Above (Do Not Include Abandoned Utilities)
12,000	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B142	Removal of Junction Box
66	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
8	Each	202-B292	Removal of Septic Tank, All Sizes
1,426,991	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,553,859	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
589,872	Cubic Yard	203-G003	Excess Excavation, FM, AH
13,764	Cubic Yard	206-A001	Structure Excavation
615	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
84,972	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
15,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished , Lvm
7,331	Square Yard	212-B001	Standard Ground Preparation
3	Ton	213-B001	Combination Fertilizer, 13-13-13
171	Ton	213-C001	Superphosphate
686	Ton	215-A001	Vegetative Materials for Mulch
7,331	Square Yard	216-A001	Solid Sodding
34,890	Square Yard	217-A001	Ditch Liner
147	Thousand Gallon	219-A001	Watering
171	Acre	220-A001	Insect Pest Control
1,593	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
197	Acre	223-A001	Mowing
15,278	Square Yard	224-A001	Soil Reinforcing Mat
24,632	Linear Feet	234-A001	Temporary Silt Fence
4,327	Bale	235-A001	Temporary Erosion Checks
38	Each	236-A004	Silt Basin, Type D
38	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
9,450	Linear Feet	239-A001	Temporary Slope Drains
8	Mile	423-A001	Rumble Strips, Ground In
343	Linear Feet	501-E001	Expansion Joints, Without Dowels

Call No. 01 for the September 25, 2012 Letting

591	Square Yard	501-K001	Transverse Grooving
816	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48	Linear Feet	503-C007	Saw Cut, Full Depth
621,433	Pounds	602-A001	Reinforcing Steel
3,872	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
912	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
628	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1,844	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
544	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
452	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
1,136	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
428	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
336	Linear Feet	603-CA010	66" Reinforced Concrete Pipe, Class III
744	Linear Feet	603-CA011	72" Reinforced Concrete Pipe, Class III
164	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
216	Linear Feet	603-CA022	66" Reinforced Concrete Pipe, Class IV
36	Linear Feet	603-CA023	72" Reinforced Concrete Pipe, Class IV
216	Linear Feet	603-CA041	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
264	Linear Feet	603-CA045	60" Reinforced Concrete Pipe, Class IV, Class B Bedding
232	Linear Feet	603-CA057	60" Reinforced Concrete Pipe, Class V, Class B Bedding,
764	Linear Feet	603-CA065	36" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench
36	Each	603-CB001	18" Reinforced Concrete End Section
27	Each	603-CB002	24" Reinforced Concrete End Section
7	Each	603-CB003	30" Reinforced Concrete End Section
16	Each	603-CB004	36" Reinforced Concrete End Section
5	Each	603-CB005	42" Reinforced Concrete End Section
6	Each	603-CB006	48" Reinforced Concrete End Section
10	Each	603-CB007	54" Reinforced Concrete End Section
3	Each	603-CB008	60" Reinforced Concrete End Section
6	Each	603-CB009	66" Reinforced Concrete End Section
4	Each	603-CB010	72" Reinforced Concrete End Section
112	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB011	72" Branch Connections, Stub into Box Culvert
1	Each	603-SB039	24" Branch Connections, Stub into Inlet
11,750	Pounds	604-B001	Gratings
350	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
14	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
14	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,250	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E001	Guard Rail, Terminal End Section
25,243	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
37,894	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
3,400	Linear Feet	607-E001	Barbed Wire Fence, Single Strand

Call No. 01 for the September 25, 2012 Letting

3	Each	607-G020	Gate, 12' x 60" Galvanized Metal
3	Each	607-G107	Gate, 12' x 5' Chain Link
3,494	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
1,410	Each	607-P1013	Line Post, 7' Tee Post Steel
402	Each	607-P1014	Line Post, 9' Tee Post Steel
201	Each	607-P1015	Line Post, 10' Tee Post Steel
54	Each	607-P1019	Line Post, 14' x 2 1/2" Galvanized Steel
109	Each	607-P2001	Brace Post, 8' x 6" Timber
31	Each	607-P2002	Brace Post, 10' x 6" Timber
16	Each	607-P2003	Brace Post, 12' x 6" Timber
378	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
12	Each	607-P3001	Gate Post, 8' x 6" Timber
745	Each	607-Z001	Concrete Anchors
280	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
436	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
40	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
	Lump Sum	618-A001	Maintenance of Traffic
9	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3,566	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4,207	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1,796	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
907	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
156	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
699	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
48	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
166	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,569	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3,820	Linear Feet	619-F1001	Concrete Median Barrier, Precast
540	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
120	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
420	Linear Feet	619-G4005	Barricades, Type III, Double Faced
347	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights, Type "B"
8	Unit	619-J1003	Impact Attenuator, 60 MPH
2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
89	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
926	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,195	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
133	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
187	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

Call No. 01 for the September 25, 2012 Letting

1,017	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
54	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1
2,093	Pounds	690-A001	Grouting Abandoned Water Wells
1,340	Ton	815-A006	Loose Riprap, Size 100
11,427	Ton	815-A009	Loose Riprap, Size 300
15,667	Square Yard	815-E001	Geotextile under Riprap
269	Ton	815-F002	Sediment Control Stone
341	Acre	907-225-A001	Grassing
1,099	Ton	907-225-B001	Agricultural Limestone
341	Acre	907-226-A001	Temporary Grassing
2,206	Linear Feet	907-234-C002	Super Silt Fence
400	Linear Feet	907-234-F001	Turbidity Barrier
5,000	Linear Feet	907-237-A002	Wattles, 12"
2,680	Linear Feet	907-237-A003	Wattles, 20"
12,130	Linear Feet	907-245-A001	Triangular Silt Dike
2,680	Linear Feet	907-246-A001	Sandbags
4	Each	907-247-A001	Temporary Stream Diversion
400	Cubic Yard	907-249-B001	Remove and Reset Riprap
6,206	Cubic Yard	907-304-C009	Granular Material, AEA, Class 3, Group D
22,945	Ton	907-304-F002	Size 610 Crushed Stone Base
11,271	Gallon	907-407-A001	Asphalt for Tack Coat
2,974	Cubic Yard	907-601-A001	Class "B" Structural Concrete
90	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
884	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
160	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
216	Linear Feet	907-603-ALT08	18" Type B Alternate Pipe
108	Linear Feet	907-603-ALT14	22" x 13" Type A Alternate Pipe
1,250	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
250	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
341	Each	907-617-A001	Right-of-Way Marker
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3,151	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
3,475	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1,320	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,825	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,108	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
802	Linear Feet	907-626-H004	Thermoplastic Legend, White
116	Square Feet	907-626-H005	Thermoplastic Legend, White
60	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NO. 1

Call No. 01 for the September 25, 2012 Letting

7,172	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP AA NO. 2
7,172	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP BB NO. 1
12,377	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP BB NO. 2
12,377	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP CC NO. 1
3,383	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
698	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,546	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow ALTERNATE GROUP CC NO. 2
3,383	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
698	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,546	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
Bridge Items			
19,290	Square Yard	501-K001	Transverse Grooving
20,839	Cubic Yard	801-A001	Foundation Excavation for Bridges
8	Each	803-B002	Conventional Static Pile Load Test
8,500	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,740	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
43,980	Linear Feet	803-D006	HP 14 x 117 Steel Piling
10,700	Linear Feet	803-F009	20" Pre-Formed Pile Hole
30	Each	803-I001	PDA Test Pile
2,728,951	Pounds	805-A001	Reinforcement
5,433	Linear Feet	813-A002	Concrete Railing, 32"
3,313	Linear Feet	813-A003	Concrete Railing, 42"
1,240	Cubic Yard	815-D001	Concrete Slope Paving
13,772	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
957	Linear Feet	907-804-C008	120' Prestressed Concrete Beam, Type BT-72
1,297	Linear Feet	907-804-C010	125' Prestressed Concrete Beam, Type BT-72
259	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
627	Linear Feet	907-804-C025	90' Prestressed Concrete Beam, Type BT-72
6,439	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
447	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
325	Linear Feet	907-804-C149	109' Prestressed Concrete Beam, Type IV
4,520	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
521	Linear Feet	907-804-C167	105' Prestressed Concrete Beam, Type IV
1,014	Linear Feet	907-804-C172	85' Prestressed Concrete Beam, Type IV
1,907	Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV
358	Linear Feet	907-804-C176	72' Prestressed Concrete Beam, Type IV
1,062	Linear Feet	907-804-C180	89' Prestressed Concrete Beam, Type IV
327	Linear Feet	907-804-C189	55' Prestressed Concrete Beam, Type IV
523	Linear Feet	907-804-C192	105' Prestressed Concrete Beam, Type BT-72
103	Linear Feet	907-804-C193	103' Prestressed Concrete Beam, Type IV
383	Linear Feet	907-804-C199	77' Prestressed Concrete Beam, Type IV

Call No. 01 for the September 25, 2012 Letting

585	Linear Feet	907-804-C200	98' Prestressed Concrete Beam, Type IV
1,215	Linear Feet	907-804-C201	102' Prestressed Concrete Beam, Type IV
324	Linear Feet	907-804-C202	108' Prestressed Concrete Beam, Type IV
348	Linear Feet	907-804-C203	70' Prestressed Concrete Beam, Type BT-72
86	Linear Feet	907-804-C206	86' Prestressed Concrete Beam, Type IV
92	Linear Feet	907-804-C207	92' Prestressed Concrete Beam, Type IV
178	Linear Feet	907-804-C208	89' Prestressed Concrete Beam, Type BT-72
452	Linear Feet	907-804-C209	91' Prestressed Concrete Beam, Type BT-72
238	Linear Feet	907-804-C210	119' Prestressed Concrete Beam, Type BT-72
482	Linear Feet	907-804-C211	121' Prestressed Concrete Beam, Type BT-72
258	Linear Feet	907-804-C212	129' Prestressed Concrete Beam, Type BT-72
392	Linear Feet	907-804-C213	131' Prestressed Concrete Beam, Type BT-72

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR