

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. 1 DATED 9/6/2012 ADDENDUM NO. _____ DATED _____
 ADDENDUM NO. 2 DATED 09/18/2012 ADDENDUM NO. _____ DATED _____

Number	Description
1	Revised Table of Contents, replace same; Revised Advertisement, replaces same; Add NTB Nos. 4077 & 4085; Revised Bid Items, replace same; Revised or Added Plan Sheet Nos. 2, 4, 6, 12, 33, 495-498; Amendment EBS Download Required.
2	Revise Table of Contents, replace same; Revise NTB No. 3990, replaces same; Delete NTB No. 4046; Add NTB No. 4106; Revise Bid Items, replace same; Revised or Added Plan Sheet Nos. 2, 4, 12, 109, 8495-8498; Amendment EBS Download Required.

TOTAL ADDENDA: 2
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.

Revised 09/21/2005

HSIP-0040-01(021) / 101635301

Monroe County(ies)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

TABLE OF CONTENTS

PROJECT: HSIP-0040-01(021) / 101635301 – Monroe County

901--Advertisement

904--Notice to Bidders:

- Governing Specifications - # 1
- Final Cleanup - # 3
- Quantity for Fillet Concrete - # 6
- Fiber Reinforced Concrete - # 640
- Disadvantaged Business Enterprise, w/ supplement - # 696
- Payroll Requirements - # 883
- Errata & Modifications to 2004 Standard Specifications - # 1405
- Railway-Highway Provision, w/ Supplement - # 1727
- Safety Apparel - # 1808
- Federal Bridge Formula - # 1928
- Department of Labor Ruling - # 2239
- Exposure to Moderate Sulfate Areas Below Ground Level - # 2367
- Status of ROW w/ attachments - # 2382
- DBE Forms, Participation and Payment - # 2596
- Non-Quality Control / Quality Assurance Concrete - # 2818
- Reduced Speed Limit Signs - # 2937
- Alternate Asphalt Mixture Bid items - # 3039
- Temporary Traffic Paint - # 3131
- Warm Mix Asphalt (WMA) - # 3242
- DUNS Requirement for Federal Funded Projects - # 3414
- Storm Water Discharge Associated with Construction Activities
(≥5Acres) - # 3581
- Safety Edge - #3585
- Additional Erosion Control Requirements - #3612
- Type III Barricade Rails - #3655
- Use of Precast Drainage Units - # 3704
- Petroleum Products Base Price - # 3893
- Questions Regarding Bidding - # 3980
- Contract Time - # 3990
- Specialty Items - # 3991
- Placement of Fill Material in Federally Regulated Areas - # 3994
- Federal Aviation Administration Requirements, w/ Attachments
- # 4013
- Project Number Change - # 4045
- Stay-In-Place Metal Forms - # 4077
- Temporary Steel Bracing - # 4085
- Clearing Limits - # 4106

906: Required Federal Contract Provisions – FHWA-1273, W/Supplements

907-101-4: Definitions

907-102-8: Bidding Requirements and Conditions, w/Supplement

907-103-8: Award and Execution of Contract

907-104-1: Partnering Process

907-104-4: Disposal of Materials

907-105-6: Control of Work, w/Supplement

- CONTINUED ON NEXT PAGE -

Page 2 - PROJECT: HSIP-0040-01(021) / 101635301 – Monroe County

- 907-107-9: Legal Relations & Responsibility to Public, w/Supplement
- 907-107-10: Contractor's Erosion Control Plan
- 907-108-24: Prosecution and Progress
- 907-109-5: Measurement and Payment, w/Supplement
- 907-110-2: Wage Rates
- 907-225-3: Grassing
- 907-226-2: Temporary Grassing
- 907-227-10: Hydroseeding
- 907-234-5: Siltation Barriers
- 907-237-4: Wattles
- 907-245-2: Triangular Silt Dikes
- 907-246-3: Sandbags & Rockbags
- 907-247-1: Temporary Stream Diversion
- 907-249-1: Riprap for Erosion Control
- 907-304-13: Granular Courses
- 907-401-2: Hot Mix Asphalt (HMA), w/Supplement
- 907-401-4: Warm Mix Asphalt (WMA), w/Supplement
- 907-403-4: Hot Mix Asphalt (HMA), w/Supplement
- 907-403-9: Warm Mix Asphalt (WMA), w/Supplement
- 907-407-1: Tack Coat
- 907-601-1: Structural Concrete
- 907-603-8: Culverts & Storm Drains
- 907-605-3: Underdrains
- 907-617-2: Right-Of-Way Markers
- 907-618-4: Placement of Temporary Traffic Stripe
- 907-619-5: Changeable Message Signs
- 907-626-15: Thermoplastic Traffic Markings
- 907-699-4: Construction Staking
- 907-701-4: Hydraulic Cement
- 907-702-3: Polyphosphoric Acid (PPA) Modification of Petroleum Asphalt Cement
- 907-703-10: Aggregates
- 907-708-5: Non Metal Drainage Structures, w/Supplement
- 907-709-1: Metal Pipe
- 907-710-1: Fast Dry Solvent Traffic Paint
- 907-711-4: Synthetic Structural Fiber Reinforcement
- 907-713-2: Admixtures for Concrete, w/Supplement
- 907-714-6: Miscellaneous Materials
- 907-715-3: Roadside Development Materials, w/Supplement
- 907-720-1: Pavement Marking Materials
- 907-803-2: Maturity Meters in Drilled Shafts, w/Supplement
- 907-804-13: Concrete Bridges and Structures, w/Supplement
- 907-899-2: Railway-Highway Provisions, w/Attachments

906-7: Training Special Provision

SECTION 905 - PROPOSAL, PROPOSAL BID ITEMS

COMBINATION BID PROPOSAL

CERTIFICATION OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS

CERTIFICATION REGARDING NON-COLLUSION, DEBARMENT AND SUSPENSION

SECTION 902- CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORMS

PILE DRIVING FORM

FORM -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3990

CODE: (SP)

DATE: 07/03/2012

SUBJECT: Contract Time

PROJECT: HSIP-0040-01(021) / 101635301 – Monroe County

The calendar date for completion of work to be performed by the Contractor for this project shall be **June 8, 2015** which date or extended date as provided in Subsection 907-108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued no later than **October 9, 2012** and the effective date of the Notice to Proceed / Beginning of Contract Time will be **November 8, 2012**.

Should the Contractor request a Notice to Proceed earlier than **November 8, 2012** and it is agreeable with the Department for an early Notice to Proceed, the requested date will become the new Notice to Proceed / Beginning of Contract Time date.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

| SECTION 904 - NOTICE TO BIDDERS NO. 4106

CODE: (SP)

| DATE: 09/14/2012

SUBJECT: Clearing Limits

| PROJECT: HSIP-0040-01(021) / 101635301 – Monroe County

The Bidder is hereby advised that Clearing will be required from R.O.W. to R.O.W. unless otherwise noted on the plans or herein.

Bidders are advised that in wetland areas Clearing will be limited to approximately fifteen (15) feet outside of the construction limits indicated on the plans.

The Bidder's attention is also called to Note 22 on Sheet Number 7 of the Contract Plans. The first three stations listed are outside of the project limits and are in error. Note 22 should read as follows:

The Clearing Limits adjacent to the streams at Stations 475+00 and 551+00 will be limited to no further than ten (10) feet outside the construction limits when any closer to the stream than fifty (50) feet from the top of the banks.

Grade, Drain, Bridge & Incidental Paving approximately 6 miles on SR 25 South of Becker to Existing US 278, known as Federal Aid Project No. HSIP-0040-01(021) / 101635301 in Monroe County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
					Roadway Items
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		3	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B005		1,340	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B009		1	Each	Removal of Bridge
0060	202-B018		146	Square Yard	Removal of Concrete Driveways, All Depths
0070	202-B064		441	Linear Feet	Removal of Pipe, 8" And Above
0080	202-B149		1	Mile	Removal of Traffic Stripe
0090	203-A003	(E)	143,353	Cubic Yard	Unclassified Excavation, FM, AH
	Changed 09/04/2012				
0100	203-EX017	(E)	1,238,306	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0120	206-A001	(S)	6,253	Cubic Yard	Structure Excavation
0130	206-B001	(E)	154	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0140	211-B001	(E)	41,947	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
	Changed 09/04/2012				
0142	213-C001		52	Ton	Superphosphate
	Added 09/18/2012				
0150	213-C001				Deleted 09/04/2012
0160	215-A001				Deleted 09/04/2012
0170	216-A001		7,471	Square Yard	Solid Sodding
0180	217-A001		6,132	Square Yard	Ditch Liner
0190	219-A001		150	Thousand Gallon	Watering [\$20.00]
0200	220-A001		52	Acre	Insect Pest Control [\$30.00]
	Changed 09/04/2012				
0210	221-A001	(S)	53	Cubic Yard	Portland Cement Concrete Paved Ditch
0220	223-A001		1	Acre	Mowing [\$40.00]
0230	224-A001		2,561	Square Yard	Soil Reinforcing Mat
0240	234-A001		15,405	Linear Feet	Temporary Silt Fence
0250	235-A001		132	Bale	Temporary Erosion Checks
0260	236-A004		32	Each	Silt Basin, Type D

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0270	239-A001		4,312	Linear Feet	Temporary Slope Drains
0280	602-A001	(S)	318,118	Pounds	Reinforcing Steel
0290	603-CA002	(S)	1,700	Linear Feet	18" Reinforced Concrete Pipe, Class III
0300	603-CA003	(S)	168	Linear Feet	24" Reinforced Concrete Pipe, Class III
0310	603-CA004	(S)	84	Linear Feet	30" Reinforced Concrete Pipe, Class III
0320	603-CA007	(S)	96	Linear Feet	48" Reinforced Concrete Pipe, Class III
0330	603-CA009	(S)	148	Linear Feet	60" Reinforced Concrete Pipe, Class III
0340	603-CA135	(S)	200	Linear Feet	54" Reinforced Concrete Pipe, Class IV, Class C Bedding
0350	603-CA136	(S)	164	Linear Feet	60" Reinforced Concrete Pipe, Class IV, Class C Bedding
0360	603-CB001	(S)	24	Each	18" Reinforced Concrete End Section
0370	603-CB002	(S)	3	Each	24" Reinforced Concrete End Section
0380	603-CB003	(S)	2	Each	30" Reinforced Concrete End Section
0390	603-CB006	(S)	2	Each	48" Reinforced Concrete End Section
0400	603-CB007	(S)	2	Each	54" Reinforced Concrete End Section
0410	603-CB008	(S)	4	Each	60" Reinforced Concrete End Section
0420	603-CE001	(S)	332	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
0430	603-CE002	(S)	104	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
0440	603-CE003	(S)	136	Linear Feet	36" x 23" Concrete Arch Pipe, Class A III
0450	603-CE004	(S)	160	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
0460	603-CE005	(S)	176	Linear Feet	51" x 31" Concrete Arch Pipe, Class A III
0470	603-CE007	(S)	460	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
0480	603-CE008	(S)	176	Linear Feet	73" x 45" Concrete Arch Pipe, Class A III
0490	603-CF001	(S)	4	Each	22" x 13" Concrete Arch Pipe End Section
0500	603-CF003	(S)	4	Each	36" x 23" Concrete Arch Pipe End Section
0510	603-CF004	(S)	4	Each	44" x 27" Concrete Arch Pipe End Section
0520	603-CF005	(S)	4	Each	51" x 31" Concrete Arch Pipe End Section
0530	603-CF007	(S)	4	Each	65" x 40" Concrete Arch Pipe End Section
0540	604-B001		3,250	Pounds	Gratings
0550	614-A002	(S)	99	Square Yard	Concrete Driveway, Without Reinforcement, 6-inch Thickness
0560	618-A001		1	Lump Sum	Maintenance of Traffic
0570	619-A1003		8,640	Linear Feet	Temporary Traffic Stripe, Continuous White, Paint
0580	619-A2003		8,758	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Paint
0590	619-A5002		129	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0600	619-A6003		24	Linear Feet	Temporary Traffic Stripe, Legend, Paint
0610	619-D1001		104	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0620	619-D2001		439	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0630	619-F1001		1,200	Linear Feet	Concrete Median Barrier, Precast
0640	619-G4001		224	Linear Feet	Barricades, Type III, Single Faced
0650	619-G4002		144	Linear Feet	Barricades, Type III, Single Faced, Permanent
0660	619-G5001		34	Each	Free Standing Plastic Drums
0670	620-A001		1	Lump Sum	Mobilization
0680	621-A001		1	Each	Field Laboratory
0690	627-L001		110	Each	Two-Way Yellow Reflective High Performance Raised Markers
0700	630-A001		199	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0710	630-A002		201	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0720	630-C003		473	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
0730	815-A009	(S)	15,693	Ton	Loose Riprap, Size 300
0740	815-E001	(S)	31,930	Square Yard	Geotextile under Riprap
0750	815-F002	(S)	1,225	Ton	Sediment Control Stone
0760	907-225-A001		104	Acre	Grassing
	Changed 09/04/2012				
0770	907-225-B001		312	Ton	Agricultural Limestone
	Changed 09/04/2012				
0772	907-225-C001		208	Ton	Mulch, Vegetative Mulch
	Added 09/04/2012				
0780	907-226-A001		52	Acre	Temporary Grassing
	Changed 09/04/2012				
0790	907-234-D001		2	Each	Inlet Siltation Guard
0800	907-234-E001		2	Each	Reset Inlet Siltation Guard
0810	907-237-A002		64	Linear Feet	Wattles, 12"
0820	907-237-A003		496	Linear Feet	Wattles, 20"
0830	907-245-A001		496	Linear Feet	Triangular Silt Dike
0840	907-246-A001		560	Linear Feet	Sandbags
0850	907-247-A001		4	Each	Temporary Stream Diversion
0860	907-249-A001		150	Ton	Riprap for Erosion Control
0870	907-249-B001		586	Cubic Yard	Remove and Reset Riprap
	Changed 09/04/2012				
0880	907-304-C007	(GY)	4,309	Cubic Yard	Granular Material, AEA, Class 3, Group C
0890	907-304-H002	(GY)	1,000	Cubic Yard	3/4" and Down Crushed Stone Base, LVM
0900	907-407-A001	(A2)	1,451	Gallon	Asphalt for Tack Coat

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0910	907-601-A001	(S)	1,774	Cubic Yard	Class "B" Structural Concrete
0920	907-601-B003	(S)	17	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0930	907-603-ALT01	(S)	172	Linear Feet	18" Type A Alternate Pipe
0940	907-603-ALT02	(S)	40	Linear Feet	24" Type A Alternate Pipe
0950	907-603-ALT04	(S)	68	Linear Feet	36" Type A Alternate Pipe
0960	907-603-ALT08	(S)	144	Linear Feet	18" Type B Alternate Pipe
0970	907-603-ALT09	(S)	96	Linear Feet	24" Type B Alternate Pipe
0980	907-605-Q002	(S)	500	Linear Feet	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
0990	907-605-R002	(S)	500	Linear Feet	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
1000	907-617-A001		145	Each	Right-of-Way Marker
1010	907-619-E3001		2	Each	Changeable Message Sign
1020	907-626-C008		8,640	Linear Feet	6" Thermoplastic Edge Stripe, Continuous White
1030	907-626-E003		8,758	Linear Feet	6" Thermoplastic Traffic Stripe, Continuous Yellow
1040	907-626-G004		129	Linear Feet	Thermoplastic Detail Stripe, White
1050	907-626-H005		24	Square Feet	Thermoplastic Legend, White
1060	907-699-A002		1	Lump Sum	Roadway Construction Stakes
1070	907-906001		1,760	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1080	907-403-A011	(BA1)	1,492	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP AA NUMBER 2					
1090	907-403-M003	(BA1)	1,492	Ton	Warm Mix Asphalt, ST, 12.5-mm mixture
ALTERNATE GROUP BB NUMBER 1					
1100	907-403-A015	(BA1)	1,116	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture
ALTERNATE GROUP BB NUMBER 2					
1110	907-403-M001	(BA1)	1,116	Ton	Warm Mix Asphalt, ST, 9.5-mm mixture
Bridge Items					
1120	501-K001		10,573	Square Yard	Transverse Grooving
1130	801-A001	(S)	465	Cubic Yard	Foundation Excavation for Bridges
1140	803-D002	(S)	8,885	Linear Feet	HP 12 x 53 Steel Piling
1150	803-D003	(S)	3,085	Linear Feet	HP 14 x 73 Steel Piling
1160	803-D006	(S)	10,670	Linear Feet	HP 14 x 117 Steel Piling
1170	803-H001	(S)	7	Each	PDA Test Pile, Conventional Load Test
1180	803-I001	(S)	14	Each	PDA Test Pile
1190	803-N001	(S)	10	Linear Feet	Exploration
1200	803-O010	(S)	300	Linear Feet	Temporary Casing, 60" Diameter

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1210	805-A001	(S)	992,754	Pounds	Reinforcement
1220	813-A001	(S)	4,182	Linear Feet	Concrete Railing
1230	815-A009	(S)	411	Ton	Loose Riprap, Size 300
1240	815-D001	(S)	758	Cubic Yard	Concrete Slope Paving
1250	815-E001	(S)	335	Square Yard	Geotextile under Riprap
1260	907-803-K006	(S)	600	Linear Feet	Drilled Shaft, 60" Diameter
1270	907-803-L002	(S)	1	Each	Test Shaft, 60" Diameter
1280	907-803-M005	(S)	60	Linear Feet	Trial Shaft, 60" Diameter
1290	907-804-A001	(S)	4,968	Cubic Yard	Bridge Concrete, Class AA
1300	907-804-C016	(S)	8,517	Linear Feet	40' Prestressed Concrete Beam, Type I+2
1310	907-804-C026	(S)	535	Linear Feet	90' Prestressed Concrete Beam, Type IV
1320	907-804-C030	(S)	638	Linear Feet	80' Prestressed Concrete Beam, Type III
1330	907-804-C158	(S)	569	Linear Feet	95' Prestressed Concrete Beam, Type IV
1340	907-804-C172	(S)	1,017	Linear Feet	85' Prestressed Concrete Beam, Type IV
1350	907-804-C231	(S)	714	Linear Feet	60' Prestressed Concrete Beam, Type IV
1360	907-804-C232	(S)	1,269	Linear Feet	106' Prestressed Concrete Beam, Type BT-63
1370	907-804-C233	(S)	1,461	Linear Feet	122' Prestressed Concrete Beam, Type BT-63
1380	907-899-A001		1	Lump Sum	Railway-Highway Provisions