


[Proposal & Plan Sales Will Begin on September 3, 2012](#)



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date for September – September 25, 2012



MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR SEPTEMBER - Tuesday, September 25, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 03, 2012

Proposals must be purchased from:

Contract Administration Engineer
MDOT Administration Building
401 North West Street
Jackson, MS 39201

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7744
FAX: (601) 359-7732

Plans may be purchased from:

MDOT Plans Print Shop
MDOT Shop Complex, Building C, Room 114
2567 North West Street
Jackson, MS 39216

(or)

P.O. Box 1850
Jackson, MS 39215-1850
Telephone: (601) 359-7460
or FAX: (601) 359-7461
or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
01	STP-0029-02(016) / 102556313 & STP-0029-03(008) / 102556314	Marshall & Desoto
02	IM-0055-04(074) / 103405301 & 302	Tate & Desoto
* 03	HSIP-0002-06(020) / 106416301	Lee
04	HSIP-0003-01(182) / 105913301	Jackson
05	BR-0008-01(076) / 102111302	Harrison
06	HSIP-0009-06(013) / 106173301	Desoto
07	HSIP-0040-01(021) / 101635301	Monroe
08	STP-0032-01(035) / 106181301	Pearl River
* 09	HSIP-0055-02(231) / 106417301 & 302	Yazoo & Holmes
10	BR-2170-00(005) / 102245302	Forrest
11	BR-2171-00(008) / 102519301	Lamar
12	MP-1009-58(007) / 304487301	Pontotoc
13	MP-1015-53(001) / 304485301 & MP-1015-78(003) / 304485302	Oktibbeha & Webster
14	MP-1762-73(001) / 304486301	Union
15	MRP-3020-75(139) / 304267301	Warren
16	BWO-9030-25(002) / 502352301, BWO-9041-25(001) / 502400301 BWO-9721-25(001) / 502353301 & LWO-9002-25(006) / 501560303	Hinds

Construction of SR 304/I-269 from Station 625+00 to Station 835+00, known as Federal Aid Project Nos. STP-0029-02(016) / 102556313 & STP-0029-03(008) / 102556314 in Desoto & Marshall Counties.

PROJECT COMPLETION: June 18, 2015

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
34,060	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1,563	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
2	Each	202-B019	Removal of Concrete Headwall
816	Square Yard	202-B025	Removal of Concrete Paved Ditch
550	Square Yard	202-B036	Removal of Concrete Slope Paving
23	Each	202-B042	Removal of Flared End Section, All Sizes
438	Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
734	Linear Feet	202-B064	Removal of Pipe, 8" And Above (Do Not Include Abandoned Utilities)
12,000	Linear Feet	202-B076	Removal of Traffic Stripe
1	Each	202-B142	Removal of Junction Box
66	Each	202-B155	Removal of Box Culvert Wings and Headwall, All Sizes
8	Each	202-B292	Removal of Septic Tank, All Sizes
1,426,991	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,553,859	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
589,872	Cubic Yard	203-G003	Excess Excavation, FM, AH
13,764	Cubic Yard	206-A001	Structure Excavation
615	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
84,972	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
15,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished , Lvm
7,331	Square Yard	212-B001	Standard Ground Preparation
3	Ton	213-B001	Combination Fertilizer, 13-13-13
171	Ton	213-C001	Superphosphate
686	Ton	215-A001	Vegetative Materials for Mulch
7,331	Square Yard	216-A001	Solid Sodding
34,890	Square Yard	217-A001	Ditch Liner
147	Thousand Gallon	219-A001	Watering
171	Acre	220-A001	Insect Pest Control
1,593	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
197	Acre	223-A001	Mowing
15,278	Square Yard	224-A001	Soil Reinforcing Mat
24,632	Linear Feet	234-A001	Temporary Silt Fence
4,327	Bale	235-A001	Temporary Erosion Checks
38	Each	236-A004	Silt Basin, Type D
38	Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
9,450	Linear Feet	239-A001	Temporary Slope Drains
8	Mile	423-A001	Rumble Strips, Ground In
343	Linear Feet	501-E001	Expansion Joints, Without Dowels

Call No. 01 for the September 25, 2012 Letting

591	Square Yard	501-K001	Transverse Grooving
816	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
48	Linear Feet	503-C007	Saw Cut, Full Depth
621,433	Pounds	602-A001	Reinforcing Steel
3,872	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
912	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
628	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
1,844	Linear Feet	603-CA005	36" Reinforced Concrete Pipe, Class III
544	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
452	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
1,136	Linear Feet	603-CA008	54" Reinforced Concrete Pipe, Class III
428	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
336	Linear Feet	603-CA010	66" Reinforced Concrete Pipe, Class III
744	Linear Feet	603-CA011	72" Reinforced Concrete Pipe, Class III
164	Linear Feet	603-CA015	24" Reinforced Concrete Pipe, Class IV
216	Linear Feet	603-CA022	66" Reinforced Concrete Pipe, Class IV
36	Linear Feet	603-CA023	72" Reinforced Concrete Pipe, Class IV
216	Linear Feet	603-CA041	36" Reinforced Concrete Pipe, Class IV, Class B Bedding
264	Linear Feet	603-CA045	60" Reinforced Concrete Pipe, Class IV, Class B Bedding
232	Linear Feet	603-CA057	60" Reinforced Concrete Pipe, Class V, Class B Bedding,
764	Linear Feet	603-CA065	36" Reinforced Concrete Pipe, Class IV, Class B Bedding, Imperfect Trench
36	Each	603-CB001	18" Reinforced Concrete End Section
27	Each	603-CB002	24" Reinforced Concrete End Section
7	Each	603-CB003	30" Reinforced Concrete End Section
16	Each	603-CB004	36" Reinforced Concrete End Section
5	Each	603-CB005	42" Reinforced Concrete End Section
6	Each	603-CB006	48" Reinforced Concrete End Section
10	Each	603-CB007	54" Reinforced Concrete End Section
3	Each	603-CB008	60" Reinforced Concrete End Section
6	Each	603-CB009	66" Reinforced Concrete End Section
4	Each	603-CB010	72" Reinforced Concrete End Section
112	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
2	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
2	Each	603-SB003	18" Branch Connections, Stub into Concrete Box Culvert
1	Each	603-SB011	72" Branch Connections, Stub into Box Culvert
1	Each	603-SB039	24" Branch Connections, Stub into Inlet
11,750	Pounds	604-B001	Gratings
350	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
14	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
14	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,250	Linear Feet	606-B005	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D012	Guard Rail, Bridge End Section, Type I
12	Each	606-E001	Guard Rail, Terminal End Section
25,243	Linear Feet	607-A002	60" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
37,894	Linear Feet	607-B006	60" Type II Chain Link Fence, Class II
3,400	Linear Feet	607-E001	Barbed Wire Fence, Single Strand

Call No. 01 for the September 25, 2012 Letting

3	Each	607-G020	Gate, 12' x 60" Galvanized Metal
3	Each	607-G107	Gate, 12' x 5' Chain Link
3,494	Each	607-P1007	Line Post, 7' x 1 1/2" Galvanized Steel
1,410	Each	607-P1013	Line Post, 7' Tee Post Steel
402	Each	607-P1014	Line Post, 9' Tee Post Steel
201	Each	607-P1015	Line Post, 10' Tee Post Steel
54	Each	607-P1019	Line Post, 14' x 2 1/2" Galvanized Steel
109	Each	607-P2001	Brace Post, 8' x 6" Timber
31	Each	607-P2002	Brace Post, 10' x 6" Timber
16	Each	607-P2003	Brace Post, 12' x 6" Timber
378	Each	607-P2008	Brace Post, 7 1/2' x 2" Galvanized Steel
12	Each	607-P3001	Gate Post, 8' x 6" Timber
745	Each	607-Z001	Concrete Anchors
280	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
436	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
80	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
40	Linear Feet	615-A019	Concrete Bridge End Barrier, 43.5"
	Lump Sum	618-A001	Maintenance of Traffic
9	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
3,566	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2	Mile	619-A1008	Temporary Traffic Stripe, Continuous White, Type 1 Tape
10	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4,207	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
2	Mile	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1,796	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Type 1 Tape
907	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
156	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
699	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
48	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
166	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,569	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
3,820	Linear Feet	619-F1001	Concrete Median Barrier, Precast
540	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
120	Linear Feet	619-G4004	Barricades, Type III, Single Faced, Permanent, Red/White
420	Linear Feet	619-G4005	Barricades, Type III, Double Faced
347	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights, Type "B"
8	Unit	619-J1003	Impact Attenuator, 60 MPH
2	Unit	619-J2002	Impact Attenuator, 60 MPH, Replacement Package
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
89	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
926	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4,195	Linear Feet	628-O002	High Performance Cold Plastic Detail Stripe, Yellow
133	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
187	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

Call No. 01 for the September 25, 2012 Letting

1,017	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
54	Each	630-F001	Delineators, Guard Rail, White
6	Each	630-G001	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
	Lump Sum	630-I001	Metal Overhead Sign Supports, Assembly No. 1
2,093	Pounds	690-A001	Grouting Abandoned Water Wells
1,340	Ton	815-A006	Loose Riprap, Size 100
11,427	Ton	815-A009	Loose Riprap, Size 300
15,667	Square Yard	815-E001	Geotextile under Riprap
269	Ton	815-F002	Sediment Control Stone
341	Acre	907-225-A001	Grassing
1,099	Ton	907-225-B001	Agricultural Limestone
341	Acre	907-226-A001	Temporary Grassing
2,206	Linear Feet	907-234-C002	Super Silt Fence
400	Linear Feet	907-234-F001	Turbidity Barrier
5,000	Linear Feet	907-237-A002	Wattles, 12"
2,680	Linear Feet	907-237-A003	Wattles, 20"
12,130	Linear Feet	907-245-A001	Triangular Silt Dike
2,680	Linear Feet	907-246-A001	Sandbags
4	Each	907-247-A001	Temporary Stream Diversion
400	Cubic Yard	907-249-B001	Remove and Reset Riprap
6,206	Cubic Yard	907-304-C009	Granular Material, AEA, Class 3, Group D
22,945	Ton	907-304-F002	Size 610 Crushed Stone Base
11,271	Gallon	907-407-A001	Asphalt for Tack Coat
2,974	Cubic Yard	907-601-A001	Class "B" Structural Concrete
90	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
884	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
160	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
216	Linear Feet	907-603-ALT08	18" Type B Alternate Pipe
108	Linear Feet	907-603-ALT14	22" x 13" Type A Alternate Pipe
1,250	Linear Feet	907-605-O002	6" Perforated Sewer Pipe for Underdrains, SDR 35
250	Linear Feet	907-605-P002	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
341	Each	907-617-A001	Right-of-Way Marker
9	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
3,151	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
3,475	Linear Feet	907-626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
1,320	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
6	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,825	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
18,108	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
802	Linear Feet	907-626-H004	Thermoplastic Legend, White
116	Square Feet	907-626-H005	Thermoplastic Legend, White
60	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
2,080	Hours	907-906001	Trainees

ALTERNATE GROUP AA NO. 1

Call No. 01 for the September 25, 2012 Letting

7,172	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP AA NO. 2
7,172	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP BB NO. 1
12,377	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP BB NO. 2
12,377	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP CC NO. 1
3,383	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
698	Linear Feet	907-626-K003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,546	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow ALTERNATE GROUP CC NO. 2
3,383	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
698	Linear Feet	628-L002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,546	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
Bridge Items			
19,290	Square Yard	501-K001	Transverse Grooving
20,839	Cubic Yard	801-A001	Foundation Excavation for Bridges
8	Each	803-B002	Conventional Static Pile Load Test
8,500	Linear Feet	803-C002	14" x 14" Prestressed Concrete Piling
3,740	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
43,980	Linear Feet	803-D006	HP 14 x 117 Steel Piling
10,700	Linear Feet	803-F009	20" Pre-Formed Pile Hole
30	Each	803-I001	PDA Test Pile
2,728,951	Pounds	805-A001	Reinforcement
5,433	Linear Feet	813-A002	Concrete Railing, 32"
3,313	Linear Feet	813-A003	Concrete Railing, 42"
1,240	Cubic Yard	815-D001	Concrete Slope Paving
13,772	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
957	Linear Feet	907-804-C008	120' Prestressed Concrete Beam, Type BT-72
1,297	Linear Feet	907-804-C010	125' Prestressed Concrete Beam, Type BT-72
259	Linear Feet	907-804-C011	130' Prestressed Concrete Beam, Type BT-72
627	Linear Feet	907-804-C025	90' Prestressed Concrete Beam, Type BT-72
6,439	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
447	Linear Feet	907-804-C148	75' Prestressed Concrete Beam, Type IV
325	Linear Feet	907-804-C149	109' Prestressed Concrete Beam, Type IV
4,520	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
521	Linear Feet	907-804-C167	105' Prestressed Concrete Beam, Type IV
1,014	Linear Feet	907-804-C172	85' Prestressed Concrete Beam, Type IV
1,907	Linear Feet	907-804-C174	80' Prestressed Concrete Beam, Type IV
358	Linear Feet	907-804-C176	72' Prestressed Concrete Beam, Type IV
1,062	Linear Feet	907-804-C180	89' Prestressed Concrete Beam, Type IV
327	Linear Feet	907-804-C189	55' Prestressed Concrete Beam, Type IV
523	Linear Feet	907-804-C192	105' Prestressed Concrete Beam, Type BT-72
103	Linear Feet	907-804-C193	103' Prestressed Concrete Beam, Type IV
383	Linear Feet	907-804-C199	77' Prestressed Concrete Beam, Type IV

Call No. 01 for the September 25, 2012 Letting

585	Linear Feet	907-804-C200	98' Prestressed Concrete Beam, Type IV
1,215	Linear Feet	907-804-C201	102' Prestressed Concrete Beam, Type IV
324	Linear Feet	907-804-C202	108' Prestressed Concrete Beam, Type IV
348	Linear Feet	907-804-C203	70' Prestressed Concrete Beam, Type BT-72
86	Linear Feet	907-804-C206	86' Prestressed Concrete Beam, Type IV
92	Linear Feet	907-804-C207	92' Prestressed Concrete Beam, Type IV
178	Linear Feet	907-804-C208	89' Prestressed Concrete Beam, Type BT-72
452	Linear Feet	907-804-C209	91' Prestressed Concrete Beam, Type BT-72
238	Linear Feet	907-804-C210	119' Prestressed Concrete Beam, Type BT-72
482	Linear Feet	907-804-C211	121' Prestressed Concrete Beam, Type BT-72
258	Linear Feet	907-804-C212	129' Prestressed Concrete Beam, Type BT-72
392	Linear Feet	907-804-C213	131' Prestressed Concrete Beam, Type BT-72

Overlay and Ramp Extensions on I-55 from Panola / Tate County Line to Love, known as Federal Aid Project No. IM-0055-04(074) / 103405301 & 302, in Tate & Desoto Counties.

PROJECT COMPLETION: November 05, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
100 Square Yard	202-B006	Removal of Asphalt Pavement, Failed Areas
550 Square Yard	202-B032	Removal of Concrete Pavement Punchouts, 9" Depth
13,313 Linear Feet	202-B053	Removal of Guard Rail Including Post, Blockouts & Hardware
8 Linear Feet	202-B064	Removal of Pipe, 8" And Above
22,000 Linear Feet	202-B076	Removal of Traffic Stripe
1 Each	202-B105	Removal of Pipe Headwall, All Sizes
2 Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
5,000 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
15,000 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
1,000 Cubic Yard	203-G004	Excess Excavation, LVM, AH
100 Cubic Yard	206-A001	Structure Excavation
100 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
3 Ton	213-C001	Superphosphate
3 Acre	220-A001	Insect Pest Control
1,531 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
5 Acre	223-A001	Mowing
5,000 Linear Feet	234-A001	Temporary Silt Fence
260,000 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
7,500 Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
60 Mile	423-A001	Rumble Strips, Ground In
100 Linear Feet	501-D001	Expansion Joints, With Dowels
1,000 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,200 Linear Feet	503-C007	Saw Cut, Full Depth
50 Cubic Yard	503-D001	Concrete for Base Repair
2,000 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
9,232 Pounds	602-A001	Reinforcing Steel
8 Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
8 Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
1 Each	603-CB003	30" Reinforced Concrete End Section
1 Each	603-CB005	42" Reinforced Concrete End Section
296,400 Linear Feet	605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection
9,888 Linear Feet	606-B001	Guard Rail, Class A, Type 1
32 Each	606-C003	Guard Rail, Cable Anchor, Type 1
24 Each	606-D001	Guard Rail, Bridge End Section, Type A
6 Each	606-D012	Guard Rail, Bridge End Section, Type I
62 Each	606-E001	Guard Rail, Terminal End Section
300 Linear Feet	615-A012	Concrete Type IV Modified, 42" Height, Cast-in-Place Median Barrier
2,000 Linear Feet	615-B001	Precast Concrete Median Barrier
Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs

Call No. 02 for the September 25, 2012 Letting

98 Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
31,680 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
86 Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
86 Mile	619-A3006	Temporary Traffic Stripe, Skip White
15,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,920 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
64 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,108 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
72 Linear Feet	619-G4001	Barricades, Type III, Single Faced
48 Linear Feet	619-G4005	Barricades, Type III, Double Faced
100 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
3,000 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
275 Each	630-F001	Delineators, Guard Rail, White
154 Each	630-F002	Delineators, Guard Rail, Yellow
24 Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
400 Linear Feet	635-A001	Vehicle Loop Assemblies
1,800 Ton	815-A009	Loose Riprap, Size 300
1,800 Square Yard	815-E001	Geotextile under Riprap
5 Acre	907-225-A001	Grassing
15 Ton	907-225-B001	Agricultural Limestone
3 Acre	907-226-A001	Temporary Grassing
100 Linear Feet	907-234-F001	Turbidity Barrier
300 Linear Feet	907-237-A002	Wattles, 12"
750 Linear Feet	907-237-A003	Wattles, 20"
100 Each	907-246-A002	Sandbags
2 Each	907-247-A001	Temporary Stream Diversion
10,000 Ton	907-304-B009	Granular Material, Class 3, Group D
2,500 Ton	907-304-F002	Size 610 Crushed Stone Base
27,500 Ton	907-402-A002	Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture
80,000 Gallon	907-402-B001	Bituminous Tack Coat
40,000 Ton	907-403-AA001	Stone Matrix Asphalt, 9.5 mm Mixture
55,000 Ton	907-403-AA002	Stone Matrix Asphalt, 12.5 mm Mixture
120 Mile	907-403-S004	Joint Sealant
230,000 Gallon	907-407-A001	Asphalt for Tack Coat
329,840 Linear Feet	907-413-D001	Cleaning and Filling Joints in PCC Pavement
182,000 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
550 Square Yard	907-503-A001	9" and Variable Reinforced Concrete Pavement, Broom Finish
64 Cubic Yard	907-601-A001	Class "B" Structural Concrete
5 Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
295,000 Linear Feet	907-605-H001	Edge Drain
1,400 Linear Feet	907-605-I001	Edge Drain Outlets/Vents
26,551 Linear Feet	907-606-G001	Cable Barrier
16 Each	907-606-H001	Cable Barrier Terminal Section

Call No. 02 for the September 25, 2012 Letting

400	Each	907-606-I001	Cable Barrier Post Repair
2	Each	907-619-E3001	Changeable Message Sign
29	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
33	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
10,560	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
29	Mile	907-626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
4,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
640	Linear Feet	907-626-H004	Thermoplastic Legend, White
100	Square Feet	907-626-H005	Thermoplastic Legend, White
1	Each	907-688-A033	Traffic Recorder WIM Kistler System, 4-Lane
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,040	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
1,125	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
1,125	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
750	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
750	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
45,000	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
45,000	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
17,500	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 2
17,500	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 1
3,800	Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 2
3,800	Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture
			ALTERNATE GROUP FF NO. 1
8,132	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
9,912	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
9,932	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
			ALTERNATE GROUP FF NO. 2
8,132	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
9,912	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
9,932	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Installation of Cable Barrier on US 45, known as Federal Aid Project No. HSIP-0002-06(020) / 106416301 in Lee County.

PROJECT COMPLETION: August 09, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1,085	Square Yard	202-B025	Removal of Concrete Paved Ditch
4	Each	202-B057	Removal of Inlets, All Sizes
16,000	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
2,153	Cubic Yard	206-A001	Structure Excavation
76	Ton	213-C001	Superphosphate
7,333	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,000	Linear Feet	234-A001	Temporary Silt Fence
720	Bale	235-A001	Temporary Erosion Checks
1,756	Pounds	602-A001	Reinforcing Steel
553	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type III
75	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
340	Ton	815-F002	Sediment Control Stone
25	Acre	907-225-A001	Grassing
13	Ton	907-225-B001	Agricultural Limestone
76	Ton	907-225-C001	Mulch, Vegetative Mulch
25	Acre	907-226-A001	Temporary Grassing
34	Each	907-234-D001	Inlet Siltation Guard
3,400	Linear Feet	907-237-A002	Wattles, 12"
1,000	Linear Feet	907-237-A003	Wattles, 20"
700	Linear Feet	907-245-A001	Triangular Silt Dike
1,700	Linear Feet	907-246-A001	Sandbags
250	Ton	907-249-A001	Riprap for Erosion Control
35	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
6,266	Linear Feet	907-603-PE205	18" Corrugated Polyethylene Pipe
108,706	Linear Feet	907-606-G001	Cable Barrier
54	Each	907-606-H001	Cable Barrier Terminal Section
1,000	Each	907-606-I001	Cable Barrier Post Repair

Intersection Realignment at US 90 & Franklin Creek Road, known as Federal Aid Project No. HSIP-0003-01(182) / 105913301 in Jackson County.

PROJECT COMPLETION: May 28, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

Lump Sum	201-A001	Clearing and Grubbing
749 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
2 Each	202-B057	Removal of Inlets, All Sizes
26 Linear Feet	202-B064	Removal of Pipe, 8" And Above
20 Each	202-B069	Removal of Sign
3 Each	202-B079	Removal of Headwall
4,940 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,761 Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
2,302 Cubic Yard	203-G003	Excess Excavation, FM, AH
255 Cubic Yard	206-A001	Structure Excavation
6,429 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
3,160 Square Yard	212-B001	Standard Ground Preparation
2 Ton	213-B001	Combination Fertilizer, 13-13-13
2 Ton	213-C001	Superphosphate
3,160 Square Yard	216-A001	Solid Sodding
1,270 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
118 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1 Acre	223-A001	Mowing
6,200 Linear Feet	234-A001	Temporary Silt Fence
50 Bale	235-A001	Temporary Erosion Checks
24,314 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1,983 Pounds	602-A001	Reinforcing Steel
48 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1 Each	603-CB001	18" Reinforced Concrete End Section
56 Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
232 Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
488 Pounds	604-A001	Castings
1,400 Pounds	604-B001	Gratings
1,591 Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
1,658 Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
28 Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
Lump Sum	618-A001	Maintenance of Traffic
48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
436 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192 Linear Feet	619-G4001	Barricades, Type III, Single Faced
160 Each	619-G5001	Free Standing Plastic Drums
Lump Sum	620-A001	Mobilization
600 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

Call No. 04 for the September 25, 2012 Letting

2	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
134	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
207	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
821	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
172	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
79	Linear Feet	630-D006	Structural Steel Beams, W8 x 18
164	Linear Feet	630-D007	Structural Steel Beams, W8 x 21
89	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
386	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
321	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
144	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3"
16	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3 1/2"
92	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
5	Ton	815-A009	Loose Riprap, Size 300
32	Square Yard	815-E001	Geotextile under Riprap
2	Ton	815-F002	Sediment Control Stone
2	Ton	907-213-A001	Agricultural Limestone
7	Each	907-234-D001	Inlet Siltation Guard
100	Linear Feet	907-237-A002	Wattles, 12"
100	Linear Feet	907-237-A003	Wattles, 20"
50	Each	907-246-A002	Sandbags
2,560	Ton	907-304-F004	Size 825B Crushed Stone Base
1,412	Gallon	907-407-A001	Asphalt for Tack Coat
22	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
3	Each	907-619-E3001	Changeable Message Sign
1,747	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
250	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
3,110	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
104	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,855	Linear Feet	907-626-F005	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
27,269	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
6,466	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
54	Linear Feet	907-626-H004	Thermoplastic Legend, White
541	Square Feet	907-626-H005	Thermoplastic Legend, White
54	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
2,328	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
2,328	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 1
429	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
429	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1

Call No. 04 for the September25, 2012 Letting

965 Ton	907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP CC NO. 2
965 Ton	907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture ALTERNATE GROUP DD NO. 1
552 Ton	907-403-A012 Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP DD NO. 2
552 Ton	907-403-M004 Warm Mix Asphalt, ST, 19-mm mixture

Bridge Replacement on US 49 over Little Biloxi River, known as Federal Aid Project No. BR-0008-01(076) / 102111302 in Harrison County.

PROJECT COMPLETION: March 27, 2015

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
	292 Square Yard	202-B002	Removal of Asphalt Driveways, All Depths
	14,337 Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
	1,264 Linear Feet	202-B076	Removal of Traffic Stripe
	9,823 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
	27,630 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
	10,867 Cubic Yard	203-G003	Excess Excavation, FM, AH
	1,001 Cubic Yard	206-A001	Structure Excavation
	6,779 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
	53,300 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
	6 Ton	213-C001	Superphosphate
	22 Ton	215-A001	Vegetative Materials for Mulch
	300 Square Yard	216-A001	Solid Sodding
	1 Thousand Gallon	219-A001	Watering
	5 Acre	220-A001	Insect Pest Control
	2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
	4,480 Linear Feet	234-A001	Temporary Silt Fence
	4 Each	236-A001	Silt Basin, Type A
	5 Each	236-A004	Silt Basin, Type D
	2,581 Gallon	408-A003	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
	2 Mile	423-A001	Rumble Strips, Ground In
	222 Linear Feet	501-E001	Expansion Joints, Without Dowels
	482 Square Yard	501-K001	Transverse Grooving
	489 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
	440 Pounds	602-A001	Reinforcing Steel
	160 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
	56 Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
	120 Linear Feet	603-CA094	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
	2 Each	603-CB001	18" Reinforced Concrete End Section
	2 Each	603-CB002	24" Reinforced Concrete End Section
	336 Linear Feet	603-CE039	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
	124 Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
	256 Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
	3 Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
	1 Each	603-CF002	29" x 18" Concrete Arch Pipe End Section
	250 Pounds	604-B001	Gratings
	975 Linear Feet	606-B001	Guard Rail, Class A, Type 1
	4 Each	606-D012	Guard Rail, Bridge End Section, Type I
	4 Each	606-E001	Guard Rail, Terminal End Section

Call No. 05 for the September 25, 2012 Letting

32	Linear Feet	615-A015	Concrete Bridge End Barrier, 32"
	Lump Sum	618-A001	Maintenance of Traffic
2,133	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
4,242	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
4,211	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
4,211	Linear Feet	619-A5004	Temporary Traffic Stripe, Detail, Type 1 Tape
106	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
44	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
397	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
34	Each	619-F3004	Delineators, Guard Rail, White
4	Linear Feet	619-G4001	Barricades, Type III, Single Faced
86	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
170	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
19	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
64	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
45	Square Feet	630-B001	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
63	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
40	Linear Feet	630-D005	Structural Steel Beams, W6 x 15
45	Pounds	630-E002	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
77	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4	Each	630-G002	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
210	Ton	815-A009	Loose Riprap, Size 300
9,333	Square Yard	815-E001	Geotextile under Riprap
250	Ton	815-F002	Sediment Control Stone
11	Acre	907-225-A001	Grassing
33	Ton	907-225-B001	Agricultural Limestone
6	Acre	907-226-A001	Temporary Grassing
1,050	Linear Feet	907-234-C002	Super Silt Fence
564	Linear Feet	907-237-A003	Wattles, 20"
360	Ton	907-249-A001	Riprap for Erosion Control
4,838	Cubic Yard	907-304-A005	Granular Material, LVM, Class 9, Group C
6,715	Ton	907-304-F004	Size 825B Crushed Stone Base
2,417	Gallon	907-407-A001	Asphalt for Tack Coat
3	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
56	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
56	Linear Feet	907-603-PE205	18" Corrugated Polyethylene Pipe
56	Linear Feet	907-603-PE206	24" Corrugated Polyethylene Pipe
18	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge

Call No. 05 for the September 25, 2012 Letting

3,600	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F001	Detour Bridge Test Pile
3,120	Linear Feet	907-626-A006	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,120	Linear Feet	907-626-C005	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
3,120	Linear Feet	907-626-F007	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow, 90 mil min
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
1,750	Ton	907-403-A002	Hot Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
1,750	Ton	907-403-M011	Warm Mix Asphalt, HT, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
613	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 2
613	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP CC NO. 1
689	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP CC NO. 2
689	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP DD NO. 1
553	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 2
553	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP EE NO. 1
269	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP EE NO. 2
269	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP FF NO. 1
1,424	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP FF NO. 2
1,424	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP GG NO. 1
202	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP GG NO. 2
202	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP HH NO. 1
1,573	Ton	907-403-D001	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP HH NO. 2
1,573	Ton	907-403-P002	Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified
			ALTERNATE GROUP II NO. 1
1,179	Ton	907-403-D004	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			ALTERNATE GROUP II NO. 2
1,179	Ton	907-403-P001	Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified
			Bridge Items
6,444	Square Yard	501-K001	Transverse Grooving
2	Each	803-B002	Conventional Static Pile Load Test
8,520	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling

Call No. 05 for the September 25, 2012 Letting

10,660	Linear Feet	803-C004	18" x 18" Prestressed Concrete Piling
10	Each	803-I001	PDA Test Pile
4	Each	803-J001	Pile Restrike
456,132	Pounds	805-A001	Reinforcement
2,326	Linear Feet	813-A001	Concrete Railing
810	Ton	815-A009	Loose Riprap, Size 300
640	Square Yard	815-E001	Geotextile under Riprap
609	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
1,867	Cubic Yard	907-804-A012	Bridge Concrete, Class BD
5,041	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
2,552	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
1,596	Linear Feet	907-804-C171	100' Prestressed Concrete Beam, Type IV

Traffic Signal Installation at US 61 and Delta View Road, known as Federal Aid Project No. HSIP-0009-06(013) / 106173301 in DeSoto County.

PROJECT COMPLETION: July 19, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

47	Square Yard	202-B025	Removal of Concrete Paved Ditch
5	Each	202-B042	Removal of Flared End Section, All Sizes
1	Each	202-B057	Removal of Inlets, All Sizes
513	Linear Feet	202-B076	Removal of Traffic Stripe
2,389	Square Yard	202-B078	Removal of Pavement, All Types and Depths
645	Linear Feet	202-B093	Removal of Curb & Gutter, All Types
16	Linear Feet	202-B106	Removal of Pipe, All Sizes
14	Each	202-B107	Removal of Sign, Ground Mounted with Posts
1	Each	202-B132	Removal of Traffic Signal
158	Square Yard	202-B216	Removal of Island Pavement, All Types
1,516	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,050	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
20	Cubic Yard	206-A001	Structure Excavation
8,953	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
10,180	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-B001	Combination Fertilizer, 13-13-13
1	Ton	213-C001	Superphosphate
10,180	Square Yard	216-A001	Solid Sodding
97	Thousand Gallon	219-A001	Watering
9	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,752	Linear Feet	234-A001	Temporary Silt Fence
12,962	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
54	Pounds	602-A001	Reinforcing Steel
64	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA107	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
5	Each	603-CB002	24" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
914	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 3A Modified
680	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
448	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
36	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
1,523	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
960	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2,248	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
2,028	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
480	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
384	Square Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
504	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 06 for the September 25, 2012 Letting

177	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
218	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
66	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
173	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
173	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
160	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
968	Linear Feet	635-A001	Vehicle Loop Assemblies
2,228	Linear Feet	636-A001	Shielded Cable, AWG #18, 4 Conductor
3	Each	638-A002	Loop Detector Amplifier, 4 Channel
8	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
8	Each	640-A029	Traffic Signal Heads, Type 12 LED
1	Each	642-A008	Solid State Traffic Actuated Controllers, Type 8A
8	Each	647-A001	Pullbox, Type 1
7	Each	647-A005	Pullbox, Type 2
2,658	Linear Feet	666-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3 Conductor
1,217	Linear Feet	666-B054	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
960	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
1,215	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
696	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
1	Ton	907-225-B001	Agricultural Limestone
1	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
300	Linear Feet	907-237-A002	Wattles, 12"
300	Linear Feet	907-237-A003	Wattles, 20"
1,248	Ton	907-304-B009	Granular Material, Class 3, Group D
1,865	Ton	907-304-F002	Size 610 Crushed Stone Base
973	Gallon	907-407-A001	Asphalt for Tack Coat
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2,248	Linear Feet	907-626-A004	6" Thermoplastic Traffic Stripe, Skip White
1,523	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
960	Linear Feet	907-626-F008	6" Thermoplastic Edge Stripe, Continuous Yellow
7,898	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,028	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
480	Linear Feet	907-626-H004	Thermoplastic Legend, White
384	Square Feet	907-626-H005	Thermoplastic Legend, White
175	Square Feet	907-630-PP010	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
12	Cubic Yard	907-631-B001	Flowable Fill, Non-Excavatable
2	Each	907-639-A007	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-639-A019	Traffic Signal Equipment Pole, Type II, 17' Shaft, 70' Arm
7	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
4	Cubic Yard	907-639-C004	Pole Foundations, 30" Diameter
	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NO. 1

Call No. 06 for the September25, 2012 Letting

1,054 Ton	907-403-A001	Hot Mix Asphalt, HT, 12.5-mm mixture ALTERNATE GROUP AA NO. 2
1,054 Ton	907-403-M010	Warm Mix Asphalt, HT, 12.5-mm mixture ALTERNATE GROUP BB NO. 1
1,387 Ton	907-403-A005	Hot Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP BB NO. 2
1,387 Ton	907-403-M009	Warm Mix Asphalt, HT, 9.5-mm mixture ALTERNATE GROUP CC NO. 1
600 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP CC NO. 2
600 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture

Grade, Drain, Bridge & Incidental Paving approximately 6 miles on SR 25 South of Becker to Existing US 278, known as Federal Aid Project No. HSIP-0040-01(021) / 101635301 in Monroe County.

PROJECT COMPLETION: May 11, 2015

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
3	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
1,340	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
1	Each	202-B009	Removal of Bridge
146	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
441	Linear Feet	202-B064	Removal of Pipe, 8" And Above
1	Mile	202-B149	Removal of Traffic Stripe
187,375	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,238,306	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B9
6,253	Cubic Yard	206-A001	Structure Excavation
154	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
74,752	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
70	Ton	213-C001	Superphosphate
270	Ton	215-A001	Vegetative Materials for Mulch
7,471	Square Yard	216-A001	Solid Sodding
6,132	Square Yard	217-A001	Ditch Liner
150	Thousand Gallon	219-A001	Watering
70	Acre	220-A001	Insect Pest Control
53	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1	Acre	223-A001	Mowing
2,561	Square Yard	224-A001	Soil Reinforcing Mat
15,405	Linear Feet	234-A001	Temporary Silt Fence
132	Bale	235-A001	Temporary Erosion Checks
32	Each	236-A004	Silt Basin, Type D
4,312	Linear Feet	239-A001	Temporary Slope Drains
318,118	Pounds	602-A001	Reinforcing Steel
1,700	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
168	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
84	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
96	Linear Feet	603-CA007	48" Reinforced Concrete Pipe, Class III
148	Linear Feet	603-CA009	60" Reinforced Concrete Pipe, Class III
200	Linear Feet	603-CA135	54" Reinforced Concrete Pipe, Class IV, Class C Bedding
164	Linear Feet	603-CA136	60" Reinforced Concrete Pipe, Class IV, Class C Bedding
24	Each	603-CB001	18" Reinforced Concrete End Section
3	Each	603-CB002	24" Reinforced Concrete End Section
2	Each	603-CB003	30" Reinforced Concrete End Section
2	Each	603-CB006	48" Reinforced Concrete End Section
2	Each	603-CB007	54" Reinforced Concrete End Section
4	Each	603-CB008	60" Reinforced Concrete End Section

Call No. 07 for the September 25, 2012 Letting

332	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
104	Linear Feet	603-CE002	29" x 18" Concrete Arch Pipe, Class A III
136	Linear Feet	603-CE003	36" x 23" Concrete Arch Pipe, Class A III
160	Linear Feet	603-CE004	44" x 27" Concrete Arch Pipe, Class A III
176	Linear Feet	603-CE005	51" x 31" Concrete Arch Pipe, Class A III
460	Linear Feet	603-CE007	65" x 40" Concrete Arch Pipe, Class A III
176	Linear Feet	603-CE008	73" x 45" Concrete Arch Pipe, Class A III
4	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-CF003	36" x 23" Concrete Arch Pipe End Section
4	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF005	51" x 31" Concrete Arch Pipe End Section
4	Each	603-CF007	65" x 40" Concrete Arch Pipe End Section
3,250	Pounds	604-B001	Gratings
99	Square Yard	614-A002	Concrete Driveway, Without Reinforcement, 6-inch Thickness
	Lump Sum	618-A001	Maintenance of Traffic
8,640	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
8,758	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
129	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
24	Linear Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
104	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
439	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
224	Linear Feet	619-G4001	Barricades, Type III, Single Faced
144	Linear Feet	619-G4002	Barricades, Type III, Single Faced, Permanent
34	Each	619-G5001	Free Standing Plastic Drums
	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
110	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
199	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
201	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
473	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
15,693	Ton	815-A009	Loose Riprap, Size 300
31,930	Square Yard	815-E001	Geotextile under Riprap
1,225	Ton	815-F002	Sediment Control Stone
141	Acre	907-225-A001	Grassing
417	Ton	907-225-B001	Agricultural Limestone
141	Acre	907-226-A001	Temporary Grassing
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
64	Linear Feet	907-237-A002	Wattles, 12"
496	Linear Feet	907-237-A003	Wattles, 20"
496	Linear Feet	907-245-A001	Triangular Silt Dike
560	Linear Feet	907-246-A001	Sandbags
4	Each	907-247-A001	Temporary Stream Diversion
150	Ton	907-249-A001	Riprap for Erosion Control
568	Cubic Yard	907-249-B001	Remove and Reset Riprap

Call No. 07 for the September 25, 2012 Letting

4,309	Cubic Yard	907-304-C007	Granular Material, AEA, Class 3, Group C
1,000	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
1,451	Gallon	907-407-A001	Asphalt for Tack Coat
1,774	Cubic Yard	907-601-A001	Class "B" Structural Concrete
17	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
172	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
40	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
68	Linear Feet	907-603-ALT04	36" Type A Alternate Pipe
144	Linear Feet	907-603-ALT08	18" Type B Alternate Pipe
96	Linear Feet	907-603-ALT09	24" Type B Alternate Pipe
500	Linear Feet	907-605-Q002	6" Perforated Corrugated Polyethylene Drainage Tubing for Underdrains
500	Linear Feet	907-605-R002	6" Non-perforated Corrugated Polyethylene Drainage Tubing for Underdrains
145	Each	907-617-A001	Right-of-Way Marker
2	Each	907-619-E3001	Changeable Message Sign
8,640	Linear Feet	907-626-C008	6" Thermoplastic Edge Stripe, Continuous White
8,758	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
129	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
24	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
1,760	Hours	907-906001	Trainees
			ALTERNATE GROUP AA NO. 1
1,492	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
1,492	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
1,116	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
1,116	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			Bridge Items
10,573	Square Yard	501-K001	Transverse Grooving
465	Cubic Yard	801-A001	Foundation Excavation for Bridges
8,885	Linear Feet	803-D002	HP 12 x 53 Steel Piling
3,085	Linear Feet	803-D003	HP 14 x 73 Steel Piling
10,670	Linear Feet	803-D006	HP 14 x 117 Steel Piling
7	Each	803-H001	PDA Test Pile, Conventional Load Test
14	Each	803-I001	PDA Test Pile
10	Linear Feet	803-N001	Exploration
300	Linear Feet	803-O010	Temporary Casing, 60" Diameter
992,754	Pounds	805-A001	Reinforcement
4,182	Linear Feet	813-A001	Concrete Railing
411	Ton	815-A009	Loose Riprap, Size 300
758	Cubic Yard	815-D001	Concrete Slope Paving
335	Square Yard	815-E001	Geotextile under Riprap
600	Linear Feet	907-803-K006	Drilled Shaft, 60" Diameter
1	Each	907-803-L002	Test Shaft, 60" Diameter
60	Linear Feet	907-803-M005	Trial Shaft, 60" Diameter

Call No. 07 for the September 25, 2012 Letting

4,968	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
8,517	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
535	Linear Feet	907-804-C026	90' Prestressed Concrete Beam, Type IV
638	Linear Feet	907-804-C030	80' Prestressed Concrete Beam, Type III
569	Linear Feet	907-804-C158	95' Prestressed Concrete Beam, Type IV
1,017	Linear Feet	907-804-C172	85' Prestressed Concrete Beam, Type IV
714	Linear Feet	907-804-C231	60' Prestressed Concrete Beam, Type IV
1,269	Linear Feet	907-804-C232	106' Prestressed Concrete Beam, Type BT-63
1,461	Linear Feet	907-804-C233	122' Prestressed Concrete Beam, Type BT-63
	Lump Sum	907-899-A001	Railway-Highway Provisions

Traffic Signal Installation on SR 43 at Beech Street in Picayune, known as Federal Aid Project No. STP-0032-01(035) / 106181301 in Pearl River County.

PROJECT COMPLETION: June 07, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
1 Each	202-B042	Removal of Flared End Section, All Sizes
40 Linear Feet	202-B064	Removal of Pipe, 8" And Above
4 Each	202-B107	Removal of Sign, Ground Mounted with Posts
225 Cubic Yard	203-A003	Unclassified Excavation, FM, AH
1,000 Cubic Yard	203-EX013	Borrow Excavation, AH, FME, Class B7
25 Cubic Yard	206-A001	Structure Excavation
1,546 Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
5,011 Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
71 Square Yard	212-B001	Standard Ground Preparation
1 Ton	213-B001	Combination Fertilizer, 13-13-13
71 Square Yard	216-B004	Solid Sodding, Bermuda
75 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
2 Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
285 Linear Feet	234-A001	Temporary Silt Fence
50 Bale	235-A001	Temporary Erosion Checks
3 Each	236-A001	Silt Basin, Type A
8,115 Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
48 Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
3 Each	603-CB001	18" Reinforced Concrete End Section
321 Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
Lump Sum	618-A001	Maintenance of Traffic
868 Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,750 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
2,794 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
732 Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
25 Square Feet	619-A6002	Temporary Traffic Stripe, Legend
68 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
156 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4005	Barricades, Type III, Double Faced
Lump Sum	620-A001	Mobilization
62 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
29 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
276 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36 Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
696 Linear Feet	635-A001	Vehicle Loop Assemblies
1,507 Linear Feet	636-A005	Shielded Cable, AWG #14, 2 Conductor

Call No. 08 for the September 25, 2012 Letting

2	Each	638-A005	Loop Detector Amplifier, Card Rack Mounted, 4 Channel
4	Each	640-A016	Traffic Signal Heads, Type 1 LED
2	Each	640-A018	Traffic Signal Heads, Type 3 LED
2	Each	640-A022	Traffic Signal Heads, Type 7 LED
4	Each	644-A001	Optical Detector
634	Linear Feet	644-B001	Optical Detector Cable
1	Each	644-C002	Phase Selector, 4 Channel
4	Each	647-A001	Pullbox, Type 1
1	Each	647-A002	Pullbox, Type 3
5	Each	647-A005	Pullbox, Type 2
1	Each	648-A001	Radio Interconnect, Installed in New Controller Cabinet
1	Each	648-C001	Radio Repeater Installation
444	Linear Feet	666-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 Conductor
229	Linear Feet	666-B040	Electric Cable, Underground in Conduit, THHN, AWG #8, 3 Conductor
190	Linear Feet	666-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 7 Conductor
25	Linear Feet	668-A016	Traffic Signal Conduit, Underground, Type 4, 1"
91	Linear Feet	668-A018	Traffic Signal Conduit, Underground, Type 4, 2"
24	Linear Feet	668-A020	Traffic Signal Conduit, Underground, Type 4, 3"
794	Linear Feet	668-B023	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"
368	Linear Feet	668-B024	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
92	Linear Feet	668-B025	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Acre	907-225-A001	Grassing
3	Ton	907-225-B001	Agricultural Limestone
1	Acre	907-226-A001	Temporary Grassing
195	Linear Feet	907-237-A002	Wattles, 12"
95	Linear Feet	907-237-A003	Wattles, 20"
385	Ton	907-304-F004	Size 825B Crushed Stone Base
510	Gallon	907-407-A001	Asphalt for Tack Coat
1	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
2	Each	907-619-E3001	Changeable Message Sign
2,660	Linear Feet	907-626-C007	6" Thermoplastic Double Drop Edge Stripe, Continuous White
869	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,662	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
5,553	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
735	Linear Feet	907-626-H004	Thermoplastic Legend, White
154	Square Feet	907-626-H005	Thermoplastic Legend, White
3	Each	907-630-O006	Remove and Reset Signs, Post Mounted
1	Each	907-637-A003	Equipment Cabinet, Type A
1	Each	907-639-A024	Traffic Signal Equipment Pole, Type IV, 30' Shaft, 35' & 50' Arms
1	Each	907-639-A106	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 60' Arms
7	Cubic Yard	907-639-C002	Pole Foundations, 36" Diameter
1	Each	907-639-F003	Detector Pole with Foundation, 20' Pole
1	Each	907-642-A005	Solid State Traffic Actuated Controllers, Type 8M
	Lump Sum	907-699-A002	Roadway Construction Stakes

ALTERNATE GROUP AA NO. 1

Call No. 08 for the September25, 2012 Letting

230 Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP AA NO. 2
230 Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture ALTERNATE GROUP BB NO. 1
435 Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP BB NO. 2
435 Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture ALTERNATE GROUP CC NO. 1
750 Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture ALTERNATE GROUP CC NO. 2
750 Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Cable Barrier Installation on I-55, known as Federal Aid Project No. HSIP-0055-02(231) / 106417301 & 302 in Yazoo and Holmes Counties.

PROJECT COMPLETION: June 14, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,000	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
3,000	Linear Feet	234-A001	Temporary Silt Fence
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
	Lump Sum	620-A001	Mobilization
4,000	Linear Feet	907-237-A003	Wattles, 20"
80,000	Linear Feet	907-606-G001	Cable Barrier
34	Each	907-606-H001	Cable Barrier Terminal Section
500	Each	907-606-I001	Cable Barrier Post Repair

Bridge Replacement on US 11 over Greens Creek, known as Federal Aid Project No. BR-2170-00(005) / 102245302 in Forrest County.

PROJECT COMPLETION: September 26, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
9,470	Square Yard	202-B078	Removal of Pavement, All Types and Depths
606	Linear Feet	202-B102	Removal of Guard Rail
146	Linear Feet	202-B106	Removal of Pipe, All Sizes
2	Each	202-B113	Removal of Box Culvert Wingwall, All Sizes
1	Mile	202-B149	Removal of Traffic Stripe
4,425	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
32,645	Cubic Yard	203-EX038	Borrow Excavation, AH, FME, Class B7-6
5,585	Cubic Yard	203-G003	Excess Excavation, FM, AH
143	Cubic Yard	206-A001	Structure Excavation
14,242	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
890	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
15	Ton	213-C001	Superphosphate
12	Ton	215-A001	Vegetative Materials for Mulch
3	Acre	220-A001	Insect Pest Control
1	Acre	223-A001	Mowing
1,150	Linear Feet	234-A001	Temporary Silt Fence
23	Bale	235-A001	Temporary Erosion Checks
4,033	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
1	Mile	423-A001	Rumble Strips, Ground In
166	Linear Feet	501-E001	Expansion Joints, Without Dowels
358	Square Yard	501-K001	Transverse Grooving
364	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
210	Pounds	602-A001	Reinforcing Steel
96	Linear Feet	603-CE041	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
144	Linear Feet	603-CE043	58" x 36" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
92	Linear Feet	603-CE047	58" x 36" Concrete Arch Pipe, Class A IV, Flexible Plastic Gaskets
2	Each	603-CF006	58" x 36" Concrete Arch Pipe End Section
425	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D012	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
156	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
	Lump Sum	618-A001	Maintenance of Traffic
3,206	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 Tape
2,922	Linear Feet	619-A2007	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
162	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
50	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
736	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

Call No. 10 for the September 25, 2012 Letting

12	Each	619-F3004	Delineators, Guard Rail, White
420	Linear Feet	619-G4005	Barricades, Type III, Double Faced
147	Each	619-G5001	Free Standing Plastic Drums
25	Each	619-G8001	Warning Lights, Type "C"
100	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
4,033	Linear Feet	625-C001	Traffic Stripe, Continuous White
4,826	Linear Feet	625-D001	Traffic Stripe, Continuous Yellow
34	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
78	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
299	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
70	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F001	Delineators, Guard Rail, White
900	Ton	815-A009	Loose Riprap, Size 300
40	Ton	815-F002	Sediment Control Stone
6	Acre	907-225-A001	Grassing
10	Ton	907-225-B001	Agricultural Limestone
3	Acre	907-226-A001	Temporary Grassing
642	Linear Feet	907-234-C002	Super Silt Fence
337	Linear Feet	907-237-A003	Wattles, 20"
100	Ton	907-249-A001	Riprap for Erosion Control
3,961	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
4,794	Ton	907-304-F001	Size 825 Crushed Stone Base
3,902	Gallon	907-407-A001	Asphalt for Tack Coat
4	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
9	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
1,500	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F001	Detour Bridge Test Pile
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
184	Linear Feet	907-626-B003	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	907-626-C006	6" Thermoplastic Double Drop Edge Stripe, Continuous White, 90 mil min
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3,356	Linear Feet	907-626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,791	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
312	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
106	Linear Feet	907-626-H004	Thermoplastic Legend, White
237	Square Feet	907-626-H005	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
ALTERNATE GROUP AA NO. 1			
2,673	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
ALTERNATE GROUP AA NO. 2			
2,673	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture

Call No. 10 for the September 25, 2012 Letting

ALTERNATE GROUP BB NO. 1

3,112 Ton 907-403-A007 Hot Mix Asphalt, MT, 19-mm mixture

ALTERNATE GROUP BB NO. 2

3,112 Ton 907-403-M007 Warm Mix Asphalt, MT, 19-mm mixture

ALTERNATE GROUP CC NO. 1

1,799 Ton 907-403-A010 Hot Mix Asphalt, MT, 9.5-mm mixture

ALTERNATE GROUP CC NO. 2

1,799 Ton 907-403-M006 Warm Mix Asphalt, MT, 9.5-mm mixture

Bridge Items

1,689	Square Yard	501-K001	Transverse Grooving
1	Each	803-B002	Conventional Static Pile Load Test
4,410	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
3	Each	803-I001	PDA Test Pile
2	Each	803-J001	Pile Restrike
135,751	Pounds	805-A001	Reinforcement
400	Linear Feet	813-A001	Concrete Railing
951	Ton	815-A009	Loose Riprap, Size 300
798	Square Yard	815-E001	Geotextile under Riprap
550	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
6,097	Linear Feet	907-804-C204	40' Prestressed Concrete Beam, 18" x 18"

Replace 5 Bridges on US Hwy. 11 between Lumberton and Purvis, known as Federal Aid Project No. BR-2171-00(008) / 102519301 in Lamar County.

PROJECT COMPLETION: June 12, 2014

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

	Lump Sum	201-A001	Clearing and Grubbing
	Lump Sum	202-A001	Removal of Obstructions
1,578	Linear Feet	202-B076	Removal of Traffic Stripe
36,633	Square Yard	202-B078	Removal of Pavement, All Types and Depths
3,435	Linear Feet	202-B102	Removal of Guard Rail
526	Linear Feet	202-B106	Removal of Pipe, All Sizes
40,085	Cubic Yard	203-A003	Unclassified Excavation, FM, AH
85,246	Cubic Yard	203-EX039	Borrow Excavation, AH, LVM, Class B7-6
28,056	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,060	Cubic Yard	206-A001	Structure Excavation
1,331	Square Yard	209-A001	Geotextile Stabilization, Type V
38,502	Square Yard	209-A004	Geotextile Stabilization, Type V, Non-Woven
8,305	Square Yard	211-A001	Topsoil for Slope Treatment, From Right-of-Way
8	Ton	213-C001	Superphosphate
49	Ton	215-A001	Vegetative Materials for Mulch
9,730	Square Yard	216-A001	Solid Sodding
16,600	Square Yard	217-A001	Ditch Liner
8	Acre	220-A001	Insect Pest Control
126	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
6,776	Linear Feet	234-A001	Temporary Silt Fence
106	Bale	235-A001	Temporary Erosion Checks
11	Each	236-A001	Silt Basin, Type A
18	Linear Feet	239-A001	Temporary Slope Drains
8,614	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
2	Mile	423-A001	Rumble Strips, Ground In
376	Linear Feet	501-E001	Expansion Joints, Without Dowels
818	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
21,174	Pounds	602-A001	Reinforcing Steel
140	Linear Feet	603-CA088	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
336	Linear Feet	603-CA089	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
130	Linear Feet	603-CA104	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
64	Linear Feet	603-CE038	88" x 54" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
152	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
6	Each	603-CF004	44" x 27" Concrete Arch Pipe End Section
2	Each	603-CF009	88" x 54" Concrete Arch Pipe End Section
759	Square Yard	605-AA005	Geotextile for Subsurface Drainage, Type V, Non-Woven
64	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
69	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
1,700	Linear Feet	606-B007	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
16	Each	606-D012	Guard Rail, Bridge End Section, Type I
16	Each	606-E001	Guard Rail, Terminal End Section

Call No. 11 for the September 25, 2012 Letting

814	Linear Feet	609-D002	Combination Concrete Curb and Gutter Type 2
160	Linear Feet	615-A018	Concrete Bridge End Barrier, 33.5"
101	Square Yard	616-A001	Concrete Median and/or Island Pavement, 4-inch
34	Square Yard	616-A003	Concrete Median and/or Island Pavement, 10-inch
	Lump Sum	618-A001	Maintenance of Traffic
8	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
640	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
18,051	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
668	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
564	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
940	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
88	Each	619-F3004	Delineators, Guard Rail, White
444	Linear Feet	619-G4001	Barricades, Type III, Single Faced
48	Linear Feet	619-G4005	Barricades, Type III, Double Faced
338	Each	619-G5001	Free Standing Plastic Drums
17	Each	619-G7001	Warning Lights, Type "B"
129	Each	619-G8001	Warning Lights, Type "C"
16	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
	Lump Sum	620-A001	Mobilization
149	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
8	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
252	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
32	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
183	Square Feet	630-A002	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
395	Linear Feet	630-C004	Steel U-Section Posts, 3.0 to 3.5 lb/ft
384	Ton	815-A009	Loose Riprap, Size 300
928	Square Yard	815-E001	Geotextile under Riprap
25	Acre	907-225-A001	Grassing
47	Ton	907-225-B001	Agricultural Limestone
8	Acre	907-226-A001	Temporary Grassing
18	Linear Feet	907-237-A003	Wattles, 20"
918	Ton	907-249-A001	Riprap for Erosion Control
17,136	Cubic Yard	907-304-A004	Granular Material, LVM, Class 6, Group C
5,760	Ton	907-304-F001	Size 825 Crushed Stone Base
3,426	Gallon	907-407-A001	Asphalt for Tack Coat
366	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
152	Cubic Yard	907-601-A001	Class "B" Structural Concrete
2	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
184	Linear Feet	907-603-ALT01	18" Type A Alternate Pipe
48	Linear Feet	907-603-ALT02	24" Type A Alternate Pipe
40	Linear Feet	907-603-ALT13	44" x 27" Type A Alternate Pipe
56	Linear Feet	907-603-ALT20	88" x 54" Type A Alternate Pipe
1,000	Linear Feet	907-605-O001	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
200	Linear Feet	907-605-P001	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5

Call No. 11 for the September 25, 2012 Letting

65	Each	907-617-A001	Right-of-Way Marker
	Lump Sum	907-618-C001	Construction and Removal of Detour Bridge
4,950	Linear Feet	907-618-E001	Detour Bridge Piling
	Lump Sum	907-618-F001	Detour Bridge Test Pile
1	Mile	907-626-A003	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-C003	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,108	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
540	Linear Feet	907-626-H004	Thermoplastic Legend, White
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
5,242	Ton	907-403-A006	Hot Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP AA NO. 2
5,242	Ton	907-403-M002	Warm Mix Asphalt, MT, 12.5-mm mixture
			ALTERNATE GROUP BB NO. 1
6,984	Ton	907-403-A007	Hot Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP BB NO. 2
6,984	Ton	907-403-M007	Warm Mix Asphalt, MT, 19-mm mixture
			ALTERNATE GROUP CC NO. 1
3,931	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP CC NO. 2
3,931	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
			ALTERNATE GROUP DD NO. 1
2,287	Ton	907-403-A011	Hot Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP DD NO. 2
2,287	Ton	907-403-M003	Warm Mix Asphalt, ST, 12.5-mm mixture
			ALTERNATE GROUP EE NO. 1
2,916	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP EE NO. 2
2,916	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP FF NO. 1
462	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP FF NO. 2
462	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP GG NO. 1
667	Ton	907-403-C005	Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening
			ALTERNATE GROUP GG NO. 2
667	Ton	907-403-O001	Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening
			Bridge Items
5,155	Square Yard	501-K001	Transverse Grooving
4	Each	803-B002	Conventional Static Pile Load Test
11,905	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
15	Each	803-I001	PDA Test Pile
8	Each	803-J001	Pile Restrike
406,363	Pounds	805-A001	Reinforcement

Call No. 11 for the September 25, 2012 Letting

2,329	Linear Feet	813-A001	Concrete Railing
2,072	Ton	815-A009	Loose Riprap, Size 300
2,531	Square Yard	815-E001	Geotextile under Riprap
2,093	Cubic Yard	907-804-A001	Bridge Concrete, Class AA
5,188	Linear Feet	907-804-C016	40' Prestressed Concrete Beam, Type I+2
4,667	Linear Feet	907-804-C204	40' Prestressed Concrete Beam, 18" x 18"

Mill and Overlay approximately 2 miles of SR 9, from near SR 341 to SR 15, known as State Project No. MP-1009-58(007) / 304487301 in Pontotoc County.

PROJECT COMPLETION: April 12, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

500	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
50	Cubic Yard	203-G003	Excess Excavation, FM, AH
32,100	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
7,152	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
750	Linear Feet	619-A6007	Temporary Traffic Stripe, Legend, Type 1 Tape
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
425	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,500	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
25	Cubic Yard	907-304-H002	3/4" and Down Crushed Stone Base, LVM
1,600	Gallon	907-407-A001	Asphalt for Tack Coat
4	Mile	907-626-B004	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,471	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,031	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,050	Linear Feet	907-626-H004	Thermoplastic Legend, White
192	Square Feet	907-626-H005	Thermoplastic Legend, White
ALTERNATE GROUP AA NO. 1			
3,100	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
ALTERNATE GROUP AA NO. 2			
3,100	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture

Mill & Overlay approximately 2 miles of SR 15 from US 82 to North of Maben, known as State Project Nos. MP-1015-53(001) / 304485301 & MP-1015-78(003) / 304485302 in Oktibbeha & Webster Counties.

PROJECT COMPLETION: April 19, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

100	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
35	Square Yard	202-B030	Removal of Concrete Pavement, All Depths
100	Cubic Yard	203-G003	Excess Excavation, FM, AH
39,482	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
2,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,800	Linear Feet	619-A6001	Temporary Traffic Stripe, Legend
265	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400	Cubic Yard	907-304-A007	Granular Material, LVM, Class 3, Group D
2,400	Gallon	907-407-A001	Asphalt for Tack Coat
5	Mile	907-626-C004	6" Thermoplastic Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,725	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
740	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,575	Linear Feet	907-626-H004	Thermoplastic Legend, White
		ALTERNATE GROUP AA NO. 1	
4,138	Ton	907-403-A010	Hot Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP AA NO. 2	
4,138	Ton	907-403-M006	Warm Mix Asphalt, MT, 9.5-mm mixture
		ALTERNATE GROUP BB NO. 1	
667	Ton	907-403-C003	Hot Mix Asphalt, MT, 19-mm mixture, Trench Widening
		ALTERNATE GROUP BB NO. 2	
667	Ton	907-403-O003	Warm Mix Asphalt, MT, 19-mm mixture, Trench Widening

Mill & Overlay approximately one mile of SR 762 from Tangle Foot Trail to SR 15 Intersection, known as State Project No. MP-1762-73(001) / 304486301 in Union County.

PROJECT COMPLETION: April 08, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

14,310	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1002	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4006	Temporary Traffic Stripe, Skip Yellow
80	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
120	Cubic Yard	907-304-A008	Granular Material, LVM, Class 3, Group C
725	Gallon	907-407-A001	Asphalt for Tack Coat
1	Mile	907-625-B002	Traffic Stripe, Skip Yellow, 4" Width
3	Mile	907-625-C002	Traffic Stripe, Continuous White, 4" Width
1	Mile	907-625-D002	Traffic Stripe, Continuous Yellow, 4" Width
			ALTERNATE GROUP AA NO. 1
1,300	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP AA NO. 2
1,300	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

Bridge repair on I-20 over Iowa Avenue in Vicksburg, known as State Project No. MRP-3020-75(139) / 304267301 in Warren County.

PROJECT COMPLETION: March 15, 2013

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

3,000	Linear Feet	202-B076	Removal of Traffic Stripe
	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1,000	Linear Feet	619-A1001	Temporary Traffic Stripe, Continuous White
1,000	Linear Feet	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,000	Linear Feet	619-A3001	Temporary Traffic Stripe, Skip White
22	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
700	Linear Feet	619-F1001	Concrete Median Barrier, Precast
20	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
	Lump Sum	620-A001	Mobilization
8	Each	627-E001	One-Way Clear Reflective Raised Markers
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NO. 1

1,000	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,000	Linear Feet	628-J002	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,000	Linear Feet	628-M002	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NO. 2

1,000	Linear Feet	907-626-I003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1,000	Linear Feet	907-626-J003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,000	Linear Feet	907-626-L001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

Bridge Items

	Lump Sum	907-824-PP014	Bridge Repair, Repair Damaged Bridge Railing, Per Plans
--	----------	---------------	---

Relocation and Construction of various metal buildings at the MDOT Shop Complex, known as State Project No. BWO-9030-25(002) / 502352301 & BWO-9041-25(001) / 502400301 & BWO-9721-25(001) / 502353301 & LWO-9002-25(006) / 501560303 in Hinds County.

PROJECT COMPLETION: January 31, 2014

Advance Information Only - Items and Quantities Subject to Change

Roadway Items

5,830	Square Yard	202-B005	Removal of Asphalt Pavement, All Depths
436	Linear Feet	202-B017	Removal of Concrete Combination Curb & Gutter
75	Square Yard	202-B018	Removal of Concrete Driveways, All Depths
307	Square Yard	202-B025	Removal of Concrete Paved Ditch
677	Linear Feet	202-B041	Removal of Fence, All Types
3	Each	202-B057	Removal of Inlets, All Sizes
87	Linear Feet	202-B064	Removal of Pipe, 8" And Above
2	Each	202-B070	Removal of Sign Including Post & Footing
80	Linear Feet	202-B232	Removal of Gravity Sewer Line, All Sizes, All Types
80	Linear Feet	202-B238	Removal of Water Line, All Sizes, All Types
3,800	Cubic Yard	203-EX035	Borrow Excavation, AH, FME, Class B9-6
2,800	Cubic Yard	203-G003	Excess Excavation, FM, AH
1,000	Cubic Yard	206-A001	Structure Excavation
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
850	Square Yard	212-B001	Standard Ground Preparation
850	Square Yard	216-B004	Solid Sodding, Bermuda
20	Thousand Gallon	219-A001	Watering
10	Cubic Yard	221-A001	Portland Cement Concrete Paved Ditch
1,500	Linear Feet	234-A001	Temporary Silt Fence
8,200	Square Yard	406-A001	Cold Milling of Bituminous Pavement, All Depths
5,750	Pounds	602-A001	Reinforcing Steel
12	Linear Feet	603-CA001	15" Reinforced Concrete Pipe, Class III
28	Linear Feet	603-CA002	18" Reinforced Concrete Pipe, Class III
224	Linear Feet	603-CA003	24" Reinforced Concrete Pipe, Class III
36	Linear Feet	603-CA004	30" Reinforced Concrete Pipe, Class III
88	Linear Feet	603-CA006	42" Reinforced Concrete Pipe, Class III
1	Each	603-CB001	18" Reinforced Concrete End Section
32	Linear Feet	603-CE001	22" x 13" Concrete Arch Pipe, Class A III
120	Linear Feet	603-CE042	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1	Each	603-CF001	22" x 13" Concrete Arch Pipe End Section
4	Each	603-SB039	24" Branch Connections, Stub into Inlet
2	Each	603-SB045	18" Branch Connections, Stub into Existing Inlet
1	Each	603-SB050	44" x 27" Branch Connection, Stub into Existing Inlet
1	Each	603-SB063	42" Branch Connection, Stub into Existing Inlet
25,458	Pounds	604-B001	Gratings
175	Linear Feet	606-B004	Guard Rail, Class A, Type 1, Metal Post
630	Linear Feet	607-B003	60" Type III Chain Link Fence, Class I
63	Each	607-P1009	Line Post, 9' x 2" Galvanized Steel
30	Each	607-P2010	Brace Post, 9' x 2 1/2" Galvanized Steel

Call No. 16 for the September 25, 2012 Letting

261	Linear Feet	609-B001	Concrete Curb, Header
100	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
290	Square Yard	614-B001	Concrete Driveway, With Reinforcement
	Lump Sum	618-A001	Maintenance of Traffic
30	Each	619-D3001	Remove and Reset Signs, All Sizes
	Lump Sum	620-A001	Mobilization
1,000	Square Feet	809-A003	Retaining Wall System
15	Each	907-234-D001	Inlet Siltation Guard
600	Linear Feet	907-237-A002	Wattles, 12"
	Lump Sum	907-242-A004	Removal and Relocation of Metal Buildings with an addition of a scale maintenanceshop
	Lump Sum	907-242-A006	Construction of a warehouse
	Lump Sum	907-242-A006	Construction of an equipment shed
50	Each	907-246-B002	Rockbags
2	Each	907-258-PP016	Bollard
221	Linear Feet	907-262-A006	8" Sanitary Sewer Pipe
3	Each	907-262-I001	Monolithic Manhole Surfacing System
3	Each	907-262-J001	Crystalline Concrete Waterproofing
3	Each	907-262-K001	Manholes
254	Linear Feet	907-265-A006	1 1/2" Copper Tubing "K" Service Tubing
173	Linear Feet	907-265-B006	6" Ductile Iron Water Pipe
1	Each	907-265-D007	6" Gate Valve
1	Each	907-265-D010	1 1/2" Gate Valve
1	Each	907-265-N002	Backflow Preventer with Box
2,150	Gallon	907-407-A001	Asphalt for Tack Coat
75	Cubic Yard	907-601-B003	Class "B" Structural Concrete, Minor Structures
18	Linear Feet	907-603-PE202	6" Corrugated Polyethylene Pipe
2	Each	907-607-G006	Gate, Barrier Fence, Per Plans
2,400	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
200	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
330	Linear Feet	907-625-F002	Legend, 4" Equivalent Length
120	Square Feet	907-625-F003	Legend, Blue-ADA
10	Cubic Yard	907-631-A001	Flowable Fill, Excavatable
	Lump Sum	907-699-A002	Roadway Construction Stakes
			ALTERNATE GROUP AA NO. 1
1,600	Ton	907-403-A012	Hot Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP AA NO. 2
1,600	Ton	907-403-M004	Warm Mix Asphalt, ST, 19-mm mixture
			ALTERNATE GROUP BB NO. 1
1,375	Ton	907-403-A015	Hot Mix Asphalt, ST, 9.5-mm mixture
			ALTERNATE GROUP BB NO. 2
1,375	Ton	907-403-M001	Warm Mix Asphalt, ST, 9.5-mm mixture

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH
EXECUTIVE DIRECTOR