
**Proposal & Plan Sales Will Begin on October 1, 2012** 



## MISSISSIPPI DEPARTMENT OF TRANSPORTATION

# Notice to Contractors

Letting Date for October – October 23, 2012



### MISSISSIPPI DEPARTMENT OF TRANSPORTATION NOTICE TO CONTRACTORS LETTING DATE FOR OCTOBER - Tuesday, October 23, 2012

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List (Proposal and Specimen Holders) is available online at www.gomdot.com

#### **PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 01, 2012**

Proposals must be purchased from: Contract Administration Engineer MDOT Administration Building 401 North West Street Jackson, MS 39201 (or)

P.O. Box 1850 Jackson, MS 39215-1850 Telephone: (601) 359-7744 FAX: (601) 359-7732 Plans may be purchased from: MDOT Plans Print Shop MDOT Shop Complex, Building C, Room 114 2567 North West Street Jackson, MS 39216 (or) P.O. Box 1850 Jackson, MS 39215-1850 Telephone: (601) 359-7460 or FAX: (601) 359-7461 or e-mail: plans@mdot.state.ms.us

Sealed bids will be received by the Mississippi Transportation Commission in the Office of the Contract Administration Engineer, First Floor Room 1013, Mississippi Department of Transportation Office Administration Building, 401 North West Street, Jackson, Mississippi, until 10:00 o'clock A.M., Tuesday; shortly thereafter, bids will be publicly opened in the Sixth Floor Conference Room of the Mississippi Department of Transportation Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR OCTOBER

| ( | CALL | CONTRACT  | COUNTY        |
|---|------|---|---------------|
|   | 01   | BR-0110-01(028) / 105550302   | Harrison      |
|   | 02   | IM-0055-04(074) / 103405301 & IM-0055-04(074) / 103405302   | Tate & Desoto |
|   | 03   | HSIP-0003-01(185) / 106247301   | Hancock       |
|   | 04   | HSIP-0015-02(092) / 106242301   | Lawrence      |
|   | 05   | BR-0041-01-(011) / 100435301  | Holmes        |
|   | 06   | NH-0070-03(020) / 101643305 & SP-0070-03(020) / 101643306   | Panola        |
| * | 07   | MP-2182-49(001) / 304557301   | Montgomery    |
| * | 08   | MP-5021-50(017) / 304547301   | Neshoba       |
|   | 16   | BWO-9030-25(002) / 502352301, BWO-9041-25(001) / 502400301,<br>BWO-9721-25(001) / 502353301, & LWO-9002-25(006) / 501560303 | Hinds         |

Rehabilitation of the Bascule Bridge on I-110, known as Federal Aid Project No. BR-0110-01(028) / 105550302 in Harrison County.

#### PROJECT COMPLETION: April 30, 2014

#### Advance Information Only - Items and Quantities Subject to Change

|        | Lump Sum    | 618-A001      | Maintenance of Traffic   |
|--------|-------------|---------------|--|
| 28     | Square Feet | 619-D1001     | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 752    | Square Feet | 619-D2001     | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 1      | Each        | 619-E1001     | Flashing Arrow Panel, Type C                                   |
| 120    | Linear Feet | 619-G4005     | Barricades, Type III, Double Faced                             |
| 66     | Each        | 619-G5001     | Free Standing Plastic Drums                                    |
| 11     | Each        | 619-G7001     | Warning Lights, Type "B"                                       |
|        | Lump Sum    | 620-A001      | Mobilization   |
| 10     | Each        | 907-619-E3001 | Changeable Message Sign  |
|        |             |               | Bridge Items   |
| 14,000 | Pounds      | 810-A004      | Structural Steel   |
|        | Lump Sum    | 907-836-A001  | Span Balancing   |
| 500    | Each        | 907-837-A002  | Balance Plates   |
|        | Lump Sum    | 907-840-A001  | Machinery Room Enclosure                                       |
|        | Lump Sum    | 907-841-A001  | Replace Windows and Doors                                      |
|        | Lump Sum    | 907-842-A001  | Plumbing Work  |
|        | Lump Sum    | 907-844-A001  | Building Amenities   |
|        | Lump Sum    | 907-845-A001  | Painting   |
|        | Lump Sum    | 907-850-A001  | Mechanical Work  |
|        | Lump Sum    | 907-851-A002  | Leaf Alignment   |
|        | Lump Sum    | 907-852-A001  | Rear Locks   |
|        | Lump Sum    | 907-853-A001  | Electrical Work  |
|        | Lump Sum    | 907-854-A002  | Electrical Service   |
|        | Lump Sum    | 907-855-A001  | Auxiliary Electrical Equipment                                 |
|        | Lump Sum    | 907-856-A001  | Control Console  |
|        | Lump Sum    | 907-857-A001  | Motor Control Center   |
|        | Lump Sum    | 907-858-A001  | PLC Cabinet and Programming                                    |
|        | Lump Sum    | 907-859-A001  | Span Drives and Motors   |
|        | Lump Sum    | 907-860-A001  | Limits and Sensors   |
|        | Lump Sum    | 907-861-A001  | Submarine Cables   |
|        | Lump Sum    | 907-862-A001  | Lightning and Surge Protection                                 |
|        | Lump Sum    | 907-863-A001  | Training, Manuals and Spare Parts                              |
|        |             |               |  |

Overlay and Ramp Extensions on I-55 from Panola / Tate County Line to Love, known as Federal Aid Project No. IM-0055-04(074) / 103405301 & 302, in Tate & Desoto Counties.

#### PROJECT COMPLETION: November 05, 2013

#### Advance Information Only - Items and Quantities Subject to Change

|         |                    |              | Roauway Items  |
|---------|--------------------|--------------|--|
|         | Lump Sum 201-A     | 4001         | Clearing and Grubbing  |
| 100     | Square Yard 202-E  | B006         | Removal of Asphalt Pavement, Failed Areas                          |
| 542     | Square Yard 202-E  | B032         | Removal of Concrete Pavement Punchouts, 9" Depth                   |
| 13,313  | Linear Feet 202-E  | B053         | Removal of Guard Rail Including Post, Blockouts & Hardware         |
| 8       | Linear Feet 202-E  | B064         | Removal of Pipe, 8" And Above                                      |
| 22,000  | Linear Feet 202-E  | B076         | Removal of Traffic Stripe  |
| 1       | Each 202-E         | B105         | Removal of Pipe Headwall, All Sizes                                |
| 2       | Each 202-E         | B113         | Removal of Box Culvert Wingwall, All Sizes                         |
| 5,000   | Cubic Yard 203-A   | 4003         | Unclassified Excavation, FM, AH                                    |
| 15,000  | Cubic Yard 203-EX  | X017         | Borrow Excavation, AH, FME, Class B9                               |
| 1,000   | Cubic Yard 203-C   | G004         | Excess Excavation, LVM, AH   |
| 100     | Cubic Yard 206-A   | 4001         | Structure Excavation   |
| 100     | Cubic Yard 206-E   | B001         | Select Material for Undercuts, Contractor Furnished, FM            |
| 3       | Ton 213-0          | 2001         | Superphosphate   |
| 3       | Acre 220-A         | 4001         | Insect Pest Control  |
| 1,542   | Cubic Yard 221-A   | 4001         | Portland Cement Concrete Paved Ditch                               |
| 5       | Acre 223-A         | 4001         | Mowing   |
| 5,000   | Linear Feet 234-A  | 4001         | Temporary Silt Fence   |
| 260,000 | Square Yard 406-A  | 4001         | Cold Milling of Bituminous Pavement, All Depths                    |
| 7,500   | Square Yard 406-E  | B001         | Cold Milling of Concrete Pavement, All Depths                      |
| 60      | Mile 423-A         | 4001         | Rumble Strips, Ground In   |
| 100     | Linear Feet 501-D  | <b>D</b> 001 | Expansion Joints, With Dowels                                      |
| 1,000   | Linear Feet 503-E  | B001         | Saw Cut, Longitudinal Joints                                       |
| 1,200   | Linear Feet 503-C  | 2007         | Saw Cut, Full Depth  |
| 50      | Cubic Yard 503-D   | <b>D</b> 001 | Concrete for Base Repair   |
| 2,000   | Each 503-H         | E002         | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted            |
| 9,232   | Pounds 602-A       | 4001         | Reinforcing Steel  |
| 16      | Linear Feet 603-CA | 4002         | 18" Reinforced Concrete Pipe, Class III                            |
| 8       | Linear Feet 603-CA | 4004         | 30" Reinforced Concrete Pipe, Class III                            |
| 8       | Linear Feet 603-CA | 4006         | 42" Reinforced Concrete Pipe, Class III                            |
| 1       | Each 603-CE        | B001         | 18" Reinforced Concrete End Section                                |
| 1       | Each 603-CE        | B003         | 30" Reinforced Concrete End Section                                |
| 1       | Each 603-CE        | B005         | 42" Reinforced Concrete End Section                                |
| 296,400 | Linear Feet 605    | J001         | Edge Drain & Edge Drain Outlet/Vent Inspection                     |
| 9,888   | Linear Feet 606-E  | B001         | Guard Rail, Class A, Type 1  |
| 32      | Each 606-C         | 2003         | Guard Rail, Cable Anchor, Type 1                                   |
| 24      | Each 606-D         | D001         | Guard Rail, Bridge End Section, Type A                             |
| 6       | Each 606-D         | 012          | Guard Rail, Bridge End Section, Type I                             |
|         |                    | E001         | Guard Rail, Terminal End Section                                   |
| 300     | Linear Feet 615-A  | 4012         | Concrete Type IV Modified, 42" Height, Cast-in-Place MedianBarrier |
| 2,000   | Linear Feet 615-E  | B001         | Precast Concrete Median Barrier                                    |
|         |                    |              |  |

|         | Lump Sum    | 618-A001      | Maintenance of Traffic                                      |
|---------|-------------|---------------|---|
| 1       | Square Feet |               | Additional Construction Signs                               |
|         | Mile        |               | Temporary Traffic Stripe, Continuous White                  |
|         | Linear Feet | 619-A2001     |   |
|         | Mile        | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                 |
|         | Mile        |               | Temporary Traffic Stripe, Skip White                        |
|         | Linear Feet | 619-A5001     | Temporary Traffic Stripe, Detail                            |
|         | Linear Feet | 619-A6001     | Temporary Traffic Stripe, Legend                            |
| 9,000   |             | 619-C6001     |   |
|         | Square Feet | 619-D1001     | ç   |
|         | Square Feet | 619-D2001     |   |
|         | Linear Feet | 619-F2001     | Remove and Reset Concrete Median Barrier, Precast           |
| 72      | Linear Feet | 619-G4001     | Barricades, Type III, Single Faced                          |
| 48      | Linear Feet |               | Barricades, Type III, Double Faced                          |
| 100     | Each        |               | Free Standing Plastic Drums                                 |
|         | Lump Sum    |               | Mobilization  |
| 3,000   | Each        | 627-K001      | Red-Clear Reflective High Performance Raised Markers        |
| 200     | Each        |               | Two-Way Yellow Reflective High Performance Raised Markers   |
| 275     | Each        | 630-F001      | Delineators, Guard Rail, White                              |
| 154     | Each        | 630-F002      | Delineators, Guard Rail, Yellow                             |
| 24      | Each        | 630-G002      | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted         |
| 400     | Linear Feet | 635-A001      | Vehicle Loop Assemblies                                     |
| 4,332   | Linear Feet | 808-A001      | Joint Preparation   |
| 1,800   | Ton         | 815-A009      | Loose Riprap, Size 300                                      |
| 1,800   | Square Yard | 815-E001      | Geotextile under Riprap                                     |
| 5       | Acre        | 907-225-A001  | Grassing  |
| 15      | Ton         | 907-225-B001  | Agricultural Limestone                                      |
| 10      | Ton         | 907-225-C001  | Mulch, Vegetative Mulch                                     |
| 3       | Acre        | 907-226-A001  | Temporary Grassing  |
| 52      | Each        | 907-234-D001  | Inlet Siltation Guard                                       |
| 100     | Linear Feet | 907-234-F001  | Turbidity Barrier   |
| 300     | Linear Feet | 907-237-A002  | Wattles, 12"  |
| 750     | Linear Feet | 907-237-A003  | Wattles, 20"  |
| 100     | Each        | 907-246-A002  | Sandbags  |
| 2       | Each        | 907-247-A001  | Temporary Stream Diversion                                  |
| 10,000  | Ton         | 907-304-B009  | Granular Material, Class 3, Group D                         |
| 2,500   | Ton         | 907-304-F002  | Size 610 Crushed Stone Base                                 |
| 27,500  | Ton         | 907-402-A002  | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture |
| 80,000  | Gallon      | 907-402-B001  | Bituminous Tack Coat  |
| 40,000  | Ton         | 907-403-AA001 | Stone Matrix Asphalt, 9.5 mm Mixture                        |
| 55,000  | Ton         | 907-403-AA002 | Stone Matrix Asphalt, 12.5 mm Mixture                       |
| 58      | Mile        | 907-403-S004  | Joint Sealant   |
| 230,000 | Gallon      | 907-407-A001  | Asphalt for Tack Coat                                       |
|         | Linear Feet | 907-413-D001  | Cleaning and Filling Joints in PCC Pavement                 |
| 18,200  | Linear Feet | 907-413-E001  |   |
| 542     | Square Yard | 907-503-A001  | 9" and Variable Reinforced Concrete Pavement, Broom Finish  |
|         |             |               |   |

| 64      | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                      |
|---------|-------------|---------------|--|
| 5       | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures    |
| 295,000 | Linear Feet | 907-605-H001  | Edge Drain   |
| 1,400   | Linear Feet | 907-605-I001  | Edge Drain Outlets/Vents                           |
| 15,371  | Linear Feet | 907-606-G001  | Cable Barrier                                      |
| 11,580  | Linear Feet | 907-606-G002  | Cable Barrier, State Furnished                     |
| 12      | Each        | 907-606-H001  | Cable Barrier Terminal Section                     |
| 8       | Each        | 907-606-H002  | Cable Barrier Terminal Section, State Furnished    |
| 400     | Each        | 907-606-I001  | Cable Barrier Post Repair                          |
| 2       | Each        | 907-619-E3001 | Changeable Message Sign                            |
| 29      | Mile        | 907-626-A003  | 6" Thermoplastic Traffic Stripe, Skip White        |
| 33      | Mile        | 907-626-C004  | 6" Thermoplastic Edge Stripe, Continuous White     |
| 10,560  | Linear Feet | 907-626-E003  | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 29      | Mile        | 907-626-F004  | 6" Thermoplastic Edge Stripe, Continuous Yellow    |
| 4,000   | Linear Feet | 907-626-G004  | Thermoplastic Detail Stripe, White                 |
| 1,000   | Linear Feet | 907-626-G005  | Thermoplastic Detail Stripe, Yellow                |
| 640     | Linear Feet | 907-626-H004  | Thermoplastic Legend, White                        |
| 100     | Square Feet | 907-626-H005  | Thermoplastic Legend, White                        |
| 1       | Each        | 907-688-A033  | Traffic Recorder WIM Kistler System, 4-Lane        |
|         | Lump Sum    | 907-699-A002  | Roadway Construction Stakes                        |
| 1,040   | Hours       | 907-906001    | Trainees   |
|         |             | AL            | TERNATE GROUP AA NO. 1                             |
| 1,125   | Ton         | 907-403-A002  | Hot Mix Asphalt, HT, 19-mm mixture                 |
|         |             | AL            | TERNATE GROUP AA NO. 2                             |
| 1,125   | Ton         | 907-403-M011  | Warm Mix Asphalt, HT, 19-mm mixture                |
|         |             | AL            | TERNATE GROUP BB NO. 1                             |
| 750     | Ton         | 907-403-A011  | Hot Mix Asphalt, ST, 12.5-mm mixture               |
|         |             | AL            | TERNATE GROUP BB NO. 2                             |
| 750     | Ton         | 907-403-M003  | Warm Mix Asphalt, ST, 12.5-mm mixture              |
|         |             | AL            | TERNATE GROUP CC NO. 1                             |
| 45,000  | Ton         | 907-403-A012  | Hot Mix Asphalt, ST, 19-mm mixture                 |
|         |             | AL            | TERNATE GROUP CC NO. 2                             |
| 45,000  | Ton         | 907-403-M004  | Warm Mix Asphalt, ST, 19-mm mixture                |
|         |             | AL            | TERNATE GROUP DD NO. 1                             |
| 17,500  | Ton         | 907-403-A015  | Hot Mix Asphalt, ST, 9.5-mm mixture                |
|         |             | AL            | TERNATE GROUP DD NO. 2                             |
| 17,500  | Ton         | 907-403-M001  | Warm Mix Asphalt, ST, 9.5-mm mixture               |
|         |             | AL            | TERNATE GROUP EE NO. 1                             |
| 36,000  | Ton         |               | Hot Mix Asphalt, HT, 9.5-mm mixture                |
|         |             | AL            | TERNATE GROUP EE NO. 2                             |
| 36,000  | Ton         | 907-403-M009  | Warm Mix Asphalt, HT, 9.5-mm mixture               |
|         |             | AL            | TERNATE GROUP GG NO. 1                             |
| 2,500   | Ton         |               | Hot Mix Asphalt, HT, 12.5-mm mixture               |
|         |             | AL            | TERNATE GROUP GG NO. 2                             |
| 2,500   | Ton         |               | Warm Mix Asphalt, HT, 12.5-mm mixture              |
|         |             | AL            | TERNATE GROUP FF NO. 1                             |
|         |             |               |  |

| 8,132 | Linear Feet              | 907-626-I003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White       |  |  |
|-------|--------------------------|--------------|--|--|--|
| 9,912 | Linear Feet              | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite  |  |  |
| 9,932 | Linear Feet              | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow |  |  |
|       | ALTERNATE GROUP FF NO. 2 |              |  |  |  |
| 8,132 | Linear Feet              | 628-I002     | 6" High Performance Cold Plastic Traffic Stripe, Skip White        |  |  |
| 9,912 | Linear Feet              | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite   |  |  |
| 9,932 | Linear Feet              | 628-M002     | 6" High Performance Cold Plastic Traffic Stripe, ContinuousYellow  |  |  |
|       |                          |              |  |  |  |

## SMALL BUSINESS CONCERN PROJECT - Traffic Signal on US 90 at Bouslog Street, known as Federal Aid Project No. HSIP-0003-01(185) / 106247301 in Hancock County.

#### PROJECT COMPLETION: June 28, 2013

#### Advance Information Only - Items and Quantities Subject to Change

|       |                    |           | Roudway Items   |
|-------|--------------------|-----------|---|
|       | Lump Sum           | 201-A001  | Clearing and Grubbing   |
| 933   | Linear Feet        | 202-B038  | Removal of Curb, All Types  |
| 1,100 | Linear Feet        | 202-B076  | Removal of Traffic Stripe   |
| 41    | Square Yard        | 202-B078  | Removal of Pavement, All Types and Depths                             |
| 20    | Cubic Yard         | 203-EX029 | Borrow Excavation, AH, FME, Class B15                                 |
| 524   | Cubic Yard         | 203-G003  | Excess Excavation, FM, AH   |
| 914   | Square Yard        | 203-I001  | Site Grading  |
| 8     | Cubic Yard         | 206-A001  | Structure Excavation  |
| 889   | Square Yard        | 209-A004  | Geotextile Stabilization, Type V, Non-Woven                           |
| 10    | Cubic Yard         | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished                     |
| 1     | Ton                | 213-B001  | Combination Fertilizer, 13-13-13                                      |
| 914   | Square Yard        | 216-A001  | Solid Sodding   |
| 18    | Thousand<br>Gallon | 219-A001  | Watering  |
| 1     | Cubic Yard         | 221-A001  | Portland Cement Concrete Paved Ditch                                  |
| 1,460 | Square Yard        | 406-A001  | Cold Milling of Bituminous Pavement, All Depths                       |
| 341   | Linear Feet        | 501-D001  | Expansion Joints, With Dowels   |
| 535   | Linear Feet        | 503-B001  | Saw Cut, Longitudinal Joints  |
| 891   | Linear Feet        | 503-C007  | Saw Cut, Full Depth   |
| 341   | Each               | 503-E002  | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted               |
| 348   | Pounds             | 602-A001  | Reinforcing Steel   |
| 4     | Linear Feet        | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                               |
| 200   | Pounds             | 604-B001  | Gratings  |
|       | Lump Sum           | 618-A001  | Maintenance of Traffic  |
|       | Lump Sum           | 620-A001  | Mobilization  |
| 228   | Each               | 627-K001  | Red-Clear Reflective High Performance Raised Markers                  |
| 14    | Each               | 627-O001  | Yellow-Clear Reflective High Performance Raised Markers               |
| 942   | Linear Feet        | 635-A001  | Vehicle Loop Assemblies   |
| 792   | Linear Feet        | 636-A001  | Shielded Cable, AWG #18, 4 Conductor                                  |
| 1     | Each               | 638-A005  | Loop Detector Amplifier, Card Rack Mounted, 4 Channel                 |
| 6     | Each               | 640-A016  | Traffic Signal Heads, Type 1 LED                                      |
| 2     | Each               | 640-A018  | Traffic Signal Heads, Type 3 LED                                      |
| 2     | Each               | 640-A046  | Traffic Signal Heads, Type 7L, LED                                    |
| 1     | Each               | 642-A001  | Solid State Traffic Actuated Controllers, Type 8M                     |
| 4     | Each               | 644-A001  | Optical Detector  |
| 538   | Linear Feet        | 644-B001  | Optical Detector Cable  |
| 1     | Each               | 644-C002  | Phase Selector, 4 Channel   |
| 6     | Each               | 647-A001  | Pullbox, Type 1   |
| 1     | Each               | 647-A002  | Pullbox, Type 3   |
| 2     | Each               | 647-A005  | Pullbox, Type 2   |
| 164   | Linear Feet        | 666-B004  | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2Conductor |
|       |                    |           |   |

| 222   | Linear Feet | 666-B015     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5Conductor  |
|-------|-------------|--------------|--|
| 571   | Linear Feet | 666-B016     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor  |
| 95    | Linear Feet | 666-B032     | Electric Cable, Underground in Conduit, THHN, AWG #8, 2 Conductor      |
| 682   | Linear Feet | 668-A018     | Traffic Signal Conduit, Underground, Type 4, 2"                        |
| 20    | Linear Feet | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 293   | Linear Feet | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 148   | Linear Feet | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1,971 | Gallon      | 907-407-A001 | Asphalt for Tack Coat  |
| 889   | Square Yard | 907-501-B003 | 9" Plain Cement Concrete Pavement, Drag Finish                         |
| 5     | Cubic Yard  | 907-601-B003 | Class "B" Structural Concrete, Minor Structures                        |
| 855   | Linear Feet | 907-626-A004 | 6" Thermoplastic Traffic Stripe, Skip White                            |
| 5,837 | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                                     |
| 1,659 | Linear Feet | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                    |
| 596   | Linear Feet | 907-626-H004 | Thermoplastic Legend, White  |
| 363   | Square Feet | 907-626-H005 | Thermoplastic Legend, White  |
| 1     | Each        | 907-639-A006 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 30' Arm             |
| 1     | Each        | 907-639-A016 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 55' Arm             |
| 1     | Each        | 907-639-A027 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 40' & 55'Arms       |
| 12    | Cubic Yard  | 907-639-C002 | Pole Foundations, 36" Diameter   |
| 45    | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter  |
| 1     | Each        | 907-648-C001 | Radio Ethernet Interconnect, Local Intersection                        |
| 1     | Each        | 907-658-A001 | Hardened Network Switch, Type A  |
|       |             | AL           | FERNATE GROUP AA NO. 1   |
| 125   | Ton         | 907-403-A010 | Hot Mix Asphalt, MT, 9.5-mm mixture                                    |
|       |             | AL           | FERNATE GROUP AA NO. 2   |
| 125   | Ton         | 907-403-M006 | Warm Mix Asphalt, MT, 9.5-mm mixture                                   |
|       |             |              |  |

Intersection Modifications on US 84 at Ferguson Mill Road (J-turn), known as Federal Aid Project No. HSIP-0015-02(092) / 106242301 in Lawrence County.

#### PROJECT COMPLETION: July 12, 2013

#### Advance Information Only - Items and Quantities Subject to Change

| 890    | Square Yard | 202-B005  | Removal of Asphalt Pavement, All Depths                  |
|--------|-------------|-----------|--|
| 215    | Linear Feet | 202-В017  | Removal of Concrete Combination Curb & Gutter            |
| 35     | Square Yard | 202-В024  | Removal of Concrete Median & Island Pavement, All Depths |
| 43     | Square Yard | 202-В025  | Removal of Concrete Paved Ditch                          |
| 1,120  | Linear Feet | 202-В038  | Removal of Curb, All Types                               |
| 5      | Each        | 202-В042  | Removal of Flared End Section, All Sizes                 |
| 40     | Linear Feet | 202-B064  | Removal of Pipe, 8" And Above                            |
| 28     | Each        | 202-B069  | Removal of Sign  |
| 4      | Each        | 202-B133  | Removal of Sign Footing                                  |
| 6,330  | Linear Feet | 202-B141  | Removal of Edge Drain                                    |
| 3      | Mile        | 202-B149  | Removal of Traffic Stripe                                |
| 40     | Linear Feet | 202-B275  | Removal of Barricade, All Types                          |
| 6,335  | Cubic Yard  | 203-A003  | Unclassified Excavation, FM, AH                          |
| 3,115  | Cubic Yard  | 203-EX040 | Borrow Excavation, AH, LVM, Class B9-6                   |
| 14     | Cubic Yard  | 206-A001  | Structure Excavation                                     |
| 37,360 | Square Yard | 209-A004  | Geotextile Stabilization, Type V, Non-Woven              |
| 1,235  | Cubic Yard  | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished        |
| 2      | Ton         | 213-C001  | Superphosphate   |
| 2,216  | Square Yard | 216-A001  | Solid Sodding  |
| 155    | Square Yard | 217-A001  | Ditch Liner  |
| 25     | Cubic Yard  | 221-A001  | Portland Cement Concrete Paved Ditch                     |
| 4,585  | Linear Feet | 234-A001  | Temporary Silt Fence                                     |
| 109    | Bale        | 235-A001  | Temporary Erosion Checks                                 |
| 4      | Each        | 236-A001  | Silt Basin, Type A                                       |
| 47,110 | Square Yard | 406-A001  | Cold Milling of Bituminous Pavement, All Depths          |
| 3      | Mile        | 423-A001  | Rumble Strips, Ground In                                 |
| 210    | Linear Feet | 501-E001  | Expansion Joints, Without Dowels                         |
| 120    | Linear Feet | 503-C007  | Saw Cut, Full Depth                                      |
| 826    | Pounds      | 602-A001  | Reinforcing Steel  |
| 4      | Linear Feet | 603-CA002 | 18" Reinforced Concrete Pipe, Class III                  |
| 32     | Linear Feet | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                  |
| 1      | Each        | 603-CB001 | 18" Reinforced Concrete End Section                      |
| 3      | Each        | 603-CB002 | 24" Reinforced Concrete End Section                      |
| 8      | Linear Feet | 603-CE001 | 22" x 13" Concrete Arch Pipe, Class A III                |
| 1      | Each        | 603-CF001 | 22" x 13" Concrete Arch Pipe End Section                 |
| 1,545  | Linear Feet | 609-D002  | Combination Concrete Curb and Gutter Type 2              |
| 486    | Square Yard | 616-A003  | Concrete Median and/or Island Pavement, 10-inch          |
|        | Lump Sum    | 618-A001  | Maintenance of Traffic                                   |
| 9      | Mile        | 619-A1002 | Temporary Traffic Stripe, Continuous White               |
| 6      | Mile        | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow              |
| 6      | Mile        | 619-A3006 | Temporary Traffic Stripe, Skip White                     |
|        |             |           |  |

| 135    | Square Feet | 619 46002     | Temporary Traffic Stripe, Legend                                       |
|--------|-------------|---------------|--|
| 133    | -           |               | Standard Roadside Construction Signs, Less than 10 Square Feet         |
|        | Square Feet |               | Standard Roadside Construction Signs, 10 Square Feet or More           |
|        | Each        |               | Flashing Arrow Panel, Type C   |
|        | Linear Feet |               | Barricades, Type III, Single Faced                                     |
|        | Linear Feet |               | Barricades, Type III, Double Faced                                     |
|        | Each        |               | Free Standing Plastic Drums  |
|        | Each        |               | Warning Lights, Type "B"   |
| 21     | Lump Sum    |               | Mobilization   |
| 560    | Each        |               | Red-Clear Reflective High Performance Raised Markers                   |
|        | Each        |               | Two-Way Yellow Reflective High Performance Raised Markers              |
| 118    | Square Feet | 630-A001      |  |
| 152    | -           |               | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness              |
|        | Square Feet |               | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground  |
| .,     |             | 000 2001      | Mounted  |
| 299    | Linear Feet | 630-C003      | Steel U-Section Posts, 3.0 lb/ft                                       |
| 162    | Linear Feet | 630-D003      | Structural Steel Beams, W6 x 9   |
| 108    | Linear Feet | 630-D005      | Structural Steel Beams, W6 x 15  |
| 158    | Pounds      | 630-E001      | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles                  |
| 114    | Pounds      | 630-E002      | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles          |
| 150    | Pounds      | 630-E004      | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar                |
| 101    | Linear Feet | 630-K003      | Welded & Seamless Steel Pipe Posts, 4"                                 |
| 1,530  | Ton         | 815-A009      | Loose Riprap, Size 300   |
| 306    | Square Yard | 815-E001      | Geotextile under Riprap  |
| 3      | Acre        | 907-225-A001  | Grassing   |
| 9      | Ton         | 907-225-B001  | Agricultural Limestone   |
| 6      | Ton         | 907-225-C001  | Mulch, Vegetative Mulch  |
| 2      | Acre        | 907-226-A001  | Temporary Grassing   |
| 2      | Each        | 907-234-D001  | Inlet Siltation Guard  |
| 2      | Each        | 907-234-E001  | Reset Inlet Siltation Guard  |
| 1,750  | Linear Feet | 907-237-A003  | Wattles, 20"   |
| 430    | Linear Feet | 907-245-A001  | Triangular Silt Dike   |
| 1,100  | Linear Feet | 907-246-A001  | Sandbags   |
| 120    | Ton         | 907-249-A001  | Riprap for Erosion Control   |
| 1,715  | Cubic Yard  | 907-304-A004  | Granular Material, LVM, Class 6, Group C                               |
| 6,391  | Ton         | 907-304-F003  | 3/4" and Down Crushed Stone Base                                       |
| 6,443  | Gallon      |               | Asphalt for Tack Coat  |
| 13     | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                        |
| 40     | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe  |
| 1      | Each        | 907-619-E3001 | Changeable Message Sign  |
| 10,140 | Linear Feet | 907-626-A004  | 6" Thermoplastic Traffic Stripe, Skip White                            |
| 3,001  | Linear Feet | 907-626-C005  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White,90 mil min  |
| 6,197  | Linear Feet | 907-626-F007  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow,90 mil min |
|        | Linear Feet |               | Thermoplastic Detail Stripe, White                                     |
|        | Linear Feet |               | Thermoplastic Detail Stripe, Yellow                                    |
| 461    | Square Feet | 907-626-H005  | Thermoplastic Legend, White  |
|        |             |               |  |

|       |     | ALTERNATE GROUP AA NO. 1                                    |
|-------|-----|---|
| 3,440 | Ton | 907-403-A002 Hot Mix Asphalt, HT, 19-mm mixture             |
|       |     | ALTERNATE GROUP AA NO. 2                                    |
| 3,440 | Ton | 907-403-M011 Warm Mix Asphalt, HT, 19-mm mixture            |
|       |     | ALTERNATE GROUP BB NO. 1                                    |
| 4,555 | Ton | 907-403-A005 Hot Mix Asphalt, HT, 9.5-mm mixture            |
|       |     | ALTERNATE GROUP BB NO. 2                                    |
| 4,555 | Ton | 907-403-M009 Warm Mix Asphalt, HT, 9.5-mm mixture           |
|       |     | ALTERNATE GROUP CC NO. 1                                    |
| 25    | Ton | 907-403-B003 Hot Mix Asphalt, HT, 9.5-mm mixture, Leveling  |
|       |     | ALTERNATE GROUP CC NO. 2                                    |
| 25    | Ton | 907-403-N008 Warm Mix Asphalt, HT, 9.5-mm mixture, Leveling |

Bridge Replacements on SR 17 North of Lexington, (Bridge Nos. 45.9, 47.3, 51.9), known as Federal Aid Project No. BR-0041-01(011) / 100435301, in Holmes County.

#### PROJECT COMPLETION: November 15, 2013

#### Advance Information Only - Items and Quantities Subject to Change

#### **Bridge Items**

|         |                    |              | Driuge riems  |
|---------|--------------------|--------------|---|
| 2,933   | Square Yard        | 501-K001     | Transverse Grooving                                     |
| 3       | Each               | 803-B002     | Conventional Static Pile Load Test                      |
| 3,885   | Linear Feet        | 803-C002     | 14" x 14" Prestressed Concrete Piling                   |
| 4,225   | Linear Feet        | 803-C003     | 16" x 16" Prestressed Concrete Piling                   |
| 7       | Each               | 803-I001     | PDA Test Pile   |
| 6       | Each               | 803-J001     | Pile Restrike   |
| 243,447 | Pounds             | 805-A001     | Reinforcement   |
| 1,333   | Linear Feet        | 813-A001     | Concrete Railing  |
| 990     | Ton                | 815-A009     | Loose Riprap, Size 300                                  |
| 510     | Square Yard        | 815-E001     | Geotextile under Riprap                                 |
| 1,327   | Cubic Yard         | 907-804-A001 | Bridge Concrete, Class AA                               |
| 715     | Linear Feet        | 907-804-C016 | 40' Prestressed Concrete Beam, Type I+2                 |
| 2,151   | Linear Feet        | 907-804-C019 | 60' Prestressed Concrete Beam, Type II+2                |
| 478     | Linear Feet        | 907-804-C030 | 80' Prestressed Concrete Beam, Type III                 |
| 598     | Linear Feet        | 907-804-C171 | 100' Prestressed Concrete Beam, Type IV                 |
|         |                    |              | Roadway Items   |
|         | Lump Sum           | 201-A001     | Clearing and Grubbing                                   |
|         | Lump Sum           | 202-A001     | Removal of Obstructions                                 |
| 17,423  | Square Yard        | 202-B005     | Removal of Asphalt Pavement, All Depths                 |
| 2       | Each               | 202-В042     | Removal of Flared End Section, All Sizes                |
| 288     | Linear Feet        | 202-B106     | Removal of Pipe, All Sizes                              |
| 188     | Square Yard        | 202-B138     | Removal of Riprap                                       |
| 2       | Each               | 202-B155     | Removal of Box Culvert Wings and Headwall, All Sizes    |
| 26      | Each               | 202-B194     | Removal of Sign Post and Footing                        |
| 14,935  | Cubic Yard         | 203-A003     | Unclassified Excavation, FM, AH                         |
| 58,087  | Cubic Yard         | 203-EX017    | Borrow Excavation, AH, FME, Class B9                    |
| 16,537  | Cubic Yard         | 203-G003     | Excess Excavation, FM, AH                               |
| 383     | Cubic Yard         | 206-A001     | Structure Excavation                                    |
| 34      | Cubic Yard         | 206-B001     | Select Material for Undercuts, Contractor Furnished, FM |
| 16,915  | Square Yard        | 209-A004     | Geotextile Stabilization, Type V, Non-Woven             |
| 17      | Ton                | 213-C001     | Superphosphate  |
| 68      | Ton                | 215-A001     | Vegetative Materials for Mulch                          |
| 1,000   | Square Yard        | 216-A001     | Solid Sodding   |
| 1,641   | Square Yard        | 217-A001     | Ditch Liner   |
| 1,084   | Square Yard        | 218-A001     | Bituminous Treated Roving                               |
| 1       | Thousand<br>Gallon | 219-A001     | Watering  |
| 17      | Acre               | 220-A001     | Insect Pest Control                                     |
| 545     | Cubic Yard         | 221-A001     | Portland Cement Concrete Paved Ditch                    |
| 1       | Acre               | 223-A001     | Mowing  |
| 14,866  | Linear Feet        | 234-A001     | Temporary Silt Fence                                    |

| 000      | D 1         | 225 4 001     |  |
|----------|-------------|---------------|--|
|          | Bale        |               | Temporary Erosion Checks                                       |
|          | Each        | 236-A001      | Silt Basin, Type A   |
| 1        | Each        | 236-A004      |  |
|          | Linear Feet | 239-A001      | Temporary Slope Drains   |
| 150      |             | 406-A003      | Cold Milling of Bituminous Pavement, All Depths                |
|          | Linear Feet |               | Expansion Joints, Without Dowels                               |
|          | Square Yard | 501-K001      | Transverse Grooving  |
|          | Square Yard | 502-A001      | Reinforced Cement Concrete Bridge End Pavement                 |
|          | Pounds      |               | Reinforcing Steel  |
|          | Linear Feet |               | 18" Reinforced Concrete Pipe, Class III                        |
|          | Linear Feet |               | Guard Rail, Class A, Type 1                                    |
|          | Each        | 606-D012      |  |
|          | Each        | 606-E001      |  |
| 313      | Linear Feet |               | Combination Concrete Curb and Gutter Type 2                    |
|          | Lump Sum    | 618-A001      | Maintenance of Traffic   |
|          | Linear Feet | 619-A1001     | Temporary Traffic Stripe, Continuous White                     |
| <i>,</i> | Linear Feet | 619-A2001     | Temporary Traffic Stripe, Continuous Yellow                    |
| 6,370    | Linear Feet | 619-A4001     | Temporary Traffic Stripe, Skip Yellow                          |
| 78       | Square Feet | 619-D1001     | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 476      | Square Feet | 619-D2001     | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 144      | Linear Feet | 619-G4001     | Barricades, Type III, Single Faced                             |
| 101      | Each        | 619-G5001     | Free Standing Plastic Drums                                    |
|          | Lump Sum    | 620-A001      | Mobilization   |
| 1        | Each        | 622-A003      | Engineer's Field Office Building, Type 3                       |
| 135      | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers      |
| 18       | Square Feet | 630-A001      | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 13       | Square Feet | 630-A002      | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 62       | Linear Feet | 630-C003      | Steel U-Section Posts, 3.0 lb/ft                               |
| 54       | Each        | 630-F001      | Delineators, Guard Rail, White                                 |
| 12       | Each        | 630-G002      | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted            |
| 600      | Ton         | 815-A009      | Loose Riprap, Size 300   |
| 740      | Square Yard | 815-E001      | Geotextile under Riprap  |
| 34       | Acre        | 907-225-A001  | Grassing   |
| 102      | Ton         | 907-225-B001  | Agricultural Limestone   |
| 17       | Acre        | 907-226-A001  | Temporary Grassing   |
| 1,000    | Linear Feet | 907-234-C002  | Super Silt Fence   |
| 600      | Linear Feet | 907-237-A003  | Wattles, 20"   |
| 100      | Each        | 907-246-A002  | Sandbags   |
| 600      | Each        | 907-246-B002  | Rockbags   |
| 6,549    | Ton         | 907-304-B002  | Granular Material, Class 5, Group D                            |
| 5,255    | Ton         | 907-304-F003  | 3/4" and Down Crushed Stone Base                               |
| 1,768    | Gallon      | 907-407-A001  | Asphalt for Tack Coat  |
| 90       | Cubic Yard  | 907-601-A001  | Class "B" Structural Concrete                                  |
| 4        | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                |
| 472      | Linear Feet | 907-603-ALT01 | 18" Type A Alternate Pipe                                      |
| 44       | Linear Feet | 907-603-ALT02 | 24" Type A Alternate Pipe                                      |
|          |             |               |  |

| 42     | Each        | 907-617-A001 | Right-of-Way Marker  |
|--------|-------------|--------------|--|
| 11,695 | Linear Feet | 907-626-C008 | 6" Thermoplastic Edge Stripe, Continuous White                     |
| 3,185  | Linear Feet | 907-626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow                       |
| 8,860  | Linear Feet | 907-626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow                 |
| 1,325  | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                                 |
| 332    | Linear Feet | 907-626-H004 | Thermoplastic Legend, White  |
| 1      | Cubic Yard  | 907-631-A001 | Flowable Fill, Excavatable   |
|        | Lump Sum    | 907-699-A002 | Roadway Construction Stakes  |
|        |             | AL           | TERNATE GROUP AA NO. 1   |
| 1,320  | Linear Feet | 628-J002     | 6" High Performance Cold Plastic Traffic Stripe, ContinuousWhite   |
| 260    | Linear Feet | 628-L002     | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow       |
| 800    | Linear Feet | 628-M002     | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
|        |             | AL           | TERNATE GROUP AA NO. 2   |
| 1,320  | Linear Feet | 907-626-J003 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousWhite  |
| 260    | Linear Feet | 907-626-K003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow      |
| 800    | Linear Feet | 907-626-L001 | 6" Inverted Profile Thermoplastic Traffic Stripe, ContinuousYellow |
|        |             | AL           | TERNATE GROUP BB NO. 1   |
| 4,960  | Ton         | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture                                 |
|        |             | AL           | TERNATE GROUP BB NO. 2   |
| 4,960  | Ton         | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture                                |
|        |             | AL           | TERNATE GROUP CC NO. 1   |
| 1,580  | Ton         | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture                                |
|        |             | AL           | TERNATE GROUP CC NO. 2   |
| 1,580  | Ton         | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture                               |
|        |             |              |  |

Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County.

#### PROJECT COMPLETION: July 11, 2014

#### Advance Information Only - Items and Quantities Subject to Change

|        |                    |           | Routing Items  |
|--------|--------------------|-----------|--|
|        | Lump Sum           | 201-A001  | Clearing and Grubbing  |
| 2,851  | Square Yard        | 202-B004  | Removal of Asphalt Paved Shoulders, All Depths                       |
| 1,560  | Square Yard        | 202-B024  | Removal of Concrete Median & Island Pavement, All Depths             |
| 2,925  | Linear Feet        | 202-B038  | Removal of Curb, All Types   |
| 1      | Each               | 202-B057  | Removal of Inlets, All Sizes   |
| 2      | Each               | 202-B063  | Removal of Overhead Sign Including Panels, Truss, Supports & Footing |
| 48     | Linear Feet        | 202-B064  | Removal of Pipe, 8" And Above  |
| 4      | Each               | 202-В070  | Removal of Sign Including Post & Footing                             |
| 4,500  | Linear Feet        | 202-B076  | Removal of Traffic Stripe  |
| 14,567 | Square Yard        | 202-B097  | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depths        |
| 1,236  | Linear Feet        | 202-B141  | Removal of Edge Drain  |
| 20     | Each               | 202-B186  | Removal of Low Mast Lighting Assembly and Foundation                 |
| 2,300  | Linear Feet        | 202-B254  | Removal of Guard Rail, Including Rail, Posts & Cable Anchors         |
| 5,096  | Cubic Yard         | 203-A003  | Unclassified Excavation, FM, AH                                      |
| 616    | Cubic Yard         | 203-EX017 | Borrow Excavation, AH, FME, Class B9                                 |
| 32,000 | Cubic Yard         | 203-G003  | Excess Excavation, FM, AH  |
| 111    | Cubic Yard         | 206-A001  | Structure Excavation   |
| 27,350 | Square Yard        | 209-A004  | Geotextile Stabilization, Type V, Non-Woven                          |
| 905    | Cubic Yard         | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished                    |
| 10     | Ton                | 213-B001  | Combination Fertilizer, 13-13-13                                     |
| 3      | Ton                | 213-C001  | Superphosphate   |
| 10,853 | Square Yard        | 216-A001  | Solid Sodding  |
| 218    | Thousand<br>Gallon | 219-A001  | Watering   |
| 3      | Acre               | 220-A001  | Insect Pest Control  |
| 500    | Linear Feet        | 234-A001  | Temporary Silt Fence   |
| 100    | Bale               | 235-A001  | Temporary Erosion Checks   |
| 500    | Linear Feet        | 239-A001  | Temporary Slope Drains   |
| 14,793 | Square Yard        | 406-A001  | Cold Milling of Bituminous Pavement, All Depths                      |
| 1,300  | Linear Feet        | 503-C001  | Saw Cut, 1-inch  |
| 3,822  | Linear Feet        | 503-C007  | Saw Cut, Full Depth  |
| 776    | Pounds             | 602-A001  | Reinforcing Steel  |
| 40     | Linear Feet        |           | 18" Reinforced Concrete Pipe, Class III                              |
| 436    | Linear Feet        | 603-CA003 | 24" Reinforced Concrete Pipe, Class III                              |
| 8      | Each               | 603-CB002 | 24" Reinforced Concrete End Section                                  |
| 500    | Pounds             | 604-B001  | -  |
| 740    | Linear Feet        | 606-B001  | Guard Rail, Class A, Type 1  |
|        | Each               |           | Guard Rail, Cable Anchor, Type 1                                     |
|        | Each               |           | Guard Rail, Terminal End Section                                     |
|        | Linear Feet        |           | Combination Concrete Curb and Gutter Type 3                          |
| 3      | Square Yard        | 616-A001  | Concrete Median and/or Island Pavement, 4-inch                       |
|        |                    |           |  |

| 10       | Square Yard | 616-A003  | Concrete Median and/or Island Pavement, 10-inch                                 |
|----------|-------------|-----------|---|
| 10       | Lump Sum    |           | Maintenance of Traffic  |
| 5,170    | -           |           | Temporary Traffic Stripe, Skip White  |
|          |             |           | Temporary Traffic Stripe, Detail  |
|          |             |           | Temporary Traffic Stripe, Legend  |
| 279      |             |           | Temporary Traffic Stripe, Legend  |
| 32       | -           |           | Standard Roadside Construction Signs, Less than 10 Square Feet                  |
| 102      | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More                    |
| 3,256    | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast  |
| 3,160    | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast                               |
| 24       | Each        | 619-F3004 | Delineators, Guard Rail, White  |
| 522      | Linear Feet | 619-G4001 | Barricades, Type III, Single Faced  |
| 23       | Each        | 619-G5001 | Free Standing Plastic Drums   |
| 4        | Each        | 619-G7001 | Warning Lights, Type "B"  |
|          | Lump Sum    | 620-A001  | Mobilization  |
| 72       | Each        | 627-K001  | Red-Clear Reflective High Performance Raised Markers                            |
| 113      | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers                       |
| 50       | Square Feet | 630-A001  | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness                       |
| 106      | Square Feet | 630-B001  | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted   |
| 1,499    | Square Feet | 630-B002  | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted |
| 44       | Linear Feet | 630-C004  | Steel U-Section Posts, 3.0 to 3.5 lb/ft   |
| 112      | Linear Feet | 630-D003  | Structural Steel Beams, W6 x 9  |
| 98       | Pounds      | 630-E001  | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles                           |
| 108      | Each        | 630-F001  | Delineators, Guard Rail, White  |
| 740      | Linear Feet | 635-A001  | Vehicle Loop Assemblies   |
| 10,912   | Linear Feet | 636-A002  | Shielded Cable  |
| 8        | Each        |           | Traffic Signal Heads, Type 1 LED  |
| 4        | Each        |           | Traffic Signal Heads, Type 4 LED  |
|          | Each        |           | Optical Detector  |
| <i>,</i> | Linear Feet |           | Optical Detector Cable  |
|          | Each        |           | Phase Selector, 4 Channel   |
|          | Each        |           | Pullbox, Type 2   |
|          | Linear Feet |           | Electric Cable, Underground in Conduit, IMSA 40-2, AWG 19,6 pair                |
|          | Linear Feet |           | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor           |
|          | Linear Feet |           | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3Conductor            |
|          | Linear Feet |           | Traffic Signal Conduit, Underground, Type 4, 1"                                 |
|          | Linear Feet |           | Traffic Signal Conduit, Underground, Type 4, 2"                                 |
|          | Linear Feet |           | Traffic Signal Conduit, Underground, Type 4, 3"                                 |
|          | Linear Feet |           | Traffic Signal Conduit, Underground, Type 4, 4"                                 |
|          | Linear Feet |           | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1"          |
|          | Linear Feet |           | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"          |
|          | Linear Feet |           | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"          |
|          | Linear Feet |           | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 4"          |
|          | Linear Feet |           | Underground Branch Circuit, AWG 1, 3 Conductor                                  |
| 331      | Linear Feet | 682-A004  | Underground Branch Circuit, AWG 1/0, 3 Conductor                                |

| 451    | Lincon Foot                | (92 1015     | Understand Dranch Circuit, AWC 2, 2 Candidater                            |
|--------|----------------------------|--------------|---|
|        | Linear Feet<br>Linear Feet |              | Underground Branch Circuit, AWG 2, 3 Conductor                            |
|        |                            |              | Underground Branch Circuit, AWG 4, 3 Conductor                            |
|        | Linear Feet                |              | Underground Branch Circuit, AWG #3/0, 3 Conductor<br>Underground Pull Box |
|        | Each                       |              | C C   |
|        | Each                       |              | Underground Junction Box  |
|        | Each                       |              | Secondary Power Controllers   |
|        | Each                       |              | Lighting Assembly, High Mast, Type 130-6-A                                |
|        | Each                       |              | Lighting Assembly, High Mast, Type 130-8-S                                |
|        | Each                       |              | Lighting Assembly, Low Mast, Type 40-1-0-400                              |
|        | Each                       |              | Portable Electric Power Units   |
|        | Cubic Yard                 |              | Pole Foundation, 48" Diameter   |
|        | Linear Feet                |              | Slip Casing, 48" Diameter   |
|        | Acre                       | 907-225-A001 | -   |
|        | Ton                        |              | Agricultural Limestone  |
|        | Ton                        |              | Mulch, Vegetative Mulch   |
|        | Acre                       |              | Temporary Grassing  |
|        | Each                       |              | Inlet Siltation Guard   |
|        | Linear Feet                | 907-237-A002 |   |
|        | Linear Feet                | 907-237-A003 |   |
|        | Linear Feet                |              | Triangular Silt Dike  |
|        | Linear Feet                | 907-246-A001 | C   |
|        | Ton                        |              | Granular Material, Class 3, Group D                                       |
| 17,445 |                            |              | Size 610 Crushed Stone Base   |
|        | Ton                        |              | Size III Stabilizer Aggregate, Coarse                                     |
|        | Ton                        |              | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture               |
|        | Gallon                     |              | Bituminous Tack Coat  |
| 5,423  | Gallon                     |              | Asphalt for Tack Coat   |
|        | Cubic Yard                 |              | Class "B" Structural Concrete, Minor Structures                           |
|        | Each                       |              | Changeable Message Sign   |
| 2      | Mile                       |              | 6" Thermoplastic Traffic Stripe, Skip White                               |
| 2      | Mile                       |              | 6" Thermoplastic Traffic Stripe, Continuous White                         |
| 2      | Mile                       | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow                        |
|        | Linear Feet                | 907-626-G004 | Thermoplastic Detail Stripe, White  |
| ,      | Linear Feet                | 907-626-G005 | Thermoplastic Detail Stripe, Yellow                                       |
| 1,092  | Linear Feet                | 907-626-H004 | Thermoplastic Legend, White   |
| 908    | Square Feet                | 907-626-H005 | Thermoplastic Legend, White   |
|        | Lump Sum                   | 907-630-I001 | Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed         |
|        | Lump Sum                   | 907-630-1002 | Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed         |
|        | Lump Sum                   | 907-630-1003 | Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed         |
|        | Lump Sum                   | 907-630-1004 | Metal Overhead Sign Supports, Assembly No. 4, Contractor Designed         |
| 11     | Each                       | 907-630-0003 | Remove and Reset Sign, All Sizes  |
| 1      | Cubic Yard                 | 907-631-A001 | Flowable Fill, Excavatable  |
| 2      | Each                       | 907-639-A011 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm                |
| 1      | Each                       | 907-639-A086 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 40'Arms          |
| 1      | Each                       | 907-639-A097 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 35'Arms          |
| 19     | Cubic Yard                 | 907-639-C002 | Pole Foundations, 36" Diameter  |
|        |                            |              |   |

|       | Cubic Yard  |               | Pole Foundations, 30" Diameter  |
|-------|-------------|---------------|---|
|       | Linear Feet |               | Slip Casing, 36" Diameter   |
| 12    | Linear Feet |               | Slip Casing, 30" Diameter   |
|       | Each        |               | Solid State Traffic Actuated Controllers, Type 8A                     |
|       | Linear Feet | 907-682-A1001 | Branch Circuit Wire, AWG #1, 3 Conductor                              |
| ,     | Linear Feet | 907-682-A1002 | Branch Circuit Wire, AWG #1/0, 3 Conductor                            |
|       | Linear Feet | 907-682-A1004 | Branch Circuit Wire, AWG #2, 3 Conductor                              |
| 1,722 | Linear Feet | 907-682-A1007 | Branch Circuit Wire, AWG #4, 3 Conductor                              |
|       | Lump Sum    |               | Roadway Construction Stakes   |
|       |             |               | FERNATE GROUP AA NO. 1  |
| 426   | Ton         |               | Hot Mix Asphalt, ST, 12.5-mm mixture                                  |
|       | _           |               | FERNATE GROUP AA NO. 2  |
| 426   | Ton         |               | Warm Mix Asphalt, ST, 12.5-mm mixture                                 |
| 1.5.0 | T           |               | FERNATE GROUP BB NO. 1  |
| 1,562 | Ion         |               | Hot Mix Asphalt, HT, 19-mm mixture                                    |
| 1.560 | T           |               | FERNATE GROUP BB NO. 2  |
| 1,562 | Ion         |               | Warm Mix Asphalt, HT, 19-mm mixture<br>FERNATE GROUP CC NO. 1         |
| 640   | Ton         |               |   |
| 040   | Ton         |               | Hot Mix Asphalt, ST, 19-mm mixture<br>FERNATE GROUP CC NO. 2          |
| 640   | Ton         |               | Warm Mix Asphalt, ST, 19-mm mixture                                   |
| 040   | 1011        |               | FERNATE GROUP DD NO. 1  |
| 320   | Ton         |               | Hot Mix Asphalt, ST, 9.5-mm mixture                                   |
| 520   | 1011        |               | FERNATE GROUP DD NO. 2  |
| 320   | Ton         |               | Warm Mix Asphalt, ST, 9.5-mm mixture                                  |
| 520   | Ton         |               | TERNATE GROUP EE NO. 1  |
| 1,112 | Ton         |               | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified                |
| _,    |             |               | TERNATE GROUP EE NO. 2  |
| 1,112 | Ton         |               | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified               |
|       |             |               | TERNATE GROUP FF NO. 1  |
| 1,496 | Ton         | 907-403-D004  | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified                 |
|       |             | AL            | TERNATE GROUP FF NO. 2  |
| 1,496 | Ton         | 907-403-P001  | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified                |
|       |             | S             | P - Traffic Signal PayItems   |
| 3     | Square Yard | 616-A001      | Concrete Median and/or Island Pavement, 4-inch                        |
| 1,080 | Linear Feet | 635-A001      | Vehicle Loop Assemblies   |
| 3,581 | Linear Feet | 636-A002      | Shielded Cable  |
| 6     | Each        | 640-A016      | Traffic Signal Heads, Type 1 LED                                      |
| 1     | Each        | 640-A017      | Traffic Signal Heads, Type 2 LED                                      |
| 2     | Each        | 640-A018      | Traffic Signal Heads, Type 3 LED                                      |
| 2     | Each        | 640-A022      | Traffic Signal Heads, Type 7 LED                                      |
|       | Each        | 644-A001      | Optical Detector  |
| 618   | Linear Feet | 644-B001      | •   |
|       | Lump Sum    |               | Removal of Existing Traffic Signal Equipment                          |
|       | Each        |               | Pullbox, Type 2   |
| 618   | Linear Feet | 666-B016      | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7Conductor |
|       |             |               |   |

| 94  | Linear Feet | 666-B041     | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3Conductor   |
|-----|-------------|--------------|--|
| 817 | Linear Feet | 668-A016     | Traffic Signal Conduit, Underground, Type 4, 1"                        |
| 12  | Linear Feet | 668-A020     | Traffic Signal Conduit, Underground, Type 4, 3"                        |
| 196 | Linear Feet | 668-B023     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 1" |
| 288 | Linear Feet | 668-B024     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2" |
| 141 | Linear Feet | 668-B025     | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 1   | Cubic Yard  | 907-631-A001 | Flowable Fill, Excavatable   |
| 1   | Each        | 907-639-A009 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm             |
| 1   | Each        | 907-639-A014 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 60' Arms     |
| 1   | Each        | 907-639-A017 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm             |
| 11  | Cubic Yard  | 907-639-C002 | Pole Foundations, 36" Diameter   |
| 1   | Linear Feet | 907-639-D001 | Slip Casing, 36" Diameter  |

Mill and Overlay approximately 1 mile of SR 182 from US 82 to US 51, known as State Project No. MP-2182-49(001) / 304557301 in Montgomery County.

#### PROJECT COMPLETION: June 21, 2013

#### Advance Information Only - Items and Quantities Subject to Change

|        |             |              | Roadway Rems  |
|--------|-------------|--------------|---|
| 75     | Square Yard | 202-B018     | Removal of Concrete Driveways, All Depths                 |
| 150    | Square Yard | 202-В033     | Removal of Concrete Pavement w/ Variable Depth Overlay    |
| 75     | Cubic Yard  | 203-G003     | Excess Excavation, FM, AH                                 |
| 29,487 | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths           |
| 2      | Mile        | 423-A001     | Rumble Strips, Ground In                                  |
| 1,200  | Linear Feet | 503-C007     | Saw Cut, Full Depth                                       |
|        | Lump Sum    | 618-A001     | Maintenance of Traffic                                    |
| 1      | Square Feet | 618-B001     | Additional Construction Signs                             |
| 6      | Mile        | 619-A1002    | Temporary Traffic Stripe, Continuous White                |
| 2      | Mile        | 619-A2002    | Temporary Traffic Stripe, Continuous Yellow               |
| 6      | Mile        | 619-A4006    | Temporary Traffic Stripe, Skip Yellow                     |
| 2,520  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                          |
| 3,624  | Linear Feet | 619-A6001    | Temporary Traffic Stripe, Legend                          |
|        | Lump Sum    | 620-A001     | Mobilization  |
| 110    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 360    | Ton         | 907-304-B009 | Granular Material, Class 3, Group D                       |
| 6,930  | Linear Feet | 907-403-8003 | Joint Sealant   |
| 3,800  | Gallon      | 907-407-A001 | Asphalt for Tack Coat                                     |
| 1,920  | Linear Feet | 907-413-D001 | Cleaning and Filling Joints in PCC Pavement               |
| 2      | Mile        | 907-626-C004 | 6" Thermoplastic Edge Stripe, Continuous White            |
| 1      | Mile        | 907-626-D003 | 6" Thermoplastic Traffic Stripe, Skip Yellow              |
| 2      | Mile        | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow        |
| 630    | Linear Feet | 907-626-G004 | Thermoplastic Detail Stripe, White                        |
| 906    | Linear Feet | 907-626-H004 | Thermoplastic Legend, White                               |
|        |             | AL           | TERNATE GROUP AA NO. 1                                    |
| 1,375  | Ton         | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture                       |
|        |             | AL           | FERNATE GROUP AA NO. 2                                    |
| 1,375  | Ton         | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture                      |
|        |             | AL           | TERNATE GROUP BB NO. 1                                    |
| 1,550  | Ton         | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture                      |
|        |             | AL           | TERNATE GROUP BB NO. 2                                    |
| 1,550  | Ton         | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture                     |
|        |             | AL           | TERNATE GROUP CC NO. 1                                    |
| 750    | Ton         | 907-403-B009 | Hot Mix Asphalt, ST, 9.5-mm mixture, Leveling             |
|        |             | AL           | TERNATE GROUP CC NO. 2                                    |
| 750    | Ton         | 907-403-N001 | Warm Mix Asphalt, ST, 9.5-mm mixture, Leveling            |
|        |             | AL           | TERNATE GROUP DD NO. 1                                    |
| 350    | Ton         | 907-403-C005 | Hot Mix Asphalt, ST, 19-mm mixture, Trench Widening       |
|        |             | AL           | TERNATE GROUP DD NO. 2                                    |
| 350    | Ton         | 907-403-0001 | Warm Mix Asphalt, ST, 19-mm mixture, Trench Widening      |
|        |             |              |   |

Mill & Overlay approximately one mile of SR 21 from SR 16 to Philadelphia City Limits, known as State Project No. MP-5021-50(017) / 304547301 in Neshoba County.

#### PROJECT COMPLETION: May 23, 2013

#### Advance Information Only - Items and Quantities Subject to Change

|        |             |              | •  |
|--------|-------------|--------------|--|
| 588    | Linear Feet | 202-B001     | Removal of Asphalt Curb  |
| 1,780  | Square Yard | 202-B005     | Removal of Asphalt Pavement, All Depths                        |
| 300    | Square Yard | 202-B084     | Removal of Base  |
| 23,000 | Square Yard | 406-A001     | Cold Milling of Bituminous Pavement, All Depths                |
| 588    | Linear Feet | 609-E001     | Bituminous Curb  |
|        | Lump Sum    | 618-A001     | Maintenance of Traffic   |
| 25,714 | Linear Feet | 619-A1003    | Temporary Traffic Stripe, Continuous White, Paint              |
| 20,914 | Linear Feet | 619-A2003    | Temporary Traffic Stripe, Continuous Yellow, Paint             |
| 3,944  | Linear Feet | 619-A4002    | Temporary Traffic Stripe, Skip Yellow, Paint                   |
| 386    | Linear Feet | 619-A6003    | Temporary Traffic Stripe, Legend, Paint                        |
| 17     | Square Feet | 619-A6004    | Temporary Traffic Stripe, Legend, Paint                        |
| 289    | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 20     | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 36     | Linear Feet | 619-G4005    | Barricades, Type III, Double Faced                             |
| 170    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 972    | Linear Feet | 635-A001     | Vehicle Loop Assemblies  |
| 100    | Cubic Yard  | 907-304-A010 | Granular Material, LVM, Class 5, Group E                       |
| 1,200  | Gallon      | 907-407-A001 | Asphalt for Tack Coat  |
| 12,821 | Linear Feet | 907-626-C007 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 1,972  | Linear Feet | 907-626-D005 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 10,457 | Linear Feet | 907-626-E005 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 36     | Linear Feet | 907-626-G006 | Thermoplastic Double Drop Detail Stripe, White                 |
| 386    | Linear Feet | 907-626-H009 | Thermoplastic Double Drop Legend, White                        |
| 17     | Square Feet | 907-626-H010 | Thermoplastic Double Drop Legend, White                        |
|        |             | AL           | TERNATE GROUP AA NO. 1   |
| 2,691  | Ton         | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture                           |
|        |             | AL           | TERNATE GROUP AA NO. 2   |
| 2,691  | Ton         | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture                          |
|        |             | AL           | TERNATE GROUP BB NO. 1   |
| 100    | Ton         | 907-403-B007 | Hot Mix Asphalt, ST, 12.5-mm mixture, Leveling                 |
|        |             | AL           | TERNATE GROUP BB NO. 2   |
| 100    | Ton         | 907-403-N002 | Warm Mix Asphalt, ST, 12.5-mm mixture, Leveling                |
|        |             |              |  |

Relocation and Construction of various metal buildings at the MDOT Shop Complex, known as State Project No. BWO-9030-25(002) / 502352301 & BWO-9041-25(001) / 502400301 & BWO-9721-25(001) / 502353301 & LWO-9002-25(006) / 501560303 in Hinds County.

#### PROJECT COMPLETION: January 31, 2014

#### Advance Information Only - Items and Quantities Subject to Change

|        |                      |          | Routing Rems   |
|--------|----------------------|----------|--|
| 5,830  | Square Yard          | 202-B005 | Removal of Asphalt Pavement, All Depths                            |
| 436    | Linear Feet          | 202-B017 | Removal of Concrete Combination Curb & Gutter                      |
| 75     | Square Yard          | 202-B018 | Removal of Concrete Driveways, All Depths                          |
| 307    | Square Yard          | 202-В025 | Removal of Concrete Paved Ditch                                    |
| 677    | Linear Feet          | 202-B041 | Removal of Fence, All Types  |
| 3      | Each                 | 202-B057 | Removal of Inlets, All Sizes                                       |
| 87     | Linear Feet          | 202-B064 | Removal of Pipe, 8" And Above                                      |
| 2      | Each                 | 202-B070 | Removal of Sign Including Post & Footing                           |
| 80     | Linear Feet          | 202-B232 | Removal of Gravity Sewer Line, All Sizes, All Types                |
| 80     | Linear Feet          | 202-B238 | Removal of Water Line, All Sizes, All Types                        |
| 3,800  | Cubic Yard 20        | )3-EX035 | Borrow Excavation, AH, FME, Class B9-6                             |
| 2,800  | Cubic Yard 2         | 203-G003 | Excess Excavation, FM, AH  |
| 1,000  | Cubic Yard 2         | 206-A001 | Structure Excavation   |
| 100    | Cubic Yard           | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished                  |
| 850    | Square Yard          | 212-B001 | Standard Ground Preparation  |
| 850    | Square Yard          | 216-B004 | Solid Sodding, Bermuda   |
| 20     | Thousand 2<br>Gallon | 219-A001 | Watering   |
| 10     | Cubic Yard 2         | 221-A001 | Portland Cement Concrete Paved Ditch                               |
| 1,500  | Linear Feet          | 234-A001 | Temporary Silt Fence   |
| 8,200  | Square Yard          | 406-A001 | Cold Milling of Bituminous Pavement, All Depths                    |
| 5,750  | Pounds 6             | 502-A001 | Reinforcing Steel  |
| 12     | Linear Feet 60       | 03-CA001 | 15" Reinforced Concrete Pipe, Class III                            |
| 28     | Linear Feet 60       | 03-CA002 | 18" Reinforced Concrete Pipe, Class III                            |
| 224    | Linear Feet 60       | 03-CA003 | 24" Reinforced Concrete Pipe, Class III                            |
| 36     | Linear Feet 60       | 03-CA004 | 30" Reinforced Concrete Pipe, Class III                            |
| 88     | Linear Feet 60       | 03-CA006 | 42" Reinforced Concrete Pipe, Class III                            |
| 1      | Each 60              | 03-CB001 | 18" Reinforced Concrete End Section                                |
| 32     | Linear Feet 60       | 03-CE001 | 22" x 13" Concrete Arch Pipe, Class A III                          |
| 120    | Linear Feet 60       | 03-CE042 | 44" x 27" Concrete Arch Pipe, Class A III, Flexible PlasticGaskets |
| 1      | Each 60              | 03-CF001 | 22" x 13" Concrete Arch Pipe End Section                           |
| 4      | Each 60              | 03-SB039 | 24" Branch Connections, Stub into Inlet                            |
| 2      | Each 60              | 03-SB045 | 18" Branch Connections, Stub into Existing Inlet                   |
| 1      | Each 60              | 03-SB050 | 44" x 27" Branch Connection, Stub into Existing Inlet              |
| 1      | Each 60              | 03-SB063 | 42" Branch Connection, Stub Into Existing Inlet                    |
| 25,458 | Pounds               | 604-B001 | Gratings   |
| 175    | Linear Feet          | 606-B004 | Guard Rail, Class A, Type 1, Metal Post                            |
| 630    | Linear Feet          | 607-B003 | 60" Type III Chain Link Fence, Class I                             |
| 63     | Each 6               | 07-P1009 | Line Post, 9' x 2" Galvanized Steel                                |
| 30     | Each 6               | 07-P2010 | Brace Post, 9' x 2 1/2" Galvanized Steel                           |
|        |                      |          |  |

| 261   | Linear Feet | 609-B001      | Concrete Curb, Header   |
|-------|-------------|---------------|---|
| 100   | Linear Feet | 609-D001      | Combination Concrete Curb and Gutter Type 1   |
| 290   | Square Yard | 614-B001      | Concrete Driveway, With Reinforcement   |
|       | Lump Sum    | 618-A001      | Maintenance of Traffic  |
| 30    | Each        | 619-D3001     | Remove and Reset Signs, All Sizes   |
|       | Lump Sum    | 620-A001      | Mobilization  |
| 1,000 | Square Feet | 809-A003      | Retaining Wall System   |
| 15    | Each        | 907-234-D001  | Inlet Siltation Guard   |
| 600   | Linear Feet | 907-237-A002  | Wattles, 12"  |
|       | Lump Sum    | 907-242-A004  | Removal and Relocation of Metal Buildings with an addition of a scale maintenanceshop |
|       | Lump Sum    | 907-242-A006  | Construction of a warehouse   |
|       | Lump Sum    | 907-242-A006  | Construction of an equipment shed   |
| 50    | Each        | 907-246-B002  | Rockbags  |
| 2     | Each        | 907-258-PP016 | Bollard   |
| 221   | Linear Feet | 907-262-A006  | 8" Sanitary Sewer Pipe  |
| 3     | Each        | 907-262-I001  | Monolithic Manhole Surfacing System   |
| 3     | Each        | 907-262-J001  | Crystalline Concrete Waterproofing  |
| 3     | Each        | 907-262-K001  | Manholes  |
| 254   | Linear Feet | 907-265-A006  | 1 1/2" Copper Tubing "K" Service Tubing   |
| 173   | Linear Feet | 907-265-B006  | 6" Ductile Iron Water Pipe  |
| 1     | Each        | 907-265-D007  | 6" Gate Valve   |
| 1     | Each        | 907-265-D010  | 1 1/2" Gate Valve   |
| 1     | Each        | 907-265-N002  | Backflow Preventer with Box   |
| 2,150 | Gallon      | 907-407-A001  | Asphalt for Tack Coat   |
| 75    | Cubic Yard  | 907-601-B003  | Class "B" Structural Concrete, Minor Structures                                       |
| 18    | Linear Feet | 907-603-PE202 | 6" Corrugated Polyethylene Pipe   |
| 2     | Each        | 907-607-G006  | Gate, Barrier Fence, Per Plans  |
| 2,400 | Linear Feet | 907-625-E001  | Detail Traffic Stripe, 4" Equivalent Length   |
| 200   | Linear Feet | 907-625-E002  | Detail Traffic Stripe, Blue-ADA   |
| 330   | Linear Feet | 907-625-F002  | Legend, 4" Equivalent Length  |
| 120   | Square Feet | 907-625-F003  | Legend, Blue-ADA  |
| 10    | Cubic Yard  | 907-631-A001  | Flowable Fill, Excavatable  |
|       | Lump Sum    | 907-699-A002  | Roadway Construction Stakes   |
|       |             | ALT           | FERNATE GROUP AA NO. 1  |
| 1,600 | Ton         | 907-403-A012  | Hot Mix Asphalt, ST, 19-mm mixture  |
|       |             | ALT           | FERNATE GROUP AA NO. 2  |
| 1,600 | Ton         | 907-403-M004  | Warm Mix Asphalt, ST, 19-mm mixture   |
|       |             | ALT           | TERNATE GROUP BB NO. 1  |
| 1,375 | Ton         | 907-403-A015  | Hot Mix Asphalt, ST, 9.5-mm mixture   |
|       |             | ALT           | TERNATE GROUP BB NO. 2  |
| 1,375 | Ton         | 907-403-M001  | Warm Mix Asphalt, ST, 9.5-mm mixture  |
|       |             |               |   |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Bid or specimen proposals must be acquired from the Contract Administration Division. These proposals are available at a cost of Ten Dollars (\$10.00) per proposal. Proposals may be purchased from the Contract Administration Engineer, MDOT Administration Building, 401 North West Street, P.O. Box 1850, Jackson, 39215-1850, Telephone No. (601) 359-7744, Fax No. (601) 359-7732 or purchased online at www.gomdot.com.

Plans may be acquired on a cost per sheet basis from MDOT Plans Print Shop, MDOT Shop Complex, Building C, Room 114, 2567 North West Street, Jackson, Mississippi 39216, Telephone No. (601) 359-7460, Fax No. (601) 359-7461 or purchased online at www.gomdot.com.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified non-resident agent, with Power of Attorney Attached, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH EXECUTIVE DIRECTOR