

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|--|-----------|--|------------|-------|--|---|----------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$3,391,715.94 | \$3,720,988.79 | \$3,987,271.55 | \$3,997,702.40 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | | 7,500.00 | 25,000.00 | 38,543.00 |
| 0020 | 202-B004 | Removal of Asphalt Paved Shoulders, All Depths | 2,851.000 | SY | | 1.85 | 6.25 | 10.00 |
| 0030 | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths | 1,560.000 | SY | | 5.00 | 5.25 | 12.00 |
| 0040 | 202-B038 | Removal of Curb, All Types | 2,925.000 | LF | | 2.50 | 3.50 | 9.50 |
| 0050 | 202-B057 | Removal of Inlets, All Sizes | 1.000 | EA | | 500.00 | 300.00 | 1,900.00 |
| 0060 | 202-B063 | Removal of Overhead Sign Including Panels, Truss, Supports & | 2.000 | EA | | 4,000.00 | 4,500.00 | 4,500.00 |
| 0070 | 202-B064 | Removal of Pipe, 8" And Above | 48.000 | LF | | 10.00 | 10.00 | 38.00 |
| 0080 | 202-B070 | Removal of Sign Including Post & Footing | 4.000 | EA | | 300.00 | 310.00 | 150.00 |
| 0090 | 202-B076 | Removal of Traffic Stripe | 4,500.000 | LF | | 1.25 | 1.30 | 1.25 |
| 0100 | 202-B097 | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depth | 14,567.000 | SY | | 5.50 | 7.25 | 9.00 |
| 0110 | 202-B141 | Removal of Edge Drain | 1,236.000 | LF | | 1.50 | 3.00 | 3.00 |
| 0120 | 202-B186 | Removal of Low Mast Lighting Assembly and Foundation | 20.000 | EA | | 1,804.28 | 1,925.00 | 503.00 |
| 0130 | 202-B254 | Removal of Guard Rail, Including Rail, Posts & Cable Anchor | 2,300.000 | LF | | 2.00 | 2.06 | 1.75 |
| 0140 | 203-A003 | Unclassified Excavation, FM, AH | 5,096.000 | CY | | 8.00 | 6.00 | 9.00 |
| 0150 | 203-EX017 | Borrow Excavation, AH, FME, Class B9 | 616.000 | CY | | 10.00 | 15.00 | 25.00 |
| 0160 | 203-G003 | Excess Excavation, FM, AH | 32,000.000 | CY | | 5.00 | 8.00 | 7.75 |
| 0170 | 206-A001 | Structure Excavation | 111.000 | CY | | 8.00 | 12.00 | 14.00 |
| 0180 | 209-A004 | Geotextile Stabilization, Type V, Non-Woven | 27,350.000 | SY | | 1.70 | 2.15 | 1.00 |
| 0190 | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished | 905.000 | CY | | 8.00 | 15.00 | 8.00 |
| 0200 | 213-B001 | Combination Fertilizer, 13-13-13 | 10.000 | TON | | 800.00 | 680.00 | 650.00 |
| 0210 | 213-C001 | Superphosphate | 3.000 | TON | | 900.00 | 1,040.00 | 650.00 |
| 0220 | 216-A001 | Solid Sodding | 10,853.000 | SY | | 3.00 | 3.10 | 3.00 |
| 0230 | 219-A001 | Watering | 218.000 | KGAL | | 20.00 | 20.00 | 20.00 |
| 0240 | 220-A001 | Insect Pest Control | 3.000 | ACRE | | 30.00 | 30.00 | 30.00 |
| 0250 | 234-A001 | Temporary Silt Fence | 500.000 | LF | | 5.00 | 4.00 | 5.00 |
| 0260 | 235-A001 | Temporary Erosion Checks | 100.000 | BALE | | 10.00 | 7.00 | 10.00 |

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|---|-----------|--|------------|-------|--|---|---------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | | | | |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0270 | 239-A001 | Temporary Slope Drains | 500.000 | LF | | 10.00 | 7.00 | 10.00 |
| 0280 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 14,793.000 | SY | | 1.32 | 1.75 | 1.70 |
| 0290 | 503-C001 | Saw Cut, 1-inch | 1,300.000 | LF | | 1.25 | 1.25 | 1.25 |
| 0300 | 503-C007 | Saw Cut, Full Depth | 3,822.000 | LF | | 8.00 | 8.25 | 8.00 |
| 0310 | 602-A001 | Reinforcing Steel | 776.000 | LBS | | 1.00 | 1.10 | 1.30 |
| 0320 | 603-CA002 | 18" Reinforced Concrete Pipe, Class III | 40.000 | LF | | 28.00 | 30.00 | 39.00 |
| 0330 | 603-CA003 | 24" Reinforced Concrete Pipe, Class III | 436.000 | LF | | 45.00 | 40.00 | 50.00 |
| 0340 | 603-CB002 | 24" Reinforced Concrete End Section | 8.000 | EA | | 825.00 | 700.00 | 2,000.00 |
| 0350 | 604-B001 | Gratings | 500.000 | LBS | | 3.50 | 3.00 | 3.50 |
| 0360 | 606-B001 | Guard Rail, Class A, Type 1 | 740.000 | LF | | 17.50 | 18.00 | 16.00 |
| 0370 | 606-C003 | Guard Rail, Cable Anchor, Type 1 | 4.000 | EA | | 600.00 | 620.00 | 575.00 |
| 0380 | 606-E001 | Guard Rail, Terminal End Section | 4.000 | EA | | 1,800.00 | 1,860.00 | 1,800.00 |
| 0390 | 609-D003 | Combination Concrete Curb and Gutter Type 3 | 1,080.000 | LF | | 13.75 | 19.00 | 13.75 |
| 0400 | 616-A001 | Concrete Median and/or Island Pavement, 4-inch | 3.000 | SY | | 30.00 | 50.00 | 30.00 |
| 0410 | 616-A003 | Concrete Median and/or Island Pavement, 10-inch | 10.000 | SY | | 90.00 | 95.00 | 90.00 |
| 0420 | 618-A001 | Maintenance of Traffic | 1.000 | LS | | 23,500.00 | 70,000.00 | 87,000.00 |
| 0430 | 619-A3001 | Temporary Traffic Stripe, Skip White | 5,170.000 | LF | | 1.00 | 1.04 | 1.00 |
| 0440 | 619-A5001 | Temporary Traffic Stripe, Detail | 8,488.000 | LF | | 2.00 | 2.08 | 2.00 |
| 0450 | 619-A6001 | Temporary Traffic Stripe, Legend | 430.000 | LF | | 1.00 | 1.04 | 1.00 |
| 0460 | 619-A6002 | Temporary Traffic Stripe, Legend | 279.000 | SF | | 20.00 | 20.75 | 20.00 |
| 0470 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 32.000 | SF | | 7.00 | 8.00 | 6.00 |
| 0480 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 102.000 | SF | | 7.00 | 8.00 | 6.00 |
| 0490 | 619-F1001 | Concrete Median Barrier, Precast | 3,256.000 | LF | | 37.00 | 28.00 | 30.00 |
| 0500 | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast | 3,160.000 | LF | | 10.00 | 9.00 | 10.00 |
| 0510 | 619-F3004 | Delineators, Guard Rail, White | 24.000 | EA | | 14.00 | 14.45 | 13.50 |
| 0520 | 619-G4001 | Barricades, Type III, Single Faced | 522.000 | LF | | 18.00 | 18.00 | 15.00 |

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|--|-----------|--|------------|-------|--|---|----------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$3,391,715.94 | \$3,720,988.79 | \$3,987,271.55 | \$3,997,702.40 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0530 | 619-G5001 | Free Standing Plastic Drums | 23.000 | EA | | 50.00 | 50.00 | 41.00 |
| 0540 | 619-G7001 | Warning Lights, Type "B" | 4.000 | EA | | 150.00 | 425.00 | 300.00 |
| 0550 | 620-A001 | Mobilization | 1.000 | LS | | 332,000.00 | 220,000.00 | 380,000.00 |
| 0560 | 627-K001 | Red-Clear Reflective High Performance Raised Markers | 72.000 | EA | | 10.00 | 10.40 | 10.00 |
| 0570 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers | 113.000 | EA | | 4.00 | 4.15 | 4.00 |
| 0580 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | 50.000 | SF | | 18.00 | 18.55 | 17.00 |
| 0590 | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panel | 106.000 | SF | | 19.00 | 19.55 | 19.00 |
| 0600 | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panel | 1,499.000 | SF | | 20.00 | 20.60 | 20.00 |
| 0610 | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft | 44.000 | LF | | 6.50 | 6.70 | 6.50 |
| 0620 | 630-D003 | Structural Steel Beams, W6 x 9 | 112.000 | LF | | 55.00 | 56.65 | 40.00 |
| 0630 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | 98.000 | LBS | | 1.00 | 1.05 | 0.50 |
| 0640 | 630-F001 | Delineators, Guard Rail, White | 108.000 | EA | | 14.00 | 14.45 | 13.50 |
| 0650 | 635-A001 | Vehicle Loop Assemblies | 740.000 | LF | | 6.50 | 7.00 | 12.50 |
| 0660 | 636-A002 | Shielded Cable | 10,912.000 | LF | | 0.57 | 0.61 | 0.95 |
| 0670 | 640-A016 | Traffic Signal Heads, Type 1 LED | 8.000 | EA | | 936.00 | 1,000.00 | 978.85 |
| 0680 | 640-A024 | Traffic Signal Heads, Type 4 LED | 4.000 | EA | | 810.00 | 1,270.00 | 1,035.00 |
| 0690 | 644-A001 | Optical Detector | 6.000 | EA | | 1,030.00 | 1,100.00 | 960.00 |
| 0700 | 644-B001 | Optical Detector Cable | 6,975.000 | LF | | 1.25 | 1.33 | 1.15 |
| 0710 | 644-C002 | Phase Selector, 4 Channel | 4.000 | EA | | 3,120.00 | 3,325.00 | 4,000.00 |
| 0720 | 647-A005 | Pullbox, Type 2 | 16.000 | EA | | 700.00 | 745.00 | 513.00 |
| 0730 | 666-B002 | Electric Cable, Underground in Conduit, IMSA 40-2, AWG 19, | 1,071.000 | LF | | 1.00 | 1.07 | 7.00 |
| 0740 | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 6,975.000 | LF | | 2.00 | 2.13 | 2.60 |
| 0750 | 666-B041 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 | 345.000 | LF | | 2.50 | 2.67 | 13.50 |
| 0760 | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" | 413.000 | LF | | 7.00 | 7.45 | 5.80 |
| 0770 | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" | 33.000 | LF | | 8.00 | 8.55 | 17.50 |
| 0780 | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" | 1,019.000 | LF | | 9.00 | 9.60 | 5.35 |

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|--|--------------|--|-----------|-------|--|---|----------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$3,391,715.94 | \$3,720,988.79 | \$3,987,271.55 | \$3,997,702.40 |
| Ref# | SM Item | Item Description | Item Qty | Units | 1 | 2 | 3 | |
| 0790 | 668-A022 | Traffic Signal Conduit, Underground, Type 4, 4" | 34.000 | LF | 10.00 | 10.65 | 17.35 | |
| 0800 | 668-B023 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 455.000 | LF | 15.00 | 16.00 | 14.90 | |
| 0810 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 53.000 | LF | 16.00 | 17.05 | 27.85 | |
| 0820 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 332.000 | LF | 17.00 | 18.13 | 19.90 | |
| 0830 | 668-B026 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 111.000 | LF | 19.00 | 20.25 | 27.15 | |
| 0840 | 682-A001 | Underground Branch Circuit, AWG 1, 3 Conductor | 312.000 | LF | 20.47 | 21.83 | 9.35 | |
| 0850 | 682-A004 | Underground Branch Circuit, AWG 1/0, 3 Conductor | 1,824.000 | LF | 18.42 | 19.63 | 9.40 | |
| 0860 | 682-A015 | Underground Branch Circuit, AWG 2, 3 Conductor | 5,014.000 | LF | 14.79 | 15.75 | 7.40 | |
| 0870 | 682-A025 | Underground Branch Circuit, AWG 4, 3 Conductor | 1,722.000 | LF | 12.76 | 13.60 | 7.20 | |
| 0880 | 682-A040 | Underground Branch Circuit, AWG #3/0, 3 Conductor | 300.000 | LF | 24.83 | 26.47 | 16.20 | |
| 0881 | 682-B002 | Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conduc | 125.000 | LF | 22.94 | 24.45 | 20.30 | |
| 0882 | 682-B005 | Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Cond | 331.000 | LF | 25.55 | 27.23 | 20.20 | |
| 0883 | 682-B016 | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conduc | 451.000 | LF | 22.67 | 24.16 | 18.50 | |
| 0884 | 682-B025 | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conduc | 238.000 | LF | 18.33 | 19.54 | 15.35 | |
| 0890 | 682-D001 | Underground Pull Box | 7.000 | EA | 1,732.59 | 1,850.00 | 950.00 | |
| 0900 | 682-E001 | Underground Junction Box | 1.000 | EA | 1,732.59 | 1,850.00 | 2,250.00 | |
| 0910 | 682-F001 | Secondary Power Controllers | 1.000 | EA | 30,336.12 | 32,335.00 | 14,500.00 | |
| 0920 | 683-A068 | Lighting Assembly, High Mast, Type 130-6-A | 4.000 | EA | 27,793.13 | 29,625.00 | 25,250.00 | |
| 0930 | 683-A072 | Lighting Assembly, High Mast, Type 130-8-S | 2.000 | EA | 29,299.73 | 31,235.00 | 27,550.00 | |
| 0940 | 683-B049 | Lighting Assembly, Low Mast, Type 40-1-0-400 | 18.000 | EA | 3,043.58 | 3,245.00 | 2,310.00 | |
| 0950 | 683-D001 | Portable Electric Power Units | 1.000 | EA | 3,172.37 | 3,385.00 | 3,150.00 | |
| 0960 | 684-A006 | Pole Foundation, 48" Diameter | 92.000 | CY | 543.71 | 580.00 | 735.00 | |
| 0965 | 684-A007 | Pole Foundation, 30" Diameter | 46.000 | CY | 634.84 | 675.00 | 612.00 | |
| 0970 | 684-B006 | Slip Casing, 48" Diameter | 32.000 | LF | 42.53 | 45.30 | 100.00 | |
| 0975 | 684-B007 | Slip Casing, 30" Diameter | 14.000 | LF | 36.45 | 38.85 | 73.00 | |
| 0980 | 907-225-A001 | Grassing | 5.000 | ACRE | 1,000.00 | 1,575.00 | 850.00 | |

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|--|---------------|--|------------|-------|--|---|----------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$3,391,715.94 | \$3,720,988.79 | \$3,987,271.55 | \$3,997,702.40 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 0990 | 907-225-B001 | Agricultural Limestone | 10.000 | TON | | 50.00 | 105.00 | 65.00 |
| 1000 | 907-225-C001 | Mulch, Vegetative Mulch | 10.000 | TON | | 225.00 | 210.00 | 200.00 |
| 1010 | 907-226-A001 | Temporary Grassing | 5.000 | ACRE | | 1,000.00 | 945.00 | 850.00 |
| 1020 | 907-234-D001 | Inlet Siltation Guard | 2.000 | EA | | 1,000.00 | 575.00 | 500.00 |
| 1030 | 907-237-A002 | Wattles, 12" | 500.000 | LF | | 4.00 | 4.00 | 4.00 |
| 1040 | 907-237-A003 | Wattles, 20" | 500.000 | LF | | 5.00 | 4.75 | 4.00 |
| 1050 | 907-245-A001 | Triangular Silt Dike | 500.000 | LF | | 10.00 | 9.25 | 10.00 |
| 1060 | 907-246-A001 | Sandbags | 500.000 | LF | | 5.00 | 6.00 | 8.00 |
| 1070 | 907-304-B009 | Granular Material, Class 3, Group D | 759.000 | TON | | 12.00 | 17.50 | 25.00 |
| 1080 | 907-304-F002 | Size 610 Crushed Stone Base | 17,445.000 | TON | | 34.00 | 38.00 | 33.00 |
| 1090 | 907-310-B001 | Size III Stabilizer Aggregate, Coarse | 55.000 | TON | | 45.00 | 35.00 | 65.00 |
| 1100 | 907-402-A002 | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture | 107.000 | TON | | 202.00 | 209.00 | 202.00 |
| 1110 | 907-402-B001 | Bituminous Tack Coat | 146.000 | GAL | | 1.00 | 1.04 | 1.00 |
| 1120 | 907-407-A001 | Asphalt for Tack Coat | 5,423.000 | GAL | | 1.00 | 1.04 | 1.00 |
| 1130 | 907-601-B003 | Class "B" Structural Concrete, Minor Structures | 14.000 | CY | | 1,200.00 | 1,200.00 | 1,300.00 |
| 1140 | 907-619-E3001 | Changeable Message Sign | 2.000 | EA | | 18,500.00 | 16,000.00 | 7,500.00 |
| 1150 | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White | 2.000 | MI | | 1,500.00 | 1,550.00 | 1,500.00 |
| 1160 | 907-626-B004 | 6" Thermoplastic Traffic Stripe, Continuous White | 2.000 | MI | | 3,000.00 | 3,100.00 | 3,000.00 |
| 1170 | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow | 2.000 | MI | | 3,000.00 | 3,100.00 | 3,000.00 |
| 1180 | 907-626-G004 | Thermoplastic Detail Stripe, White | 10,539.000 | LF | | 1.25 | 1.30 | 1.25 |
| 1190 | 907-626-G005 | Thermoplastic Detail Stripe, Yellow | 4,688.000 | LF | | 1.25 | 1.30 | 1.25 |
| 1200 | 907-626-H004 | Thermoplastic Legend, White | 1,092.000 | LF | | 3.00 | 3.10 | 3.00 |
| 1210 | 907-626-H005 | Thermoplastic Legend, White | 908.000 | SF | | 6.00 | 6.20 | 6.00 |
| 1220 | 907-630-I001 | Metal Overhead Sign Supports, Assembly No. 1, Contractor Des | 1.000 | LS | | 87,000.00 | 89,500.00 | 87,975.00 |
| 1230 | 907-630-I002 | Metal Overhead Sign Supports, Assembly No. 2, Contractor Des | 1.000 | LS | | 91,000.00 | 93,700.00 | 83,945.00 |
| 1240 | 907-630-I003 | Metal Overhead Sign Supports, Assembly No. 3, Contractor Des | 1.000 | LS | | 81,000.00 | 83,400.00 | 75,765.00 |

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|--|--------------|--|-----------|-------|--|---|----------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$3,391,715.94 | \$3,720,988.79 | \$3,987,271.55 | \$3,997,702.40 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 1250 | 907-630-I004 | Metal Overhead Sign Supports, Assembly No. 4, Contractor Des | 1.000 | LS | | 81,000.00 | 83,400.00 | 75,765.00 |
| 1260 | 907-630-O003 | Remove and Reset Sign, All Sizes | 11.000 | EA | | 850.00 | 875.00 | 650.00 |
| 1270 | 907-631-A001 | Flowable Fill, Excavatable | 1.000 | CY | | 250.00 | 250.00 | 250.00 |
| 1280 | 907-639-A011 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm | 2.000 | EA | | 5,412.00 | 5,770.00 | 8,300.00 |
| 1290 | 907-639-A086 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 40' | 1.000 | EA | | 10,678.00 | 11,380.00 | 13,125.00 |
| 1300 | 907-639-A097 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 35' | 1.000 | EA | | 10,062.00 | 10,725.00 | 12,400.00 |
| 1310 | 907-639-C002 | Pole Foundations, 36" Diameter | 19.000 | CY | | 450.00 | 480.00 | 495.00 |
| 1320 | 907-639-C004 | Pole Foundations, 30" Diameter | 21.000 | CY | | 634.84 | 677.00 | 510.00 |
| 1330 | 907-639-D001 | Slip Casing, 36" Diameter | 1.000 | LF | | 10.00 | 10.66 | 391.50 |
| 1340 | 907-639-D002 | Slip Casing, 30" Diameter | 12.000 | LF | | 36.45 | 38.85 | 80.00 |
| 1350 | 907-642-A003 | Solid State Traffic Actuated Controllers, Type 8A | 1.000 | EA | | 18,500.00 | 19,720.00 | 18,300.00 |
| 1395 | 907-682-E001 | Underground Junction Box With Concrete Pad | 18.000 | EA | | 598.69 | 638.00 | 685.00 |
| 1400 | 907-699-A002 | Roadway Construction Stakes | 1.000 | LS | | 20,000.00 | 40,000.00 | 112,000.00 |
| 1410 | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture | 426.000 | TON | | | | |
| 1420 | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture | 426.000 | TON | | 97.00 | 100.00 | 97.00 |
| 1430 | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture | 1,562.000 | TON | | | | |
| 1440 | 907-403-M011 | Warm Mix Asphalt, HT, 19-mm mixture | 1,562.000 | TON | | 79.00 | 81.85 | 79.00 |
| 1450 | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture | 640.000 | TON | | | | |
| 1460 | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture | 640.000 | TON | | 107.00 | 110.85 | 107.00 |
| 1470 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 320.000 | TON | | | | |
| 1480 | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture | 320.000 | TON | | 134.00 | 138.85 | 134.00 |
| 1490 | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified | 1,112.000 | TON | | 120.00 | 124.30 | 120.00 |
| 1500 | 907-403-P002 | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified | 1,112.000 | TON | | | | |
| 1510 | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified | 1,496.000 | TON | | 117.00 | 121.20 | 117.00 |
| 1520 | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified | 1,496.000 | TON | | | | |
| 1530 | 616-A001 | Concrete Median and/or Island Pavement, 4-inch | 3.000 | SY | | 30.00 | 50.00 | 30.00 |

| PANOLA (54) | | | | | MISSISSIPPI DEPARTMENT OF TRANSPORTATION | Talbot Bros Contr Co, Inc & Talbot Bros Grading Co, Inc, AJV | Endevco, Inc. | Superior Asphalt, Inc. |
|--|--------------|--|-----------|-------|--|---|----------------|---------------------------|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$3,391,715.94 | \$3,720,988.79 | \$3,987,271.55 | \$3,997,702.40 |
| Ref# | SM Item | Item Description | Item Qty | Units | | 1 | 2 | 3 |
| 1540 | 635-A001 | Vehicle Loop Assemblies | 1,080.000 | LF | | 6.50 | 7.00 | 12.00 |
| 1550 | 636-A002 | Shielded Cable | 3,581.000 | LF | | 0.57 | 0.61 | 1.50 |
| 1560 | 640-A016 | Traffic Signal Heads, Type 1 LED | 6.000 | EA | | 936.00 | 1,000.00 | 1,140.00 |
| 1570 | 640-A017 | Traffic Signal Heads, Type 2 LED | 1.000 | EA | | 810.00 | 865.00 | 861.00 |
| 1580 | 640-A018 | Traffic Signal Heads, Type 3 LED | 2.000 | EA | | 1,350.00 | 1,440.00 | 1,267.00 |
| 1590 | 640-A022 | Traffic Signal Heads, Type 7 LED | 2.000 | EA | | 1,898.00 | 2,025.00 | 1,721.00 |
| 1600 | 644-A001 | Optical Detector | 4.000 | EA | | 1,030.00 | 1,100.00 | 1,038.00 |
| 1610 | 644-B001 | Optical Detector Cable | 618.000 | LF | | 1.25 | 1.33 | 1.55 |
| 1620 | 646-A001 | Removal of Existing Traffic Signal Equipment | 1.000 | LS | | 8,000.00 | 8,500.00 | 2,850.00 |
| 1630 | 647-A005 | Pullbox, Type 2 | 9.000 | EA | | 700.00 | 745.00 | 608.00 |
| 1640 | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 618.000 | LF | | 2.00 | 2.13 | 3.60 |
| 1650 | 666-B041 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 | 94.000 | LF | | 2.50 | 2.67 | 29.00 |
| 1660 | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" | 817.000 | LF | | 7.00 | 7.45 | 4.65 |
| 1670 | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" | 12.000 | LF | | 9.00 | 9.60 | 45.60 |
| 1680 | 668-B023 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 196.000 | LF | | 15.00 | 16.00 | 15.20 |
| 1690 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 288.000 | LF | | 16.00 | 17.05 | 15.80 |
| 1700 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 141.000 | LF | | 17.00 | 18.13 | 22.00 |
| 1710 | 907-631-A001 | Flowable Fill, Excavatable | 1.000 | CY | | 250.00 | 250.00 | 127.00 |
| 1720 | 907-639-A009 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm | 1.000 | EA | | 15,552.00 | 16,579.00 | 11,200.00 |
| 1730 | 907-639-A014 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 60 | 1.000 | EA | | 22,219.50 | 23,687.00 | 15,425.00 |
| 1740 | 907-639-A017 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm | 1.000 | EA | | 5,802.00 | 6,185.00 | 8,550.00 |
| 1750 | 907-639-C002 | Pole Foundations, 36" Diameter | 11.000 | CY | | 450.00 | 480.00 | 775.00 |
| 1760 | 907-639-D001 | Slip Casing, 36" Diameter | 1.000 | LF | | 10.00 | 10.65 | 395.00 |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|-----------|--|------------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 0010 | 201-A001 | Clearing and Grubbing | 1.000 | LS | 85,272.00 | 101,250.00 | | |
| 0020 | 202-B004 | Removal of Asphalt Paved Shoulders, All Depths | 2,851.000 | SY | 4.70 | 4.90 | | |
| 0030 | 202-B024 | Removal of Concrete Median & Island Pavement, All Depths | 1,560.000 | SY | 10.00 | 8.50 | | |
| 0040 | 202-B038 | Removal of Curb, All Types | 2,925.000 | LF | 7.15 | 7.15 | | |
| 0050 | 202-B057 | Removal of Inlets, All Sizes | 1.000 | EA | 1,609.00 | 750.00 | | |
| 0060 | 202-B063 | Removal of Overhead Sign Including Panels, Truss, Supports & | 2.000 | EA | 4,680.00 | 4,350.00 | | |
| 0070 | 202-B064 | Removal of Pipe, 8" And Above | 48.000 | LF | 44.65 | 9.50 | | |
| 0080 | 202-B070 | Removal of Sign Including Post & Footing | 4.000 | EA | 351.00 | 145.00 | | |
| 0090 | 202-B076 | Removal of Traffic Stripe | 4,500.000 | LF | 4.65 | 1.21 | | |
| 0100 | 202-B097 | Removal of Concrete Overlayed w/ Asphalt Pavement, All Depth | 14,567.000 | SY | 4.85 | 7.65 | | |
| 0110 | 202-B141 | Removal of Edge Drain | 1,236.000 | LF | 10.40 | 4.50 | | |
| 0120 | 202-B186 | Removal of Low Mast Lighting Assembly and Foundation | 20.000 | EA | 620.00 | 485.00 | | |
| 0130 | 202-B254 | Removal of Guard Rail, Including Rail, Posts & Cable Anchor | 2,300.000 | LF | 2.35 | 1.70 | | |
| 0140 | 203-A003 | Unclassified Excavation, FM, AH | 5,096.000 | CY | 7.80 | 5.15 | | |
| 0150 | 203-EX017 | Borrow Excavation, AH, FME, Class B9 | 616.000 | CY | 26.00 | 5.15 | | |
| 0160 | 203-G003 | Excess Excavation, FM, AH | 32,000.000 | CY | 6.50 | 7.00 | | |
| 0170 | 206-A001 | Structure Excavation | 111.000 | CY | 13.00 | 7.60 | | |
| 0180 | 209-A004 | Geotextile Stabilization, Type V, Non-Woven | 27,350.000 | SY | 1.50 | 2.62 | | |
| 0190 | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished | 905.000 | CY | 14.00 | 7.50 | | |
| 0200 | 213-B001 | Combination Fertilizer, 13-13-13 | 10.000 | TON | 925.00 | 627.25 | | |
| 0210 | 213-C001 | Superphosphate | 3.000 | TON | 1,016.00 | 627.25 | | |
| 0220 | 216-A001 | Solid Sodding | 10,853.000 | SY | 2.90 | 3.00 | | |
| 0230 | 219-A001 | Watering | 218.000 | KGAL | 20.00 | 20.00 | | |
| 0240 | 220-A001 | Insect Pest Control | 3.000 | ACRE | 30.00 | 30.00 | | |
| 0250 | 234-A001 | Temporary Silt Fence | 500.000 | LF | 3.65 | 2.45 | | |
| 0260 | 235-A001 | Temporary Erosion Checks | 100.000 | BALE | 15.40 | 8.50 | | |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|-----------|--|------------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 0270 | 239-A001 | Temporary Slope Drains | 500.000 | LF | 11.00 | 6.50 | | |
| 0280 | 406-A001 | Cold Milling of Bituminous Pavement, All Depths | 14,793.000 | SY | 3.10 | 3.00 | | |
| 0290 | 503-C001 | Saw Cut, 1-inch | 1,300.000 | LF | 2.45 | 2.00 | | |
| 0300 | 503-C007 | Saw Cut, Full Depth | 3,822.000 | LF | 2.75 | 20.00 | | |
| 0310 | 602-A001 | Reinforcing Steel | 776.000 | LBS | 1.56 | 0.70 | | |
| 0320 | 603-CA002 | 18" Reinforced Concrete Pipe, Class III | 40.000 | LF | 58.00 | 45.00 | | |
| 0330 | 603-CA003 | 24" Reinforced Concrete Pipe, Class III | 436.000 | LF | 56.00 | 56.00 | | |
| 0340 | 603-CB002 | 24" Reinforced Concrete End Section | 8.000 | EA | 947.00 | 1,300.00 | | |
| 0350 | 604-B001 | Gratings | 500.000 | LBS | 3.10 | 2.00 | | |
| 0360 | 606-B001 | Guard Rail, Class A, Type 1 | 740.000 | LF | 20.50 | 15.50 | | |
| 0370 | 606-C003 | Guard Rail, Cable Anchor, Type 1 | 4.000 | EA | 700.00 | 555.00 | | |
| 0380 | 606-E001 | Guard Rail, Terminal End Section | 4.000 | EA | 2,100.00 | 1,737.00 | | |
| 0390 | 609-D003 | Combination Concrete Curb and Gutter Type 3 | 1,080.000 | LF | 21.25 | 24.00 | | |
| 0400 | 616-A001 | Concrete Median and/or Island Pavement, 4-inch | 3.000 | SY | 37.00 | 200.00 | | |
| 0410 | 616-A003 | Concrete Median and/or Island Pavement, 10-inch | 10.000 | SY | 80.00 | 200.00 | | |
| 0420 | 618-A001 | Maintenance of Traffic | 1.000 | LS | 42,800.00 | 106,000.00 | | |
| 0430 | 619-A3001 | Temporary Traffic Stripe, Skip White | 5,170.000 | LF | 1.17 | 0.97 | | |
| 0440 | 619-A5001 | Temporary Traffic Stripe, Detail | 8,488.000 | LF | 2.34 | 1.93 | | |
| 0450 | 619-A6001 | Temporary Traffic Stripe, Legend | 430.000 | LF | 1.17 | 0.97 | | |
| 0460 | 619-A6002 | Temporary Traffic Stripe, Legend | 279.000 | SF | 23.00 | 19.30 | | |
| 0470 | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Fe | 32.000 | SF | 9.25 | 7.24 | | |
| 0480 | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More | 102.000 | SF | 9.25 | 7.24 | | |
| 0490 | 619-F1001 | Concrete Median Barrier, Precast | 3,256.000 | LF | 38.00 | 50.00 | | |
| 0500 | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast | 3,160.000 | LF | 19.50 | 11.00 | | |
| 0510 | 619-F3004 | Delineators, Guard Rail, White | 24.000 | EA | 16.35 | 13.00 | | |
| 0520 | 619-G4001 | Barricades, Type III, Single Faced | 522.000 | LF | 19.50 | 15.50 | | |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|-----------|--|------------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 0530 | 619-G5001 | Free Standing Plastic Drums | 23.000 | EA | 49.00 | 40.00 | | |
| 0540 | 619-G7001 | Warning Lights, Type "B" | 4.000 | EA | 499.00 | 386.00 | | |
| 0550 | 620-A001 | Mobilization | 1.000 | LS | 127,500.00 | 420,000.00 | | |
| 0560 | 627-K001 | Red-Clear Reflective High Performance Raised Markers | 72.000 | EA | 12.00 | 9.65 | | |
| 0570 | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers | 113.000 | EA | 4.70 | 3.86 | | |
| 0580 | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness | 50.000 | SF | 21.00 | 16.41 | | |
| 0590 | 630-B001 | Interstate Directional Signs, Bolted Extruded Aluminum Panel | 106.000 | SF | 22.00 | 18.34 | | |
| 0600 | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panel | 1,499.000 | SF | 23.40 | 19.30 | | |
| 0610 | 630-C004 | Steel U-Section Posts, 3.0 to 3.5 lb/ft | 44.000 | LF | 7.60 | 6.27 | | |
| 0620 | 630-D003 | Structural Steel Beams, W6 x 9 | 112.000 | LF | 64.00 | 38.60 | | |
| 0630 | 630-E001 | Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles | 98.000 | LBS | 1.20 | 0.48 | | |
| 0640 | 630-F001 | Delineators, Guard Rail, White | 108.000 | EA | 16.00 | 13.03 | | |
| 0650 | 635-A001 | Vehicle Loop Assemblies | 740.000 | LF | 15.38 | 11.90 | | |
| 0660 | 636-A002 | Shielded Cable | 10,912.000 | LF | 1.15 | 0.92 | | |
| 0670 | 640-A016 | Traffic Signal Heads, Type 1 LED | 8.000 | EA | 1,221.00 | 944.59 | | |
| 0680 | 640-A024 | Traffic Signal Heads, Type 4 LED | 4.000 | EA | 1,221.00 | 998.78 | | |
| 0690 | 644-A001 | Optical Detector | 6.000 | EA | 1,200.00 | 926.40 | | |
| 0700 | 644-B001 | Optical Detector Cable | 6,975.000 | LF | 1.42 | 1.10 | | |
| 0710 | 644-C002 | Phase Selector, 4 Channel | 4.000 | EA | 4,989.00 | 3,860.00 | | |
| 0720 | 647-A005 | Pullbox, Type 2 | 16.000 | EA | 640.00 | 495.05 | | |
| 0730 | 666-B002 | Electric Cable, Underground in Conduit, IMSA 40-2, AWG 19, | 1,071.000 | LF | 8.75 | 6.76 | | |
| 0740 | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 6,975.000 | LF | 3.25 | 2.52 | | |
| 0750 | 666-B041 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 | 345.000 | LF | 16.85 | 13.03 | | |
| 0760 | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" | 413.000 | LF | 7.25 | 5.60 | | |
| 0770 | 668-A018 | Traffic Signal Conduit, Underground, Type 4, 2" | 33.000 | LF | 21.85 | 16.89 | | |
| 0780 | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" | 1,019.000 | LF | 6.70 | 5.17 | | |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|--------------|--|-----------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 0790 | 668-A022 | Traffic Signal Conduit, Underground, Type 4, 4" | 34.000 | LF | 21.65 | 16.76 | | |
| 0800 | 668-B023 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 455.000 | LF | 18.35 | 14.37 | | |
| 0810 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 53.000 | LF | 34.35 | 26.88 | | |
| 0820 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 332.000 | LF | 25.00 | 19.20 | | |
| 0830 | 668-B026 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 111.000 | LF | 33.50 | 26.20 | | |
| 0840 | 682-A001 | Underground Branch Circuit, AWG 1, 3 Conductor | 312.000 | LF | 11.50 | 9.01 | | |
| 0850 | 682-A004 | Underground Branch Circuit, AWG 1/0, 3 Conductor | 1,824.000 | LF | 11.60 | 9.09 | | |
| 0860 | 682-A015 | Underground Branch Circuit, AWG 2, 3 Conductor | 5,014.000 | LF | 9.15 | 7.15 | | |
| 0870 | 682-A025 | Underground Branch Circuit, AWG 4, 3 Conductor | 1,722.000 | LF | 9.00 | 6.92 | | |
| 0880 | 682-A040 | Underground Branch Circuit, AWG #3/0, 3 Conductor | 300.000 | LF | 20.00 | 15.64 | | |
| 0881 | 682-B002 | Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conduc | 125.000 | LF | 25.00 | 19.57 | | |
| 0882 | 682-B005 | Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Cond | 331.000 | LF | 25.00 | 19.45 | | |
| 0883 | 682-B016 | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conduc | 451.000 | LF | 23.00 | 17.85 | | |
| 0884 | 682-B025 | Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conduc | 238.000 | LF | 19.15 | 14.81 | | |
| 0890 | 682-D001 | Underground Pull Box | 7.000 | EA | 1,185.00 | 916.75 | | |
| 0900 | 682-E001 | Underground Junction Box | 1.000 | EA | 2,806.00 | 2,171.25 | | |
| 0910 | 682-F001 | Secondary Power Controllers | 1.000 | EA | 17,867.00 | 13,992.50 | | |
| 0920 | 683-A068 | Lighting Assembly, High Mast, Type 130-6-A | 4.000 | EA | 31,100.00 | 24,366.25 | | |
| 0930 | 683-A072 | Lighting Assembly, High Mast, Type 130-8-S | 2.000 | EA | 34,300.00 | 26,585.75 | | |
| 0940 | 683-B049 | Lighting Assembly, Low Mast, Type 40-1-0-400 | 18.000 | EA | 2,846.00 | 2,229.15 | | |
| 0950 | 683-D001 | Portable Electric Power Units | 1.000 | EA | 3,929.00 | 3,039.75 | | |
| 0960 | 684-A006 | Pole Foundation, 48" Diameter | 92.000 | CY | 905.00 | 709.28 | | |
| 0965 | 684-A007 | Pole Foundation, 30" Diameter | 46.000 | CY | 754.00 | 590.58 | | |
| 0970 | 684-B006 | Slip Casing, 48" Diameter | 32.000 | LF | 125.00 | 96.50 | | |
| 0975 | 684-B007 | Slip Casing, 30" Diameter | 14.000 | LF | 91.00 | 70.45 | | |
| 0980 | 907-225-A001 | Grassing | 5.000 | ACRE | 1,185.00 | 820.25 | | |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|---------------|--|------------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 0990 | 907-225-B001 | Agricultural Limestone | 10.000 | TON | 156.00 | 62.73 | | |
| 1000 | 907-225-C001 | Mulch, Vegetative Mulch | 10.000 | TON | 256.00 | 193.00 | | |
| 1010 | 907-226-A001 | Temporary Grassing | 5.000 | ACRE | 925.00 | 820.25 | | |
| 1020 | 907-234-D001 | Inlet Siltation Guard | 2.000 | EA | 312.00 | 430.00 | | |
| 1030 | 907-237-A002 | Wattles, 12" | 500.000 | LF | 10.00 | 3.00 | | |
| 1040 | 907-237-A003 | Wattles, 20" | 500.000 | LF | 14.00 | 3.50 | | |
| 1050 | 907-245-A001 | Triangular Silt Dike | 500.000 | LF | 25.00 | 8.50 | | |
| 1060 | 907-246-A001 | Sandbags | 500.000 | LF | 4.75 | 4.75 | | |
| 1070 | 907-304-B009 | Granular Material, Class 3, Group D | 759.000 | TON | 33.65 | 11.50 | | |
| 1080 | 907-304-F002 | Size 610 Crushed Stone Base | 17,445.000 | TON | 37.80 | 32.00 | | |
| 1090 | 907-310-B001 | Size III Stabilizer Aggregate, Coarse | 55.000 | TON | 62.00 | 48.00 | | |
| 1100 | 907-402-A002 | Hot Mix Asphalt, Open Graded Friction Course, 9.5mm Mixture | 107.000 | TON | 236.00 | 256.00 | | |
| 1110 | 907-402-B001 | Bituminous Tack Coat | 146.000 | GAL | 1.25 | 7.75 | | |
| 1120 | 907-407-A001 | Asphalt for Tack Coat | 5,423.000 | GAL | 1.25 | 0.01 | | |
| 1130 | 907-601-B003 | Class "B" Structural Concrete, Minor Structures | 14.000 | CY | 845.00 | 900.00 | | |
| 1140 | 907-619-E3001 | Changeable Message Sign | 2.000 | EA | 22,796.00 | 9,500.00 | | |
| 1150 | 907-626-A003 | 6" Thermoplastic Traffic Stripe, Skip White | 2.000 | MI | 1,755.00 | 1,447.50 | | |
| 1160 | 907-626-B004 | 6" Thermoplastic Traffic Stripe, Continuous White | 2.000 | MI | 3,510.00 | 2,895.00 | | |
| 1170 | 907-626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow | 2.000 | MI | 3,510.00 | 2,895.00 | | |
| 1180 | 907-626-G004 | Thermoplastic Detail Stripe, White | 10,539.000 | LF | 1.45 | 1.21 | | |
| 1190 | 907-626-G005 | Thermoplastic Detail Stripe, Yellow | 4,688.000 | LF | 1.45 | 1.21 | | |
| 1200 | 907-626-H004 | Thermoplastic Legend, White | 1,092.000 | LF | 3.50 | 2.90 | | |
| 1210 | 907-626-H005 | Thermoplastic Legend, White | 908.000 | SF | 7.00 | 5.79 | | |
| 1220 | 907-630-I001 | Metal Overhead Sign Supports, Assembly No. 1, Contractor Des | 1.000 | LS | 104,000.00 | 84,895.88 | | |
| 1230 | 907-630-I002 | Metal Overhead Sign Supports, Assembly No. 2, Contractor Des | 1.000 | LS | 108,810.00 | 81,006.93 | | |
| 1240 | 907-630-I003 | Metal Overhead Sign Supports, Assembly No. 3, Contractor Des | 1.000 | LS | 97,110.00 | 73,113.23 | | |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|--------------|--|-----------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 1250 | 907-630-I004 | Metal Overhead Sign Supports, Assembly No. 4, Contractor Des | 1.000 | LS | 103,500.00 | 73,113.23 | | |
| 1260 | 907-630-O003 | Remove and Reset Sign, All Sizes | 11.000 | EA | 995.00 | 627.25 | | |
| 1270 | 907-631-A001 | Flowable Fill, Excavatable | 1.000 | CY | 386.00 | 250.00 | | |
| 1280 | 907-639-A011 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 35' Arm | 2.000 | EA | 10,353.00 | 8,009.50 | | |
| 1290 | 907-639-A086 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 40' | 1.000 | EA | 16,371.00 | 12,665.63 | | |
| 1300 | 907-639-A097 | Traffic Signal Equipment Pole, Type IV, 30' Shaft, 25' & 35' | 1.000 | EA | 15,467.00 | 11,966.00 | | |
| 1310 | 907-639-C002 | Pole Foundations, 36" Diameter | 19.000 | CY | 610.00 | 477.68 | | |
| 1320 | 907-639-C004 | Pole Foundations, 30" Diameter | 21.000 | CY | 628.00 | 492.15 | | |
| 1330 | 907-639-D001 | Slip Casing, 36" Diameter | 1.000 | LF | 483.00 | 377.80 | | |
| 1340 | 907-639-D002 | Slip Casing, 30" Diameter | 12.000 | LF | 98.50 | 77.20 | | |
| 1350 | 907-642-A003 | Solid State Traffic Actuated Controllers, Type 8A | 1.000 | EA | 22,827.00 | 17,659.50 | | |
| 1395 | 907-682-E001 | Underground Junction Box With Concrete Pad | 18.000 | EA | 844.00 | 661.03 | | |
| 1400 | 907-699-A002 | Roadway Construction Stakes | 1.000 | LS | 56,600.00 | 50,000.00 | | |
| 1410 | 907-403-A011 | Hot Mix Asphalt, ST, 12.5-mm mixture | 426.000 | TON | | 145.00 | | |
| 1420 | 907-403-M003 | Warm Mix Asphalt, ST, 12.5-mm mixture | 426.000 | TON | 113.50 | | | |
| 1430 | 907-403-A002 | Hot Mix Asphalt, HT, 19-mm mixture | 1,562.000 | TON | | 125.00 | | |
| 1440 | 907-403-M011 | Warm Mix Asphalt, HT, 19-mm mixture | 1,562.000 | TON | 92.45 | | | |
| 1450 | 907-403-A012 | Hot Mix Asphalt, ST, 19-mm mixture | 640.000 | TON | | 125.00 | | |
| 1460 | 907-403-M004 | Warm Mix Asphalt, ST, 19-mm mixture | 640.000 | TON | 125.00 | | | |
| 1470 | 907-403-A015 | Hot Mix Asphalt, ST, 9.5-mm mixture | 320.000 | TON | | 145.00 | | |
| 1480 | 907-403-M001 | Warm Mix Asphalt, ST, 9.5-mm mixture | 320.000 | TON | 156.00 | | | |
| 1490 | 907-403-D001 | Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified | 1,112.000 | TON | 140.00 | 145.00 | | |
| 1500 | 907-403-P002 | Warm Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified | 1,112.000 | TON | | | | |
| 1510 | 907-403-D004 | Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified | 1,496.000 | TON | 137.00 | 145.00 | | |
| 1520 | 907-403-P001 | Warm Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified | 1,496.000 | TON | | | | |
| 1530 | 616-A001 | Concrete Median and/or Island Pavement, 4-inch | 3.000 | SY | 62.00 | 198.00 | | |

| PANOLA (54) | | | | | Chancellor Brothers, LLC | Eutaw Construction Company, Inc. | | |
|--|--------------|---|-----------|-------|--------------------------|----------------------------------|--|--|
| Interchange Improvements on SR 6 at I-55, known as Federal Aid Project No. NH-0070-03(020) / 101643305 & State Project No. SP-0070-03(020) / 101643306 in Panola County. | | | | | \$4,211,120.94 | \$4,239,161.90 | | |
| Ref# | SM Item | Item Description | Item Qty | Units | 4 | 5 | | |
| 1540 | 635-A001 | Vehicle Loop Assemblies | 1,080.000 | LF | 14.50 | 11.34 | | |
| 1550 | 636-A002 | Shielded Cable | 3,581.000 | LF | 1.80 | 1.39 | | |
| 1560 | 640-A016 | Traffic Signal Heads, Type 1 LED | 6.000 | EA | 1,422.00 | 1,100.10 | | |
| 1570 | 640-A017 | Traffic Signal Heads, Type 2 LED | 1.000 | EA | 1,074.00 | 830.87 | | |
| 1580 | 640-A018 | Traffic Signal Heads, Type 3 LED | 2.000 | EA | 1,580.00 | 1,222.66 | | |
| 1590 | 640-A022 | Traffic Signal Heads, Type 7 LED | 2.000 | EA | 2,146.00 | 1,660.77 | | |
| 1600 | 644-A001 | Optical Detector | 4.000 | EA | 1,295.00 | 1,001.67 | | |
| 1610 | 644-B001 | Optical Detector Cable | 618.000 | LF | 1.92 | 1.49 | | |
| 1620 | 646-A001 | Removal of Existing Traffic Signal Equipment | 1.000 | LS | 3,555.00 | 2,750.25 | | |
| 1630 | 647-A005 | Pullbox, Type 2 | 9.000 | EA | 758.00 | 586.72 | | |
| 1640 | 666-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 7 | 618.000 | LF | 4.50 | 3.47 | | |
| 1650 | 666-B041 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 | 94.000 | LF | 36.00 | 27.99 | | |
| 1660 | 668-A016 | Traffic Signal Conduit, Underground, Type 4, 1" | 817.000 | LF | 5.80 | 4.49 | | |
| 1670 | 668-A020 | Traffic Signal Conduit, Underground, Type 4, 3" | 12.000 | LF | 57.00 | 43.98 | | |
| 1680 | 668-B023 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 196.000 | LF | 19.00 | 14.64 | | |
| 1690 | 668-B024 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 288.000 | LF | 19.00 | 15.22 | | |
| 1700 | 668-B025 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolle | 141.000 | LF | 27.00 | 21.23 | | |
| 1710 | 907-631-A001 | Flowable Fill, Excavatable | 1.000 | CY | 386.00 | 250.00 | | |
| 1720 | 907-639-A009 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 60' Arm | 1.000 | EA | 13,970.00 | 10,808.00 | | |
| 1730 | 907-639-A014 | Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 60' | 1.000 | EA | 19,240.00 | 14,885.13 | | |
| 1740 | 907-639-A017 | Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm | 1.000 | EA | 10,665.00 | 8,250.75 | | |
| 1750 | 907-639-C002 | Pole Foundations, 36" Diameter | 11.000 | CY | 967.00 | 747.88 | | |
| 1760 | 907-639-D001 | Slip Casing, 36" Diameter | 1.000 | LF | 493.00 | 381.18 | | |